

Shaowen Tang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/421162/shaowen-tang-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 papers	920 citations	16 h-index	29 g-index
68 ext. papers	1,116 ext. citations	3.4 avg, IF	3.68 L-index

#	Paper	IF	Citations
60	Anti-inflammatory drugs and risk of Alzheimer's disease: an updated systematic review and meta-analysis. <i>Journal of Alzheimer's Disease</i> , 2015 , 44, 385-96	4.3	161
59	Red and processed meat intake is associated with higher gastric cancer risk: a meta-analysis of epidemiological observational studies. <i>PLoS ONE</i> , 2013 , 8, e70955	3.7	71
58	Incidence, clinical features and impact on anti-tuberculosis treatment of anti-tuberculosis drug induced liver injury (ATLI) in China. <i>PLoS ONE</i> , 2011 , 6, e21836	3.7	60
57	Rapid diagnosis of drug resistance to fluoroquinolones, amikacin, capreomycin, kanamycin and ethambutol using genotype MTBDRsl assay: a meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e55292	3.7	47
56	Adverse reactions due to directly observed treatment strategy therapy in Chinese tuberculosis patients: a prospective study. <i>PLoS ONE</i> , 2013 , 8, e65037	3.7	47
55	Genome-wide association study of survival in early-stage non-small cell lung cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22, 630-5	3.1	40
54	Key factors of susceptibility to anti-tuberculosis drug-induced hepatotoxicity. <i>Archives of Toxicology</i> , 2015 , 89, 883-97	5.8	39
53	Current use of oral contraceptives and the risk of first-ever ischemic stroke: A meta-analysis of observational studies. <i>Thrombosis Research</i> , 2015 , 136, 52-60	8.2	35
52	Association between early treatment with Qingfei Paidu decoction and favorable clinical outcomes in patients with COVID-19: A retrospective multicenter cohort study. <i>Pharmacological Research</i> , 2020 , 161, 105290	10.2	33
51	The association between HLA-DQB1 polymorphism and antituberculosis drug-induced liver injury: a Case-Control Study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2015 , 40, 110-5	2.2	31
50	NAT2 genetic polymorphisms and anti-tuberculosis drug-induced hepatotoxicity in Chinese community population. <i>Annals of Hepatology</i> , 2012 , 11, 700-707	3.1	27
49	Genetic polymorphisms of IFNG and IFNGR1 in association with the risk of pulmonary tuberculosis. <i>Gene</i> , 2014 , 543, 140-4	3.8	25
48	Therapy in stable chronic obstructive pulmonary disease patients with pulmonary hypertension: a systematic review and meta-analysis. <i>Journal of Thoracic Disease</i> , 2015 , 7, 309-19	2.6	20
47	Fine mapping of genetic polymorphisms of pulmonary tuberculosis within chromosome 18q11.2 in the Chinese population: a case-control study. <i>BMC Infectious Diseases</i> , 2011 , 11, 282	4	19
46	Machine learning for prediction of sudden cardiac death in heart failure patients with low left ventricular ejection fraction: study protocol for a retrospective multicentre registry in China. <i>BMJ Open</i> , 2019 , 9, e023724	3	16
45	Meta-analysis of associations of IL1 receptor antagonist and estrogen receptor gene polymorphisms with systemic lupus erythematosus susceptibility. <i>PLoS ONE</i> , 2014 , 9, e109712	3.7	16
44	Clinical Significance of 4L Lymph Node Dissection in Left Lung Cancer. <i>Journal of Clinical Oncology</i> , 2018 , 36, 2935-2942	2.2	16

43	¶NAT2 genetic polymorphisms and anti-tuberculosis drug-induced hepatotoxicity in Chinese community population. <i>Annals of Hepatology</i> , 2012 , 11, 700-7	3.1	16
42	Association of polymorphisms in drug transporter genes (SLCO1B1 and SLC10A1) and anti-tuberculosis drug-induced hepatotoxicity in a Chinese cohort. <i>Tuberculosis</i> , 2015 , 95, 68-74	2.6	14
41	Lack of association between genetic polymorphisms of CYP3A4, CYP2C9 and CYP2C19 and antituberculosis drug-induced liver injury in a community-based Chinese population. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013 , 40, 326-32	3	14
40	Preventive use of hepatoprotectors yields limited efficacy on the liver toxicity of anti-tuberculosis agents in a large cohort of Chinese patients. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 540-5	4	13
39	Cytochrome P450 2E1 gene polymorphisms/haplotypes and anti-tuberculosis drug-induced hepatitis in a Chinese cohort. <i>PLoS ONE</i> , 2013 , 8, e57526	3.7	13
38	Role of polymorphic bile salt export pump (BSEP, ABCB11) transporters in anti-tuberculosis drug-induced liver injury in a Chinese cohort. <i>Scientific Reports</i> , 2016 , 6, 27750	4.9	11
37	Prevalence of primary cardiac tumor malignancies in retrospective studies over six decades: a systematic review and meta-analysis. <i>Oncotarget</i> , 2017 , 8, 43284-43294	3.3	10
36	Possible association of HMOX1 and NQO1 polymorphisms with anti-tuberculosis drug-induced liver injury: A matched case-control study. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019 , 44, 534-542	2.2	10
35	Tc-MIBI SPECT/CT imaging had high sensitivity in accurate localization of parathyroids before parathyroidectomy for patients with secondary hyperparathyroidism. <i>Renal Failure</i> , 2019 , 41, 885-892	2.9	9
34	CYP7A1, BAAT and UGT1A1 polymorphisms and susceptibility to anti-tuberculosis drug-induced hepatotoxicity. <i>International Journal of Tuberculosis and Lung Disease</i> , 2016 , 20, 812-8	2.1	9
33	Antithrombotic therapy strategies for atrial fibrillation patients undergoing percutaneous coronary intervention: A systematic review and network meta-analysis. <i>PLoS ONE</i> , 2017 , 12, e0186449	3.7	9
32	Interleukin-4 and interleukin-10 polymorphisms and antituberculosis drug-induced hepatotoxicity in Chinese population. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2015 , 40, 186-91	2.2	6
31	Analysis of IL-6, STAT3 and HSPA1L gene polymorphisms in anti-tuberculosis drug-induced hepatitis in a nested case-control study. <i>PLoS ONE</i> , 2015 , 10, e0118862	3.7	6
30	Effects and safety of lanthanum carbonate in end stage renal disease patients with hyperphosphatemia: a meta-analysis--system review of lanthanum carbonate. <i>Renal Failure</i> , 2013 , 35, 1455-64	2.9	6
29	The influence of coronavirus disease 2019 on emergency department visits in Nanjing, China: A multicentre cross-sectional study. <i>American Journal of Emergency Medicine</i> , 2020 , 38, 2101-2109	2.9	6
28	Risk factors for early death in primary malignant cardiac tumors: An analysis of over 40 years and 500 patients. <i>International Journal of Cardiology</i> , 2018 , 270, 287-292	3.2	6
27	Association between genetic polymorphisms of NRF2, KEAP1, MAFF, MAFK and anti-tuberculosis drug-induced liver injury: a nested case-control study. <i>Scientific Reports</i> , 2019 , 9, 14311	4.9	5
26	Effect of scheduled monitoring of liver function during anti-Tuberculosis treatment in a retrospective cohort in China. <i>BMC Public Health</i> , 2012 , 12, 454	4.1	5

25	Association between NR1I2 polymorphisms and susceptibility to anti-tuberculosis drug-induced hepatotoxicity in an Eastern Chinese Han population: A case-control study. <i>Infection, Genetics and Evolution</i> , 2020 , 83, 104349	4.5	4
24	Association of ABO blood group and antituberculosis drug-induced liver injury: A case-control study from a Chinese Han population. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020 , 45, 638-645	2.2	4
23	Diagnostic value of horizontal versus vertical sections for scarring and non-scarring alopecia: a systematic review and meta-analysis. <i>European Journal of Dermatology</i> , 2016 , 26, 361-9	0.8	4
22	Association of atorvastatin with the risk of hepatotoxicity: a pilot prescription sequence symmetry analysis. <i>Therapeutics and Clinical Risk Management</i> , 2019 , 15, 803-810	2.9	4
21	Association of polymorphisms at HORMAD2 and prognosis in advanced non-small-cell lung cancer patients. <i>Cancer Epidemiology</i> , 2014 , 38, 414-8	2.8	4
20	Detection of occult tumor cells in regional lymph nodes is associated with poor survival in pN0 non-small cell lung cancer: a meta-analysis. <i>Journal of Thoracic Disease</i> , 2016 , 8, 375-85	2.6	4
19	Home-based Anti-Tuberculosis Treatment Adverse Reactions (HATTAR) study: a protocol for a prospective observational study. <i>BMJ Open</i> , 2019 , 9, e027321	3	3
18	Association between apolipoprotein E genotype and warfarin response during initial anticoagulation. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 101, 251-256	7.5	3
17	Genetic polymorphisms of UGT1A1 and susceptibility to anti-tuberculosis drug-induced liver: A RUCAM-based case-control study. <i>International Journal of Immunopathology and Pharmacology</i> , 2018 , 32, 205873841881628	3	3
16	The association between BACH1 polymorphisms and anti-tuberculosis drug-induced hepatotoxicity in a Chinese cohort. <i>Infection, Genetics and Evolution</i> , 2018 , 66, 217-221	4.5	3
15	Association of FAM65B, AGBL4, and CUX2 genetic polymorphisms with susceptibility to antituberculosis drug-induced hepatotoxicity: validation study in a Chinese Han population. <i>Pharmacogenetics and Genomics</i> , 2019 , 29, 84-90	1.9	2
14	Parathyroidectomy Is Associated with Reversed Nondipping Heart Rate That Impacts Mortality in Chronic Kidney Disease Patients. <i>Endocrine Practice</i> , 2021 ,	3.2	2
13	The A/A Genotype of XPO1 rs4430924 Is Associated With Higher Risk of Antituberculosis Drug-Induced Hepatotoxicity in Chinese Patients. <i>Journal of Clinical Pharmacology</i> , 2019 , 59, 1014-1021	2.9	1
12	NR1I2 genetic polymorphisms and the risk of anti-tuberculosis drug-induced hepatotoxicity: A systematic review and meta-analysis. <i>Pharmacology Research and Perspectives</i> , 2020 , 8, e00696	3.1	1
11	I-B kinase-1 knockout protects against angiotensin II induced aortic valve thickening in apolipoprotein E deficient mice. <i>Biomedicine and Pharmacotherapy</i> , 2019 , 109, 1287-1295	7.5	1
10	Impact of maternal reproductive factors on cancer risks of offspring: A systematic review and meta-analysis of cohort studies. <i>PLoS ONE</i> , 2020 , 15, e0230721	3.7	1
9	Effects of parathyroidectomy on plasma PTH fragments and heart rate variability in stage 5 chronic kidney disease patients. <i>Renal Failure</i> , 2021 , 43, 890-899	2.9	1
8	Effects of resveratrol supplementation on bone quality: a systematic review and meta-analysis of randomized controlled trials. <i>BMC Complementary Medicine and Therapies</i> , 2021 , 21, 214	2.9	1

7	Benefits and harms of direct oral anticoagulation and low molecular weight heparin for thromboprophylaxis in patients undergoing non-cardiac surgery: systematic review and network meta-analysis of randomised trials.. <i>BMJ, The</i> , 2022 , 376, e066785	5.9	1
6	Determinants of excessive gestational weight gain: a systematic review and meta-analysis.. <i>Archives of Public Health</i> , 2022 , 80, 129	2.6	1
5	Relevance of NAT2 genotype to anti-tuberculosis drug-induced hepatotoxicity in a Chinese Han population. <i>Journal of Gene Medicine</i> , 2019 , 21, e3096	3.5	0
4	High glucose induces HSP47 expression and promotes the secretion of inflammatory factors through the IRE1 α /XBP1/HIF-1 α pathway in retinal Müller cells. <i>Experimental and Therapeutic Medicine</i> , 2021 , 22, 1411	2.1	0
3	Behaviour model integrated by protection motivation theory and information-motivation-behavioural skills model applying in pregnancy weight management (PrInMAMa): a study protocol for a randomised controlled trial in China.. <i>BMJ Open</i> , 2022 , 12, e051275	3	
2	A validation study of the UGT1A4 rs2011404 variant and the risk of anti-tuberculosis drug-induced hepatotoxicity in an Eastern Chinese Han population. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2021 , 46, 1288-1294	2.2	
1	Development Trend of Infectious Disease Hospitals in China 2002-2018: A Longitudinal Analysis of National Survey Data. <i>Risk Management and Healthcare Policy</i> , 2021 , 14, 155-162	2.8	