

Thaise Boeing

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4212142/publications.pdf>

Version: 2024-02-01

62
papers

1,177
citations

448610

19
h-index

536525

29
g-index

62
all docs

62
docs citations

62
times ranked

1517
citing authors

#	ARTICLE	IF	CITATIONS
1	The PPAR α -dependent effect of flavonoid luteolin against damage induced by the chemotherapeutic irinotecan in human intestinal cells. <i>Chemico-Biological Interactions</i> , 2022, 351, 109712.	1.7	9
2	Synthesis and characterization of Schiff base derivatives and its effect on urinary parameters of Wistar rats: A comparative analysis with different classes of diuretics. <i>Journal of Molecular Structure</i> , 2022, 1260, 132849.	1.8	1
3	Lupeol Stearate Accelerates Healing and Prevents Recurrence of Gastric Ulcer in Rodents. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022, 2022, 1-10.	0.5	3
4	Exotic Medicinal Plants Used in Brazil with Diuretic Properties: A Review. <i>Chemistry and Biodiversity</i> , 2022, 19, .	1.0	8
5	Gastric healing effect of p-coumaric acid isolated from <i>Baccharis dracunculifolia</i> DC on animal model. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2021, 394, 49-57.	1.4	11
6	Usnic acid enantiomers restore cognitive deficits and neurochemical alterations induced by A β 1-42 in mice. <i>Behavioural Brain Research</i> , 2021, 397, 112945.	1.2	12
7	Dual role of eugenol on chronic gastric ulcer in rats: Low-dose healing efficacy and the worsening gastric lesion in high doses. <i>Chemico-Biological Interactions</i> , 2021, 333, 109335.	1.7	13
8	The gastroprotective effect of red propolis extract from Northeastern Brazil and the role of its isolated compounds. <i>Journal of Ethnopharmacology</i> , 2021, 267, 113623.	2.0	14
9	Irinotecan-induced intestinal mucositis in mice: a histopathological study. <i>Cancer Chemotherapy and Pharmacology</i> , 2021, 87, 327-336.	1.1	20
10	Phytochemistry and Pharmacology of the Genus <i>Equisetum</i> (Equisetaceae): A Narrative Review of the Species with Therapeutic Potential for Kidney Diseases. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-17.	0.5	29
11	1,3,5,6-tetrahydroxyxanthone promotes diuresis, renal protection and antiurolithic properties in normotensive and hypertensive rats. <i>Journal of Pharmacy and Pharmacology</i> , 2021, 73, 700-708.	1.2	6
12	Prolonged Diuretic and Renoprotective Effects of a Xanthone Obtained from <i>Garcinia achachairu</i> Rusby in Normotensive and Hypertensive Rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-9.	0.5	4
13	Natural Agents Modulating ACE-2: A Review of Compounds with Potential against SARS-CoV-2 Infections. <i>Current Pharmaceutical Design</i> , 2021, 27, 1588-1596.	0.9	34
14	Herbal Medicines in the Treatment of Dyspepsia: An Overview. <i>Planta Medica</i> , 2021, , .	0.7	1
15	A rare 6-O-glucoside flavonoid from <i>Citharexylum myrianthum</i> Cham. exhibit diuretic and potassium-sparing effect in rats. <i>Journal of Molecular Structure</i> , 2021, 1239, 130483.	1.8	4
16	<i>Tagetes erecta</i> L. flowers, a medicinal plant traditionally used to promote diuresis, induced diuretic and natriuretic effects in normotensive and hypertensive rats. <i>Journal of Ethnopharmacology</i> , 2021, 279, 114393.	2.0	15
17	Preparations from <i>Campomanesia reitziana</i> reduce the gastrointestinal motility and castor oil-induced diarrhea in a non-opioid and non-dopaminergic pathway in mice and display antimicrobial activity in vitro. <i>Neurogastroenterology and Motility</i> , 2021, , e14277.	1.6	1
18	Polymeric films containing pomegranate peel extract based on PVA/starch/PAA blends for use as wound dressing: In vitro analysis and physicochemical evaluation. <i>Materials Science and Engineering C</i> , 2020, 109, 110643.	3.8	48

#	ARTICLE	IF	CITATIONS
19	Role of the antioxidant properties in the gastroprotective and gastric healing activity promoted by Brazilian green propolis and the healing efficacy of Artepillin C. <i>Inflammopharmacology</i> , 2020, 28, 1009-1025.	1.9	20
20	The pathophysiology of acute gastric ulcer development in normotensive and hypertensive rats: A comparative study. <i>European Journal of Pharmacology</i> , 2020, 887, 173469.	1.7	6
21	Chemical profile and gastroprotective effect of <i>Jatropha elliptica</i> (Pohl) Oken roots. <i>FÃ-toterapÃ-Ãç</i> , 2020, 146, 104707.	1.1	5
22	Diuretic, Natriuretic and Ca ²⁺ -Sparing Effects Induced by Rosmarinic and Caffeic Acids in Rats. <i>Revista Brasileira De Farmacognosia</i> , 2020, 30, 588-592.	0.6	13
23	<i>Maytenus robusta</i> Reissek, a medicinal plant popularly used to treat digestive diseases, promotes ameliorative effects in colon and liver of mice exposed to dextran sulfate sodium. <i>Journal of Ethnopharmacology</i> , 2020, 261, 113180.	2.0	4
24	The acute diuretic effects with low-doses of natural prenylated xanthenes in rats. <i>European Journal of Pharmacology</i> , 2020, 884, 173432.	1.7	11
25	AÃaÃ-berries (<i>Euterpe oleracea</i> Mart.) dried extract improves ethanol-induced ulcer in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2020, 72, 1239-1244.	1.2	7
26	Diuretic and Renal Protective Effect of Kaempferol 3-O- α -rhamnoside (Afzelin) in Normotensive and Hypertensive Rats. <i>Journal of Natural Products</i> , 2020, 83, 1980-1989.	1.5	35
27	Gastroprotective effect of the alkaloid boldine: Involvement of non-protein sulfhydryl groups, prostanoids and reduction on oxidative stress. <i>Chemico-Biological Interactions</i> , 2020, 327, 109166.	1.7	8
28	Luteolin prevents irinotecan-induced intestinal mucositis in mice through antioxidant and anti-inflammatory properties. <i>British Journal of Pharmacology</i> , 2020, 177, 2393-2408.	2.7	87
29	Gastroprotective properties of Lupeol-derived ester: Pre-clinical evidences of Lupeol-stearate as a potent antiulcer agent. <i>Chemico-Biological Interactions</i> , 2020, 321, 108964.	1.7	7
30	Effects of myricetin-3-O- β -rhamnoside (myricitrin) treatment on urinary parameters of Wistar rats. <i>Journal of Pharmacy and Pharmacology</i> , 2019, 71, 1832-1838.	1.2	7
31	1,3,5,6-Tetrahydroxyxanthone, a natural xanthone, induces diuresis and saluresis in normotensive and hypertensive rats. <i>Chemico-Biological Interactions</i> , 2019, 311, 108778.	1.7	18
32	Hesperidin, a citrus flavanone glycoside, accelerates the gastric healing process of acetic acid-induced ulcer in rats. <i>Chemico-Biological Interactions</i> , 2019, 308, 45-50.	1.7	31
33	Hydroalcoholic extract of <i>Tagetes erecta</i> L. flowers, rich in the carotenoid lutein, attenuates inflammatory cytokine secretion and improves the oxidative stress in an animal model of ulcerative colitis. <i>Nutrition Research</i> , 2019, 66, 95-106.	1.3	51
34	Hydroalcoholic extract from <i>Baccharis dracunculifolia</i> recovers the gastric ulcerated tissue, and <i>p</i> -coumaric acid is a pivotal bioactive compound to this action. <i>BioFactors</i> , 2019, 45, 479-489.	2.6	16
35	Flavonoid-rich fraction of <i>Bauhinia forficata</i> Link leaves prevents the intestinal toxic effects of irinotecan chemotherapy in IEC6 cells and in mice. <i>Phytotherapy Research</i> , 2019, 33, 90-106.	2.8	22
36	<i>Chrysophyllum cainito</i> (apple-star): a fruit with gastroprotective activity in experimental ulcer models. <i>Inflammopharmacology</i> , 2019, 27, 985-996.	1.9	5

#	ARTICLE	IF	CITATIONS
37	Antioxidant and anti-inflammatory effect of plumieride in dextran sulfate sodium-induced colitis in mice. <i>Biomedicine and Pharmacotherapy</i> , 2018, 99, 697-703.	2.5	14
38	Gallic acid, a phenolic compound isolated from <i>Mimosa bimucronata</i> (DC.) Kuntze leaves, induces diuresis and saluresis in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 649-655.	1.4	17
39	Brazilian green propolis hydroalcoholic extract reduces colon damages caused by dextran sulfate sodium-induced colitis in mice. <i>Inflammopharmacology</i> , 2018, 26, 1283-1292.	1.9	17
40	Essential oil of <i>Cymbopogon citratus</i> (lemongrass) and geraniol, but not citral, promote gastric healing activity in mice. <i>Biomedicine and Pharmacotherapy</i> , 2018, 98, 118-124.	2.5	29
41	Constituents of leaves from <i>Bauhinia curvula</i> Benth. exert gastroprotective activity in rodents: role of quercitrin and kaempferol. <i>Inflammopharmacology</i> , 2018, 26, 539-550.	1.9	20
42	Prolonged diuretic and saluretic effect of nothofagin isolated from <i>Leandra dasytricha</i> (A. Gray) Cogn. leaves in normotensive and hypertensive rats: Role of antioxidant system and renal protection. <i>Chemico-Biological Interactions</i> , 2018, 279, 227-233.	1.7	21
43	Artepillin C, drupanin, aromadendrin-4-O-methyl-ether and kaempferide from Brazilian green propolis promote gastroprotective action by diversified mode of action. <i>Journal of Ethnopharmacology</i> , 2018, 226, 82-89.	2.0	41
44	Preclinical evaluation of the diuretic and saluretic effects of (-)-epicatechin and the result of its combination with standard diuretics. <i>Biomedicine and Pharmacotherapy</i> , 2018, 107, 520-525.	2.5	14
45	The Protective Potential of <i>Phyllanthus niruri</i> and Corilagin on Gastric Lesions Induced in Rodents by Different Harmful Agents. <i>Planta Medica</i> , 2017, 83, 30-39.	0.7	6
46	Gastroprotective and anti-secretory mechanisms of 2-phenylquinoline, an alkaloid isolated from <i>Galipea longiflora</i> . <i>Phytomedicine</i> , 2017, 25, 61-70.	2.3	16
47	Diuretic effect of extracts, fractions and two compounds 2 β ,3 β ,19 β -trihydroxy-urs-12-en-28-oic acid and 5-hydroxy-3,6,7,8,4 β -pentamethoxyflavone from <i>Rubus rosaefolius</i> Sm. (Rosaceae) leaves in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 351-360.	1.4	19
48	Gastroprotective potential of methanolic extract and dimethyl cardamonin from <i>Campomanesia reitziana</i> fruits in mice. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2017, 390, 661-666.	1.4	13
49	Diuretic, natriuretic and potassium-sparing effect of nothofagin isolated from <i>Leandra dasytricha</i> (A.) Tj ETQq1 1 0.784314 rgBT /Ove 103-110.	1.7	24
50	Diuretic and natriuretic effect of luteolin in normotensive and hypertensive rats: Role of muscarinic acetylcholine receptors. <i>Pharmacological Reports</i> , 2017, 69, 1121-1124.	1.5	31
51	Influence of Prostanoids in the Diuretic and Natriuretic Effects of Extracts and Kaempferitrin from <i>Bauhinia forficata</i> Link Leaves in Rats. <i>Phytotherapy Research</i> , 2017, 31, 1521-1528.	2.8	25
52	Chemical composition and diuretic, natriuretic and kaliuretic effects of extracts of <i>Mimosa bimucronata</i> (DC.) Kuntze leaves and its majority constituent methyl gallate in rats. <i>Journal of Pharmacy and Pharmacology</i> , 2017, 69, 1615-1624.	1.2	14
53	Hydroalcoholic extract from bark of <i>Persea major</i> (Meisn.) L.E. Kopp (Lauraceae) exerts antiulcer effects in rodents by the strengthening of the gastric protective factors. <i>Journal of Ethnopharmacology</i> , 2017, 209, 294-304.	2.0	12
54	Hydroalcoholic Extract from Inflorescences of <i>Achyrocline satureioides</i> (Compositae) Ameliorates Dextran Sulphate Sodium-Induced Colitis in Mice by Attenuation in the Production of Inflammatory Cytokines and Oxidative Mediators. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016, 2016, 1-15.	0.5	17

#	ARTICLE	IF	CITATIONS
55	Gastroprotective xanthenes isolated from <i>Garcinia achachairu</i> : Study on mucosal defensive factors and H ⁺ , K ⁺ -ATPase activity. <i>Chemico-Biological Interactions</i> , 2016, 258, 30-39.	1.7	19
56	Effects of methanolic extract from leaves of <i>Rubus imperialis</i> in DSS-induced colitis in mice. <i>Inflammopharmacology</i> , 2016, 24, 403-409.	1.9	2
57	The effects of baicalein on gastric mucosal ulcerations in mice: Protective pathways and anti-secretory mechanisms. <i>Chemico-Biological Interactions</i> , 2016, 260, 33-41.	1.7	35
58	Antiulcer mechanisms of <i>Vernonia condensata</i> Baker: A medicinal plant used in the treatment of gastritis and gastric ulcer. <i>Journal of Ethnopharmacology</i> , 2016, 184, 196-207.	2.0	41
59	Pharmacological reports about gastroprotective effects of methanolic extract from leaves of <i>Solidago chilensis</i> (Brazilian arnica) and its components quercitrin and afzelin in rodents. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016, 389, 403-417.	1.4	40
60	<i>Copaifera langsdorffii</i> : evaluation of potential gastroprotective of extract and isolated compounds obtained from leaves. <i>Revista Brasileira De Farmacognosia</i> , 2015, 25, 238-245.	0.6	41
61	Evidence of gastric ulcer healing activity of <i>Maytenus robusta</i> Reissek: In vitro and in vivo studies. <i>Journal of Ethnopharmacology</i> , 2015, 175, 75-85.	2.0	51
62	Gastroprotective bio-guiding study of fruits from <i>Mimusops balata</i> . <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2015, 388, 1187-1200.	1.4	12