

Bernard Lopez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/42131/publications.pdf>

Version: 2024-02-01

105
papers

6,285
citations

66336

42
h-index

71682

76
g-index

113
all docs

113
docs citations

113
times ranked

7848
citing authors

#	ARTICLE	IF	CITATIONS
1	RAD51 protects against nonconservative DNA double-strand break repair through a nonenzymatic function. <i>Nucleic Acids Research</i> , 2022, 50, 2651-2666.	14.5	8
2	Homozygous hypomorphic <i>BRCA2</i> variant in primary ovarian insufficiency without cancer or Fanconi anaemia trait. <i>Journal of Medical Genetics</i> , 2021, 58, 125-134.	3.2	24
3	Homologous recombination in mammalian cells: From molecular mechanisms to pathology. , 2021, , 367-392.		0
4	Targeting acute myeloid leukemia dependency on VCP-mediated DNA repair through a selective second-generation small-molecule inhibitor. <i>Science Translational Medicine</i> , 2021, 13, .	12.4	29
5	Mouse Models for Deciphering the Impact of Homologous Recombination on Tumorigenesis. <i>Cancers</i> , 2021, 13, 2083.	3.7	8
6	Homologous recombination, cancer and the "RAD51 paradox"™. <i>NAR Cancer</i> , 2021, 3, zcab016.	3.1	15
7	Phospho-Ku70 induced by DNA damage interacts with RNA Pol II and promotes the formation of phospho-53BP1 foci to ensure optimal cNHEJ. <i>Nucleic Acids Research</i> , 2021, 49, 11728-11745.	14.5	10
8	BINDING OF DNA TO NATURAL SEPIOLITE: APPLICATIONS IN BIOTECHNOLOGY AND PERSPECTIVES. <i>Clays and Clay Minerals</i> , 2021, 69, 633-640.	1.3	3
9	Responses of human cells to sepiolite interaction. <i>Applied Clay Science</i> , 2020, 194, 105655.	5.2	11
10	ATRIP protects progenitor cells against DNA damage in vivo. <i>Cell Death and Disease</i> , 2020, 11, 923.	6.3	5
11	Biotechnological applications of the sepiolite interactions with bacteria: Bacterial transformation and DNA extraction. <i>Applied Clay Science</i> , 2020, 191, 105613.	5.2	14
12	Replication Stress, DNA Damage, Inflammatory Cytokines and Innate Immune Response. <i>Genes</i> , 2020, 11, 409.	2.4	77
13	The high protein expression of FOXO3, but not that of FOXO1, is associated with markers of good prognosis. <i>Scientific Reports</i> , 2020, 10, 6920.	3.3	5
14	Combining Homologous Recombination and Phosphopeptide-binding Data to Predict the Impact of <i>BRCA1</i> BRCT Variants on Cancer Risk. <i>Molecular Cancer Research</i> , 2019, 17, 54-69.	3.4	21
15	The Cohesion complex maintains genome stability by preventing end joining of distant DNA ends in S phase. <i>Molecular and Cellular Oncology</i> , 2018, 5, e1154123.	0.7	1
16	SAMHD1 acts at stalled replication forks to prevent interferon induction. <i>Nature</i> , 2018, 557, 57-61.	27.8	319
17	Sepiolite as a New Nanocarrier for DNA Transfer into Mammalian Cells: Proof of Concept, Issues and Perspectives. <i>Chemical Record</i> , 2018, 18, 849-857.	5.8	16
18	CtIP fusion to Cas9 enhances transgene integration by homology-dependent repair. <i>Nature Communications</i> , 2018, 9, 1133.	12.8	165

#	ARTICLE	IF	CITATIONS
19	Involvement of the FOXO6 transcriptional factor in breast carcinogenesis. <i>Oncotarget</i> , 2018, 9, 7464-7475.	1.8	12
20	Genomic rearrangements induced by unscheduled <scp>DNA</scp> double strand breaks in somatic mammalian cells. <i>FEBS Journal</i> , 2017, 284, 2324-2344.	4.7	39
21	PARP2 controls double-strand break repair pathway choice by limiting 53BP1 accumulation at DNA damage sites and promoting end-resection. <i>Nucleic Acids Research</i> , 2017, 45, 12325-12339.	14.5	31
22	Cellular uptake pathways of sepiolite nanofibers and DNA transfection improvement. <i>Scientific Reports</i> , 2017, 7, 5586.	3.3	35
23	Combined therapy of colon carcinomas with an oncolytic adenovirus and valproic acid. <i>Oncotarget</i> , 2017, 8, 97344-97360.	1.8	11
24	53BP1 Protects against CtIP-Dependent Capture of Ectopic Chromosomal Sequences at the Junction of Distant Double-Strand Breaks. <i>PLoS Genetics</i> , 2016, 12, e1006230.	3.5	27
25	Slow Replication Fork Velocity of Homologous Recombination-Defective Cells Results from Endogenous Oxidative Stress. <i>PLoS Genetics</i> , 2016, 12, e1006007.	3.5	38
26	A nonsense mutation in the DNA repair factor Hebo causes mild bone marrow failure and microcephaly. <i>Journal of Experimental Medicine</i> , 2016, 213, 1011-1028.	8.5	34
27	Signaling from Mus81-Eme2-Dependent DNA Damage Elicited by Chk1 Deficiency Modulates Replication Fork Speed and Origin Usage. <i>Cell Reports</i> , 2016, 14, 1114-1127.	6.4	71
28	A threshold of endogenous stress is required to engage cellular response to protect against mutagenesis. <i>Scientific Reports</i> , 2016, 6, 29412.	3.3	5
29	Physical interactions between DNA and sepiolite nanofibers, and potential application for DNA transfer into mammalian cells. <i>Scientific Reports</i> , 2016, 6, 36341.	3.3	33
30	Yeast cells reveal the misfolding and the cellular mislocalisation of the human BRCA1 protein. <i>Journal of Cell Science</i> , 2016, 129, 4366-4378.	2.0	2
31	The cohesin complex prevents the end-joining of distant DNA double-strand ends in S phase: Consequences on genome stability maintenance. <i>Nucleus</i> , 2016, 7, 339-345.	2.2	9
32	Control of alternative end joining by the chromatin remodeler p400 ATPase. <i>Nucleic Acids Research</i> , 2016, 44, 1657-1668.	14.5	18
33	The Cohesin Complex Prevents the End Joining of Distant DNA Double-Strand Ends. <i>Molecular Cell</i> , 2016, 61, 15-26.	9.7	69
34	Replication Stress in Mammalian Cells and Its Consequences for Mitosis. <i>Genes</i> , 2015, 6, 267-298.	2.4	91
35	Role of the double-strand break repair pathway in the maintenance of genomic stability. <i>Molecular and Cellular Oncology</i> , 2015, 2, e968020.	0.7	21
36	Spontaneous slow replication fork progression elicits mitosis alterations in homologous recombination-deficient mammalian cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 763-768.	7.1	66

#	ARTICLE	IF	CITATIONS
37	Is homologous recombination really an error-free process?. <i>Frontiers in Genetics</i> , 2014, 5, 175.	2.3	106
38	Is Non-Homologous End-Joining Really an Inherently Error-Prone Process?. <i>PLoS Genetics</i> , 2014, 10, e1004086.	3.5	339
39	PARP3 affects the relative contribution of homologous recombination and nonhomologous end-joining pathways. <i>Nucleic Acids Research</i> , 2014, 42, 5616-5632.	14.5	82
40	RhoB Promotes γ H2AX Dephosphorylation and DNA Double-Strand Break Repair. <i>Molecular and Cellular Biology</i> , 2014, 34, 3144-3155.	2.3	37
41	Polo-like kinase 3 regulates CtIP during DNA double-strand break repair in G1. <i>Journal of Cell Biology</i> , 2014, 206, 877-894.	5.2	92
42	The causes of replication stress and their consequences on genome stability and cell fate. <i>Seminars in Cell and Developmental Biology</i> , 2014, 30, 154-164.	5.0	116
43	A Role for BLM in Double-Strand Break Repair Pathway Choice: Prevention of CtIP/Mre11-Mediated Alternative Nonhomologous End-Joining. <i>Cell Reports</i> , 2013, 5, 21-28.	6.4	73
44	Homologous Recombination in Mammals. <i>Topics in Current Genetics</i> , 2013, , 91-120.	0.7	1
45	The helicase FBH1 is tightly regulated by PCNA via CRL4(Cdt2)-mediated proteolysis in human cells. <i>Nucleic Acids Research</i> , 2013, 41, 6501-6513.	14.5	65
46	BRCA1-Ku80 Protein Interaction Enhances End-joining Fidelity of Chromosomal Double-strand Breaks in the G1 Phase of the Cell Cycle. <i>Journal of Biological Chemistry</i> , 2013, 288, 8966-8976.	3.4	46
47	Terminal deoxynucleotidyl transferase requires KU80 and XRCC4 to promote N-addition at non-V(D)J chromosomal breaks in non-lymphoid cells. <i>Nucleic Acids Research</i> , 2012, 40, 8381-8391.	14.5	20
48	The nucleoporin 153, a novel factor in double-strand break repair and DNA damage response. <i>Oncogene</i> , 2012, 31, 4803-4809.	5.9	58
49	The secret life of Bcl-2: Apoptosis-independent inhibition of DNA repair by Bcl-2 family members. <i>Mutation Research - Reviews in Mutation Research</i> , 2012, 751, 247-257.	5.5	61
50	Oxidative stress induces an ATM-independent senescence pathway through p38 MAPK-mediated lamin B1 accumulation. <i>EMBO Journal</i> , 2012, 31, 1080-1094.	7.8	163
51	Initiation of DNA double strand break repair: signaling and single-stranded resection dictate the choice between homologous recombination, non-homologous end-joining and alternative end-joining. <i>American Journal of Cancer Research</i> , 2012, 2, 249-68.	1.4	42
52	Down-regulation of BRCA1 expression by miR-146a and miR-146b-5p in triple negative sporadic breast cancers. <i>EMBO Molecular Medicine</i> , 2011, 3, 279-290.	6.9	229
53	Bcl-2 Inhibits Nuclear Homologous Recombination by Localizing BRCA1 to the Endomembranes. <i>Cancer Research</i> , 2011, 71, 3590-3602.	0.9	38
54	AKT1/BRCA1 in the control of homologous recombination and genetic stability: the missing link between hereditary and sporadic breast cancers. <i>Oncotarget</i> , 2010, 1, 691-699.	1.8	29

#	ARTICLE	IF	CITATIONS
55	AKT1/BRCA1 in the control of homologous recombination and genetic stability: the missing link between hereditary and sporadic breast cancers. <i>Oncotarget</i> , 2010, 1, 691-9.	1.8	21
56	Role of Mre11 in chromosomal nonhomologous end joining in mammalian cells. <i>Nature Structural and Molecular Biology</i> , 2009, 16, 819-824.	8.2	273
57	AKT1 represses gene conversion induced by different genotoxic stresses and induces supernumerary centrosomes and aneuploidy in hamster ovary cells. <i>Oncogene</i> , 2009, 28, 2231-2237.	5.9	25
58	S-phase progression stimulates both the mutagenic KU-independent pathway and mutagenic processing of KU-dependent intermediates, for nonhomologous end joining. <i>Oncogene</i> , 2008, 27, 1726-1736.	5.9	26
59	Homologous Recombination is Involved in the Repair Response of Mammalian Cells to Low Doses of Tritium. <i>Radiation Research</i> , 2008, 170, 172-183.	1.5	9
60	AKT1 Inhibits Homologous Recombination by Inducing Cytoplasmic Retention of BRCA1 and RAD51. <i>Cancer Research</i> , 2008, 68, 9404-9412.	0.9	122
61	A homologous recombination defect affects replication-fork progression in mammalian cells. <i>Journal of Cell Science</i> , 2008, 121, 162-166.	2.0	57
62	Importance of the cell cycle phase for the choice of the appropriate DSB repair pathway, for genome stability maintenance: the trans-S double-strand break repair model. <i>Cell Cycle</i> , 2008, 7, 33-38.	2.6	85
63	Defects in XRCC4 and KU80 differentially affect the joining of distal nonhomologous ends. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 20902-20907.	7.1	146
64	Involvement of DNA polymerase δ in the repair of a specific subset of DNA double-strand breaks in mammalian cells. <i>Nucleic Acids Research</i> , 2007, 35, 3551-3560.	14.5	49
65	Targeted Gene Correction with 5 α -Acridine-Oligonucleotide Conjugates. <i>Oligonucleotides</i> , 2007, 17, 258-263.	2.7	9
66	XRCC4 in G1 suppresses homologous recombination in S/G2, in G1 checkpoint-defective cells. <i>Oncogene</i> , 2007, 26, 2769-2780.	5.9	30
67	Chronic exposure to sublethal doses of radiation mimetic Zeocin μ selects for clones deficient in homologous recombination. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2007, 615, 125-133.	1.0	9
68	An in vitro enzymatic assay coupled to proteomics analysis reveals a new DNA processing activity for Ewing sarcoma and TAF(II)68 proteins. <i>Proteomics</i> , 2006, 6, 5962-5972.	2.2	37
69	Bax and Bid, two proapoptotic Bcl-2 family members, inhibit homologous recombination, independently of apoptosis regulation. <i>Oncogene</i> , 2006, 25, 3196-3205.	5.9	35
70	The DNA polymerase δ is required for the repair of non-compatible DNA double strand breaks by NHEJ in mammalian cells. <i>Nucleic Acids Research</i> , 2006, 34, 2998-3007.	14.5	90
71	Genetic interactions between RAD51 and its paralogues for centrosome fragmentation and ploidy control, independently of the sensitivity to genotoxic stresses. <i>Oncogene</i> , 2005, 24, 3691-3696.	5.9	37
72	Improving gene replacement by intracellular formation of linear homologous DNA. <i>Journal of Gene Medicine</i> , 2005, 7, 649-656.	2.8	5

#	ARTICLE	IF	CITATIONS
73	Homologous Recombination, Non-Homologous End-Joining and Cell Cycle: Genomes Angels. <i>Current Genomics</i> , 2004, 5, 49-58.	1.6	2
74	DNA polymerase $\hat{\text{A}}$ overexpression stimulates the Rad51-dependent homologous recombination in mammalian cells. <i>Nucleic Acids Research</i> , 2004, 32, 5104-5112.	14.5	24
75	p53's double life: transactivation-independent repression of homologous recombination. <i>Trends in Genetics</i> , 2004, 20, 235-243.	6.7	131
76	Impact of the KU80 Pathway on NHEJ-Induced Genome Rearrangements in Mammalian Cells. <i>Molecular Cell</i> , 2004, 14, 611-623.	9.7	285
77	Overexpression of mammalian Rad51 does not stimulate tumorigenesis while a dominant-negative Rad51 affects centrosome fragmentation, ploidy and stimulates tumorigenesis, in p53-defective CHO cells. <i>Oncogene</i> , 2003, 22, 7587-7592.	5.9	73
78	An xrcc4 defect or Wortmannin stimulates homologous recombination specifically induced by double-strand breaks in mammalian cells. <i>Nucleic Acids Research</i> , 2002, 30, 3454-3463.	14.5	114
79	DNA double-strand break repair signalling: The case of RAD51 post-translational regulation. <i>Cellular Signalling</i> , 2002, 14, 969-975.	3.6	103
80	Homologous recombination induced by replication inhibition, is stimulated by expression of mutant p53. <i>Oncogene</i> , 2002, 21, 488-492.	5.9	58
81	Inactivation of the RAD51 recombination pathway stimulates UV-induced mutagenesis in mammalian cells. <i>Oncogene</i> , 2002, 21, 4065-4069.	5.9	28
82	Role of RAD51 in sister-chromatid exchanges in mammalian cells. <i>Oncogene</i> , 2001, 20, 6627-6631.	5.9	52
83	A novel role for the Bcl-2 protein family: specific suppression of the RAD51 recombination pathway. <i>EMBO Journal</i> , 2001, 20, 2596-2607.	7.8	77
84	Characterization of homologous recombination induced by replication inhibition in mammalian cells. <i>EMBO Journal</i> , 2001, 20, 3861-3870.	7.8	278
85	Characterization of mammalian RAD51 double strand break repair using non-lethal dominant-negative forms. <i>EMBO Journal</i> , 2000, 19, 3090-3099.	7.8	113
86	Human 100-kDa homologous DNA-pairing protein is the splicing factor PSF and promotes DNA strand invasion. <i>Nucleic Acids Research</i> , 2000, 28, 3022-3030.	14.5	61
87	Mutant p53 proteins stimulate spontaneous and radiation-induced intrachromosomal homologous recombination independently of the alteration of the transactivation activity and of the G1 checkpoint. <i>Oncogene</i> , 1999, 18, 3553-3563.	5.9	116
88	Human POMp75 is identified as the pro-oncoprotein TLS/FUS: both POMp75 and POMp100 DNA homologous pairing activities are associated to cell proliferation. <i>Oncogene</i> , 1999, 18, 4515-4521.	5.9	80
89	Analysis of intrachromosomal homologous recombination in mammalian cell, using tandem repeat sequences. <i>Mutation Research DNA Repair</i> , 1999, 433, 159-168.	3.7	40
90	Human 75-kDa DNA-pairing Protein Is Identical to the Pro-oncoprotein TLS/FUS and Is Able to Promote D-loop Formation. <i>Journal of Biological Chemistry</i> , 1999, 274, 34337-34342.	3.4	148

#	ARTICLE	IF	CITATIONS
91	Chromosome translocation based on illegitimate recombination in human tumors. Proceedings of the National Academy of Sciences of the United States of America, 1998, 95, 11786-11791.	7.1	101
92	Increase of spontaneous intrachromosomal homologous recombination in mammalian cells expressing a mutant p53 protein. Oncogene, 1997, 14, 1117-1122.	5.9	143
93	Characterization of two nuclear mammalian homologous DNA-pairing activities that do not require associated exonuclease activity.. Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 1729-1733.	7.1	25
94	Characterization of RecA mediated homologous pairing on nitrocellulose membrane. Biochimie, 1995, 77, 840-847.	2.6	3
95	Homologous pairing between single-stranded DNA immobilized on a nitrocellulose membrane and duplex DNA is specific for RecA activity in bacterial crude extract. Nucleic Acids Research, 1993, 21, 3653-3657.	14.5	16
96	Directional recombinator is initiated at a double strand break in human nuclear extracts. Nucleic Acids Research, 1992, 20, 501-506.	14.5	16
97	Structural effect of donor DNA on the initiation of recombination for double strand break repair in human nuclear extracts. Nucleic Acids Research, 1992, 20, 5167-5172.	14.5	3
98	Multiplicity reactivation and mutagenesis of trimethylpsoralen-damaged herpes virus in normal and Fanconi's anaemia cells. Mutagenesis, 1989, 4, 67-71.	2.6	11
99	Molecular analysis of homologous recombination catalysed by human nuclear extract: Fidelity and DNase protection. Biochemical and Biophysical Research Communications, 1989, 158, 454-461.	2.1	4
100	Duplex-Duplex Homologous Recombination Catalysed by a Human Nuclear Extract. Involvement in Double-Strand Break Repair. , 1989, , 221-231.		0
101	Promotion of double-strand break repair by human nuclear extracts preferentially involves recombination with intact homologous DNA. Nucleic Acids Research, 1987, 15, 6813-6826.	14.5	19
102	Homologous recombination intermediates between two duplex DNA catalysed by human cell extracts. Nucleic Acids Research, 1987, 15, 5643-5655.	14.5	36
103	?-Thalassaemia haplotypes in the Algerian population. Human Genetics, 1987, 75, 272-276.	3.8	15
104	alpha-Thalassaemia associated with the deletion of two nucleotides at position -2 and -3 preceding the AUG codon.. EMBO Journal, 1985, 4, 1245-1250.	7.8	69
105	alpha-Thalassaemia associated with the deletion of two nucleotides at position -2 and -3 preceding the AUG codon. EMBO Journal, 1985, 4, 1245-50.	7.8	17