Makoto Saito

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/421337/publications.pdf Version: 2024-02-01



Μλκότο Sλίτο

#	Article	IF	CITATIONS
1	Improvement in Strain Concordance between Two Major Vendors after the Strain Standardization Initiative. Journal of the American Society of Echocardiography, 2015, 28, 642-648.e7.	2.8	114
2	Prognostic Implications of LV Strain RiskÂScoreÂinÂAsymptomatic Patients WithÂHypertensive Heart Disease. JACC: Cardiovascular Imaging, 2016, 9, 911-921.	5.3	90
3	Mild cognitive impairment predicts death and readmission within 30days of discharge for heart failure. International Journal of Cardiology, 2016, 221, 212-217.	1.7	68
4	Echocardiographic screening for nonâ€ischaemic stage B heart failure in the community. European Journal of Heart Failure, 2016, 18, 1331-1339.	7.1	63
5	Roles of Nonclinical and Clinical Data in Prediction of 30-Day Rehospitalization or Death Among Heart Failure Patients. Journal of Cardiac Failure, 2015, 21, 374-381.	1.7	53
6	Meta-Analysis of Risks for Short-Term Readmission in Patients With Heart Failure. American Journal of Cardiology, 2016, 117, 626-632.	1.6	52
7	Effect of Right Ventricular Pacing on Right Ventricular Mechanics and Tricuspid Regurgitation in Patients With High-Grade Atrioventricular Block and Sinus Rhythm (from the Protection of Left) Tj ETQq1 1 0.78-116, 1875-1882.	4314 rgBT 1.6	Overlock 10
8	Dyssynchrony, contraction efficiency and regional function with apical and non-apical RV pacing. Heart, 2015, 101, 600-608.	2.9	26
9	Relationship Between Augmentation Index and Left Ventricular Diastolic Function in Healthy Women and Men. American Journal of Hypertension, 2013, 26, 1280-1286.	2.0	19
10	Mechanics and prognostic value of left and right ventricular dysfunction in patients with systemic sclerosis. European Heart Journal Cardiovascular Imaging, 2018, 19, 660-667.	1.2	16
11	Significance of the Distal to Proximal Coronary Flow Velocity Ratio by Transthoracic Doppler Echocardiography for Diagnosis of Proximal Left Coronary Artery Stenosis. Journal of the American Society of Echocardiography, 2008, 21, 756-760.	2.8	11
12	Usefulness of the MOSAIC (measurement of stenosis by aliasing coronary flow) method using transthoracic color Doppler echocardiography in unstable angina patients. International Journal of Cardiology, 2011, 151, 170-174.	1.7	8
13	Restricted left atrial dilatation can visually differentiate cardiac amyloidosis from hypertrophic cardiomyopathy. ESC Heart Failure, 2021, 8, 3198-3205.	3.1	8
14	Prognostic value of proximal left coronary artery flow velocity detected by transthoracic Doppler echocardiography. IJC Heart and Vasculature, 2018, 19, 52-57.	1.1	6
15	Prognostic assessment of relative apical sparing pattern of longitudinal strain for severe aortic valve stenosis. IJC Heart and Vasculature, 2020, 29, 100551.	1.1	6
16	Role of Transthoracic Doppler Echocardiography in Patients With a Proximal Left Coronary Artery Lesion That Cannot be Diagnosed by Computed Tomography Angiography. American Journal of Cardiology, 2013, 112, 938-942.	1.6	5
17	Cardiac amyloidosis screening using a relative apical sparing pattern in patients with left ventricular hypertrophy. Cardiovascular Ultrasound, 2021, 19, 30.	1.6	5
18	Prognostic Value of Relative Apical Sparing Pattern in Patients With Generalized Left Ventricular Hypertrophy. JACC: Cardiovascular Imaging, 2019, 12, 1283-1284.	5.3	4

ΜΑΚΟΤΟ SΑΙΤΟ

#	Article	IF	CITATIONS
19	Cost-Effectiveness of long-term tolvaptan administration for chronic heart failure treatment in Japan. Journal of Cardiology, 2022, 79, 408-416.	1.9	3
20	Semiquantitative assessment of the relative apical sparing pattern of longitudinal strain for cardiac amyloidosis identification. Echocardiography, 2020, 37, 1422-1429.	0.9	2
21	Association of survival time with transthoracic echocardiography in stable patients with heart failure: Is routine follow-up ever appropriate?. International Journal of Cardiology, 2017, 230, 619-624.	1.7	0