
Makoto Saito

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/421337/publications.pdf Version: 2024-02-01



Μλκοτο Sλιτο

#	Article	IF	CITATIONS
1	Cost-Effectiveness of long-term tolvaptan administration for chronic heart failure treatment in Japan. Journal of Cardiology, 2022, 79, 408-416.	1.9	3
2	Restricted left atrial dilatation can visually differentiate cardiac amyloidosis from hypertrophic cardiomyopathy. ESC Heart Failure, 2021, 8, 3198-3205.	3.1	8
3	Cardiac amyloidosis screening using a relative apical sparing pattern in patients with left ventricular hypertrophy. Cardiovascular Ultrasound, 2021, 19, 30.	1.6	5
4	Semiquantitative assessment of the relative apical sparing pattern of longitudinal strain for cardiac amyloidosis identification. Echocardiography, 2020, 37, 1422-1429.	0.9	2
5	Prognostic assessment of relative apical sparing pattern of longitudinal strain for severe aortic valve stenosis. IJC Heart and Vasculature, 2020, 29, 100551.	1.1	6
6	Prognostic Value of Relative Apical Sparing Pattern in Patients With Generalized Left Ventricular Hypertrophy. JACC: Cardiovascular Imaging, 2019, 12, 1283-1284.	5.3	4
7	Mechanics and prognostic value of left and right ventricular dysfunction in patients with systemic sclerosis. European Heart Journal Cardiovascular Imaging, 2018, 19, 660-667.	1.2	16
8	Prognostic value of proximal left coronary artery flow velocity detected by transthoracic Doppler echocardiography. IJC Heart and Vasculature, 2018, 19, 52-57.	1.1	6
9	Association of survival time with transthoracic echocardiography in stable patients with heart failure: Is routine follow-up ever appropriate?. International Journal of Cardiology, 2017, 230, 619-624.	1.7	0
10	Mild cognitive impairment predicts death and readmission within 30days of discharge for heart failure. International Journal of Cardiology, 2016, 221, 212-217.	1.7	68
11	Echocardiographic screening for nonâ€ i schaemic stage B heart failure in the community. European Journal of Heart Failure, 2016, 18, 1331-1339.	7.1	63
12	Prognostic Implications of LV Strain RiskÂScoreÂinÂAsymptomatic Patients WithÂHypertensive Heart Disease. JACC: Cardiovascular Imaging, 2016, 9, 911-921.	5.3	90
13	Meta-Analysis of Risks for Short-Term Readmission in Patients With Heart Failure. American Journal of Cardiology, 2016, 117, 626-632.	1.6	52
14	Roles of Nonclinical and Clinical Data in Prediction of 30-Day Rehospitalization or Death Among Heart Failure Patients. Journal of Cardiac Failure, 2015, 21, 374-381.	1.7	53
15	Improvement in Strain Concordance between Two Major Vendors after the Strain Standardization Initiative. Journal of the American Society of Echocardiography, 2015, 28, 642-648.e7.	2.8	114
16	Dyssynchrony, contraction efficiency and regional function with apical and non-apical RV pacing. Heart, 2015, 101, 600-608.	2.9	26
17	Effect of Right Ventricular Pacing on Right Ventricular Mechanics and Tricuspid Regurgitation in Patients With High-Grade Atrioventricular Block and Sinus Rhythm (from the Protection of Left) Tj ETQq1 1 0.	784314 rgB 1.6	T /Qyerlock 1
18	116. 1875-1882. Role of Transthoracic Doppler Echocardiography in Patients With a Proximal Left Coronary Artery Lesion That Cannot be Diagnosed by Computed Tomography Angiography. American Journal of Cardiology, 2013, 112, 938-942.	1.6	5

#	Article	IF	CITATIONS
19	Relationship Between Augmentation Index and Left Ventricular Diastolic Function in Healthy Women and Men. American Journal of Hypertension, 2013, 26, 1280-1286.	2.0	19
20	Usefulness of the MOSAIC (measurement of stenosis by aliasing coronary flow) method using transthoracic color Doppler echocardiography in unstable angina patients. International Journal of Cardiology, 2011, 151, 170-174.	1.7	8
21	Significance of the Distal to Proximal Coronary Flow Velocity Ratio by Transthoracic Doppler Echocardiography for Diagnosis of Proximal Left Coronary Artery Stenosis. Journal of the American Society of Echocardiography, 2008, 21, 756-760.	2.8	11