Marcus Lind

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4213822/publications.pdf

Version: 2024-02-01

126907 95266 5,078 97 33 68 h-index citations g-index papers 98 98 98 6618 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-------------------|------------------|
| 1 | Excess Mortality among Persons with Type 2 Diabetes. New England Journal of Medicine, 2015, 373, 1720-1732. | 27.0 | 777 |
| 2 | Glycemic Control and Excess Mortality in Type 1 Diabetes. New England Journal of Medicine, 2014, 371, 1972-1982. | 27.0 | 717 |
| 3 | Continuous Glucose Monitoring vs Conventional Therapy for Glycemic Control in Adults With Type 1 Diabetes Treated With Multiple Daily Insulin Injections. JAMA - Journal of the American Medical Association, 2017, 317, 379. | 7.4 | 520 |
| 4 | Glycaemic control and incidence of heart failure in 20â€^985 patients with type 1 diabetes: an observational study. Lancet, The, 2011, 378, 140-146. | 13.7 | 222 |
| 5 | Efficacy and Safety of Dapagliflozin in Patients With Inadequately Controlled Type 1 Diabetes (the) Tj ETQq 1 1 0.7 | 784314 rgE | BTJOverlack |
| 6 | A Clinical Trial of the Accuracy and Treatment Experience of the Flash Glucose Monitor FreeStyle Libre in Adults with Type 1 Diabetes. Diabetes Technology and Therapeutics, 2017, 19, 164-172. | 4.4 | 143 |
| 7 | Mortality trends in patients with and without diabetes in Ontario, Canada and the UK from 1996 to 2009: a population-based study. Diabetologia, 2013, 56, 2601-2608. | 6.3 | 142 |
| 8 | HbA _{1c} level as a risk factor for retinopathy and nephropathy in children and adults with type 1 diabetes: Swedish population based cohort study. BMJ: British Medical Journal, 2019, 366, 14894. | 2.3 | 109 |
| 9 | A Randomized Clinical Trial of the Effect of Continuous Glucose Monitoring on Nocturnal Hypoglycemia, Daytime Hypoglycemia, Glycemic Variability, and Hypoglycemia Confidence in Persons with Type 1 Diabetes Treated with Multiple Daily Insulin Injections (GOLD-3). Diabetes Technology and Therapeutics. 2018. 20. 274-284. | 4.4 | 88 |
| 10 | The relationship between glycaemic control and heart failure in 83,021 patients with type 2 diabetes. Diabetologia, 2012, 55, 2946-2953. | 6.3 | 84 |
| 11 | A Clinical Trial of the Accuracy and Treatment Experience of the Dexcom G4 Sensor (Dexcom G4) Tj ETQq1 1 0.78 with Type 1 Diabetes. Diabetes Technology and Therapeutics, 2014, 16, 759-767. | 34314 rgBT 4.4 | Overlock 1 76 |
| 12 | The shape of the metabolic memory of HbA1c: re-analysing the DCCT with respect to time-dependent effects. Diabetologia, 2010, 53, 1093-1098. | 6.3 | 75 |
| 13 | Adherence of self-monitoring of blood glucose in persons with type 1 diabetes in Sweden. BMJ Open Diabetes Research and Care, 2017, 5, e000342. | 2.8 | 70 |
| 14 | Risk of atrial fibrillation in persons with type 2 diabetes and the excess risk in relation to glycaemic control and renal function: a Swedish cohort study. Cardiovascular Diabetology, 2020, 19, 9. | 6.8 | 70 |
| 15 | Long-term excess risk of heart failure in people with type 1 diabetes: a prospective case-control study. Lancet Diabetes and Endocrinology,the, 2015, 3, 876-885. | 11.4 | 69 |
| 16 | A Glycemia Risk Index (GRI) of Hypoglycemia and Hyperglycemia for Continuous Glucose Monitoring Validated by Clinician Ratings. Journal of Diabetes Science and Technology, 2023, 17, 1226-1242. | 2.2 | 69 |
| 17 | Variability of INR and its relationship with mortality, stroke, bleeding and hospitalisations in patients with atrial fibrillation. Thrombosis Research, 2012, 129, 32-35. | 1.7 | 65 |
| 18 | Glucagon-like peptide 1 (GLP-1) analogue combined with insulin reduces HbA1c and weight with low risk of hypoglycemia and high treatment satisfaction. Primary Care Diabetes, 2012, 6, 41-46. | 1.8 | 65 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 19 | The True Value of HbA1c as a Predictor of Diabetic Complications: Simulations of HbA1c Variables. PLoS ONE, 2009, 4, e4412. | 2.5 | 61 |
| 20 | Liraglutide in people treated for type 2 diabetes with multiple daily insulin injections: randomised clinical trial (MDI Liraglutide trial). BMJ, The, 2015, 351, h5364. | 6.0 | 53 |
| 21 | Risk of atrial fibrillation in people with type 1 diabetes compared with matched controls from the general population: a prospective case-control study. Lancet Diabetes and Endocrinology,the, 2017, 5, 799-807. | 11.4 | 53 |
| 22 | Historical HbA1c Values May Explain the Type 2 Diabetes Legacy Effect: UKPDS 88. Diabetes Care, 2021, 44, 2231-2237. | 8.6 | 51 |
| 23 | Age at diagnosis predicts deterioration in glycaemic control among children and adolescents with type 1 diabetes. BMJ Open Diabetes Research and Care, 2014, 2, e000039. | 2.8 | 48 |
| 24 | BMI, Mortality, and Cardiovascular Outcomes in Type 1 Diabetes: Findings Against an Obesity Paradox. Diabetes Care, 2019, 42, 1297-1304. | 8.6 | 47 |
| 25 | A systematic review of HbA1c variables used in the study of diabetic complications. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2008, 2, 282-293. | 3.6 | 45 |
| 26 | Glycaemic control and excess risk of major coronary events in persons with type 1 diabetes. Heart, 2017, 103, 1687-1695. | 2.9 | 41 |
| 27 | Use of fastâ€acting insulin aspart in insulin pump therapy in clinical practice. Diabetes, Obesity and Metabolism, 2019, 21, 2039-2047. | 4.4 | 41 |
| 28 | Glucose Variables in Type 1 Diabetes Studies With Dapagliflozin: Pooled Analysis of Continuous Glucose Monitoring Data From DEPICT-1 and -2. Diabetes Care, 2019, 42, 1081-1087. | 8.6 | 40 |
| 29 | Relationship Between Overweight and Obesity With Hospitalization for Heart Failure in 20,985 Patients With Type 1 Diabetes. Diabetes Care, 2013, 36, 2857-2861. | 8.6 | 39 |
| 30 | Longâ€term efficacy and safety of dapagliflozin in patients with inadequately controlled type 1 diabetes (the <scp>DEPICT</scp> â€2 study): 52â€week results from a randomized controlled trial. Diabetes, Obesity and Metabolism, 2020, 22, 1516-1526. | 4.4 | 38 |
| 31 | The Association between HbA1c, Fasting Glucose, 1-Hour Glucose and 2-Hour Glucose during an Oral Glucose Tolerance Test and Cardiovascular Disease in Individuals with Elevated Risk for Diabetes. PLoS ONE, 2014, 9, e109506. | 2.5 | 38 |
| 32 | Glycemic Control and Excess Mortality in Type 1 Diabetes. New England Journal of Medicine, 2015, 372, 879-881. | 27.0 | 36 |
| 33 | The relationship between the exposure time of insulin glargine and risk of breast and prostate cancer: An observational study of the time-dependent effects of antidiabetic treatments in patients with diabetes. Primary Care Diabetes, 2012, 6, 53-59. | 1.8 | 35 |
| 34 | The Association Between HbA1c and Time in Hypoglycemia During CGM and Self-Monitoring of Blood Glucose in People With Type 1 Diabetes and Multiple Daily Insulin Injections: A Randomized Clinical Trial (GOLD-4). Diabetes Care, 2020, 43, 2017-2024. | 8.6 | 34 |
| 35 | Insulin Pumpâ€"Long-Term Effects on Glycemic Control: An Observational Study at 10 Diabetes Clinics in Sweden. Diabetes Technology and Therapeutics, 2013, 15, 302-307. | 4.4 | 32 |
| 36 | Incidence and risk factors for mortality and end-stage renal disease in people with type 2 diabetes and diabetic kidney disease: a population-based cohort study in the UK. BMJ Open Diabetes Research and Care, 2021, 9, e002146. | 2.8 | 32 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Excess risk of hospitalisation for heart failure among people with type 2 diabetes. Diabetologia, 2018, 61, 2300-2309. | 6.3 | 31 |
| 38 | BMI and Mortality in Patients With New-Onset Type 2 Diabetes: A Comparison With Age- and Sex-Matched Control Subjects From the General Population. Diabetes Care, 2018, 41, 485-493. | 8.6 | 29 |
| 39 | Intralymphatic Glutamic Acid Decarboxylase With Vitamin D Supplementation in Recent-Onset Type 1 Diabetes: A Double-Blind, Randomized, Placebo-Controlled Phase Ilb Trial. Diabetes Care, 2021, 44, 1604-1612. | 8.6 | 27 |
| 40 | The association between <scp>BMI</scp> and hospitalization for heart failure in 83Â021 persons with TypeÂ2 diabetes: a populationâ€based study from the Swedish National Diabetes Registry. Diabetic Medicine, 2014, 31, 586-594. | 2.3 | 25 |
| 41 | Predicting the Effectiveness of Insulin Pump Therapy on Glycemic Control in Clinical Practice: A Retrospective Study of Patients with Type 1 Diabetes from 10 Outpatient Diabetes Clinics in Sweden over 5 Years. Diabetes Technology and Therapeutics, 2015, 17, 21-28. | 4.4 | 23 |
| 42 | Assessing the Accuracy of Continuous Glucose Monitoring (CGM) Calibrated With Capillary Values Using Capillary or Venous Glucose Levels as a Reference. Journal of Diabetes Science and Technology, 2016, 10, 876-884. | 2.2 | 23 |
| 43 | <scp>Longâ€term</scp> efficacy and safety of dapagliflozin in patients with inadequately controlled type 1 diabetes: pooled <scp>52â€week</scp> outcomes from the <scp>DEPICT</scp> â€1 and â€2 studies. Diabetes, Obesity and Metabolism, 2021, 23, 549-560. | 4.4 | 21 |
| 44 | Glycaemic control and excess risk of ischaemic and haemorrhagic stroke in patients with type 1 diabetes: a cohort study of 33 453 patients. Journal of Internal Medicine, 2017, 281, 261-272. | 6.0 | 19 |
| 45 | Impact of chronic kidney disease definition on assessment of its incidence and risk factors in patients with newly diagnosed type 1 and type 2 diabetes in the UK: A cohort study using primary care data from the United Kingdom. Primary Care Diabetes, 2020, 14, 381-387. | 1.8 | 19 |
| 46 | Impact of CKD Progression on Cardiovascular Disease Risk in a Contemporary UK Cohort of Individuals With Diabetes. Kidney International Reports, 2020, 5, 1651-1660. | 0.8 | 19 |
| 47 | Sustained Intensive Treatment and Long-term Effects on HbA1c Reduction (SILVER Study) by CGM in People With Type 1 Diabetes Treated With MDI. Diabetes Care, 2021, 44, 141-149. | 8.6 | 19 |
| 48 | Estimated glucose disposal rate and risk of stroke and mortality in type 2 diabetes: a nationwide cohort study. Cardiovascular Diabetology, 2021, 20, 202. | 6.8 | 19 |
| 49 | Design and Methods of a Randomized Trial of Continuous Glucose Monitoring in Persons With Type 1 Diabetes With Impaired Glycemic Control Treated With Multiple Daily Insulin Injections (GOLD Study). Journal of Diabetes Science and Technology, 2016, 10, 754-761. | 2.2 | 18 |
| 50 | Risk factors for diabetic retinopathy in people with Type 2 diabetes: A case–control study in a UK primary care setting. Primary Care Diabetes, 2016, 10, 300-308. | 1.8 | 18 |
| 51 | Variables associated with HbA1c and weight reductions when adding liraglutide to multiple daily insulin injections in persons with type 2 diabetes (MDI Liraglutide trial 3). BMJ Open Diabetes Research and Care, 2018, 6, e000464. | 2.8 | 18 |
| 52 | The relationship between three eGFR formulas and hospitalization for heart failure in 54Â486 individuals with type 2 diabetes. Diabetes/Metabolism Research and Reviews, 2016, 32, 730-735. | 4.0 | 17 |
| 53 | Excess risk of lower extremity amputations in people with type 1 diabetes compared with the general population: amputations and type 1 diabetes. BMJ Open Diabetes Research and Care, 2019, 7, e000602. | 2.8 | 17 |
| 54 | Design and methods of a randomised double-blind trial of adding liraglutide to control HbA1c in patients with type 2 diabetes with impaired glycaemic control treated with multiple daily insulin injections (MDI-Liraglutide trial). Primary Care Diabetes, 2015, 9, 15-22. | 1.8 | 16 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Recognition of Incident Diabetes Mellitus During an Acute Myocardial Infarction. Circulation: Cardiovascular Quality and Outcomes, 2015, 8, 260-267. | 2.2 | 16 |
| 56 | Longâ€term excess risk of stroke in people with Type 2 diabetes in Sweden according to blood pressure level: a populationâ€based case–control study. Diabetic Medicine, 2017, 34, 522-530. | 2.3 | 16 |
| 57 | Risk Factors for Atrial Fibrillation in People With Type 1 Diabetes: An Observational Cohort Study of 36,258 Patients From the Swedish National Diabetes Registry. Diabetes Care, 2019, 42, 1530-1538. | 8.6 | 16 |
| 58 | Effect on Glycemic Control by Short- and Long-Term Use of Continuous Glucose Monitoring in Clinical Practice. Journal of Diabetes Science and Technology, 2011, 5, 1472-1479. | 2.2 | 15 |
| 59 | Incretin therapy and its effect on body weight in patients with diabetes. Primary Care Diabetes, 2012, 6, 187-191. | 1.8 | 15 |
| 60 | Changes in HbA1c and frequency of measuring HbA1c and adjusting glucose-lowering medications in the 10Âyears following diagnosis of type 2 diabetes: a population-based study in the UK. Diabetologia, 2014, 57, 1586-1594. | 6.3 | 15 |
| 61 | Bleeding risk following percutaneous coronary intervention in patients with diabetes prescribed dual anti-platelet therapy. American Heart Journal, 2016, 182, 111-118. | 2.7 | 15 |
| 62 | Effect of Liraglutide on Times in Glycaemic Ranges as Assessed by CGM for Type 2 Diabetes Patients Treated With Multiple Daily Insulin Injections. Diabetes Therapy, 2019, 10, 2115-2130. | 2.5 | 15 |
| 63 | Evaluation of Reference Metrics for Continuous Glucose Monitoring in Persons Without Diabetes and Prediabetes. Journal of Diabetes Science and Technology, 2022, 16, 373-382. | 2.2 | 15 |
| 64 | Glycemic Control, Renal Complications, and Current Smoking in Relation to Excess Risk of Mortality in Persons With Type 1 Diabetes. Journal of Diabetes Science and Technology, 2016, 10, 1006-1014. | 2.2 | 14 |
| 65 | Trajectories in HbA1c and other risk factors among adults with type 1 diabetes by age at onset. BMJ Open Diabetes Research and Care, 2021, 9, e002187. | 2.8 | 13 |
| 66 | Risk factors and incidence over time for lower extremity amputations in people with type 1 diabetes: an observational cohort study of 46,088 patients from the Swedish National Diabetes Registry. Diabetologia, 2021, 64, 2751-2761. | 6.3 | 13 |
| 67 | Availability of insulin pump therapy in clinical practice. Diabetic Medicine, 2012, 29, 1055-1059. | 2.3 | 12 |
| 68 | Decreased eGFR as a Risk Factor for Heart Failure in 13 781 Individuals With Type 1 Diabetes. Journal of Diabetes Science and Technology, 2016, 10, 131-136. | 2.2 | 12 |
| 69 | Prevalence of primary aldosteronism among patients with type 2 diabetes. Clinical Endocrinology, 2017, 87, 233-241. | 2.4 | 12 |
| 70 | Contrasting Associations of Body Mass Index and Hemoglobin A1c on the Excess Risk of Acute Myocardial Infarction and Heart Failure in Type 2 Diabetes Mellitus. Journal of the American Heart Association, 2019, 8, e013871. | 3.7 | 12 |
| 71 | Predictors and correlates of systolic blood pressure reduction with liraglutide treatment in patients with type 2 diabetes. Journal of Clinical Hypertension, 2019, 21, 105-115. | 2.0 | 12 |
| 72 | Body mass index as a risk factor for coronary events and mortality in patients with type 1 diabetes. Open Heart, 2018, 5, e000727. | 2.3 | 11 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Effects of nutrition education using a food-based approach, carbohydrate counting or routine care in type 1 diabetes: 12 months prospective randomized trial. BMJ Open Diabetes Research and Care, 2021, 9, e001971. | 2.8 | 11 |
| 74 | Contemporary Risk Estimates of Three HbA1c Variables for Myocardial Infarction in 101,799 Patients Following Diagnosis of Type 2 Diabetes. Diabetes Care, 2015, 38, 1481-1486. | 8.6 | 10 |
| 75 | LDL cholesterol level as a risk factor for retinopathy and nephropathy in children and adults with type 1 diabetes mellitus: A nationwide cohort study. Journal of Internal Medicine, 2021, 289, 873-886. | 6.0 | 10 |
| 76 | Intralymphatic GAD-Alum (Diamyd \hat{A}^{\otimes}) Improves Glycemic Control in Type 1 Diabetes With HLA DR3-DQ2. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 2644-2651. | 3.6 | 10 |
| 77 | The Effect of Insulin Lispro on Glycemic Control in a Large Patient Cohort. Diabetes Technology and Therapeutics, 2009, 11, 51-56. | 4.4 | 9 |
| 78 | The majority of people with type <scp>1</scp> diabetes and multiple daily insulin injections benefit from using continuous glucose monitoring: An analysis based on the <scp>GOLD</scp> randomized trial (<scp>GOLDâ€5</scp>). Diabetes, Obesity and Metabolism, 2021, 23, 619-630. | 4.4 | 9 |
| 79 | Contemporary risk estimates of three HbA1cvariables in relation to heart failure following diagnosis of type 2 diabetes. Heart, 2017, 103, 353-358. | 2.9 | 8 |
| 80 | Risk factors for diabetic macular oedema in type 2 diabetes: A case-control study in a United Kingdom primary care setting. Primary Care Diabetes, 2017, 11, 288-296. | 1.8 | 8 |
| 81 | Effect of liraglutide on anthropometric measurements, sagittal abdominal diameter and adiponectin levels in people with type 2 diabetes treated with multiple daily insulin injections: evaluations from a randomized trial (MDIâ€liraglutide study 5). Obesity Science and Practice, 2019, 5, 130-140. | 1.9 | 8 |
| 82 | Clinical Effectiveness of Liraglutide vs Sitagliptin on Glycemic Control and Body Weight in Patients with Type 2 Diabetes: A Retrospective Assessment in Sweden. Diabetes Therapy, 2016, 7, 321-333. | 2.5 | 7 |
| 83 | Glycemic Control and Risk of Sepsis and Subsequent Mortality in Type 2 Diabetes. Diabetes Care, 2022, 45, 127-133. | 8.6 | 7 |
| 84 | Prevalence and impact of chronic dysglycemia in intensive care unit patientsâ€"A retrospective cohort study. Acta Anaesthesiologica Scandinavica, 2021, 65, 82-91. | 1.6 | 6 |
| 85 | Dapagliflozin Plus Saxagliptin Add-on Therapy Compared With Insulin in Patients With Type 2 Diabetes Poorly Controlled by Metformin With or Without Sulfonylurea Therapy: A Randomized Clinical Trial. Diabetes Care, 2019, 42, 1464-1472. | 8.6 | 5 |
| 86 | Glycaemic control and excess risk of major coronary events in patients with type 2 diabetes: a population-based study. Open Heart, 2019, 6, e000967. | 2.3 | 5 |
| 87 | Efficacy and safety of dapagliflozin plus saxagliptin versus insulin glargine over 52 weeks as addâ€on to metformin with or without sulphonylurea in patients with type 2 diabetes: A randomized, parallelâ€design, openâ€label, Phase 3 trial. Diabetes, Obesity and Metabolism, 2020, 22, 957-968. | 4.4 | 4 |
| 88 | Characteristics of Continuous Glucose Monitoring Metrics in Persons with Type 1 and Type 2 Diabetes Treated with Multiple Daily Insulin Injections. Diabetes Technology and Therapeutics, 2021, 23, 425-433. | 4.4 | 3 |
| 89 | Renal Complications and Duration of Diabetes: An International Comparison in Persons with Type 1 Diabetes. Diabetes Therapy, 2021, 12, 3093-3105. | 2.5 | 3 |
| 90 | Risk factors for nephropathy in persons with type 1 diabetes: a population-based study. Acta Diabetologica, 2022, , 1 . | 2.5 | 3 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 91 | Glycated Hemoglobin A1c Levels in Type 1 Diabetes Mellitus and Outcomes After Myocardial Infarction. Circulation, 2019, 139, 2380-2382. | 1.6 | 2 |
| 92 | Early and long-term prognosis in patients with and without type 2 diabetes after carotid intervention: a Swedish nationwide propensity score matched cohort study. Cardiovascular Diabetology, 2021, 20, 85. | 6.8 | 2 |
| 93 | Evaluation of Effects of Continuous Glucose Monitoring on Physical Activity Habits and Blood Lipid Levels in Persons With Type 1 Diabetes Managed With Multiple Daily Insulin Injections: An Analysis Based on the GOLD Randomized Trial (GOLD 8). Journal of Diabetes Science and Technology, 2024, 18, 89-98. | 2.2 | 2 |
| 94 | Effect of liraglutide on markers of insulin production in persons with type 2 diabetes treated with multiple daily insulin injections. Journal of Diabetes and Its Complications, 2022, 36, 108110. | 2.3 | 1 |
| 95 | Atrial fibrillation and type 1 diabetes – Authors' reply. Lancet Diabetes and Endocrinology,the, 2017, 5, 937. | 11.4 | 0 |
| 96 | Investigation of early signs of systolic and diastolic dysfunction among persons with type 1 diabetes. Open Heart, 2019, 6, e001020. | 2.3 | 0 |
| 97 | Variables associated with insulin production in persons with type 2 diabetes treated with multiple daily insulin injections. Primary Care Diabetes, 2021, 15, 607-613. | 1.8 | 0 |