

# Marcus Lind

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4213822/publications.pdf>

Version: 2024-02-01

97  
papers

5,078  
citations

126907

33  
h-index

95266

68  
g-index

98  
all docs

98  
docs citations

98  
times ranked

6618  
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of Effects of Continuous Glucose Monitoring on Physical Activity Habits and Blood Lipid Levels in Persons With Type 1 Diabetes Managed With Multiple Daily Insulin Injections: An Analysis Based on the GOLD Randomized Trial (GOLD 8). <i>Journal of Diabetes Science and Technology</i> , 2024, 18, 89-98.	2.2	2
2	A Glycemia Risk Index (GRI) of Hypoglycemia and Hyperglycemia for Continuous Glucose Monitoring Validated by Clinician Ratings. <i>Journal of Diabetes Science and Technology</i> , 2023, 17, 1226-1242.	2.2	69
3	Evaluation of Reference Metrics for Continuous Glucose Monitoring in Persons Without Diabetes and Prediabetes. <i>Journal of Diabetes Science and Technology</i> , 2022, 16, 373-382.	2.2	15
4	Glycemic Control and Risk of Sepsis and Subsequent Mortality in Type 2 Diabetes. <i>Diabetes Care</i> , 2022, 45, 127-133.	8.6	7
5	Risk factors for nephropathy in persons with type 1 diabetes: a population-based study. <i>Acta Diabetologica</i> , 2022, , 1.	2.5	3
6	Effect of liraglutide on markers of insulin production in persons with type 2 diabetes treated with multiple daily insulin injections. <i>Journal of Diabetes and Its Complications</i> , 2022, 36, 108110.	2.3	1
7	Intralymphatic GAD-Alum (Diamyd®) Improves Glycemic Control in Type 1 Diabetes With HLA DR3-DQ2. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, 2644-2651.	3.6	10
8	<scp>Long-term</scp> efficacy and safety of dapagliflozin in patients with inadequately controlled type 1 diabetes: pooled <scp>52-week</scp> outcomes from the <scp>DEPICT</scp>-1 and -2 studies. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 549-560.	4.4	21
9	LDL cholesterol level as a risk factor for retinopathy and nephropathy in children and adults with type 1 diabetes mellitus: A nationwide cohort study. <i>Journal of Internal Medicine</i> , 2021, 289, 873-886.	6.0	10
10	Variables associated with insulin production in persons with type 2 diabetes treated with multiple daily insulin injections. <i>Primary Care Diabetes</i> , 2021, 15, 607-613.	1.8	0
11	Sustained Intensive Treatment and Long-term Effects on HbA1c Reduction (SILVER Study) by CGM in People With Type 1 Diabetes Treated With MDI. <i>Diabetes Care</i> , 2021, 44, 141-149.	8.6	19
12	The majority of people with type <scp>1</scp> diabetes and multiple daily insulin injections benefit from using continuous glucose monitoring: An analysis based on the <scp>GOLD</scp> randomized trial (<scp>GOLD-5</scp>). <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 619-630.	4.4	9
13	Prevalence and impact of chronic dysglycemia in intensive care unit patientsâ€”A retrospective cohort study. <i>Acta Anaesthesiologica Scandinavica</i> , 2021, 65, 82-91.	1.6	6
14	Effects of nutrition education using a food-based approach, carbohydrate counting or routine care in type 1 diabetes: 12 months prospective randomized trial. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e001971.	2.8	11
15	Early and long-term prognosis in patients with and without type 2 diabetes after carotid intervention: a Swedish nationwide propensity score matched cohort study. <i>Cardiovascular Diabetology</i> , 2021, 20, 85.	6.8	2
16	Trajectories in HbA1c and other risk factors among adults with type 1 diabetes by age at onset. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002187.	2.8	13
17	Intralymphatic Glutamic Acid Decarboxylase With Vitamin D Supplementation in Recent-Onset Type 1 Diabetes: A Double-Blind, Randomized, Placebo-Controlled Phase IIb Trial. <i>Diabetes Care</i> , 2021, 44, 1604-1612.	8.6	27
18	Characteristics of Continuous Glucose Monitoring Metrics in Persons with Type 1 and Type 2 Diabetes Treated with Multiple Daily Insulin Injections. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 425-433.	4.4	3

#	ARTICLE	IF	CITATIONS
19	Historical HbA1c Values May Explain the Type 2 Diabetes Legacy Effect: UKPDS 88. <i>Diabetes Care</i> , 2021, 44, 2231-2237.	8.6	51
20	Risk factors and incidence over time for lower extremity amputations in people with type 1 diabetes: an observational cohort study of 46,088 patients from the Swedish National Diabetes Registry. <i>Diabetologia</i> , 2021, 64, 2751-2761.	6.3	13
21	Estimated glucose disposal rate and risk of stroke and mortality in type 2 diabetes: a nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2021, 20, 202.	6.8	19
22	Renal Complications and Duration of Diabetes: An International Comparison in Persons with Type 1 Diabetes. <i>Diabetes Therapy</i> , 2021, 12, 3093-3105.	2.5	3
23	Incidence and risk factors for mortality and end-stage renal disease in people with type 2 diabetes and diabetic kidney disease: a population-based cohort study in the UK. <i>BMJ Open Diabetes Research and Care</i> , 2021, 9, e002146.	2.8	32
24	Impact of chronic kidney disease definition on assessment of its incidence and risk factors in patients with newly diagnosed type 1 and type 2 diabetes in the UK: A cohort study using primary care data from the United Kingdom. <i>Primary Care Diabetes</i> , 2020, 14, 381-387.	1.8	19
25	Impact of CKD Progression on Cardiovascular Disease Risk in a Contemporary UK Cohort of Individuals With Diabetes. <i>Kidney International Reports</i> , 2020, 5, 1651-1660.	0.8	19
26	The Association Between HbA1c and Time in Hypoglycemia During CGM and Self-Monitoring of Blood Glucose in People With Type 1 Diabetes and Multiple Daily Insulin Injections: A Randomized Clinical Trial (GOLD-4). <i>Diabetes Care</i> , 2020, 43, 2017-2024.	8.6	34
27	Efficacy and safety of dapagliflozin plus saxagliptin versus insulin glargine over 52 weeks as add-on to metformin with or without sulphonylurea in patients with type 2 diabetes: A randomized, parallel design, open label, Phase 3 trial. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 957-968.	4.4	4
28	Risk of atrial fibrillation in persons with type 2 diabetes and the excess risk in relation to glycaemic control and renal function: a Swedish cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 9.	6.8	70
29	Long-term efficacy and safety of dapagliflozin in patients with inadequately controlled type 1 diabetes (the DEPICT study): 52-week results from a randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1516-1526.	4.4	38
30	HbA <sub>1c</sub> level as a risk factor for retinopathy and nephropathy in children and adults with type 1 diabetes: Swedish population based cohort study. <i>BMJ: British Medical Journal</i> , 2019, 366, l4894.	2.3	109
31	Effect of Liraglutide on Times in Glycaemic Ranges as Assessed by CGM for Type 2 Diabetes Patients Treated With Multiple Daily Insulin Injections. <i>Diabetes Therapy</i> , 2019, 10, 2115-2130.	2.5	15
32	Risk Factors for Atrial Fibrillation in People With Type 1 Diabetes: An Observational Cohort Study of 36,258 Patients From the Swedish National Diabetes Registry. <i>Diabetes Care</i> , 2019, 42, 1530-1538.	8.6	16
33	Use of fast-acting insulin aspart in insulin pump therapy in clinical practice. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2039-2047.	4.4	41
34	Dapagliflozin Plus Saxagliptin Add-on Therapy Compared With Insulin in Patients With Type 2 Diabetes Poorly Controlled by Metformin With or Without Sulfonylurea Therapy: A Randomized Clinical Trial. <i>Diabetes Care</i> , 2019, 42, 1464-1472.	8.6	5
35	Excess risk of lower extremity amputations in people with type 1 diabetes compared with the general population: amputations and type 1 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2019, 7, e000602.	2.8	17
36	Effect of liraglutide on anthropometric measurements, sagittal abdominal diameter and adiponectin levels in people with type 2 diabetes treated with multiple daily insulin injections: evaluations from a randomized trial (MDI+liraglutide study 5). <i>Obesity Science and Practice</i> , 2019, 5, 130-140.	1.9	8

#	ARTICLE	IF	CITATIONS
37	Glycated Hemoglobin A1c Levels in Type 1 Diabetes Mellitus and Outcomes After Myocardial Infarction. <i>Circulation</i> , 2019, 139, 2380-2382.	1.6	2
38	BMI, Mortality, and Cardiovascular Outcomes in Type 1 Diabetes: Findings Against an Obesity Paradox. <i>Diabetes Care</i> , 2019, 42, 1297-1304.	8.6	47
39	Glucose Variables in Type 1 Diabetes Studies With Dapagliflozin: Pooled Analysis of Continuous Glucose Monitoring Data From DEPICT-1 and -2. <i>Diabetes Care</i> , 2019, 42, 1081-1087.	8.6	40
40	Glycaemic control and excess risk of major coronary events in patients with type 2 diabetes: a population-based study. <i>Open Heart</i> , 2019, 6, e000967.	2.3	5
41	Investigation of early signs of systolic and diastolic dysfunction among persons with type 1 diabetes. <i>Open Heart</i> , 2019, 6, e001020.	2.3	0
42	Contrasting Associations of Body Mass Index and Hemoglobin A1c on the Excess Risk of Acute Myocardial Infarction and Heart Failure in Type 2 Diabetes Mellitus. <i>Journal of the American Heart Association</i> , 2019, 8, e013871.	3.7	12
43	Predictors and correlates of systolic blood pressure reduction with liraglutide treatment in patients with type 2 diabetes. <i>Journal of Clinical Hypertension</i> , 2019, 21, 105-115.	2.0	12
44	Body mass index as a risk factor for coronary events and mortality in patients with type 1 diabetes. <i>Open Heart</i> , 2018, 5, e000727.	2.3	11
45	A Randomized Clinical Trial of the Effect of Continuous Glucose Monitoring on Nocturnal Hypoglycemia, Daytime Hypoglycemia, Glycemic Variability, and Hypoglycemia Confidence in Persons with Type 1 Diabetes Treated with Multiple Daily Insulin Injections (GOLD-3). <i>Diabetes Technology and Therapeutics</i> , 2018, 20, 274-284.	4.4	88
46	BMI and Mortality in Patients With New-Onset Type 2 Diabetes: A Comparison With Age- and Sex-Matched Control Subjects From the General Population. <i>Diabetes Care</i> , 2018, 41, 485-493.	8.6	29
47	Variables associated with HbA1c and weight reductions when adding liraglutide to multiple daily insulin injections in persons with type 2 diabetes (MDI Liraglutide trial 3). <i>BMJ Open Diabetes Research and Care</i> , 2018, 6, e000464.	2.8	18
48	Efficacy and Safety of Dapagliflozin in Patients With Inadequately Controlled Type 1 Diabetes (the Tj ETQqO 0 0 rgBT /Overlock 10 Tf 50	8.6	190
49	Excess risk of hospitalisation for heart failure among people with type 2 diabetes. <i>Diabetologia</i> , 2018, 61, 2300-2309.	6.3	31
50	Continuous Glucose Monitoring vs Conventional Therapy for Glycemic Control in Adults With Type 1 Diabetes Treated With Multiple Daily Insulin Injections. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 379.	7.4	520
51	A Clinical Trial of the Accuracy and Treatment Experience of the Flash Glucose Monitor FreeStyle Libre in Adults with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2017, 19, 164-172.	4.4	143
52	Contemporary risk estimates of three HbA1c variables in relation to heart failure following diagnosis of type 2 diabetes. <i>Heart</i> , 2017, 103, 353-358.	2.9	8
53	Risk factors for diabetic macular oedema in type 2 diabetes: A case-control study in a United Kingdom primary care setting. <i>Primary Care Diabetes</i> , 2017, 11, 288-296.	1.8	8
54	Prevalence of primary aldosteronism among patients with type 2 diabetes. <i>Clinical Endocrinology</i> , 2017, 87, 233-241.	2.4	12

#	ARTICLE	IF	CITATIONS
55	Adherence of self-monitoring of blood glucose in persons with type 1 diabetes in Sweden. <i>BMJ Open Diabetes Research and Care</i> , 2017, 5, e000342.	2.8	70
56	Long-term excess risk of stroke in people with Type 2 diabetes in Sweden according to blood pressure level: a population-based case-control study. <i>Diabetic Medicine</i> , 2017, 34, 522-530.	2.3	16
57	Glycaemic control and excess risk of ischaemic and haemorrhagic stroke in patients with type 1 diabetes: a cohort study of 33 453 patients. <i>Journal of Internal Medicine</i> , 2017, 281, 261-272.	6.0	19
58	Risk of atrial fibrillation in people with type 1 diabetes compared with matched controls from the general population: a prospective case-control study. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 799-807.	11.4	53
59	Glycaemic control and excess risk of major coronary events in persons with type 1 diabetes. <i>Heart</i> , 2017, 103, 1687-1695.	2.9	41
60	Atrial fibrillation and type 1 diabetes – Authors' reply. <i>Lancet Diabetes and Endocrinology</i> , 2017, 5, 937.	11.4	0
61	Clinical Effectiveness of Liraglutide vs Sitagliptin on Glycemic Control and Body Weight in Patients with Type 2 Diabetes: A Retrospective Assessment in Sweden. <i>Diabetes Therapy</i> , 2016, 7, 321-333.	2.5	7
62	Design and Methods of a Randomized Trial of Continuous Glucose Monitoring in Persons With Type 1 Diabetes With Impaired Glycemic Control Treated With Multiple Daily Insulin Injections (GOLD Study). <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 754-761.	2.2	18
63	Bleeding risk following percutaneous coronary intervention in patients with diabetes prescribed dual anti-platelet therapy. <i>American Heart Journal</i> , 2016, 182, 111-118.	2.7	15
64	The relationship between three eGFR formulas and hospitalization for heart failure in 54 486 individuals with type 2 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2016, 32, 730-735.	4.0	17
65	Glycemic Control, Renal Complications, and Current Smoking in Relation to Excess Risk of Mortality in Persons With Type 1 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 1006-1014.	2.2	14
66	Assessing the Accuracy of Continuous Glucose Monitoring (CGM) Calibrated With Capillary Values Using Capillary or Venous Glucose Levels as a Reference. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 876-884.	2.2	23
67	Risk factors for diabetic retinopathy in people with Type 2 diabetes: A case-control study in a UK primary care setting. <i>Primary Care Diabetes</i> , 2016, 10, 300-308.	1.8	18
68	Decreased eGFR as a Risk Factor for Heart Failure in 13 781 Individuals With Type 1 Diabetes. <i>Journal of Diabetes Science and Technology</i> , 2016, 10, 131-136.	2.2	12
69	Design and methods of a randomised double-blind trial of adding liraglutide to control HbA1c in patients with type 2 diabetes with impaired glycaemic control treated with multiple daily insulin injections (MDI-Liraglutide trial). <i>Primary Care Diabetes</i> , 2015, 9, 15-22.	1.8	16
70	Glycemic Control and Excess Mortality in Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2015, 372, 879-881.	27.0	36
71	Predicting the Effectiveness of Insulin Pump Therapy on Glycemic Control in Clinical Practice: A Retrospective Study of Patients with Type 1 Diabetes from 10 Outpatient Diabetes Clinics in Sweden over 5 Years. <i>Diabetes Technology and Therapeutics</i> , 2015, 17, 21-28.	4.4	23
72	Recognition of Incident Diabetes Mellitus During an Acute Myocardial Infarction. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, 260-267.	2.2	16

#	ARTICLE	IF	CITATIONS
73	Excess Mortality among Persons with Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2015, 373, 1720-1732.	27.0	777
74	Contemporary Risk Estimates of Three HbA1c Variables for Myocardial Infarction in 101,799 Patients Following Diagnosis of Type 2 Diabetes. <i>Diabetes Care</i> , 2015, 38, 1481-1486.	8.6	10
75	Long-term excess risk of heart failure in people with type 1 diabetes: a prospective case-control study. <i>Lancet Diabetes and Endocrinology</i> , 2015, 3, 876-885.	11.4	69
76	Liraglutide in people treated for type 2 diabetes with multiple daily insulin injections: randomised clinical trial (MDI Liraglutide trial). <i>BMJ</i> , 2015, 351, h5364.	6.0	53
77	Age at diagnosis predicts deterioration in glycaemic control among children and adolescents with type 1 diabetes. <i>BMJ Open Diabetes Research and Care</i> , 2014, 2, e000039.	2.8	48
78	The association between BMI and hospitalization for heart failure in 83,021 persons with Type 2 diabetes: a population-based study from the Swedish National Diabetes Registry. <i>Diabetic Medicine</i> , 2014, 31, 586-594.	2.3	25
79	Glycemic Control and Excess Mortality in Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2014, 371, 1972-1982.	27.0	717
80	A Clinical Trial of the Accuracy and Treatment Experience of the Dexcom G4 Sensor (Dexcom G4) with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2014, 16, 759-767.	4.4	76
81	Changes in HbA1c and frequency of measuring HbA1c and adjusting glucose-lowering medications in the 10 years following diagnosis of type 2 diabetes: a population-based study in the UK. <i>Diabetologia</i> , 2014, 57, 1586-1594.	6.3	15
82	The Association between HbA1c, Fasting Glucose, 1-Hour Glucose and 2-Hour Glucose during an Oral Glucose Tolerance Test and Cardiovascular Disease in Individuals with Elevated Risk for Diabetes. <i>PLoS ONE</i> , 2014, 9, e109506.	2.5	38
83	Relationship Between Overweight and Obesity With Hospitalization for Heart Failure in 20,985 Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2013, 36, 2857-2861.	8.6	39
84	Mortality trends in patients with and without diabetes in Ontario, Canada and the UK from 1996 to 2009: a population-based study. <i>Diabetologia</i> , 2013, 56, 2601-2608.	6.3	142
85	Insulin Pump Long-Term Effects on Glycemic Control: An Observational Study at 10 Diabetes Clinics in Sweden. <i>Diabetes Technology and Therapeutics</i> , 2013, 15, 302-307.	4.4	32
86	Variability of INR and its relationship with mortality, stroke, bleeding and hospitalisations in patients with atrial fibrillation. <i>Thrombosis Research</i> , 2012, 129, 32-35.	1.7	65
87	Glucagon-like peptide 1 (GLP-1) analogue combined with insulin reduces HbA1c and weight with low risk of hypoglycemia and high treatment satisfaction. <i>Primary Care Diabetes</i> , 2012, 6, 41-46.	1.8	65
88	The relationship between the exposure time of insulin glargine and risk of breast and prostate cancer: An observational study of the time-dependent effects of antidiabetic treatments in patients with diabetes. <i>Primary Care Diabetes</i> , 2012, 6, 53-59.	1.8	35
89	Incretin therapy and its effect on body weight in patients with diabetes. <i>Primary Care Diabetes</i> , 2012, 6, 187-191.	1.8	15
90	The relationship between glycaemic control and heart failure in 83,021 patients with type 2 diabetes. <i>Diabetologia</i> , 2012, 55, 2946-2953.	6.3	84

#	ARTICLE	IF	CITATIONS
91	Availability of insulin pump therapy in clinical practice. <i>Diabetic Medicine</i> , 2012, 29, 1055-1059.	2.3	12
92	Glycaemic control and incidence of heart failure in 20 985 patients with type 1 diabetes: an observational study. <i>Lancet</i> , 2011, 378, 140-146.	13.7	222
93	Effect on Glycemic Control by Short- and Long-Term Use of Continuous Glucose Monitoring in Clinical Practice. <i>Journal of Diabetes Science and Technology</i> , 2011, 5, 1472-1479.	2.2	15
94	The shape of the metabolic memory of HbA1c: re-analysing the DCCT with respect to time-dependent effects. <i>Diabetologia</i> , 2010, 53, 1093-1098.	6.3	75
95	The True Value of HbA1c as a Predictor of Diabetic Complications: Simulations of HbA1c Variables. <i>PLoS ONE</i> , 2009, 4, e4412.	2.5	61
96	The Effect of Insulin Lispro on Glycemic Control in a Large Patient Cohort. <i>Diabetes Technology and Therapeutics</i> , 2009, 11, 51-56.	4.4	9
97	A systematic review of HbA1c variables used in the study of diabetic complications. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2008, 2, 282-293.	3.6	45