

<https://orcid.org/0000-0002-3797-0823>

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4213894/publications.pdf>

Version: 2024-02-01

19
papers

855
citations

759233

12
h-index

839539

18
g-index

21
all docs

21
docs citations

21
times ranked

1588
citing authors

#	ARTICLE	IF	CITATIONS
1	Conditional Silencing of H-2Db Class I Molecule Expression Modulates the Protective and Pathogenic Kinetics of Virus-Antigen-Specific CD8 T Cell Responses during Theiler's Virus Infection. <i>Journal of Immunology</i> , 2020, 205, 1228-1238.	0.8	10
2	Oncolytic virus-derived type I interferon restricts CAR T cell therapy. <i>Nature Communications</i> , 2020, 11, 3187.	12.8	61
3	Seek and hide: the manipulating interplay of measles virus with the innate immune system. <i>Current Opinion in Virology</i> , 2020, 41, 18-30.	5.4	14
4	Comparison of Gene Delivery to the Kidney by Adenovirus, Adeno-Associated Virus, and Lentiviral Vectors After Intravenous and Direct Kidney Injections. <i>Human Gene Therapy</i> , 2019, 30, 1559-1571.	2.7	47
5	GM-CSF Blockade during Chimeric Antigen Receptor T-Cell (CART) Therapy Reduces Cytokine Release Syndrome and Neurotoxicity and May Enhance CART Effector Functions. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, S4.	2.0	3
6	SCIDOT-34. BRAIN INJURY SIGNALS SYSTEMIC IMMUNOSUPPRESSION THROUGH THYMIC INVOLUTION. <i>Neuro-Oncology</i> , 2019, 21, vi278-vi279.	1.2	0
7	GM-CSF inhibition reduces cytokine release syndrome and neuroinflammation but enhances CAR-T cell function in xenografts. <i>Blood</i> , 2019, 133, 697-709.	1.4	408
8	Interleukin-27 promotes CD8+ T cell reconstitution following antibody-mediated lymphoablation. <i>JCI Insight</i> , 2019, 4, .	5.0	14
9	Aquaporin 4 blockade improves survival of murine heart allografts subjected to prolonged cold ischemia. <i>American Journal of Transplantation</i> , 2018, 18, 1238-1246.	4.7	20
10	Immunomodulation Mediated by Anti-angiogenic Therapy Improves CD8 T Cell Immunity Against Experimental Glioma. <i>Frontiers in Oncology</i> , 2018, 8, 320.	2.8	35
11	Allograft dendritic cell p40 homodimers activate donor-reactive memory CD8+ T cells. <i>JCI Insight</i> , 2018, 3, .	5.0	9
12	GM-CSF Blockade during Chimeric Antigen Receptor T Cell Therapy Reduces Cytokine Release Syndrome and Neurotoxicity and May Enhance Their Effector Functions. <i>Blood</i> , 2018, 132, 961-961.	1.4	3
13	Depletion-Resistant CD4 T Cells Enhance Thymopoiesis During Lymphopenia. <i>American Journal of Transplantation</i> , 2017, 17, 2008-2019.	4.7	8
14	Growth Associated Protein 43 (GAP-43) as a Novel Target for the Diagnosis, Treatment and Prevention of Epileptogenesis. <i>Scientific Reports</i> , 2017, 7, 17702.	3.3	27
15	Role of Memory T Cells in Allograft Rejection and Tolerance. <i>Frontiers in Immunology</i> , 2017, 8, 170.	4.8	79
16	CD4 T Cell Help via B Cells Is Required for Lymphopenia-Induced CD8 T Cell Proliferation. <i>Journal of Immunology</i> , 2016, 196, 3180-3190.	0.8	19
17	Platelet hyaluronidase-2: an enzyme that translocates to the surface upon activation to function in extracellular matrix degradation. <i>Blood</i> , 2015, 125, 1460-1469.	1.4	46
18	B Cell Activating Factor (BAFF) and a Proliferation Inducing Ligand (APRIL) Mediate CD40-Independent Help by Memory CD4 T Cells. <i>American Journal of Transplantation</i> , 2015, 15, 346-357.	4.7	19

#	ARTICLE	IF	CITATIONS
19	Pretransplant Antithymocyte Globulin Has Increased Efficacy in Controlling Donor-Reactive Memory T Cells in Mice. American Journal of Transplantation, 2013, 13, 589-599.	4.7	32