

Alena Pechova

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4214444/publications.pdf>

Version: 2024-02-01

358
papers

1,335
citations

758635

12
h-index

580395

25
g-index

358
all docs

358
docs citations

358
times ranked

761
citing authors

#	ARTICLE	IF	CITATIONS
1	Guidance on the assessment of the safety of feed additives for the environment. EFSA Journal, 2019, 17, e05648.	0.9	218
2	Guidance on the renewal of the authorisation of feed additives. EFSA Journal, 2021, 19, e06340.	0.9	50
3	Interaction Pathways and Structure-Activity Relationships of Chemical Transformations of Alginate Gels in Physiological Environments. Biomacromolecules, 2019, 20, 4158-4170.	2.6	42
4	Monitoring of Changes in Selenium Concentration in Goat Milk During Short-Term Supplementation of Various Forms of Selenium. Biological Trace Element Research, 2008, 121, 180-191.	1.9	31
5	Salt, sodium chloride or sodium? Content and relationship with chemical, instrumental and sensory attributes in cooked meat products. Meat Science, 2017, 131, 196-202.	2.7	31
6	The Effect of Various Forms of Selenium Supplied to Pregnant Goats on the Levels of Selenium in the Body of Their Kids at the Time of Weaning. Biological Trace Element Research, 2011, 143, 882-892.	1.9	22
7	Levels of protein fractions in blood serum of periparturient goats. Acta Veterinaria Brno, 2011, 80, 185-190.	0.2	20
8	Safety and efficacy of feed additives consisting of expressed lemon oil and its fractions from Citrus limon (L.) Osbeck and of lime oil from Citrus aurantiifolia (Christm.) Swingle for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06548.	0.9	19
9	Safety and efficacy of 26 compounds belonging to chemical group 3 (1,2-unsaturated straight-chain and) for use in all animal species and categories. EFSA Journal, 2019, 17, e05654.	0.9	16
10	Safety and efficacy of sodium carboxymethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06211.	0.9	16
11	Safety and efficacy of a feed additive consisting of an extract of olibanum from Boswellia serrata Roxb. ex Colebr. for use in dogs and horses (FEFANA asbl). EFSA Journal, 2022, 20, e07158.	0.9	16
12	Safety of concentrated L-lysine (base), L-lysine monohydrochloride and L-lysine sulfate produced using different strains of Corynebacterium glutamicum for all animal species based on a dossier submitted by FEFANA asbl. EFSA Journal, 2019, 17, e05532.	0.9	14
13	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using Corynebacterium glutamicum strain NRRL 50775 for all animal species based on a dossier submitted by ADM. EFSA Journal, 2019, 17, e05537.	0.9	12
14	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using Corynebacterium glutamicum strain KCCM 10227 for all animal species. EFSA Journal, 2019, 17, e05697.	0.9	12
15	Safety and efficacy of L-lysine monohydrochloride and L-lysine sulfate produced using Corynebacterium glutamicum CCTCC M 2015595 for all animal species. EFSA Journal, 2019, 17, e05643.	0.9	12
16	Safety and efficacy of Lactobacillus parafarraginis DSM 32962 as a silage additive for all animal species. EFSA Journal, 2020, 18, e06201.	0.9	12
17	Safety and efficacy of astaxanthin dimethylsuccinate (Carophyll® StayPink 10% CWS) for salmonids, crustaceans and other fish. EFSA Journal, 2019, 17, e05920.	0.9	11
18	Safety and efficacy of an essential oil from Origanum vulgare ssp. hirtum (Link) Letsw. for all animal species. EFSA Journal, 2019, 17, e05909.	0.9	11

#	ARTICLE	IF	CITATIONS
19	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation using <i>Corynebacterium glutamicum</i> strains NRRL B-67439 or NRRL B-67535 for all animal species. EFSA Journal, 2019, 17, e05886.	0.9	10
20	Assessment of the application for renewal of authorisation of selenomethionine produced by <i>Saccharomyces cerevisiae</i> CNCM 3060 (selenised yeast inactivated) for all animal species. EFSA Journal, 2018, 16, e05386.	0.9	9
21	Safety and efficacy of Deccox ^Â (decoquinat) for chickens for fattening. EFSA Journal, 2019, 17, e05541.	0.9	9
22	Safety and efficacy of L-lysine sulfate produced by fermentation using <i>Corynebacterium glutamicum</i> KFCC 11043 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06203.	0.9	9
23	Safety and efficacy of Monimax ^Â (monensin sodium and nicarbazin) for chickens for fattening and chickens reared for laying. EFSA Journal, 2018, 16, e05459.	0.9	8
24	Assessment of the application for renewal of authorisation of selenomethionine produced by <i>Saccharomyces cerevisiae</i> NCYC R397 for all animal species. EFSA Journal, 2019, 17, e05539.	0.9	8
25	Safety and efficacy of fumonisin esterase from <i>Komagataella phaffii</i> DSM 32159 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06207.	0.9	8
26	Safety and efficacy of L-lysine monohydrochloride and L-lysine sulfate produced using <i>Corynebacterium glutamicum</i> CGMCC 7.266 for all animal species. EFSA Journal, 2020, 18, e06019.	0.9	8
27	Microbial contamination of harvested colostrum on Czech dairy farms. Journal of Dairy Science, 2021, 104, 11047-11058.	1.4	8
28	Safety and efficacy of L-lysine monohydrochloride produced by fermentation with <i>Corynebacterium glutamicum</i> DSM 32932 for all animal species. EFSA Journal, 2020, 18, e06078.	0.9	8
29	Safety and efficacy of a feed additive consisting of ethoxyquin (6-ethoxy-1,2-dihydro-2,4-trimethylquinoline) for all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07166.	0.9	8
30	Safety and efficacy of L-tryptophan produced with <i>Escherichia coli</i> CGMCC 11674 for all animal species. EFSA Journal, 2019, 17, e05642.	0.9	7
31	Prevalence of Failure of Passive Transfer of Immunity in Dairy Calves in the Czech Republic. Acta Universitatis Agriculturae Et Silviculturae Mendelianae Brunensis, 2019, 67, 163-172.	0.2	7
32	The Relationship Between Subclinical Ketosis and Ruminal Dysfunction in Dairy Cows. Annals of Animal Science, 2018, 18, 955-971.	0.6	7
33	Safety and efficacy of L-threonine produced by fermentation using <i>Escherichia coli</i> CGMCC 7.232 for all animal species. EFSA Journal, 2018, 16, e05458.	0.9	6
34	Safety and efficacy of copper chelates of lysine and glutamic acid as a feed additive for all animal species. EFSA Journal, 2019, 17, e05728.	0.9	6
35	Safety and efficacy of L-tryptophan produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80176 for all animal species. EFSA Journal, 2019, 17, e05729.	0.9	6
36	Safety and efficacy of APSA PHYTAFEED ^Â 20,000 GR/L (6-phytase) as a feed additive for chickens for fattening, chickens reared for laying and minor growing poultry species. EFSA Journal, 2019, 17, e05692.	0.9	6

#	ARTICLE	IF	CITATIONS
37	Safety and efficacy of hydroxypropyl methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06214.	0.9	6
38	Safety and efficacy of methyl cellulose for all animal species. EFSA Journal, 2020, 18, e06212.	0.9	6
39	Safety and efficacy of concentrated liquid L-lysine (base) and L-lysine monohydrochloride produced by fermentation with <i>Corynebacterium casei</i> KCCM 80190 as feed additives for all animal species. EFSA Journal, 2020, 18, e06285.	0.9	6
40	Selenium and Dogs: A Systematic Review. <i>Animals</i> , 2021, 11, 418.	1.0	6
41	Safety and efficacy of a feed additive consisting of a tincture derived from roots of <i>Gentiana lutea</i> L. (gentian tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06547.	0.9	6
42	Safety and efficacy of a feed additive consisting of acetic acid for all animal species. EFSA Journal, 2021, 19, e06615.	0.9	6
43	Safety and efficacy of a feed additive consisting of a flavonoid-rich dried extract of <i>Citrus aurantium</i> L. fruit (bitter orange extract) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06709.	0.9	6
44	Limitations of ultrasound guided follicular aspiration for analysis of ovarian follicular fluid in dairy cattle. <i>Acta Veterinaria Brno</i> , 2011, 80, 179-184.	0.2	5
45	Effects of peroral supplementation of different forms of zinc on the ruminal mucosa of goat kids – a morphometric study. <i>Acta Veterinaria Brno</i> , 2013, 82, 399-403.	0.2	5
46	Safety and efficacy of Zinc selenomethionine as feed additive for all animal species. EFSA Journal, 2018, 16, e05197.	0.9	5
47	Safety and efficacy of vitamin B2 (riboflavin phosphate ester monosodium salt) for all animal species when used in water for drinking. EFSA Journal, 2018, 16, e05531.	0.9	5
48	Safety and efficacy of L-histidine monohydrochloride monohydrate produced using <i>Corynebacterium glutamicum</i> KCCM 80172 for all animal species. EFSA Journal, 2019, 17, e05783.	0.9	5
49	Safety and efficacy of L-tryptophan produced by fermentation with <i>Escherichia coli</i> KCCM 80135 for all animal species. EFSA Journal, 2019, 17, e05694.	0.9	5
50	Safety and efficacy of L-tryptophan produced by fermentation with <i>Escherichia coli</i> KCCM 80152 for all animal species. EFSA Journal, 2019, 17, e05695.	0.9	5
51	Assessment of the application for renewal of authorisation of Bactocell® (<i>Pediococcus acidilactici</i>) Tj ETQq1 1 0.784314 rgBT /Overl laying and its extension of use to all growing pigs and all avian species. EFSA Journal, 2019, 17, e05690.	0.9	5
52	Safety and efficacy of an essential oil from <i>Elettaria cardamomum</i> (L.) Maton when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05721.	0.9	5
53	Safety and efficacy of L-tryptophan produced by fermentation with <i>Escherichia coli</i> CGMCC 7.248 for all animal species. EFSA Journal, 2019, 17, e05601.	0.9	5
54	Efficacy of sodium formate as a technological feed additive (hygiene condition enhancer) for all animal species. EFSA Journal, 2019, 17, e05645.	0.9	5

#	ARTICLE	IF	CITATIONS
55	Safety and efficacy of a molybdenum compound (E7) sodium molybdate dihydrate as feed additive for sheep based on a dossier submitted by Trouw Nutrition International B.V.. EFSA Journal, 2019, 17, e05606.	0.9	5
56	Safety and efficacy of L-Valine produced by fermentation using <i>Corynebacterium glutamicum</i> KCCM 11201P for all animal species. EFSA Journal, 2019, 17, e05538.	0.9	5
57	Safety and efficacy of Probiotic LactinaA® (<i>Enterococcus faecium</i> NBIMCC 8270,) in broilers and weaned rabbits. EFSA Journal, 2019, 17, e05646.	0.9	5
58	Safety and efficacy of ethyl cellulose for all animal species. EFSA Journal, 2020, 18, e06210.	0.9	5
59	Safety and efficacy of <i>Lactobacillus rhamnosus</i> CNCM I-3698 and <i>Lactobacillus farciminis</i> CNCM I-3699 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06082.	0.9	5
60	Safety and efficacy of propyl gallate for all animal species. EFSA Journal, 2020, 18, e06069.	0.9	5
61	Safety and efficacy of turmeric extract, turmeric oil, turmeric oleoresin and turmeric tincture from <i>Curcuma longa</i> L. rhizome when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06146.	0.9	5
62	Assessment of the application for renewal of the authorisation of <i>Pediococcus pentosaceus</i> DSM 16244 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06166.	0.9	5
63	Safety and efficacy of Availa®Cr (chromium chelate of DL-methionine) as a feed additive for dairy cows. EFSA Journal, 2020, 18, e06026.	0.9	5
64	Safety and efficacy of L-glutamine produced using <i>Corynebacterium glutamicum</i> NITE BP-02524 for all animal species. EFSA Journal, 2020, 18, e06075.	0.9	5
65	Statement on the safety and efficacy of the feed additive consisting on tragacanth gum for all animal species (Association for International Promotion of Gums). EFSA Journal, 2021, 19, e06447.	0.9	5
66	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with <i>Corynebacterium glutamicum</i> KCTC 12307BP as feed additives for all animal species. EFSA Journal, 2020, 18, e06333.	0.9	5
67	Antimicrobial Susceptibility of Streptococci Most Frequently Isolated from Czech Dairy Cows with Mastitis. <i>Annals of Animal Science</i> , 2019, 19, 679-694.	0.6	5
68	Assessment of the application for renewal of authorisation of Bactocell (CNCM I-4622) as a feed additive for all fish and shrimps and its extension of use for all crustaceans. EFSA Journal, 2019, 17, e05691.	0.9	5
69	Safety and efficacy of a feed additive consisting of 3-nitrooxypropanol (Bovaer® 10) for ruminants for milk production and reproduction (DSM Nutritional Products Ltd). EFSA Journal, 2021, 19, e06905.	0.9	5
70	Safety and efficacy of a feed additive consisting of lactic acid produced by <i>Weizmannia coagulans</i> (synonym <i>Bacillus coagulans</i>) DSM 32789 for all animal species except for fish (Jungbunzlauer SA). EFSA Journal, 2022, 20, e07268.	0.9	5
71	Influence of Full-fat Soybean Seeds and Hydrolyzed Palm Oil on the Metabolism of Lactating Dairy Cows. <i>Acta Veterinaria Brno</i> , 2009, 78, 431-440.	0.2	4
72	The effect of manganese supplementation on its concentrations in blood, hair, and organs of goat kids. <i>Acta Veterinaria Brno</i> , 2014, 83, 219-224.	0.2	4

#	ARTICLE	IF	CITATIONS
73	Antimicrobial Properties of Microparticles Based on Carmellose Cross-Linked by Cu ²⁺ Ions. BioMed Research International, 2015, 2015, 1-9.	0.9	4
74	Safety of an essential oil from <i>Origanum vulgare</i> subsp. <i>hirtum</i> (Link) letsw. var. <i>Vulkan</i> when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05794.	0.9	4
75	Safety and efficacy of Biomin [®] DC [®] P as a zootechnical feed additive for chickens for fattening, chickens reared for laying and minor avian species to the point of lay. EFSA Journal, 2019, 17, e05724.	0.9	4
76	Modification of the terms of authorisation regarding the maximum inclusion level of Maxiban [®] G160 (narsin and nicarbazin) for chickens for fattening. EFSA Journal, 2019, 17, e05786.	0.9	4
77	Safety and efficacy of l [®] valine produced using <i>Corynebacterium</i> [®] glutamicum CGMCC 11675 for all animal species. EFSA Journal, 2019, 17, e05611.	0.9	4
78	Safety and efficacy of an essential oil of <i>Origanum</i> [®] vulgare ssp. <i>hirtum</i> (Link) leetsw. for all poultry species. EFSA Journal, 2019, 17, e05653.	0.9	4
79	Safety and efficacy of Bonvital (<i>Enterococcus</i> [®] faecium, DSM 7134) as an additive in water for drinking for sows. EFSA Journal, 2019, 17, e05612.	0.9	4
80	Safety and efficacy of APSA PHYTA FEED [®] 20,000 GR/L (6 [®] phytase) as a feed additive for piglets (suckling) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.9	4
81	Safety and efficacy of l [®] methionine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80184 and <i>Escherichia coli</i> KCCM 80096 for all animal species. EFSA Journal, 2019, 17, e05917.	0.9	4
82	Safety and efficacy of monosodium l [®] glutamate monohydrate produced by <i>Corynebacterium glutamicum</i> KCCM 80188 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06085.	0.9	4
83	Safety and efficacy of microcrystalline cellulose for all animal species. EFSA Journal, 2020, 18, e06209.	0.9	4
84	Safety and efficacy of GalliPro [®] Fit (<i>Bacillus subtilis</i> DSM 32324, <i>Bacillus subtilis</i> DSM 32325 and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 laying/breeding. EFSA Journal, 2020, 18, e06094.	0.9	4
85	Safety and efficacy of l [®] valine produced by fermentation using <i>Escherichia coli</i> KCCM 80159 for all animal species. EFSA Journal, 2020, 18, e06074.	0.9	4
86	Safety and efficacy of l [®] isoleucine produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80189 for all animal species. EFSA Journal, 2020, 18, e06021.	0.9	4
87	Safety and efficacy of oct [®] 1 [®] en [®] 3 [®] ol, pent [®] 1 [®] en [®] 3 [®] ol, oct [®] 1 [®] en [®] 3 [®] one, oct [®] 1 [®] en [®] 3 [®] yl acetate, isopulegol and 5 [®] methylhept [®] 2 [®] en [®] 4 [®] one, belonging to chemical group 5 and of isopulegone and l [®] adamascone belonging to chemical group 8 when used as flavourings for all animal species. EFSA Journal, 2020, 18, e06002.	0.9	4
88	Assessment of the feed additive consisting of endo [®] 1,4 [®] xyylanase produced by <i>Trichoderma reesei</i> CBS 114044 (ECONASE [®] XT) for piglets (weaned), chickens reared for laying, chickens for fattening, turkeys for fattening and turkeys reared for breeding for the renewal of its authorisation (Roal Oy). EFSA Journal, 2021, 19, e06458.	0.9	4
89	Safety of the feed additive consisting of manganese chelates of lysine and glutamic acid for all animal species (Zinpro Animal Nutrition). EFSA Journal, 2021, 19, e06454.	0.9	4
90	Safety and efficacy of a feed additive consisting of an essential oil from the fruits of <i>Litsea cubeba</i> (Lour.) Pers. (litsea berry oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06623.	0.9	4

#	ARTICLE	IF	CITATIONS
91	Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by <i>Corynebacterium glutamicum</i> KCCM 80227 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06706.	0.9	4
92	Capillary Isotachopheresis Determination of Trace Oxidized Glutathione in Blood. Hungarian Journal of Industrial Chemistry, 2018, 46, 13-17.	0.1	4
93	Performance and Metabolism of Dairy Cows Fed Bean Seeds (<i>Vicia faba</i>) with Different Levels of Anti-Nutritional Substances. Acta Veterinaria Brno, 2009, 78, 57-66.	0.2	4
94	Assessment of the application for renewal of the authorisation of Calsporin® (Bacillus) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50,622 Td (v	0.9	4
95	Safety of potassium diformate (Formiã,,ç LHS) as a feed additive for sows, from ADDCON EUROPE GmbH. EFSA Journal, 2020, 18, e06339.	0.9	4
96	Safety and efficacy of a feed additive consisting of an aqueous extract of <i>Citrus limon</i> (L.) Osbeck (lemon extract) for use in all animal species (Norâ€Feed SAS). EFSA Journal, 2021, 19, e06893.	0.9	4
97	Safety and efficacy of a feed additive consisting of sepiolite for all animal species (Sepiol S.A and) Tj ETQq1 1 0.784314 rgBT /Overlock 1	0.9	4
98	Safety and efficacy of a feed additive consisting of guanidinoacetic acid for all animal species (Alzchem Trostberg GmbH). EFSA Journal, 2022, 20, e07269.	0.9	4
99	Safety and efficacy of Monteban® G100 (narasin) for chickens for fattening. EFSA Journal, 2018, 16, e05460.	0.9	3
100	Safety and efficacy of zinc chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05782.	0.9	3
101	Safety and efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2019, 17, e05792.	0.9	3
102	Safety and efficacy of 3â€phytase FLF1000 as a feed additive for pigs for fattening and minor porcine species for growing. EFSA Journal, 2019, 17, e05791.	0.9	3
103	Safety and efficacy of Robenz® 66G (robenidine hydrochloride) for chickens for fattening and turkeys for fattening. EFSA Journal, 2019, 17, e05613.	0.9	3
104	Assessment of the application for renewal of authorisation of Biosprint® (SaccharomycesÂcerevisiae) Tj ETQq0 0 0 rgBT /Overlock 10 T	0.9	3
105	Safety and efficacy of lutein and lutein/zeaxanthin extracts from <i>TagetesÂerecta</i> for poultry for fattening and laying (except turkeys). EFSA Journal, 2019, 17, e05698.	0.9	3
106	Safety and efficacy of benzoic acid as a technological feed additive for weaned piglets and pigs for fattening. EFSA Journal, 2019, 17, e05527.	0.9	3
107	Safety and efficacy of Biomin® DCâ€C as a zootechnical feed additive for weaned piglets. EFSA Journal, 2019, 17, e05688.	0.9	3
108	Safety and efficacy of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2019, 17, e05651.	0.9	3

#	ARTICLE	IF	CITATIONS
109	Assessment of the application for renewal of authorisation of Bonvital® (Enterococcus faecium DSM) Tj ETQq1 1,0,784314 rgBT / Overlock 10 T	0,9	3
110	Safety and efficacy of 3â€phytase FSF10000 as a feed additive for chickens for fattening or reared for laying, laying hens and minor poultry species. EFSA Journal, 2019, 17, e05543.	0.9	3
111	Safety and efficacy of Calsporin® (Bacillus subtilis DSM 15544) for all poultry species. EFSA Journal, 2019, 17, e05605.	0.9	3
112	Assessment of the application for renewal of authorisation of Levucell SC (Saccharomyces cerevisiae) Tj ETQq0 0 0 rgBT / Overlock 10 T	0,9	3
113	Safety and efficacy of Bâ€Act® (Bacillus licheniformis DSM 28710) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species for fattening or raised for laying. EFSA Journal, 2019, 17, e05536.	0.9	3
114	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6â€phytase) as a feed additive for turkeys for fattening, turkeys reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05893.	0.9	3
115	Safety and efficacy of Elancoban® G200 (monensin sodium) for chickens for fattening, chickens reared for laying and turkeys. EFSA Journal, 2019, 17, e05891.	0.9	3
116	Assessment of the application for renewal of authorisation of Biosprint® (Saccharomyces cerevisiae) Tj ETQq0 0 0 rgBT / Overlock 10 T	0,9	3
117	Safety for the environment of Monimax® (monensin sodium and nicarbazin) for chickens for fattening, chickens reared for laying and for turkeys for fattening. EFSA Journal, 2019, 17, e05888.	0.9	3
118	Safety and efficacy of Clâ€FERâ„¢ (ferric citrate chelate) as a zootechnical feed additive for suckling and weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05916.	0.9	3
119	Safety and efficacy of Sorbiflore® ADVANCE (Lactobacillus rhamnosus CNCM Iâ€3698 and Lactobacillus) Tj ETQq1 1,0,784314 rgBT / Overlock 10 T	0,9	3
120	Safety and efficacy of Correlinkâ„¢ ABS747 Bacillus subtilis (Bacillus velezensis NRRL Bâ€67257) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06278.	0.9	3
121	Statement on the safety and efficacy of phosphoric acid 60% on silica carrier (UD60) for all animal species. EFSA Journal, 2020, 18, e06064.	0.9	3
122	Safety and efficacy of Avatec® 150G (lasalocid A sodium) as a feed additive for chickens for fattening and chickens reared for laying. EFSA Journal, 2020, 18, e06202.	0.9	3
123	Safety of 3â€phytase FLF1000 and FSF10000 as a feed additive for pigs for fattening and minor growing porcine species. EFSA Journal, 2020, 18, e06205.	0.9	3
124	Safety and efficacy of OptiPhos® PLUS for suckling and weaned piglets, pigs for fattening, sows, other minor pig species for fattening and other minor reproductive pig species. EFSA Journal, 2020, 18, e06204.	0.9	3
125	Safety and efficacy of Sorbiflore® ADVANCE (Lactobacillus rhamnosus CNCM Iâ€3698 and Lactobacillus) Tj ETQq1 1,0,784314 rgBT / Overlock 10 T	0,9	3
126	Safety and efficacy of OptiPhos® PLUS for poultry species for fattening, minor poultry species reared for breeding and ornamental birds. EFSA Journal, 2020, 18, e06141.	0.9	3

#	ARTICLE	IF	CITATIONS
127	Safety and efficacy of 4-phenylbutan-2-one and benzophenone belonging to chemical group 21 when used as flavouring compounds for all animal species. EFSA Journal, 2020, 18, e06017.	0.9	3
128	Safety and efficacy of IMP (disodium 5-inosinate) produced by fermentation with <i>Corynebacterium stationis</i> KCCM 80161 for all animal species. EFSA Journal, 2020, 18, e06140.	0.9	3
129	Safety and efficacy of essential oil, oleoresin and tincture from <i>Zingiber officinale</i> Roscoe when used as sensory additives in feed for all animal species. EFSA Journal, 2020, 18, e06147.	0.9	3
130	Safety and efficacy of APSA PHYTAFEED® 20,000 GR/L (6-phytase) as a feed additive for pigs for fattening. EFSA Journal, 2020, 18, e05979.	0.9	3
131	Assessment of the application for renewal of the authorisation of Amaferm® (fermentation product) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 227 Td	0.9	3
132	Assessment of the application for renewal of authorisation of Ecobiol® (<i>Bacillus amyloliquefaciens</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td for laying. EFSA Journal, 2020, 18, e06014.	0.9	3
133	Assessment of the application for renewal of authorisation of Formiâ,ç LHS (potassium diformate) for sows. EFSA Journal, 2020, 18, e06024.	0.9	3
134	Assessment of Antimicrobial, Antiviral and Cytotoxic Potential of Alginate Beads Cross-Linked by Bivalent Ions for Vaginal Administration. <i>Pharmaceutics</i> , 2021, 13, 165.	2.0	3
135	Assessment of the feed additive consisting of <i>Enterococcus faecium</i> DSM 7134 (Bonvital®) for chickens for fattening for the renewal of its authorisation (Lactosan GmbH & Co. KG). EFSA Journal, 2021, 19, e06451.	0.9	3
136	Safety and efficacy of the feed additive consisting of Vitamin B2/Riboflavin produced by <i>Eremothecium ashbyi</i> CCTCCM 2019833 for all animal species (Hubei Guangji Pharmaceutical Co., Ltd). EFSA Journal, 2021, 19, e06462.	0.9	3
137	Safety and efficacy of a feed additive consisting of lasalocid A sodium and nicarbazin (Nilablendâ,ç) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 227 Td	0.9	3
138	Safety and efficacy of a feed additive consisting of expressed mandarin oil from the fruit peels of <i>Citrus reticulata</i> Blanco for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06625.	0.9	3
139	Safety and efficacy of feed additives consisting of Vitamin B2 (98%) and Vitamin B2 (80%) as riboflavin produced by <i>Bacillus subtilis</i> KCCM 10445 for all animal species (Hubei Guangji Pharmaceutical Co.) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 227 Td	0.9	3
140	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 227 Td	0.9	3
141	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 227 Td	0.9	3
142	Blood serum protein in periparturient goats supplemented with various forms of zinc. <i>Acta Veterinaria Brno</i> , 2016, 85, 387-394.	0.2	3
143	Safety of Lancer® (lanthanide citrate) as a zootechnical additive for weaned piglets. EFSA Journal, 2019, 17, e05912.	0.9	3
144	The evaluation of glutathione concentration in whole blood of Holstein dairy calves. <i>Acta Veterinaria Brno</i> , 2019, 88, 129-141.	0.2	3

#	ARTICLE	IF	CITATIONS
145	Safety and efficacy of a feed additive consisting of an essential oil from <i>Cinnamomum camphora</i> (L.) J. Presl (camphor white oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e06985.	0.9	3
146	Safety and efficacy of a feed additive consisting of a tincture from the bark of <i>Cinnamomum verum</i> J. Presl (cinnamon tincture) for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06986.	0.9	3
147	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Katyon Technologies Limited). EFSA Journal, 2022, 20, e07287.	0.9	3
148	Safety and efficacy of selenium-enriched yeast (<i>Saccharomyces cerevisiae</i> CNCM 13399) for all animal species. EFSA Journal, 2017, 15, e04937.	0.9	2
149	Safety and efficacy of zinc chelate of methionine sulfate for all animal species. EFSA Journal, 2017, 15, e04859.	0.9	2
150	Safety and efficacy of Monteban® G100 (narsin) for ducks for fattening. EFSA Journal, 2018, 16, e05461.	0.9	2
151	Safety of natural mixture of illite, montmorillonite and kaolinite (Argile Verte du Velay) for all animal species. EFSA Journal, 2018, 16, e05387.	0.9	2
152	Safety and efficacy of sodium selenate as feed additive for ruminants. EFSA Journal, 2019, 17, e05788.	0.9	2
153	Safety and efficacy of L-histidine monohydrochloride monohydrate produced using <i>Corynebacterium glutamicum</i> KCCM 80179 for all animal species. EFSA Journal, 2019, 17, e05784.	0.9	2
154	Efficacy of <i>Bacillus subtilis</i> DSM 28343 as a zootechnical additive (gut flora stabiliser) for calves for rearing. EFSA Journal, 2019, 17, e05793.	0.9	2
155	Safety and efficacy of L-histidine monohydrochloride monohydrate produced by fermentation with <i>Escherichia coli</i> (NITE BP02526) for all animal species. EFSA Journal, 2019, 17, e05785.	0.9	2
156	Safety and efficacy of <i>Bacillus licheniformis</i> DSM 32457 as a silage additive for all animal species. EFSA Journal, 2019, 17, e05787.	0.9	2
157	Safety and efficacy of a tincture derived from <i>Artemisia vulgaris</i> L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05879.	0.9	2
158	Safety and efficacy of Beltherm MP/ML (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, turkeys for breeding purposes and minor poultry species. EFSA Journal, 2019, 17, e05609.	0.9	2
159	Safety and efficacy of muramidase from <i>Trichoderma reesei</i> DSM 32338 as a feed additive for turkeys for fattening, turkeys reared for breeding, chickens reared for breeding and other poultry species reared for breeding. EFSA Journal, 2019, 17, e05686.	0.9	2
160	Assessment of the application for renewal of authorisation of PHYZYME® XP 5000 G/L (6-phytase) for chickens for fattening, laying hens, turkeys for fattening, ducks for fattening, weaned piglets, pigs for fattening and sows for reproduction. EFSA Journal, 2019, 17, e05701.	0.9	2
161	Safety and efficacy of <i>Lactobacillus reuteri</i> NBF02 (DSM 32264) as a feed additive for cats. EFSA Journal, 2019, 17, e05526.	0.9	2
162	Assessment of the application for renewal of authorisation of Natugrain® Wheat TS and TS L (endo-1,4-beta-xylanase) as a feed additive for chickens for fattening, ducks, turkeys for fattening, turkeys reared for breeding, minor avian species (except ducks and laying birds) and ornamental birds. EFSA Journal, 2019, 17, e05652.	0.9	2

#	ARTICLE	IF	CITATIONS
163	Safety and efficacy of TYFERA [®] (ferric tyrosine chelate) as a zootechnical feed additive for chickens, turkeys and minor poultry species for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05608.	0.9	2
164	Safety and efficacy of 8-mercapto-6-menthane-3-one and 6-menthane-3-thiol belonging to chemical group 20 when used as flavourings for all animal species. EFSA Journal, 2019, 17, e05530.	0.9	2
165	Safety and efficacy of Actisaf [®] Sc47 (<i>Saccharomyces cerevisiae</i> CNCM I-4407) as a feed additive for cattle for fattening, dairy cows, weaned piglets and sows. EFSA Journal, 2019, 17, e05600.	0.9	2
166	Safety and efficacy of L-threonine produced by fermentation with <i>Corynebacterium glutamicum</i> for all animal species. EFSA Journal, 2019, 17, e05603.	0.9	2
167	Safety and efficacy of Cinergy [®] Life B3 HiCon (<i>Bacillus amyloliquefaciens</i> NRRL B-50508,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 for fattening and minor porcine species. EFSA Journal, 2019, 17, e05647.	0.9	2
168	Assessment of the application for renewal of authorisation of ECONASE [®] XT (endo-1,4-xylanase) as a feed additive for piglets (weaned), chickens for fattening, chickens reared for laying, turkeys for fattening and turkeys reared for breeding. EFSA Journal, 2019, 17, e05880.	0.9	2
169	Efficacy of ZM16 10 (<i>Bacillus amyloliquefaciens</i> DSM 25840) as a feed additive for weaned piglets and minor porcine species. EFSA Journal, 2019, 17, e05881.	0.9	2
170	Safety of lactic acid and calcium lactate when used as technological additives for all animal species. EFSA Journal, 2019, 17, e05914.	0.9	2
171	Safety and efficacy of <i>Lactobacillus reuteri</i> NBF-1 (DSM 32203) as a feed additive for dogs. EFSA Journal, 2019, 17, e05524.	0.9	2
172	Safety and efficacy of STENOROL [®] (halofuginone hydrobromide) as a feed additive for chickens for fattening and turkeys. EFSA Journal, 2020, 18, e06169.	0.9	2
173	Assessment of the application for renewal of authorisation of Biosprint [®] (<i>Saccharomyces cerevisiae</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 for fattening and minor porcine species. EFSA Journal, 2020, 18, e06169.	0.9	2
174	Assessment of the application for renewal of authorisation of L-histidine monohydrochloride monohydrate produced with <i>Escherichia coli</i> NITE SD 00268 for salmonids and its extension of use to other fin fish. EFSA Journal, 2020, 18, e06072.	0.9	2
175	Safety and efficacy of L-valine produced by fermentation using <i>Corynebacterium glutamicum</i> CGMCC 7.358 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06286.	0.9	2
176	Safety and efficacy of Bonvital [®] (<i>Enterococcus faecium</i> DSM 7134) as a feed additive for laying hens. EFSA Journal, 2020, 18, e06277.	0.9	2
177	Safety and efficacy of Correlink [®] ABS1781 <i>Bacillus subtilis</i> (<i>Bacillus velezensis</i> NRRL B-67259) as a feed additive for all growing poultry species. EFSA Journal, 2020, 18, e06279.	0.9	2
178	Safety and efficacy of Nimicoat [®] (carvacrol) as a zootechnical additive for weaned piglets. EFSA Journal, 2020, 18, e06070.	0.9	2
179	Safety and efficacy of Biacton [®] (<i>Lactobacillus farciminis</i> CNCM I-3740) as a feed additive for chickens for fattening, turkeys for fattening and laying hens. EFSA Journal, 2020, 18, e06083.	0.9	2
180	Statement on the safety and efficacy of perlite for ruminants and poultry. EFSA Journal, 2020, 18, e06138.	0.9	2

#	ARTICLE	IF	CITATIONS
181	Safety and efficacy of a dried aqueous ethanol extract of <i>Melissa officinalis</i> L. leaves when used as a sensory additive for all animal species. <i>EFSA Journal</i> , 2020, 18, e06016.	0.9	2
182	Safety and efficacy of DSPA® (Na2EDTA, tannin-rich extract of <i>Castanea sativa</i> , thyme oil and <i>origanum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td	0.9	2
183	Safety and efficacy of the feed additive consisting of <i>Bacillus licheniformis</i> DSM 28710 (BactAct®) for laying hens, minor poultry species for laying, poultry species for breeding purposes and ornamental birds (HuvePharma N.V.). <i>EFSA Journal</i> , 2021, 19, e06449.	0.9	2
184	Efficacy of the feed additive consisting of decoquinat (Deccox®) for use in chickens for fattening (Zoetis Belgium SA). <i>EFSA Journal</i> , 2021, 19, e06453.	0.9	2
185	Safety of the feed additives consisting of L-lysine monohydrochloride and L-lysine sulfate produced by <i>Corynebacterium glutamicum</i> CCTCC M 2015595 for all animal species (Kempex Holland B. V.). <i>EFSA Journal</i> , 2021, 19, e06520.	0.9	2
186	Safety and efficacy of the feed additives concentrated liquid L-lysine (base) and L-lysine monohydrochloride produced by <i>Corynebacterium glutamicum</i> KCCM 80183 for all animal species (CJ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td	0.9	2
187	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of <i>Citrus Aurantium</i> L. (petitgrain bigarade oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2021, 19, e06624.	0.9	2
188	Safety and efficacy of an additive consisting of potassium diformate (Formiã, LHS) for piglets (weaned) and pigs for fattening (Addcon GmbH). <i>EFSA Journal</i> , 2021, 19, e06617.	0.9	2
189	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 Td	0.9	2
190	Safety and efficacy of a feed additive consisting of <i>Lactisacibacillus rhamnosus</i> (formerly) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 Td	0.9	2
191	Safety and efficacy of an additive consisting of xanthan gum produced by <i>Xanthomonas campestris</i> strains - - - - - for all animal species (Biopolymer International). <i>EFSA Journal</i> , 2021, 19, e06710:9	0.9	2
192	The evaluation of Cu, Zn, Mn, and Se concentrations in the hair of South American camelids. <i>Acta Veterinaria Brno</i> , 2017, 86, 141-149.	0.2	2
193	Efficacy of CygroA® 10G (maduramicin ammonium) for turkeys. <i>EFSA Journal</i> , 2020, 18, e06079.	0.9	2
194	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin®) for piglets (suckling and weaned), pigs for fattening, sows in order to have benefit in piglets, ornamental fish, dogs and all avian species (Asahi Biocycle Co.). <i>EFSA Journal</i> , 2021, 19, e06903.	0.9	2
195	Safety and efficacy of a feed additive consisting of <i>Bacillus subtilis</i> strains CNCM Iã€4606, CNCM Iã€5043 and CNCM Iã€4607 and <i>Lactococcus lactis</i> CNCM Iã€4609 for all animal species (Nolivade). <i>EFSA Journal</i> , 2021, 19, e06907.	0.9	2
196	Safety and efficacy of a feed additive consisting of an essential oil from the flowers of <i>Cananga odorata</i> (Lam.) Hook.f. & Thomson (ylang ylang oil) for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2022, 20, e07159.	0.9	2
197	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> NITE BPã€01844 (BAã€KINGA®) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding and all avian species for fattening, or rearing to slaughter or point of lay including non-food producing species (Toa Biopharma Co., Ltd.). <i>EFSA Journal</i> , 2022, 20, e07152.	0.9	2
198	Safety of 37 feed additives consisting of flavouring compounds belonging to different chemical groups for use in all animal species (FEFANA asbl). <i>EFSA Journal</i> , 2022, 20, e07249.	0.9	2

#	ARTICLE	IF	CITATIONS
199	Safety and efficacy of a feed additive consisting of <i>Enterococcus faecium</i> NBIMCC 8270, <i>Lactobacillus acidophilus</i> NBIMCC 8242, <i>Lactobacillus helveticus</i> NBIMCC 8269, <i>Lactobacillus delbrueckii</i> ssp. <i>lactis</i> NBIMCC 8250, <i>L. delbrueckii</i> ssp. <i>bulgaricus</i> NBIMCC 8244 and <i>Streptococcus thermophilus</i> NBIMCC 8253 (Probiotic Lactina [®]) for chickens for fattening and suckling and weaned rabbits (Lactina Ltd.). EFSA Journal, 2022, 20, e07245.	0.9	2
200	Safety and efficacy of a feed additive consisting of butylated hydroxytoluene (BHT) for all animal species (Lanxess Deutschland GmbH). EFSA Journal, 2022, 20, e07286.	0.9	2
201	Safety and efficacy of a feed additive consisting of endo- β -1,4-glucanase and endo- β -1,3(4)-glucanase produced with <i>Talaromyces versatilis</i> IMI 378536 and DSM 26702 (ROVABIO [®] ADVANCE) for weaned piglets and pigs for fattening (ADISSEO France S.A.S). EFSA Journal, 2022, 20, e07251.	0.9	2
202	Safety and efficacy of a feed additive consisting of <i>Bacillus subtilis</i> FERM BP α 07462, <i>Enterococcus lactis</i> FERM BP α 10867 and <i>Clostridium butyricum</i> FERM BP α 10866 (BIO α -THREE [®]) for chickens for fattening, chickens reared for laying, turkeys for fattening, turkeys reared for breeding, all avian species for rearing/fattening to slaughter and all avian species reared for laying or breeding to point of lay (TOA) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.9	2
203	Safety and efficacy of Hostazym [®] X (endo- β -1,4-glucanase) as a feed additive for sows in order to have benefit in piglets. EFSA Journal, 2018, 16, e05456.	0.9	1
204	Safety and efficacy of <i>Lactobacillus hilgardii</i> CNCM I α 4785 and <i>Lactobacillus buchneri</i> CNCM I α 4323/NCIMB 40788 as a silage additive for all animal species. EFSA Journal, 2018, 16, e05455.	0.9	1
205	Efficacy of Bergazym [®] P100 (endo- β -1,4-glucanase) as a feed additive for chickens for fattening and weaned piglets. EFSA Journal, 2018, 16, e05457.	0.9	1
206	Safety and efficacy of a super critical carbon dioxide extract of <i>Humulus lupulus</i> L. flos when used as a feed flavouring for all animal species. EFSA Journal, 2018, 16, e05462.	0.9	1
207	Assessment of the application for renewal of authorisation of Levucell [®] SC (<i>Saccharomyces</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.9	1
208	Safety and efficacy of Natuphos [®] E (6-phytase) as a feed additive for laying hens, minor poultry and other avian species for laying. EFSA Journal, 2019, 17, e05789.	0.9	1
209	Safety and efficacy of AviPlus [®] as a feed additive for turkeys for fattening, turkeys reared for breeding and suckling piglets. EFSA Journal, 2019, 17, e05795.	0.9	1
210	Assessment of the application for renewal of authorisation of L-arginine produced by fermentation using <i>Corynebacterium glutamicum</i> NITE SD 00285 for all animal species. EFSA Journal, 2019, 17, e05720.	0.9	1
211	Modification of the conditions of the authorisation of BioPlus [®] 2B (<i>Bacillus licheniformis</i> DSM 5749) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.9	1
212	Safety and efficacy of FRA [®] Octazyme C Dry (endo- β -1,4-glucanase, mannan-endo- β -1,4-mannosidase, α -amylase,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	0.9	1
213	Safety and efficacy of RONOZYME [®] WX CT/L (endo- β -1,4-glucanase) as a feed additive for sows for reproduction. EFSA Journal, 2019, 17, e05790.	0.9	1
214	Assessment of the application for renewal of authorisation of Lantharenol [®] (lanthanum carbonate) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.9	1
215	Safety and efficacy of Levucell [®] SB (<i>Saccharomyces cerevisiae</i> CNCM I α 1079) as a feed additive for turkeys for fattening. EFSA Journal, 2019, 17, e05693.	0.9	1
216	Assessment of the application for renewal of the authorisation of PHYZYME [®] XP 10000 TPT/L (6-phytase) as a feed additive for all avian species and all swine species. EFSA Journal, 2019, 17, e05702.	0.9	1

#	ARTICLE	IF	CITATIONS
217	Safety and efficacy of Levucell SCÂ® (Saccharomyces cerevisiae CNCM lâ€1077) as a feed additive for calves and minor ruminant species and camelids at the same developmental stage. EFSA Journal, 2019, 17, e05723.	0.9	1
218	Safety and efficacy of LevucellÂ® SB (SaccharomycesÂcerevisiae CNCM lâ€1079) as a feed additive for all pigs. EFSA Journal, 2019, 17, e05535.	0.9	1
219	Efficacy of a preparation of algae interspaced bentonite as a feed additive for all animal species. EFSA Journal, 2019, 17, e05604.	0.9	1
220	Safety and efficacy of lâ€leucine produced by fermentation with EscherichiaÂcoli NITE BPâ€02351 for all animal species. EFSA Journal, 2019, 17, e05689.	0.9	1
221	Efficacy of Saccharomyces cerevisiae NBRC 0203, Lactobacillus plantarum NBRC 3070 and Lactobacillus casei NBRC 3425 as a technological additive (silage additive) for all animal species. EFSA Journal, 2019, 17, e05700.	0.9	1
222	Safety and efficacy of lâ€threonine produced by fermentation with CorynebacteriumÂglutamicum KCCM 80117 for all animal species. EFSA Journal, 2019, 17, e05602.	0.9	1
223	Assessment of the application for renewal of the authorisation of Natuphos (3â€phytase) as a feed additive for poultry and pigs. EFSA Journal, 2019, 17, e05640.	0.9	1
224	Safety and efficacy of HOSTAZYMÂ® X (endoâ€1,4â€betaâ€xylanase) as a feed additive for rabbits for fattening. EFSA Journal, 2019, 17, e05529.	0.9	1
225	Safety for the environment of vitamin D3 for salmonids. EFSA Journal, 2019, 17, e05540.	0.9	1
226	Modification of the terms of the authorisation of NatuphosÂ® E as a feed additive for chickens for fattening or reared for laying/breeding. EFSA Journal, 2019, 17, e05607.	0.9	1
227	Safety and efficacy of Beltherm MP/ML (endoâ€1,4â€betaâ€xylanase) as a feed additive for piglets, pigs for fattening and other porcine species. EFSA Journal, 2019, 17, e05610.	0.9	1
228	Safety and efficacy of eight compounds belonging to different chemical groups when used as flavourings for cats and dogs. EFSA Journal, 2019, 17, e05649.	0.9	1
229	Safety and efficacy of a tincture derived from Verbascum thapsus L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2019, 17, e05910.	0.9	1
230	Safety and efficacy of Belfeed B MP/ML (endoâ€1,4â€betaâ€xylanase) as a feed additive for sows, in order to have benefits in piglets, and for all porcine species. EFSA Journal, 2019, 17, e05892.	0.9	1
231	Safety of ethyl ester of Î²â€apoâ€8â€TMâ€carotenoid acid as a feed additive for poultry for fattening and poultry for laying. EFSA Journal, 2019, 17, e05911.	0.9	1
232	Safety of butylated hydroxy anisole (BHA) for all animal species. EFSA Journal, 2019, 17, e05913.	0.9	1
233	Safety of lâ€threonine produced by fermentation with Escherichia coli CGMCC 11473 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05885.	0.9	1
234	Efficacy of RONOZYMEÂ® WX (endoâ€1,4â€betaâ€xylanase) as a feed additive for laying hens. EFSA Journal, 2019, 17, e05919.	0.9	1

#	ARTICLE	IF	CITATIONS
235	Safety and efficacy of hydroxypropyl cellulose for all animal species. EFSA Journal, 2020, 18, e06213.	0.9	1
236	Safety and efficacy of L-tryptophan produced by fermentation with Escherichia coli KCCM 10534 for all animal species. EFSA Journal, 2020, 18, e06071.	0.9	1
237	Safety of methanethiol [12.003] when used as a feed additive for all animal species. EFSA Journal, 2020, 18, e06288.	0.9	1
238	Safety and Efficacy of L-histidine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80212 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06287.	0.9	1
239	Safety and efficacy of Capsozyme SB Plus (Lactosidase and endo-1,4-xylanase) as a feed additive for poultry species for fattening or reared for laying and ornamental birds. EFSA Journal, 2020, 18, e06086.	0.9	1
240	Safety and efficacy of Manganese chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06001.	0.9	1
241	Safety and efficacy of L-tryptophan produced by fermentation using Escherichia coli CGMCC 7.267 for all animal species. EFSA Journal, 2020, 18, e06013.	0.9	1
242	Safety and efficacy of saponified paprika extract, containing capsanthin as main carotenoid source, for poultry for fattening and laying (except turkeys). EFSA Journal, 2020, 18, e06023.	0.9	1
243	Safety and efficacy of ProEquo® (Lactobacillus plantarum DSM 11520) as a feed additive for horses. EFSA Journal, 2020, 18, e06143.	0.9	1
244	Safety and efficacy of OptiPhos® PLUS (6 phytase) for laying hens, turkeys for breeding, chickens for breeding, minor poultry species for egg production purposes and breeding. EFSA Journal, 2020, 18, e06161.	0.9	1
245	Safety of L-tryptophan produced using Escherichia coli CGMCC 11674 for all animal species. EFSA Journal, 2020, 18, e06168.	0.9	1
246	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06077.	0.9	1
247	Safety and efficacy of APSA PHYTAFEED® (6-phytase) as a feed additive for laying hens and other laying birds. EFSA Journal, 2020, 18, e06142.	0.9	1
248	Efficacy of iron chelates of lysine and glutamic acid as feed additive for all animal species. EFSA Journal, 2020, 18, e06164.	0.9	1
249	Safety and efficacy of FSF10000 and FLF1000 (3-phytase) as a feed additive for turkeys for fattening or reared for breeding, pigs for fattening and minor porcine species. EFSA Journal, 2020, 18, e06015.	0.9	1
250	Statement on the safety and efficacy of Shellac for all animal species. EFSA Journal, 2020, 18, e06065.	0.9	1
251	Safety and efficacy of L-cysteine hydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80180 and Escherichia coli KCCM 80181 as a flavouring additive for all animal species. EFSA Journal, 2020, 18, e06003.	0.9	1
252	Safety and efficacy of Natugrain® TS/TS L (endo-1,4-beta-xylanase and endo-1,4-beta-glucanase) as a feed additive for sows. EFSA Journal, 2020, 18, e06025.	0.9	1

#	ARTICLE	IF	CITATIONS
253	Safety for the user of the feed additive consisting of ferric citrate chelate (Clâ€FERâ„¢) for suckling and weaned piglets and minor porcine species (Akeso Biomedical, Inc.). EFSA Journal, 2021, 19, e06455.	0.9	1
254	Safety and efficacy of a feed additive consisting of serine protease produced by <i>Bacillus licheniformis</i> DSM 19670 (Ronozyme® ProAct) for chickens for fattening (DSM Nutritional Products Ltd.). EFSA Journal, 2021, 19, e06448.	0.9	1
255	Safety and efficacy of a feed additive consisting of endoâ€1,4â€2â€xylanase produced by <i>Bacillus subtilis</i> LMG Sâ€15136 (Belfeed B MP/ML) for sows in order to have benefits in piglets and for all porcine species (Beldem, a division of Puratos NV). EFSA Journal, 2021, 19, e06456.	0.9	1
256	Safety and efficacy of the feed additive consisting of lâ€ryptophan produced by <i>Escherichia coli</i> KCCM 80210 for all animal species (Daesang Europe BV). EFSA Journal, 2021, 19, e06425.	0.9	1
257	Safety and efficacy of a feed additive consisting of lâ€valine produced by <i>Corynebacterium glutamicum</i> ÅCGMCC 7.366 for all animal species (Ningxia Eppen Biotech Co., Ltd.). EFSA Journal, 2021, 19, e06521.	0.9	1
258	Safety and efficacy of a feed additive consisting of endoâ€1,4â€2â€xylanase (ECONASE® XT) produced by <i>Trichoderma reesei</i> CBS 140027 as a feed additive for piglets (weaned), pigs for fattening, chickens for fattening, chickens reared for laying, laying hens, turkeys for fattening, turkeys reared for breeding and minor poultry species (Roal Oy). EFSA Journal, 2021, 19, e06536.	0.9	1
259	Safety and efficacy of an additive consisting of synthetic vitamin K1 (phytomenadione) for horses (JARAZ Enterprises GmbH & Co. KG). EFSA Journal, 2021, 19, e06538.	0.9	1
260	Safety and efficacy of a feed additive consisting of ferrous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2021, 19, e06545.	0.9	1
261	Efficacy of the feed additive containing <i>Companilactobacillus farciminis</i> (formerly <i>Lactobacillus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock (ChemVet dk A/S). EFSA Journal, 2021, 19, e06627.	0.9	1
262	Safety and efficacy of a feed additive consisting of lâ€histidine monohydrochloride monohydrate produced using <i>Escherichia coli</i> NITE SD 00268 for all animal species (Kyowa Hakko Europe GmbH). EFSA Journal, 2021, 19, e06622.	0.9	1
263	Safety and efficacy of a feed additive consisting of disodium 5â€™â€guanylate produced with <i>Corynebacterium stationis</i> KCCM 10530 and <i>Escherichia coli</i> Kâ€12 KFCC 11067 for all animal species (CJ) Tj ETQq0.0 0.784314 rgBT /C	0.9	1
264	Safety and efficacy of a feed additive consisting of ferric (III) ammonium hexacyanoferrate (II) for ruminants (domestic and wild), calves prior the start of rumination, lambs prior the start of rumination, kids prior the start of rumination and pigs (domestic and wild) (Honeywell Specialty) Tj ETQq0 0 0 rgBT /Overlock 1 10 Tf 50 2	0.9	1
265	Safety and efficacy of the feed additive consisting of <i>Bacillus velezensis</i> ÅCECT 5940 (Ecobiol®) for turkeys for fattening, turkeys reared for breeding, minor poultry species for fattening and reared for laying and ornamental birds (Evonik Operations GmbH). EFSA Journal, 2021, 19, e06620.	0.9	1
266	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507024 for all animal species (ALLâ€TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06701.	0.9	1
267	Safety and efficacy of a feed additive consisting of butylated hydroxyanisole (BHA) for use in cats (FEDIAF). EFSA Journal, 2021, 19, e06714.	0.9	1
268	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for cats and dogs (Prosol S.p.A.). EFSA Journal, 2021, 19, e06699.	0.9	1
269	Safety for the environment of a feed additive consisting of nicarbazin (Coxar®) for use in turkeys for fattening (Huvepharma N.V.). EFSA Journal, 2021, 19, e06715.	0.9	1
270	Safety and efficacy of a feed additive consisting of <i>Pediococcus pentosaceus</i> IMI 507025 for all animal species (ALLâ€TECHNOLOGY (IRELAND) LIMITED [Alltech Ireland]). EFSA Journal, 2021, 19, e06702.	0.9	1

#	ARTICLE	IF	CITATIONS
271	Assessment of the application for renewal of the authorisation of Actisaf [®] Sc 47 (Saccharomyces) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.9	1
272	Safety and efficacy of L-lysine monohydrochloride and concentrated liquid L-lysine (base) produced by fermentation with Corynebacterium glutamicum KCCM 80216 as feed additive for all animal species. EFSA Journal, 2020, 18, e06334.	0.9	1
273	Safety of 31 flavouring compounds belonging to different chemical groups when used as feed additives for all animal species. EFSA Journal, 2020, 18, e06338.	0.9	1
274	Safety and efficacy of L-cysteine monohydrochloride monohydrate produced by fermentation using Escherichia coli KCCM 80109 and Escherichia coli KCCM 80197 for all animal species. EFSA Journal, 2020, 18, e06101.	0.9	1
275	Assessment of the application for renewal of authorisation of AviPlus [®] as a feed additive for all porcine species (weaned), chickens for fattening, chickens reared for laying, minor poultry species for fattening, minor poultry species reared for laying. EFSA Journal, 2020, 18, e06063.	0.9	1
276	Safety and efficacy of feed additives consisting of expressed sweet orange peel oil and its fractions from Citrus sinensis (L.) Osbeck for use in all animal species (FEFANA asbl). EFSA Journal, 2021, 19, e06891.	0.9	1
277	Safety and efficacy of a feed additive consisting of zearalenone hydrolase produced by Escherichia coli DSM 32731 for all terrestrial animal species (Biomim GmbH). EFSA Journal, 2022, 20, e07157.	0.9	1
278	Safety and efficacy of a feed additive consisting of L-valine produced by Escherichia coli CCTCC M2020321 for all animal species (Kempex Holland BV). EFSA Journal, 2022, 20, e07163.	0.9	1
279	Safety and efficacy of a feed additive consisting of an essential oil from the leaves of Agathosma betulina (P.J. Bergius) Pillans (buchu leaf oil) for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07160.	0.9	1
280	Safety and efficacy of the feed additives consisting of L-glutamic acid and monosodium L-glutamate monohydrate produced by Corynebacterium glutamicum NITE BPä01681 for all animal species (METEX) Tj ETQq0 0.0 rgBT /Overlock 10	0.9	1
281	Safety and efficacy of a feed additive consisting of disodium 5'-inosinate (IMP) produced by Corynebacterium stationis KCCM 80235 for all animal species (CJ Europe GmbH). EFSA Journal, 2022, 20, e07153.	0.9	1
282	Safety and efficacy of a feed additive consisting of L-isoleucine produced by Corynebacterium glutamicum KCCM 80185 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06977.	0.9	1
283	Safety and efficacy of the feed additive consisting of selenium-enriched yeast (Saccharomyces) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.9	1
284	Safety and efficacy of a feed additive consisting of sodium aluminosilicate, synthetic, for all animal species (European Zeolites Producers Association (EUZEPA) & Association of Synthetic Amorphous) Tj ETQq0 0.0 rgBT /Overlock 10	0.9	1
285	Safety and efficacy of a feed additive consisting of L-methionine produced by the combined activities of Corynebacterium glutamicum KCCM 80245 and Escherichia coli KCCM 80246 for all animal species (CJ) Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.9	1
286	Safety and efficacy of a feed additive consisting of L-lysine sulfate produced by Escherichia coli CGMCC 7.398 for all animal species (Kempex Holland B.V.). EFSA Journal, 2022, 20, e07246.	0.9	1
287	Safety and efficacy of a feed additive consisting of acacia gum (gum Arabic) for all animal species (A.I.P.G. Association for International Promotion of Gums). EFSA Journal, 2022, 20, e07252.	0.9	1
288	Safety and efficacy of a feed additive consisting of guar gum for all animal species (A.I.P.G. Association) Tj ETQq0 0.0 rgBT /Overlock 10	0.9	1

#	ARTICLE	IF	CITATIONS
289	Safety of zinc chelate of methionine sulfate for the target species. EFSA Journal, 2018, 16, e05463.	0.9	0
290	Safety and efficacy of Bergazym [®] P100 (endo-1,4- α -xylanase) as a feed additive for other birds for fattening, ornamental birds and other growing Suidae. EFSA Journal, 2019, 17, e05781.	0.9	0
291	Safety and efficacy of aluminosilicate of sodium, potassium, calcium and magnesium as a feed additive for pigs. EFSA Journal, 2019, 17, e05722.	0.9	0
292	Safety and efficacy of Hemicell [®] (endo-1,4- α -mannanase) as a feed additive for chickens for fattening or reared for laying, turkeys for fattening or reared for breeding and minor poultry species. EFSA Journal, 2019, 17, e05641.	0.9	0
293	Safety and efficacy of VevoVital [®] (benzoic acid) as feed additive for pigs for fattening. EFSA Journal, 2019, 17, e05727.	0.9	0
294	Safety and efficacy of Bacillus [®] subtilis DSM 28343 for pigs for fattening. EFSA Journal, 2019, 17, e05725.	0.9	0
295	Safety and efficacy of Probion forte [®] (Bacillus [®] subtilis KCCM 10941P and Bacillus [®] coagulans KCCM) Tj ETQq1 1 0.784314 rgBT /Ov	0.9	0
296	Safety and efficacy of l-arginine produced by fermentation with Corynebacterium [®] glutamicum KCCM 80182 for all animal species. EFSA Journal, 2019, 17, e05696.	0.9	0
297	Safety of erythrosine for ornamental fish. EFSA Journal, 2019, 17, e05699.	0.9	0
298	Assessment of the application for renewal of authorisation of GalliPro [®] (Bacillus [®] subtilis DSM 17299) for chickens for fattening. EFSA Journal, 2019, 17, e05687.	0.9	0
299	Efficacy of methyl ester of conjugated linoleic acid (t10,c12 isomer) for sows and cows for reproduction. EFSA Journal, 2019, 17, e05614.	0.9	0
300	Safety of cassia gum as a feed additive for cats and dogs based on a dossier submitted by Glycomer GmbH. EFSA Journal, 2019, 17, e05528.	0.9	0
301	Safety and efficacy of ZM16 10 (Bacillus amyloliquefaciens DSM 25840) as a feed additive for sows in order to have benefits in piglets, sows for reproduction, piglets (suckling and weaned), pigs for fattening and minor porcine species. EFSA Journal, 2019, 17, e05883.	0.9	0
302	Safety of Lactococcus lactis NCIMB 30160 as a feed additive for all animal species. EFSA Journal, 2019, 17, e05890.	0.9	0
303	Safety and efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for piglets (suckling and) Tj ETQq1 1 0.784314 rgBT /Ov minor porcine species. EFSA Journal, 2019, 17, e05884.	0.9	0
304	Efficacy of EB15 10 (Bacillus subtilis DSM 25841) as a feed additive for weaned piglets and weaned minor porcine species. EFSA Journal, 2019, 17, e05882.	0.9	0
305	Safety of a tincture derived from Artemisia vulgaris L. (Mugwort tincture) when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06206.	0.9	0
306	Safety and efficacy of montmorillonite [®] elite (FIMIX 1g557) for all animal species. EFSA Journal, 2020, 18, e06095.	0.9	0

#	ARTICLE	IF	CITATIONS
307	Safety of ammonium formate (E295) for all animal species. EFSA Journal, 2020, 18, e06076.	0.9	0
308	Safety for the environment of sorbitan monolaurate as a feed additive for all animal species. EFSA Journal, 2020, 18, e06162.	0.9	0
309	Efficacy of calcium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06137.	0.9	0
310	Safety and efficacy of "dry grape extract 60"™ when used as feed flavouring for dogs. EFSA Journal, 2020, 18, e06067.	0.9	0
311	Safety and efficacy of Biacton® (Lactobacillus farciminis CNCM 3740) as a feed additive for weaned piglets. EFSA Journal, 2020, 18, e06084.	0.9	0
312	Safety of lignosulphonate for all animal species. EFSA Journal, 2020, 18, e06000.	0.9	0
313	Safety and efficacy of L-cystine produced using Pantoea ananatis strain NITE BP02525 for all animal species. EFSA Journal, 2020, 18, e06020.	0.9	0
314	Assessment of the application for renewal of authorisation of L-isoleucine produced by Escherichia coli FERM ABP10641 as a nutritional additive, its extension of use in water for drinking and a new use as flavouring additive for all animal species. EFSA Journal, 2020, 18, e06022.	0.9	0
315	Safety and efficacy of STABILFLORA® as a zootechnical feed additive for pigs for fattening. EFSA Journal, 2020, 18, e06145.	0.9	0
316	Efficacy of sodium formate as a technological feed additive (preservative) for all animal species. EFSA Journal, 2020, 18, e06139.	0.9	0
317	Assessment of the application for renewal of authorisation of selenium-enriched yeast produced by Saccharomyces cerevisiae CNCM 3399 for all animal species. EFSA Journal, 2020, 18, e06144.	0.9	0
318	Safety and efficacy of a dried aqueous ethanol extract of leaves from Olea europaea L. when used as a sensory additive in feed for all animal species. EFSA Journal, 2020, 18, e06018.	0.9	0
319	Safety of hexamethylene tetramine for pigs, poultry, bovines, sheep, goats, rabbits and horses. EFSA Journal, 2020, 18, e06012.	0.9	0
320	Safety and efficacy of Avizyme® 1505 (endo-1,4-beta-xylanase, subtilisin and alpha-amylase) for all poultry species. EFSA Journal, 2020, 18, e06027.	0.9	0
321	Safety and efficacy of the additive consisting of muramidase produced by Trichoderma reesei DSM 32338 (Balancius,®) for use in weaned piglets (DSM Nutritional products Ltd). EFSA Journal, 2021, 19, e06452.	0.9	0
322	Safety and efficacy of an additive consisting of Bacillus subtilis DSM 32324 for all animal species (Chr.) Tj ETQq0 0,0,rgBT /Overlock 10	0.9	0
323	Safety and efficacy of an additive consisting of Bacillus subtilis DSM 32325 for all animal species (Chr.) Tj ETQq1 1,0,784314,rgBT /Ove	0.9	0
324	Safety and efficacy of a feed additive consisting of chromium propionate (KemTRACE,® Chromium) for all growing poultry species (Kemin Europa NV). EFSA Journal, 2021, 19, e06546.	0.9	0

#	ARTICLE	IF	CITATIONS
325	Safety and efficacy of an additive consisting of <i>Bacillus amyloliquefaciens</i> DSM 25840 for all animal species (Chr. Hansen A/S). EFSA Journal, 2021, 19, e06522.	0.9	0
326	Safety and efficacy of an additive consisting of phyllite, natural mixture of minerals of metamorphic origin, as a feed additive for all animal species (Marmoralkwerk Troesch GmbH & Co. KG). EFSA Journal, 2021, 19, e06616.	0.9	0
327	Safety of a feed additive consisting of a tincture derived from <i>Verbascum thapsus</i> L. (great mullein) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.9	0
328	Safety and efficacy of a feed additive consisting of <i>Saccharomyces cerevisiae</i> MUCL 39885 (Biosprint®) for all pigs (other than sows and weaned piglets) and other minor porcine species (Prosol S.p.A.). EFSA Journal, 2021, 19, e06698.	0.9	0
329	Assessment of the application for renewal of authorisation of AveMix® XG 10 (endo-1,4-beta-xylanase) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.9	0
330	Safety of a feed additive consisting of a dried aqueous ethanol extract from the leaves of <i>Melissa officinalis</i> L. for all animal species (NorFeed SAS). EFSA Journal, 2021, 19, e06904.	0.9	0
331	Safety and efficacy of a feed additive consisting of <i>Lactiplantibacillus plantarum</i> (formerly) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 e06898.	0.9	0
332	Safety and efficacy of a feed additive consisting of copper (II) chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06896.	0.9	0
333	Safety and efficacy of a feed additive consisting of zinc chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06897.	0.9	0
334	Safety and efficacy of a feed additive consisting of cashew nutshell liquid for all animal species (Oligobasic Europe). EFSA Journal, 2021, 19, e06892.	0.9	0
335	Safety and efficacy of a feed additive consisting of manganese chelate of amino acids hydrate for all animal species (Zinpro Animal Nutrition (Europe) Inc.). EFSA Journal, 2021, 19, e06895.	0.9	0
336	Safety and efficacy of L-threonine produced using <i>Escherichia coli</i> CGMCC 13325 as a feed additive for all animal species. EFSA Journal, 2020, 18, e06332.	0.9	0
337	Assessment of the application for renewal of authorisation of endo-1,4-beta-xylanase produced by <i>Aspergillus niger</i> CBS 109.713 and endo-1,4-alpha-D-glucanase produced by <i>Aspergillus niger</i> DSM 18404 for poultry species, ornamental birds and weaned piglets, from BASF SE. EFSA Journal, 2020, 18, e06331.	0.9	0
338	Statement on the safety and efficacy of lignosulphonate of magnesium (Caimabond) for all animal species. EFSA Journal, 2020, 18, e06066.	0.9	0
339	Safety and efficacy of Panavital feed (D-glyceric acid) for chickens for fattening. EFSA Journal, 2020, 18, e06068.	0.9	0
340	Safety and efficacy of a feed additive consisting of endo-1,4-beta-xylanase produced by <i>Bacillus subtilis</i> LMG Sâ€27588 (Beltherm MP/ML) for laying hens, minor poultry species and all avian species (Puratos NV). EFSA Journal, 2021, 19, e06906.	0.9	0
341	Assessment of the feed additive consisting of sodium benzoate (Protural®) for weaned piglets for the renewal of its authorisation and the extension of use to other growing Suidae (Taminco Finland Oy). EFSA Journal, 2021, 19, e06899.	0.9	0
342	Safety and efficacy of a feed additive consisting of iron (II) chelate of amino acids hydrate for all animal species. EFSA Journal, 2021, 19, e06894.	0.9	0

#	ARTICLE	IF	CITATIONS
343	Safety and efficacy of a feed additive consisting of <i>Bacillus velezensis</i> DSM 15544 (Calsporin®) for dairy cows and other dairy ruminants (Asahi Biocycle Co. Ltd.). EFSA Journal, 2022, 20, e06984.	0.9	0
344	Safety of the fermentation product of <i>Aspergillus oryzae</i> NRRL 458 (Amaferm®) as a feed additive for dairy cows (Biozyme Inc.). EFSA Journal, 2022, 20, e06983.	0.9	0
345	Safety and efficacy of a feed additive consisting of ferric citrate chelate (Clâ€FERâ„¢) for poultry species for fattening or reared up to the point of lay (Akeso Biomedical, Inc.). EFSA Journal, 2022, 20, e07155.	0.9	0
346	Safety and efficacy of a feed additive consisting of <i>Propionibacterium freudenreichii</i> DSM 33189 and <i>Lentilactobacillus buchneri</i> (formerly <i>Lactobacillus buchneri</i>) DSM 12856 for all animal species (Lactosan GmbH & Co.KG.). EFSA Journal, 2022, 20, e07151.	0.9	0
347	Safety and efficacy of a feed additive consisting of lanthanum carbonate octahydrate (Lanthan One) for cats (Porus GmbH). EFSA Journal, 2022, 20, e07168.	0.9	0
348	Safety and efficacy of a feed additive consisting of astaxanthinâ€rich <i>Phaffia rhodozyma</i> for salmon and trout (Igene Biotechnology, Inc.). EFSA Journal, 2022, 20, e07161.	0.9	0
349	Safety and efficacy of the feed additive consisting of <i>Lactobacillus acidophilus</i> CECT 4529 (<i>Lactobacillus acidophilus</i> D2/CSL) for all poultry species and categories and all ornamental birds (Centro Sperimentale del Latte S.r.l.). EFSA Journal, 2022, 20, e07150.	0.9	0
350	Safety and efficacy of a feed additive consisting of sodium alginate for all animal species (ALGAIA). EFSA Journal, 2022, 20, e07164.	0.9	0
351	Efficacy of a feed additive consisting of endoâ€1,4â€betaâ€xylanase produced by <i>Trichoderma citrinoviride</i> (IMI SD 135) (HOSTAZYMâ„ X) for sows in order to have benefits in piglets (Huvepharma NV). EFSA Journal, 2022, 20, e07154.	0.9	0
352	Safety and efficacy of a feed additive consisting of manganous lysinate sulfate for all animal species (Phytobiotics Futterzusatzstoffe GmbH). EFSA Journal, 2022, 20, e07165.	0.9	0
353	Safety and efficacy of a feed additive consisting of Allura Red AC for small nonâ€foodâ€producing mammals and ornamental birds (Verseleâ€Laga). EFSA Journal, 2021, 19, e06987.	0.9	0
354	Safety and efficacy of a feed additive consisting of Î±â€galactosidase (produced by <i>Aspergillus tubingensis</i>) Tj ETQq0 0 0 rgBT /Overlock	0.9	0
355	Safety and efficacy of a feed additive consisting of lâ€lysine monohydrochloride and lâ€lysine sulfate produced by <i>Corynebacterium glutamicum</i> CGMCC 14498 for all animal species (Kempex Holland BV). EFSA Journal, 2021, 19, e06980.	0.9	0
356	Safety and efficacy of a feed additive consisting of monosodium lâ€glutamate produced by fermentation with <i>Corynebacterium glutamicum</i> KCCM 80187 for all animal species (CJ Europe GmbH). EFSA Journal, 2021, 19, e06982.	0.9	0
357	Safety of feed additives consisting of Î²â€damascone [07.083] and (E)â€Î²â€damascone [07.224] belonging to chemical group 8 for use in all animal species (FEFANA asbl). EFSA Journal, 2022, 20, e07248.	0.9	0
358	Safety and efficacy of a feed additive consisting of Sepiolitic clay for all animal species (Mineria y) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	0