

# Javier LÃ³pez Tirado

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/42146/publications.pdf>

Version: 2024-02-01

20  
papers

195  
citations

1163117  
8  
h-index

1372567  
10  
g-index

20  
all docs

20  
docs citations

20  
times ranked

266  
citing authors

#	ARTICLE	IF	CITATIONS
1	A new variety of Merendera Ramond (Liliaceae): <i>M. montana</i> var. <i>paucitepala</i> var. nov., from south-eastern Spain. <i>Adansonia</i> , 2022, 44, .	0.2	0
2	Effect of climate change on potential distribution of <i>Cedrus libani</i> A. Rich in the twenty-first century: an Ecological Niche Modeling assessment. <i>New Forests</i> , 2021, 52, 363-376.	1.7	16
3	Fragmentation and Connectivity of Island Forests in Agricultural Mediterranean Environments: A Comparative Study between the Guadalquivir Valley (Spain) and the Apulia Region (Italy). <i>Forests</i> , 2021, 12, 1201.	2.1	8
4	Effects of Multifunctional Margins Implementation on Biodiversity in Annual Crops. <i>Agronomy</i> , 2021, 11, 2171.	3.0	0
5	Taxonomic novelties in <i>Narcissus</i> L. (Amaryllidaceae): <i>Narcissus</i> Ā— <i>villanovensis</i> nothosp. nov. and <i>N</i> . Ā— <i>koshinomurae</i> nothosubsp. <i>sanchezii</i> comb. nov.. <i>Nordic Journal of Botany</i> , 2020, 38, .	0.5	0
6	A natural laboratory in southern Spain: new hybrids of wild daffodils ( <i>Narcissus</i> , Amaryllidaceae). <i>Phytotaxa</i> , 2019, 394, 161.	0.3	4
7	Predicting suitability of forest dynamics to future climatic conditions: the likely dominance of Holm oak [ <i>Quercus ilex</i> subsp. <i>ballota</i> (Desf.) Samp.] and Aleppo pine ( <i>Pinus halepensis</i> Mill.). <i>Annals of Forest Science</i> , 2018, 75, 1.	2.0	16
8	Trends in evergreen oak suitability from assembled species distribution models: assessing climate change in south-western Europe. <i>New Forests</i> , 2018, 49, 471-487.	1.7	25
9	<i>Narcissus</i> Ā— <i>munozii-alvarezii</i> (Amaryllidaceae): a new hybrid from southern Spain. <i>Phytotaxa</i> , 2018, 364, 267.	0.3	7
10	<i>Hypericum androsaemum</i> L. (Clusiaceae [=Guttiferae]), novedad corolÃ³gica para la provincia de CÃ³rdoba (AndalucÃa, EspaÃ±a).. <i>Acta Botanica Malacitana</i> , 2018, 42, 323-324.	0.0	0
11	A tree species range in the face of climate change: cork oak as a study case for the Mediterranean biome. <i>European Journal of Forest Research</i> , 2017, 136, 555-569.	2.5	38
12	Sobre la presencia de "Trifolium vesiculosum Savi" ("Fabaceae") en la provincia de CÃ³rdoba (AndalucÃa,) Tj ETQq0 0 0 rgBT /Overlock 10	0.1	0
13	Ecological niche modelling of three Mediterranean pine species in the south of Spain: a tool for afforestation/reforestation programs in the twenty-first century. <i>New Forests</i> , 2016, 47, 411-429.	1.7	23
14	Predictive modelling of climax oak trees in southern Spain: insights in a scenario of global change. <i>Plant Ecology</i> , 2016, 217, 451-463.	1.6	23
15	A high resolution predictive model for relict trees in the Mediterranean-mountain forests ( <i>Pinus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 tool for reforestation. <i>Forest Ecology and Management</i> , 2014, 330, 105-114.	3.2	33
16	<i>Christella normalis</i> (C. Chr.) Holttum (Thelypteridaceae), nueva especie alÃ³ctona y naturalizada para la provincia de Sevilla (AndalucÃa, EspaÃ±a). <i>Acta Botanica Malacitana</i> , 0, 46, .	0.0	0
17	<i>Narcissus rupicola</i> Dufour ex Schult. & Schult. fil. (Amaryllidaceae), novedad florÃstica para AndalucÃa occidental (EspaÃ±a). <i>Acta Botanica Malacitana</i> , 0, 43, 143-144.	0.0	0
18	<i>Narcissus serotinus</i> Loefl. ex L. (Amaryllidaceae), confirmed for the province of CÃ¡diz (Andalusia,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.0	0

#	ARTICLE	IF	CITATIONS
19	Primera cita de <i>Trifolium vesiculosum</i> Savi (Fabaceae) en la provincia de Sevilla (Andalucía, España). Acta Botanica Malacitana, 0, 45, 235-236.	0.0	0
20	Primera cita de <i>Trifolium vesiculosum</i> Savi (Fabaceae) en la provincia de Sevilla (Andalucía, España). Acta Botanica Malacitana, 0, 45, 235-236.	0.0	0