

Ru Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/421483/publications.pdf>

Version: 2024-02-01

50
papers

1,281
citations

331670

21
h-index

377865

34
g-index

50
all docs

50
docs citations

50
times ranked

1245
citing authors

#	ARTICLE	IF	CITATIONS
1	Protection of wood in ancient timber construction by surface painting of waterborne siloxane-modified polyurethane against water destroy. <i>Wood Material Science and Engineering</i> , 2023, 18, 314-321.	2.3	3
2	Dialdehyde starch reinforced polyacrylate-polyethylene glycol resin for impregnated decorative paper with improved toughness and ultra-low formaldehyde emission. <i>Industrial Crops and Products</i> , 2022, 176, 114390.	5.2	13
3	Preparation of small particle diameter thermally expandable microspheres under atmospheric pressure for potential utilization in wood. <i>Journal of Applied Polymer Science</i> , 2021, 138, 49734.	2.6	4
4	Organo- ϵ -montmorillonite modified wood flour/poly (lactic acid) composites via different modification process. <i>Polymer Composites</i> , 2021, 42, 987-994.	4.6	6
5	Tensile behavior and water absorption of innovative composites from natural cork granules and bamboo particles. <i>Composite Structures</i> , 2021, 258, 113376.	5.8	6
6	Preparation and properties of high-performance fast-growing wood modified by exfoliated organo- ϵ -montmorillonite in waterborne hyperbranched polyacrylate emulsion. <i>Construction and Building Materials</i> , 2021, 298, 123868.	7.2	9
7	Enhancement of the physical and mechanical properties of wood using a novel organo- ϵ -montmorillonite/hyperbranched polyacrylate emulsion. <i>Holzforschung</i> , 2021, 75, 545-554.	1.9	4
8	Dialdehyde modified cellulose nanofibers enhanced the physical properties of decorative paper impregnated by aldehyde-free adhesive. <i>Carbohydrate Polymers</i> , 2020, 250, 116941.	10.2	28
9	Wood composites modified with waterborne hyperbranched polyacrylate dispersed organo- ϵ -montmorillonite emulsion and the permeability investigations by surface characterizations. <i>Polymer Composites</i> , 2020, 41, 3798-3806.	4.6	5
10	Improvement of mechanical properties of mycelium/cotton stalk composites by water immersion. <i>Composite Interfaces</i> , 2020, 27, 953-966.	2.3	18
11	Comparison on Reduction of VOCs Emissions from Radiata Pine (<i>Pinus Radiata</i> D. Don) between Sodium Bicarbonate and Ozone Treatments. <i>Molecules</i> , 2020, 25, 471.	3.8	3
12	Synergistic effect of montmorillonite/lignin on improvement of water resistance and dimensional stability of <i>Populus cathayana</i> . <i>Industrial Crops and Products</i> , 2019, 141, 111747.	5.2	17
13	Preparation and properties of light-resistant printing UV ink modified with nano-TiO ₂ on wood substrate. <i>Surface Engineering</i> , 2019, 35, 557-564.	2.2	4
14	Preparation of a Fast Water-Based UV Cured Polyurethane-Acrylate Wood Coating and the Effect of Coating Amount on the Surface Properties of Oak (<i>Quercus alba</i> L.). <i>Polymers</i> , 2019, 11, 1414.	4.5	17
15	Preparation of a kind of novel sustainable mycelium/cotton stalk composites and effects of pressing temperature on the properties. <i>Industrial Crops and Products</i> , 2019, 141, 111732.	5.2	42
16	Aging performance of nano-ZnO modified polyurethane-acrylic UV ink composites on wood and the degradation mechanism. <i>Polymer Composites</i> , 2019, 40, 3533-3540.	4.6	1
17	Analysis of Chemical Composition of Extractives by Acetone and the Chromatic Aberration of Teak (<i>Tectona Grandis</i> L.F.) from China. <i>Molecules</i> , 2019, 24, 1989.	3.8	23
18	Comparison on the Aging of Woods Exposed to Natural Sunlight and Artificial Xenon Light. <i>Polymers</i> , 2019, 11, 709.	4.5	23

#	ARTICLE	IF	CITATIONS
19	Coating Performance of Water-Based Polyurethane-Acrylate Coating on Bamboo/Bamboo Scrimber Substrates. <i>Advances in Polymer Technology</i> , 2019, 2019, 1-8.	1.7	5
20	A Comparison of the Performance of Two Kinds of Waterborne Coatings on Bamboo and Bamboo Scrimber. <i>Coatings</i> , 2019, 9, 161.	2.6	10
21	Preparation of Organo-Montmorillonite Modified Poly(lactic acid) and Properties of Its Blends with Wood Flour. <i>Polymers</i> , 2019, 11, 204.	4.5	6
22	The reinforcing mechanism of mechanical properties of bamboo fiber bundle-reinforced composites. <i>Polymer Composites</i> , 2019, 40, 1463-1472.	4.6	41
23	Improvement of the water repellency, dimensional stability, and biological resistance of bamboo-based fiber reinforced composites. <i>Polymer Composites</i> , 2019, 40, 506-513.	4.6	29
24	Comparison of six WPCs made of organo-montmorillonite-modified fibers of four trees, moso bamboo and wheat straw and poly(lactic acid) (PLA). <i>Holzforschung</i> , 2018, 72, 735-744.	1.9	13
25	Identification of odorous constituents of southern yellow pine and China fir wood: the effects of extractive removal. <i>Analytical Methods</i> , 2018, 10, 2115-2122.	2.7	12
26	Resistance to fungal decay of paraffin wax emulsion/copper azole compound system treated wood. <i>International Biodeterioration and Biodegradation</i> , 2018, 129, 61-66.	3.9	40
27	Fungi resistance of organo-montmorillonite modified lignocellulosic flour/polypropylene composites. <i>Polymer Composites</i> , 2018, 39, 3831-3840.	4.6	2
28	Identification of Three Dalbergia Species Based on Differences in Extractive Components. <i>Molecules</i> , 2018, 23, 2163.	3.8	27
29	Characterization of Odors of Wood by Gas Chromatography-Olfactometry with Removal of Extractives as Attempt to Control Indoor Air Quality. <i>Molecules</i> , 2018, 23, 203.	3.8	29
30	Measurement of three wood materials against weathering during long natural sunlight exposure. <i>Measurement: Journal of the International Measurement Confederation</i> , 2017, 102, 179-185.	5.0	24
31	Stress relaxation of composites made of polypropylene and organo-montmorillonite modified wood flour during water immersion. <i>Holzforschung</i> , 2017, 71, 163-170.	1.9	6
32	Assessing the impact of wood decay fungi on the modulus of elasticity of slash pine (<i>Pinus elliottii</i>) by stress wave non-destructive testing. <i>International Biodeterioration and Biodegradation</i> , 2017, 117, 123-127.	3.9	30
33	Preparation, physical, mechanical, and interfacial morphological properties of engineered bamboo scrimber. <i>Construction and Building Materials</i> , 2017, 157, 1032-1039.	7.2	143
34	Mechanical properties of wood flour/poly (lactic acid) composites coupled with waterborne silane-polyacrylate copolymer emulsion. <i>Holzforschung</i> , 2016, 70, 439-447.	1.9	13
35	Thermal stability of organo-montmorillonite-modified wood flour/poly(lactic acid) composites. <i>Polymer Composites</i> , 2016, 37, 1971-1977.	4.6	28
36	Incorporation of microencapsulated dodecanol into wood flour/high-density polyethylene composite as a phase change material for thermal energy storage. <i>Materials and Design</i> , 2016, 89, 1325-1334.	7.0	63

#	ARTICLE	IF	CITATIONS
37	Effects of Modifier Type on Properties of in Situ Organo-Montmorillonite Modified Wood Flour/Poly(lactic acid) Composites. ACS Applied Materials & Interfaces, 2016, 8, 161-168.	8.0	37
38	Surface properties of in situ organo-montmorillonite modified wood flour and the influence on mechanical properties of composites with polypropylene. Applied Surface Science, 2016, 361, 234-241.	6.1	22
39	Effects of vitamin E combined with antioxidants on wood flour/polypropylene composites during accelerated weathering. Holzforschung, 2015, 69, 113-120.	1.9	13
40	Characterization of surface chemistry and crystallization behavior of polypropylene composites reinforced with wood flour, cellulose, and lignin during accelerated weathering. Applied Surface Science, 2015, 332, 253-259.	6.1	91
41	Characterization and properties of organo-montmorillonite modified lignocellulosic fibers and their interaction mechanisms. RSC Advances, 2015, 5, 76708-76717.	3.6	13
42	Physical, mechanical, and thermal properties of micronized organo-montmorillonite suspension modified wood flour/poly(lactic acid) composites. Polymer Composites, 2015, 36, 731-738.	4.6	14
43	Antiweathering effects of vitamin E on wood flour/polypropylene composites. Polymer Composites, 2014, 35, 2085-2093.	4.6	12
44	Effect of MAPP on interfacial compatibility of wood flour/polypropylene composite evaluated with dielectric approach. Polymer Composites, 2014, 35, 489-494.	4.6	13
45	Improvement of dimensional stability of wood by <i>in situ</i> synthesis of organo-montmorillonite: preparation and properties of modified Southern pine wood. Holzforschung, 2014, 68, 29-36.	1.9	23
46	A comparison of various ionic surfactant modifiers used in <i>in situ</i> synthesis of organo-montmorillonite inside wood flour. Industrial Crops and Products, 2014, 62, 387-394.	5.2	11
47	Comparison on properties of lignocellulosic flour/polymer composites by using wood, cellulose, and lignin flours as fillers. Composites Science and Technology, 2014, 103, 1-7.	7.8	107
48	Effects of UV weathering on surface properties of polypropylene composites reinforced with wood flour, lignin, and cellulose. Applied Surface Science, 2014, 317, 385-392.	6.1	96
49	Effects of two types of clay on physical and mechanical properties of poly(lactic acid)/wood flour composites at various wood flour contents. Journal of Applied Polymer Science, 2013, 127, 2566-2573.	2.6	23
50	Characterization of organo-montmorillonite (OMMT) modified wood flour and properties of its composites with poly(lactic acid). Composites Part A: Applied Science and Manufacturing, 2013, 51, 33-42.	7.6	59