

# Thierry Dervieux

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4215054/publications.pdf>

Version: 2024-02-01

46  
papers

2,519  
citations

236612

25  
h-index

233125

45  
g-index

46  
all docs

46  
docs citations

46  
times ranked

2469  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polyglutamation of methotrexate with common polymorphisms in reduced folate carrier, aminoimidazole carboxamide ribonucleotide transformylase, and thymidylate synthase are associated with methotrexate effects in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2004, 50, 2766-2774.	6.7	312
2	Pharmacogenetics and cancer therapy. <i>Nature Reviews Cancer</i> , 2001, 1, 99-108.	12.8	227
3	Simultaneous determination of 6-thioguanine and methyl 6-mercaptopurine nucleotides of azathioprine in red blood cells by HPLC. <i>Clinical Chemistry</i> , 1998, 44, 551-555.	1.5	193
4	Pharmacogenomic and metabolic biomarkers in the folate pathway and their association with methotrexate effects during dosage escalation in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006, 54, 3095-3103.	6.7	188
5	Contribution of common polymorphisms in reduced folate carrier and ??-glutamylhydrolase to methotrexate polyglutamate levels in patients with rheumatoid arthritis. <i>Pharmacogenetics and Genomics</i> , 2004, 14, 733-739.	5.7	155
6	Risk genotypes in folate-dependent enzymes and their association with methotrexate-related side effects in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2006, 54, 607-612.	6.7	148
7	Liquid Chromatography Tandem Mass Spectrometry Analysis of Erythrocyte Thiopurine Nucleotides and Effect of Thiopurine Methyltransferase Gene Variants on These Metabolites in Patients Receiving Azathioprine/6-Mercaptopurine Therapy. <i>Clinical Chemistry</i> , 2005, 51, 2074-2084.	1.5	105
8	Genetic polymorphisms in CYP3A5, CYP3A4 and NQO1 in children who developed therapy-related myeloid malignancies. <i>Pharmacogenetics and Genomics</i> , 2002, 12, 605-611.	5.7	92
9	De novo purine synthesis inhibition and antileukemic effects of mercaptopurine alone or in combination with methotrexate in vivo. <i>Blood</i> , 2002, 100, 1240-1247.	0.6	87
10	HPLC Determination of Erythrocyte Methotrexate Polyglutamates after Low-Dose Methotrexate Therapy in Patients with Rheumatoid Arthritis. <i>Clinical Chemistry</i> , 2003, 49, 1632-1641.	1.5	87
11	Red blood cell methotrexate polyglutamates emerge as a function of dosage intensity and route of administration during pulse methotrexate therapy in rheumatoid arthritis. <i>Rheumatology</i> , 2010, 49, 2337-2345.	0.9	71
12	Capillary blood collected on volumetric absorptive microsampling (VAMS) device for monitoring hydroxychloroquine in rheumatoid arthritis patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017, 140, 334-341.	1.4	69
13	Measurement of cell-bound complement activation products enhances diagnostic performance in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2012, 64, 4040-4047.	6.7	66
14	Cell-bound complement activation products in systemic lupus erythematosus: comparison with anti-double-stranded DNA and standard complement measurements. <i>Lupus Science and Medicine</i> , 2014, 1, e000056.	1.1	65
15	Gene-gene interactions in folate and adenosine biosynthesis pathways affect methotrexate efficacy and tolerability in rheumatoid arthritis. <i>Pharmacogenetics and Genomics</i> , 2009, 19, 935-944.	0.7	51
16	Pharmacogenetic testing: proofs of principle and pharmaco-economic implications. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2005, 573, 180-194.	0.4	47
17	Identification of 6-methylmercaptopurine derivative formed during acid hydrolysis of thiopurine nucleotides in erythrocytes, using liquid chromatography-mass spectrometry, infrared spectroscopy, and nuclear magnetic resonance assay. <i>Clinical Chemistry</i> , 1998, 44, 2511-2515.	1.5	42
18	Cell-bound complement activation products in SLE. <i>Lupus Science and Medicine</i> , 2017, 4, e000236.	1.1	39

#	ARTICLE	IF	CITATIONS
19	Patterns of interaction between genetic and nongenetic attributes and methotrexate efficacy in rheumatoid arthritis. <i>Pharmacogenetics and Genomics</i> , 2012, 22, 1-9.	0.7	38
20	Development and validation of a clinical HPLC method for the quantification of hydroxychloroquine and its metabolites in whole blood. <i>Future Science OA</i> , 2015, 1, FSO26.	0.9	35
21	Platelet-bound C4d, low C3 and lupus anticoagulant associate with thrombosis in SLE. <i>Lupus Science and Medicine</i> , 2019, 6, e000318.	1.1	34
22	Complement Activation in Patients With Probable Systemic Lupus Erythematosus and Ability to Predict Progression to American College of Rheumatologyâ€“Classified Systemic Lupus Erythematosus. <i>Arthritis and Rheumatology</i> , 2020, 72, 78-88.	2.9	33
23	Overview of the pharmacoeconomics of pharmacogenetics. <i>Pharmacogenomics</i> , 2006, 7, 1175-1184.	0.6	32
24	Comments on recent advances and recommendations for the assessment of autoantibodies to cellular antigens referred as antinuclear antibodies. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, e36-e36.	0.5	27
25	Methotrexate polyglutamation in relation to infliximab pharmacokinetics in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 908-910.	0.5	25
26	Systemic lupus erythematosus and primary fibromyalgia can be distinguished by testing for cell-bound complement activation products. <i>Lupus Science and Medicine</i> , 2016, 3, e000127.	1.1	24
27	Phenotype Determination of Thiopurine Methyltransferase in Erythrocytes by HPLC. <i>Clinical Chemistry</i> , 2001, 47, 956-958.	1.5	23
28	High-performance liquid chromatographic determination of methyl 6-mercaptopurine nucleotides (Me6-MPN) in red blood cells: analysis of Me6-MPN per se or Me6-MPN derivative?. <i>Biomedical Applications</i> , 1999, 730, 273-274.	1.7	19
29	Antibodies targeting protein-arginine deiminase 4 (PAD4) demonstrate diagnostic value in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 434-436.	0.5	19
30	Reduction in erythrocyte-bound complement activation products and titres of anti-C1q antibodies associate with clinical improvement in systemic lupus erythematosus. <i>Lupus Science and Medicine</i> , 2016, 3, e000165.	1.1	18
31	Validation of a multi-analyte panel with cell-bound complement activation products for systemic lupus erythematosus. <i>Journal of Immunological Methods</i> , 2017, 446, 54-59.	0.6	18
32	Erythrocyte-bound C4d in combination with complement and autoantibody status for the monitoring of SLE. <i>Lupus Science and Medicine</i> , 2018, 5, e000263.	1.1	18
33	HPLC determination of thiopurine nucleosides and nucleotides in vivo in lymphoblasts following mercaptopurine therapy. <i>Clinical Chemistry</i> , 2002, 48, 61-8.	1.5	16
34	Antagonism by methotrexate on mercaptopurine disposition in lymphoblasts during up-front treatment of acute lymphoblastic leukemia. <i>Clinical Pharmacology and Therapeutics</i> , 2003, 73, 506-516.	2.3	14
35	Transition of Methotrexate Polyglutamate Drug Monitoring Assay from Venipuncture to Capillary Blood-Based Collection Method in Rheumatic Diseases. <i>Journal of applied laboratory medicine</i> , The, 2019, 4, 40-49.	0.6	13
36	Methotrexate pharmacogenomics in rheumatoid arthritis: introducing false-positive report probability. <i>Rheumatology</i> , 2009, 48, 597-598.	0.9	11

#	ARTICLE	IF	CITATIONS
37	Detection of anti-dsDNA antibodies by computer-aided automated immunofluorescence analysis. <i>Journal of Immunological Methods</i> , 2016, 433, 17-22.	0.6	10
38	Randomised prospective trial to assess the clinical utility of multianalyte assay panel with complement activation products for the diagnosis of SLE. <i>Lupus Science and Medicine</i> , 2019, 6, e000349.	1.1	9
39	Platelet bound complement split product (PC4d) is a marker of platelet activation and arterial vascular events in Systemic Lupus Erythematosus. <i>Clinical Immunology</i> , 2021, 228, 108755.	1.4	9
40	Performance Characteristics of Different Anti-Double-Stranded DNA Antibody Assays in the Monitoring of Systemic Lupus Erythematosus. <i>Journal of Immunology Research</i> , 2017, 2017, 1-5.	0.9	8
41	Cell-bound complement activation products associate with lupus severity in SLE. <i>Lupus Science and Medicine</i> , 2020, 7, e000377.	1.1	7
42	Fibroblasts from methotrexate-sensitive mice accumulate methotrexate polyglutamates but those from methotrexate-resistant mice do not. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 433-5.	0.4	7
43	Differing contribution of methotrexate polyglutamates to adalimumab blood levels as compared with etanercept. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1285-1286.	0.5	5
44	Methotrexate polyglutamate concentrations and association with disease control in rheumatoid arthritis: Comment on the article by Stamp et al. <i>Arthritis and Rheumatism</i> , 2010, 62, 2559-2560.	6.7	2
45	Diagnostic performance of a new anti-carbamylated protein assay in rheumatic diseases. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 249-250.	0.6	1
46	Comment on: Methotrexate pharmacogenomics in rheumatoid arthritis: introducing false positive report probability: reply. <i>Rheumatology</i> , 2009, 48, 1620-1620.	0.9	0