

# Marcelo Coelho Goiato

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4215459/marcelo-coelho-goiato-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

255  
papers

2,994  
citations

26  
h-index

38  
g-index

277  
ext. papers

3,571  
ext. citations

2.2  
avg, IF

5.17  
L-index

#	Paper	IF	Citations
255	Silica deposition on zirconia via room-temperature atomic layer deposition (RT-ALD): Effect on bond strength to veneering ceramic.. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , <b>2022</b> , 129, 105142	4.1	1
254	Comparison of the Morse Cone Connection with the Internal Hexagon and External Hexagon Connections Based on Microleakage - Review. <i>Prague Medical Report</i> , <b>2021</b> , 122, 181-190	0.7	2
253	Surface characterization of different surface treatments associations with plasma and bonding analysis of Y-TZP and the veneering ceramic. <i>Dental Materials</i> , <b>2021</b> , 37, 1873-1883	5.7	0
252	Effect of handling material on mechanical and optical properties of feldspathic porcelain. <i>Journal of Esthetic and Restorative Dentistry</i> , <b>2021</b> , 33, 919-924	3.5	
251	Alcohol and light-polymerizing glaze effect on the physical and mechanical properties of a bisacrylate composite resin before and after immersion in chlorhexidine gluconate. <i>Journal of Prosthetic Dentistry</i> , <b>2021</b> , 125, 832.e1-832.e6	4	
250	Relation Between Insertion Torque and Implant Stability Quotient: A Clinical Study. <i>European Journal of Dentistry</i> , <b>2021</b> , 15, 618-623	2.6	0
249	Effects of rehabilitation with complete dentures on bite force and electromyography of jaw and neck muscles and the correlation with occlusal vertical dimension. <i>Clinical Oral Investigations</i> , <b>2021</b> , 25, 4691-4698	4.2	0
248	Extended-pour and conventional alginates: effect of storage time on dimensional accuracy and maintenance of details. <i>Dental Press Journal of Orthodontics</i> , <b>2021</b> , 26, e2119251	1.3	
247	Effect of processing methods on the cytotoxicity of methyl methacrylate-based ocular prostheses: An in vitro study. <i>Toxicology in Vitro</i> , <b>2021</b> , 76, 105211	3.6	
246	Analysis of physical properties of facial silicones with different pigmentations submitted to nonthermal plasma treatment and accelerated aging. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 124, 815.e1-815.e7	4.1	0
245	Antimicrobial and protective effects of non-thermal plasma treatments on the performance of a resinous liner. <i>Archives of Oral Biology</i> , <b>2020</b> , 117, 104822	2.8	2
244	Comparison between flapless and open-flap implant placement: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2020</b> , 49, 1220-1231	2.9	8
243	Effect of acidic beverages on surface roughness and color stability of artificial teeth and acrylic resin. <i>Journal of Advanced Prosthodontics</i> , <b>2020</b> , 12, 55-60	2.2	8
242	The Impact of Surgery and Radiotherapy on Health-Related Quality of Life of Individuals with Oral and Oropharyngeal Carcinoma and Short-Term Follow up after Treatment. <i>Asian Pacific Journal of Cancer Prevention</i> , <b>2020</b> , 21, 1227-1234	1.7	
241	Long-term stainability of interim prosthetic materials in acidic/staining solutions. <i>Journal of Esthetic and Restorative Dentistry</i> , <b>2020</b> , 32, 73-80	3.5	2
240	Can innovative methods of polymerization improve the physical-mechanical behavior of acrylic resins?. <i>Materials Today Communications</i> , <b>2020</b> , 22, 100835	2.5	
239	In vitro evaluation of the effect of different disinfectants on the biofilm of Staphylococcus epidermidis and Staphylococcus aureus formed on acrylic ocular prostheses. <i>PLoS ONE</i> , <b>2020</b> , 15, e0240116	2.7	3

238	Analysis of Color and Hardness of a Medical Silicone with Extrinsic Pigmentation after Accelerated Aging. <i>European Journal of Dentistry</i> , <b>2020</b> , 14, 634-638	2.6	1
237	SARS-CoV-2 and Dentistry-Review. <i>European Journal of Dentistry</i> , <b>2020</b> , 14, S130-S139	2.6	6
236	Influence of Different Pigmentations and Accelerated Aging on the Hardness and Tear Strength of the A-2186 and MDX4-4210 Silicones. <i>International Journal of Dentistry</i> , <b>2020</b> , 2020, 8492091	1.9	0
235	Influence of the ferrule effect on the failure of fiber-reinforced composite post-and-core restorations: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2020</b> , 123, 239-245	4	13
234	Cytotoxicity and antimicrobial effects of citronella oil ( <i>Cymbopogon nardus</i> ) and commercial mouthwashes on <i>S. aureus</i> and <i>C. albicans</i> biofilms in prosthetic materials. <i>Archives of Oral Biology</i> , <b>2020</b> , 109, 104577	2.8	15
233	Effects of 50- and 70-Gy radiation doses on polymethyl methacrylate denture bases. <i>General Dentistry</i> , <b>2020</b> , 68, 56-59	1.2	2
232	Influence of a light-activated glaze on the adhesion of <i>Streptococcus sanguinis</i> to the surface of polymers used in fabrication of interim prostheses. <i>Journal of Investigative and Clinical Dentistry</i> , <b>2019</b> , 10, e12452	2.3	
231	Can Nonthermal Plasma Improve the Adhesion between Acrylic Resin for Ocular Prostheses and Silicone-Based Relining Material?. <i>Journal of Prosthodontics</i> , <b>2019</b> , 28, 692-700	3.9	
230	Evaluation of the level of cortisol, capillary blood glucose, and blood pressure in response to anxiety of patients rehabilitated with complete dentures. <i>BMC Oral Health</i> , <b>2019</b> , 19, 75	3.7	2
229	Influence of a Bleaching Agent on the Color Stability of Indirect Composite Resins Immersed in Dyes. <i>Ceramics</i> , <b>2019</b> , 2, 235-245	1.7	1
228	Classification, History, and Future Prospects of Maxillofacial Prosthesis. <i>International Journal of Dentistry</i> , <b>2019</b> , 2019, 8657619	1.9	9
227	Influence of length, diameter and position of the implant in its fracture incidence: A Systematic Review. <i>Journal of Dental Research, Dental Clinics, Dental Prospects</i> , <b>2019</b> , 13, 109-116	1	4
226	Influence of Preparation and Exposure Periods of Eluates from Ocular Prosthesis Acrylic Resin in Human Conjunctival Cell Line. <i>Iranian Biomedical Journal</i> , <b>2019</b> , 23, 78-86	2	
225	Assessment of Salivary Flow and Anxiety in Patients Rehabilitated with Implant-Supported Prostheses. <i>Contemporary Clinical Dentistry</i> , <b>2019</b> , 10, 42-46	0.6	0
224	Prosthetic Rehabilitation of an Eye Globe: Case Report. <i>Medicinski Arhiv = Medical Archives = Archives De Medecine</i> , <b>2019</b> , 73, 433-435	1.2	1
223	Tear Strength Analysis of MDX4-4210 and A-2186 Silicones with Different Intrinsic Pigments Incorporated by Mechanical and Industrial Methods. <i>International Journal of Dentistry</i> , <b>2019</b> , 2019, 2573095	1.9	3
222	Influence of Different Pigment Incorporation Methods on Color, Dimensional Stability, and Detail Reproduction of Silicones. <i>European Journal of Dentistry</i> , <b>2019</b> , 13, 399-404	2.6	5
221	Effect of photopolymerized glaze application on bacterial adhesion on ocular acrylic resin surfaces submitted to accelerated ageing. <i>Letters in Applied Microbiology</i> , <b>2019</b> , 68, 120-127	2.9	1

220	Optimal number of implants for complete-arch implant-supported prostheses with a follow-up of at least 5 years: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2019</b> , 121, 766-774.e3	4	5
219	Oral rehabilitation of patients after maxillectomy. A systematic review. <i>British Journal of Oral and Maxillofacial Surgery</i> , <b>2018</b> , 56, 256-266	1.4	18
218	Clinical viability of single implant-retained mandibular overdentures: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2018</b> , 47, 1166-1177	2.9	19
217	Microbiological analysis of conjunctival secretion in anophthalmic cavity, contralateral eye and ocular prosthesis of patients with maxillofacial abnormalities. <i>Letters in Applied Microbiology</i> , <b>2018</b> , 66, 104-109	2.9	7
216	Effect of nonthermal plasma on the properties of a resinous liner submitted to aging. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 119, 397-403	4	2
215	Effects of mouth rehabilitation with removable complete dentures on stimulus perception and the electromyographic activity of the orbicularis oris muscle. <i>Journal of Prosthetic Dentistry</i> , <b>2018</b> , 119, 749-754	4.54	10
214	Does the Presence of a Cantilever Influence the Survival and Success of Partial Implant-Supported Dental Prostheses? Systematic Review and Meta-Analysis. <i>International Journal of Oral and Maxillofacial Implants</i> , <b>2018</b> , 33, 815-823	2.8	13
213	The Effect of Surface Treatment on Shear Bond Strength between Y-TZP and Veneer Ceramic: A Systematic Review and Meta-Analysis. <i>Journal of Prosthodontics</i> , <b>2018</b> , 27, 624-635	3.9	16
212	evaluation of microbial adhesion on the different surface roughness of acrylic resin specific for ocular prosthesis. <i>European Journal of Dentistry</i> , <b>2018</b> , 12, 176-183	2.6	6
211	Bacterial Adhesion on Lithium Disilicate Ceramic Surface Exposed to Different Hydrofluoric Solutions. <i>Ceramics</i> , <b>2018</b> , 1, 145-152	1.7	
210	Stress distribution of different implant connections associated with multiple implant-supported prostheses. <i>Journal of Medical Engineering and Technology</i> , <b>2018</b> , 42, 359-367	1.8	1
209	Clinical outcome of removable prostheses supported by mini dental implants. A systematic review. <i>Acta Odontologica Scandinavica</i> , <b>2018</b> , 76, 628-637	2.2	10
208	Characterisation of a new plasma-enhanced film to improve shear bond strength between zirconia and veneering ceramic. <i>Materials Science and Engineering C</i> , <b>2018</b> , 92, 196-205	8.3	15
207	Effect of different acidic solutions on the optical behavior of lithium disilicate ceramics. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 118, 430-436	4	19
206	Immediate implant placement into fresh extraction sockets versus delayed implants into healed sockets: A systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2017</b> , 46, 1162-1177	2.9	42
205	Evaluation of the papilla level adjacent to implants placed in fresh, healing or healed sites: A systematic review. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2017</b> , 46, 1437-1445	2.9	1
204	Stress Distribution in an Implant-Supported Mandibular Complete Denture Using Different Cantilever Lengths and Occlusal Coating Materials. <i>Implant Dentistry</i> , <b>2017</b> , 26, 106-111	2.4	3
203	Removable Partial Denture After Gunshot Injury: Five Year Follow-Up. <i>Journal of Craniofacial Surgery</i> , <b>2017</b> , 28, e381-e383	1.2	1

202	Biomechanical evaluation of spring system for implant-supported prosthesis: analysis by photoelasticity and extensometry. <i>Journal of Medical Engineering and Technology</i> , <b>2017</b> , 41, 309-313	1.8	1
201	Surface analysis and shear bond strength of zirconia on resin cements after non-thermal plasma treatment and/or primer application for metallic alloys. <i>Materials Science and Engineering C</i> , <b>2017</b> , 72, 284-292	8.3	15
200	Does pain in the masseter and anterior temporal muscles influence maximal bite force?. <i>Archives of Oral Biology</i> , <b>2017</b> , 83, 1-6	2.8	14
199	A photoelastic and strain gauge comparison of two attachments for obturator prostheses. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 117, 685-689	4	3
198	Surface characterization of polymers used in fabrication of interim prostheses after treatment with photopolymerized glaze. <i>Materials Science and Engineering C</i> , <b>2017</b> , 71, 755-763	8.3	3
197	Biocompatibility of primers and an adhesive used for implant-retained maxillofacial prostheses: An in vitro analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2017</b> , 117, 799-805	4	4
196	Relationship Between Implant Stability Measurements Obtained by Two Different Devices: A Systematic Review. <i>Journal of Periodontology</i> , <b>2017</b> , 88, 281-288	4.6	20
195	Stress distribution on short implants with different designs: a photoelastic analysis. <i>Journal of Medical Engineering and Technology</i> , <b>2017</b> , 41, 115-121	1.8	9
194	Electromyography evaluation of masseter and temporalis, bite force, and quality of life in elderly patients during the adaptation of mandibular implant-supported overdentures. <i>Clinical Oral Implants Research</i> , <b>2017</b> , 28, e169-e174	4.8	11
193	Expander Eye Prosthesis Assisting Ocular Rehabilitation in Child with Eye Loss. <i>Journal of Clinical and Diagnostic Research JCDR</i> , <b>2017</b> , 11, ZD06-ZD08	0	1
192	Duchenne muscular dystrophy and the stomatognathic system. <i>Developmental Medicine and Child Neurology</i> , <b>2016</b> , 58, 650	3.3	
191	Toxicity analysis of ocular prosthesis acrylic resin with or without pigment incorporation in human conjunctival cell line. <i>Toxicology in Vitro</i> , <b>2016</b> , 36, 180-185	3.6	5
190	In vitro analysis of different properties of acrylic resins for ocular prosthesis submitted to accelerated aging with or without photopolymerized glaze. <i>Materials Science and Engineering C</i> , <b>2016</b> , 69, 995-1003	8.3	9
189	Are Zirconia Implant Abutments Safe and Predictable in Posterior Regions? A Systematic Review and Meta-Analysis. <i>International Journal of Prosthodontics</i> , <b>2016</b> , 29, 233-44	1.9	20
188	Effect of different methods of polymerizing ocular prosthesis acrylic resin on a human conjunctival cell line. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 116, 818-823	4	8
187	Evaluation of marginal bone loss of dental implants with internal or external connections and its association with other variables: A systematic review. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 116, 501-506	4.5	23
186	Stress distribution in implant-supported prostheses using different connection systems and cantilever lengths: digital photoelasticity. <i>Journal of Medical Engineering and Technology</i> , <b>2016</b> , 40, 35-42	1.8	11
185	Does the habitual mastication side impact jaw muscle activity?. <i>Archives of Oral Biology</i> , <b>2016</b> , 67, 34-8	2.8	3

184	Aging effect of atmospheric air on lithium disilicate ceramic after nonthermal plasma treatment. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 115, 780-7	4	14
183	Antimicrobial activity of conventional and plant-extract disinfectant solutions on microbial biofilms on a maxillofacial polymer surface. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 116, 136-43	4	19
182	Effect of nonthermal plasma treatment on the surface of dental resins immersed in artificial saliva. <i>Journal of Polymer Engineering</i> , <b>2016</b> , 36, 785-793	1.4	
181	Effect of nonthermal plasma treatment on surface chemistry of commercially-pure titanium and shear bond strength to autopolymerizing acrylic resin. <i>Materials Science and Engineering C</i> , <b>2016</b> , 60, 37-44	8.3	9
180	Effects of platelet-rich plasma in association with bone grafts in maxillary sinus augmentation: a systematic review and meta-analysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2016</b> , 45, 517-25	2.9	26
179	Comparison of conventional and plant-extract disinfectant solutions on the hardness and color stability of a maxillofacial elastomer after artificial aging. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 115, 501-4	4	19
178	Effect of nanoscale particles incorporation on microhardness of polymers for oral prosthesis. <i>Contemporary Clinical Dentistry</i> , <b>2016</b> , 7, 307-11	0.6	3
177	Systemic Trans- and Postoperative Evaluations of Patients Undergoing Dental Implant Surgery. <i>Clinics</i> , <b>2016</b> , 71, 156-62	2.3	5
176	Epidemiological Data and Survival Rate of Removable Partial Dentures. <i>Journal of Clinical and Diagnostic Research JCDR</i> , <b>2016</b> , 10, ZC84-7	0	0
175	Are intra-articular injections of hyaluronic acid effective for the treatment of temporomandibular disorders? A systematic review. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2016</b> , 45, 1531-1537	2.9	26
174	Influence of adding nanoparticles on the hardness, tear strength, and permanent deformation of facial silicone subjected to accelerated aging. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 116, 623-629.e1	4	16
173	Irradiated patients and survival rate of dental implants: A systematic review and meta-analysis. <i>Journal of Prosthetic Dentistry</i> , <b>2016</b> , 116, 858-866	4	37
172	Color stability of the artificial iris button in an ocular prosthesis before and after acrylic resin polymerization. <i>Contact Lens and Anterior Eye</i> , <b>2015</b> , 38, 414-8	4.1	4
171	Quality of life and satisfaction of patients wearing implant-supported fixed partial denture: a cross-sectional survey of patients from Araçatuba city, Brazil. <i>Clinical Oral Implants Research</i> , <b>2015</b> , 26, 701-8	4.8	11
170	Prosthetic rehabilitation of a patient after a partial mandibulectomy. <i>Annals of Medicine and Surgery</i> , <b>2015</b> , 4, 200-3	2	5
169	Stress distribution in bone simulation model with pre-angled implants. <i>Journal of Medical Engineering and Technology</i> , <b>2015</b> , 39, 322-7	1.8	3
168	Electrical activity of the orbicularis muscles before and after installation of ocular prostheses. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2015</b> , 44, 127-31	2.9	4
167	Tensile Bond Strength of a Soft Liner to an Acrylic Resin after Primer Application and Thermocycling. <i>Materials Research</i> , <b>2015</b> , 18, 1183-1187	1.5	5

166	Color stability of ceramic brackets immersed in potentially staining solutions. <i>Dental Press Journal of Orthodontics</i> , <b>2015</b> , 20, 32-8	1.3	10
165	The importance of the lifelike esthetic appearance of all-ceramic restorations on anterior teeth. <i>Case Reports in Dentistry</i> , <b>2015</b> , 2015, 704348	0.6	2
164	Evaluation of silent period on masticatory cycles of different muscles in dentate oral contraceptives users and nonusers. <i>European Journal of Dentistry</i> , <b>2015</b> , 9, 171-175	2.6	1
163	Evaluation of Patients'Satisfaction after Class III Orthognathic Surgery. <i>Journal of Clinical and Diagnostic Research JCDR</i> , <b>2015</b> , 9, ZC23-7	0	2
162	Posterior partially edentulous jaws, planning a rehabilitation with dental implants. <i>World Journal of Clinical Cases</i> , <b>2015</b> , 3, 65-76	1.6	8
161	Is the internal connection more efficient than external connection in mechanical, biological, and esthetical point of views? A systematic review. <i>Oral and Maxillofacial Surgery</i> , <b>2015</b> , 19, 229-42	1.6	41
160	Dynamic UCLA for single tilted implant in an aesthetic region. <i>International Journal of Surgery Case Reports</i> , <b>2015</b> , 7C, 149-53	0.8	
159	Acrylic Resin Cytotoxicity for Denture Base--Literature Review. <i>Advances in Clinical and Experimental Medicine</i> , <b>2015</b> , 24, 679-86	1.8	39
158	Surface degradation of lithium disilicate ceramic after immersion in acid and fluoride solutions. <i>American Journal of Dentistry</i> , <b>2015</b> , 28, 174-80	1.3	7
157	Influence of colorant solutions in properties of indirect resin composites. <i>American Journal of Dentistry</i> , <b>2015</b> , 28, 219-23	1.3	3
156	Aging Effect of Atmospheric Air on Zirconia Surfaces Treated by Nonthermal Plasma. <i>Journal of Adhesive Dentistry</i> , <b>2015</b> , 17, 413-9	3	4
155	Longevity of dental implants in type IV bone: a systematic review. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2014</b> , 43, 1108-16	2.9	92
154	Clinical Satisfaction and Quality of Ceramic Fixed Dentures. <i>International Journal of Applied Ceramic Technology</i> , <b>2014</b> , 11, 100-105	2	
153	Surface characterization of lithium disilicate ceramic after nonthermal plasma treatment. <i>Journal of Prosthetic Dentistry</i> , <b>2014</b> , 112, 1156-63	4	22
152	Implants in the zygomatic bone for maxillary prosthetic rehabilitation: a systematic review. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2014</b> , 43, 748-57	2.9	54
151	Use of stress analysis methods to evaluate the biomechanics of oral rehabilitation with implants. <i>Journal of Oral Implantology</i> , <b>2014</b> , 40, 217-28	1.2	44
150	Photoelastic analysis of stress distribution with different implant systems. <i>Journal of Oral Implantology</i> , <b>2014</b> , 40, 117-22	1.2	18
149	Immediate loading of overdentures: systematic review. <i>Oral and Maxillofacial Surgery</i> , <b>2014</b> , 18, 259-64	1.6	8

148	Effect of different solutions on color stability of acrylic resin-based dentures. <i>Brazilian Oral Research</i> , <b>2014</b> , 28,	2.6	12
147	Prosthetic rehabilitation of a patient with gastroesophageal reflux disease: 4-year followup. <i>Case Reports in Dentistry</i> , <b>2014</b> , 2014, 270365	0.6	1
146	Phantom eye syndrome: a review of the literature. <i>Scientific World Journal, The</i> , <b>2014</b> , 2014, 686493	2.2	12
145	Implant rehabilitation in bruxism patient. <i>BMJ Case Reports</i> , <b>2014</b> , 2014,	0.9	2
144	Bonding of facial silicon with nanoparticles to an acrylic resin substrate. <i>International Journal of Adhesion and Adhesives</i> , <b>2014</b> , 54, 206-213	3.4	1
143	Dental implant fractures - aetiology, treatment and case report. <i>Journal of Clinical and Diagnostic Research JCDR</i> , <b>2014</b> , 8, 300-4	0	8
142	Photoelastic stress analysis in prosthetic implants of different diameters: mini, narrow, standard or wide. <i>Journal of Clinical and Diagnostic Research JCDR</i> , <b>2014</b> , 8, ZC86-90	0	8
141	Effect of beverages and mouthwashes on the hardness of polymers used in intraoral prostheses. <i>Journal of Prosthodontics</i> , <b>2014</b> , 23, 559-64	3.9	5
140	Stress analysis in oral obturator prostheses, part II: photoelastic imaging. <i>Journal of Biomedical Optics</i> , <b>2014</b> , 19, 066012	3.5	1
139	Fabrication techniques for ocular prostheses--an overview. <i>Orbit</i> , <b>2014</b> , 33, 229-33	1.5	21
138	Influence of different disinfecting solutions on the color change of artificial irises used in ocular prostheses. <i>Color Research and Application</i> , <b>2014</b> , 39, 56-62	1.3	5
137	Surgical-allogeneic facial reconstruction: facial transplants. <i>Journal of Dentistry of Tehran University of Medical Sciences</i> , <b>2014</b> , 11, 733-9		1
136	Influence of nanoparticles on color stability, microhardness, and flexural strength of acrylic resins specific for ocular prosthesis. <i>International Journal of Nanomedicine</i> , <b>2014</b> , 9, 5779-87	7.3	14
135	Effect of smoking on the survival of dental implants. <i>Biomedical Papers of the Medical Faculty of the University Palacky&amp;#x0301;, Olomouc, Czechoslovakia</i> , <b>2014</b> , 158, 650-3	1.7	16
134	Effect of different disinfectants on the microhardness and roughness of acrylic resins for ocular prosthesis. <i>Gerodontology</i> , <b>2013</b> , 30, 32-9	2.8	14
133	Effect of thermal cycling and disinfection on colour stability of denture base acrylic resin. <i>Gerodontology</i> , <b>2013</b> , 30, 276-82	2.8	15
132	Stress distribution in implant-supported prosthesis with external and internal implant-abutment connections. <i>Acta Odontologica Scandinavica</i> , <b>2013</b> , 71, 283-8	2.2	18
131	Effect of intrinsic nanoparticle pigmentation on the color stability of denture base acrylic resins. <i>Journal of Prosthetic Dentistry</i> , <b>2013</b> , 110, 101-6	4	9



130	Photoelastic analysis of the influence of residual ridge inclination in conjugated class I mandibular prostheses with different attachment systems. <i>Acta Odontologica Scandinavica</i> , <b>2013</b> , 71, 984-8	2.2	2
129	Psychosocial impact on anophthalmic patients wearing ocular prosthesis. <i>International Journal of Oral and Maxillofacial Surgery</i> , <b>2013</b> , 42, 113-9	2.9	28
128	An alternate impression technique for ocular prostheses. <i>Journal of Prosthodontics</i> , <b>2013</b> , 22, 338-40	3.9	7
127	Stress analysis in oral obturator prostheses over parallel and tilted implants: photoelastic imaging. <i>Journal of Biomedical Optics</i> , <b>2013</b> , 18, 106009	3.5	9
126	Controversies in the satisfaction of surgeons and orthodontists on facial aesthetics after orthognathic surgery. <i>Craniofacial Trauma &amp; Reconstruction</i> , <b>2013</b> , 6, 43-8	1.3	2
125	Implant-retained finger prosthesis with modified retention system. <i>Prosthetics and Orthotics International</i> , <b>2013</b> , 37, 324-8	1.5	2
124	Chromatic changes to artificial irises produced using different techniques. <i>Journal of Biomedical Optics</i> , <b>2013</b> , 18, 58002	3.5	4
123	Effect of thermal cycling and disinfection on microhardness of acrylic resin denture base. <i>Journal of Medical Engineering and Technology</i> , <b>2013</b> , 37, 203-7	1.8	12
122	Rehabilitation of maxillary cleft with hybrid obturator prosthesis. <i>Journal of Craniofacial Surgery</i> , <b>2013</b> , 24, e517-21	1.2	2
121	Patients from the Oral Oncology Center, UNESP, Araçatuba with an indication for prosthesis. <i>Molecular and Clinical Oncology</i> , <b>2013</b> , 1, 733-736	1.6	
120	Evaluation of the biocompatibility of silicone gel implants - histomorphometric study. <i>Acta Informatica Medica</i> , <b>2013</b> , 21, 93-7	1.9	12
119	Magnet-retained facial prosthesis combined with maxillary obturator. <i>Case Reports in Dentistry</i> , <b>2013</b> , 2013, 406410	0.6	8
118	Stress analysis in oral obturator prostheses: imaging photoelastic. <i>Journal of Biomedical Optics</i> , <b>2013</b> , 18, 061203	3.5	6
117	Analysis of the peri-implant soft tissues in contact with zirconia abutments: an evidence-based literature review. <i>Journal of Contemporary Dental Practice</i> , <b>2013</b> , 14, 567-72	0.7	17
116	A combination of clinical and microbiological management of generalized aggressive periodontitis in primary teeth. A case report. <i>International Journal of Paediatric Dentistry</i> , <b>2012</b> , 22, 310-6	3.1	2
115	Rehabilitation with ear prosthesis linked to osseointegrated implants. <i>Gerodontology</i> , <b>2012</b> , 29, 150-4	2.8	6
114	Evaluation of satisfaction of patients rehabilitated with zygomatic fixtures. <i>Journal of Oral and Maxillofacial Surgery</i> , <b>2012</b> , 70, 314-9	1.8	36
113	Effect of disinfection and accelerated ageing on dimensional stability and detail reproduction of a facial silicone with nanoparticles. <i>Journal of Medical Engineering and Technology</i> , <b>2012</b> , 36, 217-21	1.8	14

112	Effect of addition of pigments and opacifier on the hardness, absorption, solubility and surface degradation of facial silicone after artificial ageing. <i>Polymer Degradation and Stability</i> , <b>2012</b> , 97, 1249-1253	4.7	15
111	Hyperbaric oxygen therapy treatment for the fixation of implant prosthesis in oncology patients irradiated. <i>Gerodontology</i> , <b>2012</b> , 29, 308-11	2.8	2
110	Esthetics in implant-supported prostheses: a literature review. <i>Journal of Oral Implantology</i> , <b>2012</b> , 38, 718-22	1.2	5
109	The use of fragments of thin veneers as a restorative therapy for anterior teeth disharmony: a case report with 3 years of follow-up. <i>Journal of Contemporary Dental Practice</i> , <b>2012</b> , 13, 416-20	0.7	5
108	Effects of pigment, disinfection, and accelerated aging on the hardness and deterioration of a facial silicone elastomer. <i>Polymer Degradation and Stability</i> , <b>2012</b> , 97, 1577-1580	4.7	11
107	Planning for immediate loading of implant-supported prostheses: literature review. <i>Journal of Oral Implantology</i> , <b>2012</b> , 38 Spec No, 504-8	1.2	1
106	Bond strength between acrylic resin and maxillofacial silicone. <i>Journal of Applied Oral Science</i> , <b>2012</b> , 20, 649-54	3.3	15
105	Quality of life and stimulus perception in patients rehabilitated with complete denture. <i>Journal of Oral Rehabilitation</i> , <b>2012</b> , 39, 438-45	3.4	18
104	Effect of thermocycling on hardness, absorption, solubility and colour change of soft liners. <i>Gerodontology</i> , <b>2012</b> , 29, e215-9	2.8	31
103	Effect of disinfection and storage on the flexural strength of ocular prosthetic acrylic resins. <i>Gerodontology</i> , <b>2012</b> , 29, e838-44	2.8	20
102	Influence of natural weathering on colour stability of materials used for facial prosthesis. <i>Journal of Medical Engineering and Technology</i> , <b>2012</b> , 36, 267-70	1.8	7
101	Photoelastic analysis to compare implant-retained and conventional obturator dentures. <i>Journal of Biomedical Optics</i> , <b>2012</b> , 17, 061203	3.5	9
100	Ameloblastic carcinoma of the maxilla: A case report. <i>Oncology Letters</i> , <b>2012</b> , 4, 1297-1300	2.6	9
99	Flabby ridge correction using an auxiliary technique with connective tissue graft. <i>Journal of Craniofacial Surgery</i> , <b>2012</b> , 23, e112-5	1.2	
98	Use of facial protection to prevent reinjury during sports practice. <i>Journal of Craniofacial Surgery</i> , <b>2012</b> , 23, 1201-2	1.2	3
97	Unusual presentation of oral squamous cell carcinoma in a young woman. <i>Sultan Qaboos University Medical Journal</i> , <b>2012</b> , 12, 228-31	0.9	2
96	Retention and processing methods of nasal prosthesis. <i>Journal of the College of Physicians and Surgeons--Pakistan: JCPSP</i> , <b>2012</b> , 22, 716-9	0.7	1
95	Evaluation of the color stability of two techniques for reproducing artificial irides after microwave polymerization. <i>Journal of Applied Oral Science</i> , <b>2011</b> , 19, 200-3	3.3	

94	Patients' satisfaction after surgical facial reconstruction or after rehabilitation with maxillofacial prosthesis. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 766-9	1.2	4
93	Prototyping for surgical and prosthetic treatment. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 914-7	1.2	51
92	Upper lip prosthesis retained to a palatal obturator. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, e59-62	1.2	1
91	Dental implants in patients with osteoporosis: a clinical reality?. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 1111-3	1.2	42
90	Oral rehabilitation with implantations: association of fixed partial prosthesis, UCLA system, and EsthetiCone. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 155-8	1.2	1
89	Craniofacial implants success in facial rehabilitation. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 241-2	1.2	5
88	Photoelastic stress analysis of different attachment systems on implant-retained and conventional palatal obturator prostheses. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 523-6	1.2	8
87	Photoelastic analysis of implant-retained and conventional obturator prostheses with different attachment systems and soft relining. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 797-800	1.2	10
86	Prosthetic treatments for patients with oronasal communication. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 1445-7	1.2	21
85	Temporomandibular joint vibration before and after exercises and occlusal splints. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, e14-6	1.2	2
84	Influence of implant angulation with different crowns on stress distribution. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 434-7	1.2	15
83	Influence of ridge inclination and implant localization on the association of mandibular Kennedy class I removable partial denture. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 871-5	1.2	8
82	Oral rehabilitation after surgical removal of pleomorphic adenoma. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 1996-9	1.2	3
81	Influence of pigment and opacifier on dimensional stability and detail reproduction of maxillofacial silicone elastomer. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 1612-6	1.2	9
80	Biocompatibility evaluation of 3 facial silicone elastomers. <i>Journal of Craniofacial Surgery</i> , <b>2011</b> , 22, 837-40	1.2	8
79	Influence of pigments and opacifiers on color stability of an artificially aged facial silicone. <i>Journal of Prosthodontics</i> , <b>2011</b> , 20, 205-8	3.9	24
78	Silent period of masticatory cycles in dentate subjects and complete denture wearers. <i>Journal of Prosthodontics</i> , <b>2011</b> , 20, 130-4	3.9	3
77	Effect of disinfection and accelerated aging on color stability of colorless and pigmented facial silicone. <i>Journal of Prosthodontics</i> , <b>2011</b> , 20, 305-9	3.9	16

76	Effect of chemical disinfection and accelerated aging on color stability of maxillofacial silicone with opacifiers. <i>Journal of Prosthodontics</i> , <b>2011</b> , 20, 566-9	3.9	19
75	Colour change of soft denture liners after storage in coffee and coke. <i>Gerodontology</i> , <b>2011</b> , 28, 140-5	2.8	13
74	Insertion and follow-up of complete dentures: a literature review. <i>Gerodontology</i> , <b>2011</b> , 28, 197-204	2.8	9
73	Color stability of sealed composite resin restorative materials after ultraviolet artificial aging and immersion in staining solutions. <i>Journal of Prosthetic Dentistry</i> , <b>2011</b> , 105, 236-41	4	79
72	Alteration of blue pigment in artificial iris in ocular prosthesis: effect of paint, drying method and artificial aging. <i>Contact Lens and Anterior Eye</i> , <b>2011</b> , 34, 22-5	4.1	6
71	Color stability of maxillofacial silicone with nanoparticle pigment and opacifier submitted to disinfection and artificial aging. <i>Journal of Biomedical Optics</i> , <b>2011</b> , 16, 095004	3.5	23
70	Photoelastic analysis of cemented or screwed implant-supported prostheses with different prosthetic connections. <i>Journal of Oral Implantology</i> , <b>2011</b> , 37, 401-10	1.2	20
69	An effective technique to posterior resin composite restorations. <i>Journal of Contemporary Dental Practice</i> , <b>2011</b> , 12, 506-10	0.7	4
68	Removable partial denture in combination with a milled fixed partial prosthesis as interim restorations in long-term treatment. <i>Journal of Prosthodontics</i> , <b>2010</b> , 19, 77-80	3.9	3
67	Analysis of masticatory cycle efficiency in complete denture wearers. <i>Journal of Prosthodontics</i> , <b>2010</b> , 19, 10-3	3.9	22
66	Influence of cusp inclination on stress distribution in implant-supported prostheses. A three-dimensional finite element analysis. <i>Journal of Prosthodontics</i> , <b>2010</b> , 19, 381-6	3.9	23
65	TMJ vibrations in asymptomatic patients using old and new complete dentures. <i>Journal of Prosthodontics</i> , <b>2010</b> , 19, 438-42	3.9	12
64	Implant-retained thumb prosthesis with anti-rotational attachment for a geriatric patient. <i>Gerodontology</i> , <b>2010</b> , 27, 243-7	2.8	5
63	Hardness evaluation of prosthetic silicones containing opacifiers following chemical disinfection and accelerated aging. <i>Brazilian Oral Research</i> , <b>2010</b> , 24, 303-8	2.6	22
62	Effect of accelerated aging on the microhardness and color stability of flexible resins for dentures. <i>Brazilian Oral Research</i> , <b>2010</b> , 24, 114-9	2.6	36
61	Chromatic stability of acrylic resins of artificial eyes submitted to accelerated aging and polishing. <i>Journal of Applied Oral Science</i> , <b>2010</b> , 18, 641-5	3.3	12
60	Influence of opacifiers on dimensional stability and detail reproduction of maxillofacial silicone elastomer. <i>BioMedical Engineering OnLine</i> , <b>2010</b> , 9, 85	4.1	23
59	Prosthesis auricular with osseointegrated implants and quality of life. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 94-6	1.2	22

58	Management of orbital reconstruction. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 1834-6	1.2	11
57	Computer-guided surgery in implantology: review of basic concepts. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 1917-21	1.2	40
56	Passivity in implant-supported prosthesis. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 2026-9	1.2	9
55	Effect of weathering and thickness on the opacity of acrylic resin and ocular button for artificial eyes. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 64-7	1.2	5
54	Color stability of polymers for facial prosthesis. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 54-8	1.2	19
53	Obturator for rehabilitation of cleft palate with implant-supported retention system. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 151-4	1.2	6
52	Evaluation of the Shore A hardness of silicone for facial prosthesis as to the effect of storage period and chemical disinfection. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 323-7	1.2	28
51	Most frequent tumors in maxillofacial area rehabilitated through surgical reconstruction and prostheses. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 396-9	1.2	11
50	Mobility, aesthetic, implants, and satisfaction of the ocular prostheses wearers. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 160-4	1.2	11
49	Postsurgical care for rehabilitation with implant-retained extraoral prostheses. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 565-7	1.2	9
48	Aesthetic approach in single immediate implant-supported restoration. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 792-6	1.2	5
47	Care and cleaning of maxillofacial prostheses. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 1270-3	1.2	21
46	Care required when using bisphosphonates in dental surgical practice. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 1966-70	1.2	2
45	Factors to achieve aesthetics in all-ceramic restorations. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 2007-12 <sub>2</sub>		17
44	Orbital implants insertion to improve ocular prostheses motility. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 870-5	1.2	11
43	Marginal deterioration of the silicone for facial prosthesis with pigments after effect of storage period and chemical disinfection. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 142-5	1.2	13
42	Evaluation of different retention systems on a distal extension removable partial denture associated with an osseointegrated implant. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 727-34	1.2	19
41	Silent period-dentate, edentulous, and patients with craniomandibular dysfunction. <i>Journal of Craniofacial Surgery</i> , <b>2010</b> , 21, 1641-5	1.2	1

40	Effect of weathering and thickness on roughness of acrylic resin and ocular button. <i>Contact Lens and Anterior Eye</i> , <b>2010</b> , 33, 124-7	4.1	14
39	Effect of polymerization and accelerated aging on iris color stability of ocular prosthesis. <i>Contact Lens and Anterior Eye</i> , <b>2010</b> , 33, 215-8	4.1	8
38	Joint sounds in complete denture wearers. Literature review. <i>New York State Dental Journal</i> , <b>2010</b> , 76, 46-9		
37	Evaluation of hardness and surface roughness of two maxillofacial silicones following disinfection. <i>Brazilian Oral Research</i> , <b>2009</b> , 23, 49-53	2.6	42
36	Color stability after accelerated aging of two silicones, pigmented or not, for use in facial prostheses. <i>Brazilian Oral Research</i> , <b>2009</b> , 23, 144-8	2.6	32
35	Evaluation of hardness and colour change of soft liners after accelerated ageing. <i>Primary Dental Care</i> , <b>2009</b> , 16, 127-30		16
34	Effect of polymerization methods and thermal cycling on color stability of acrylic resin denture teeth. <i>Journal of Prosthetic Dentistry</i> , <b>2009</b> , 102, 385-92	4	30
33	Effect of weathering and thickness on the superficial microhardness of acrylic resin and ocular button. <i>Contact Lens and Anterior Eye</i> , <b>2009</b> , 32, 283-7	4.1	18
32	Effect of different repair techniques on the accuracy of repositioning the fractured denture base. <i>Gerodontology</i> , <b>2009</b> , 26, 237-41	2.8	5
31	Influence of investment, disinfection, and storage on the microhardness of ocular resins. <i>Journal of Prosthodontics</i> , <b>2009</b> , 18, 32-5	3.9	36
30	Color stability comparison of silicone facial prostheses following disinfection. <i>Journal of Prosthodontics</i> , <b>2009</b> , 18, 242-4	3.9	26
29	Patient satisfaction with maxillofacial prosthesis. Literature review. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , <b>2009</b> , 62, 175-80	1.7	97
28	Methods used for assessing stresses in buccomaxillary prostheses: photoelasticity, finite element technique, and extensometry. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 561-4	1.2	13
27	Retention systems to implant-supported craniofacial prostheses. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 889-91	1.2	16
26	Incidents malignant neoplasias maxillofacial area. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 1210-3	1.2	1
25	Clinical viability of immediate loading of dental implants: part I--factors for success. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 2139-42	1.2	11
24	Clinical viability for immediate loading of dental implants: part II--treatment alternatives. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 2143-9	1.2	6
23	Surgical and prosthetic rehabilitation of patients with hemimandibular defect. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 2163-7	1.2	15

22	Photoelastic analysis of stress distribution in oral rehabilitation. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 471-4	1.2	11
21	Reconstruction of skull defects: currently available materials. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 1512-8	1.2	46
20	Hyperbaric oxygen: therapy for patients with maxillofacial implants?. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 1519-22	1.2	9
19	Photoelastic analysis of stress distribution in different retention systems for facial prosthesis. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 757-61	1.2	21
18	Solutions for nasal defects. <i>Journal of Craniofacial Surgery</i> , <b>2009</b> , 20, 2238-41	1.2	7
17	Assessment of the flexural strength of two heat-curing acrylic resins for artificial eyes. <i>Brazilian Oral Research</i> , <b>2009</b> , 23, 263-7	2.6	18
16	Color alteration of the paint used for iris painting in ocular prostheses. <i>Brazilian Oral Research</i> , <b>2009</b> , 23, 386-92	2.6	23
15	Visual evaluation of color stability after accelerated aging of pigmented and nonpigmented silicones to be used in facial prostheses. <i>Indian Journal of Dental Research</i> , <b>2009</b> , 20, 77-80	0.8	31
14	Evaluation of hardness and color stability in the soft lining materials after thermocycling and chemical polishing. <i>Acta Odontologica Latinoamericana: AOL</i> , <b>2009</b> , 22, 63-8	0.3	1
13	Effects of thermocycling on mechanical properties of soft lining materials. <i>Acta Odontologica Latinoamericana: AOL</i> , <b>2009</b> , 22, 227-32	0.3	
12	Finger prosthesis: the art of reconstruction. <i>Journal of the College of Physicians and Surgeons--Pakistan: JCPSP</i> , <b>2009</b> , 19, 670-1	0.7	3
11	Electromyographic activity of the mandible muscles at the beginning and end of masticatory cycles in patients with complete dentures. <i>Gerontology</i> , <b>2008</b> , 54, 138-43	5.5	17
10	Influence of storage period and effect of different brands of acrylic resin on the dimensional accuracy of the maxillary denture base. <i>Brazilian Dental Journal</i> , <b>2008</b> , 19, 204-8	1.9	12
9	Temporary flexible immediately removable partial denture: a case report. <i>Dentistry Today</i> , <b>2008</b> , 27, 114, 116		
8	Bite force and masticatory efficiency in implant-retained dentures: literature review. <i>Dentistry Today</i> , <b>2008</b> , 27, 56-8; quiz 59		2
7	Evaluation of dimensional change and detail reproduction in silicones for facial prostheses. <i>Acta Odontologica Latinoamericana: AOL</i> , <b>2008</b> , 21, 85-8	0.3	9
6	Complete denture masticatory efficiency: a literature review. <i>Journal of the California Dental Association</i> , <b>2008</b> , 36, 683-6	4.3	10
5	Effect of occlusion on joint sounds in asymptomatic individuals. <i>Acta Odontologica Latinoamericana: AOL</i> , <b>2008</b> , 21, 135-40	0.3	

4	Positioning Magnets on a Multiple/Sectional Maxillofacial Prosthesis. <i>Journal of Contemporary Dental Practice</i> , <b>2007</b> , 8, 101-107	0.7	41
3	Positioning magnets on a multiple/sectional maxillofacial prosthesis. <i>Journal of Contemporary Dental Practice</i> , <b>2007</b> , 8, 101-7	0.7	11
2	Electromyographic evaluation of masseter and anterior temporalis muscles in resting position and during maximum tooth clenching of edentulous patients before and after new complete dentures. <i>Acta Odontologica Latinoamericana: AOL</i> , <b>2007</b> , 20, 67-72	0.3	3
1	Aesthetic and functional ocular rehabilitation. <i>Oral Oncology</i> , <b>2005</b> , 41, 162-164		20