## Agnieszka Tomza-Marciniak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4217093/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	The Effect of Season and Meteorological Conditions on Parasite Infection in Farm-Maintained Mouflons (Ovis aries Musimon). Journal of Parasitology Research, 2022, 2022, 1-10.	0.5	2
2	Infection of Raccoon Dogs (Nyctereutes procyonoides) from Northern Poland with Gastrointestinal Parasites as a Potential Threat to Human Health. Journal of Clinical Medicine, 2022, 11, 1277.	1.0	5
3	Ratio of selenium concentrations between soil, forage plants and blood serum of beef cattle studied in organic and conventional farms. Archives of Animal Nutrition, 2021, 75, 183-194.	0.9	5
4	The prevalence of intestinal nematodes among red foxes (Vulpes vulpes) in north-western Poland. Acta Veterinaria Scandinavica, 2021, 63, 19.	0.5	5
5	A Comparison of the Prevalence of the Parasites of the Digestive Tract in Goats from Organic and Conventional Farms. Animals, 2021, 11, 2581.	1.0	3
6	Content of essential and non-essential elements in wild animals from western Ukraine and the health risks associated with meat and liver consumption. Chemosphere, 2020, 244, 125506.	4.2	18
7	Toxic Elements and Mineral Content of Different Tissues of Endemic Edible Snails (Helix vladika and H.) Tj ETQq	1 1 0.7843 1.9	314 rgBT /Ove
8	PCB residues in the tissues of sea ducks wintering on the south coast of the Baltic Sea, Poland. Environmental Science and Pollution Research, 2019, 26, 11300-11313.	2.7	11
9	Eggs as a source of selenium in the human diet. Journal of Food Composition and Analysis, 2019, 78, 19-23.	1.9	19
10	Antioxidant Activity and Selenium and Polyphenols Content from Selected Medicinal Plants Natives from Various Areas Abundant in Selenium (Poland, Lithuania, and Western Ukraine). Processes, 2019, 7, 878.	1.3	11
11	Presence of tapeworms (Cestoda) in red fox (Vulpes vulpes) in north-western Poland, with particular emphasis on Echinococcus multilocularis. Journal of Veterinary Research (Poland), 2019, 63, 71-78.	0.3	8
12	Soil contamination with geohelminths in children's play areas in Szczecin, Poland. Annals of Parasitology, 2019, 65, 65-70.	0.1	1
13	Evaluation of the effectiveness of programs combating the invasions of strongyles (Strongylidae) in horses in selected stables of Western Pomerania. Annals of Parasitology, 2019, 65, 125-128.	0.1	Ο
14	Parasites of the digestive tract in cows managed in alternative (organic and biodynamic) as well as conventional farms in West Pomerania. Annals of Parasitology, 2019, 65, 387-396.	0.1	1
15	Concentrations of mercury (Hg) and selenium (Se) in afterbirth and their relations with various factors. Environmental Geochemistry and Health, 2018, 40, 1683-1695.	1.8	16
16	A comparison of selenium concentrations in selected organs of wild boar (Sus scrofa) from industrialized and non-industrialized regions of Poland. Environmental Science and Pollution Research, 2018, 25, 6079-6084.	2.7	0
17	Effect of bisphenol A on reproductive processes: A review of <i>in vitro</i> , <i>in vivo</i> and epidemiological studies. Journal of Applied Toxicology, 2018, 38, 51-80.	1.4	99
18	Biochemical Profile, Liver and Kidney Selenium (Se) Status during Acanthamoebiasis in a Mouse Model. Folia Biologica, 2018, 66, 33-40.	0.1	13

6

#	Article	IF	CITATIONS
19	Effects of biological factors and health condition on mercury and selenium concentrations in the cartilage, meniscus and anterior cruciate ligament. Journal of Trace Elements in Medicine and Biology, 2017, 44, 201-208.	1.5	12
20	Muscle mercury and selenium in fishes and semiaquatic mammals from a selenium-deficient area. Ecotoxicology and Environmental Safety, 2017, 136, 24-30.	2.9	29
21	Selenium bioaccumulation in eutrophic lake – DÄ…bie MaÅ,e Lake, Poland. Water and Environment Journal, 2016, 30, 284-289.	1.0	1
22	The bioaccumulation of lead in the organs of roe deer (Capreolus capreolus L.), red deer (Cervus) Tj ETQq0 0 0 rg 2016, 23, 14373-14382.	;BT /Overlo 2.7	ock 10 Tf 50 14
23	Effect of supplementing selenized yeast to ewes from an organic farm on serum Se concentration in lambs. Journal of Elementology, 2016, , .	0.0	0
24	The Effect of Risk Factors on the Levels of Chemical Elements in the Tibial Plateau of Patients with Osteoarthritis following Knee Surgery. BioMed Research International, 2015, 2015, 1-10.	0.9	17
25	Activity of antioxidant enzymes in the liver of wild boars (Sus scrofa) from aselenium-deficient area depending on sex, age, and season of the year. Turkish Journal of Biology, 2015, 39, 129-138.	2.1	6
26	Activity of Selected Antioxidant Enzymes, Selenium Content and Fatty Acid Composition in the Liver of the Brown Hare (Lepus europaeus L.) in Relation to the Season of the Year. Biological Trace Element Research, 2015, 168, 421-428.	1.9	3
27	Comparison of DDT and its metabolites concentrations in cow milk from agricultural and industrial areas. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2015, 50, 1-7.	0.7	8
28	Selenium content in European smelt (Osmerus eperlanus eperlanus L.) in Pomerania Bay, Gdansk Bay and Curonian Lagoon. Journal of Elementology, 2015, , .	0.0	0
29	Hepatic and nephric mercury and selenium concentrations in common mergansers, <i>mergus merganser</i> , from baltic region, Europe. Environmental Toxicology and Chemistry, 2014, 33, 421-430.	2.2	16
30	Wild boar (Sus scrofa) as a bioindicator of organochlorine compound contamination in terrestrial ecosystems of West Pomerania Province, NW Poland. Environmental Monitoring and Assessment, 2014, 186, 229-238.	1.3	12
31	Interspecies Comparison of Chlorinated Contaminant Concentrations and Profiles in Wild Terrestrial Mammals from Northwest Poland. Archives of Environmental Contamination and Toxicology, 2014, 66, 491-503.	2.1	26
32	Mercury and selenium in the muscle of piscivorous common mergansers (Mergus merganser) from a selenium-deficient European country. Ecotoxicology and Environmental Safety, 2014, 101, 107-115.	2.9	26
33	The effect of chitosan on the concentration of 17β-estradiol and free triiodothyronine in mice exposed to polychlorinated biphenyls (PCBs). Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering, 2014, 49, 376-382.	0.9	0
34	Relationship between serum Se concentration in dogs and incidence of some disease conditions. Open Life Sciences, 2013, 8, 527-533.	0.6	3
35	Concentrations of toxic heavy metals and trace elements in raw milk of Simmental and Holstein-Friesian cows from organic farm. Environmental Monitoring and Assessment, 2013, 185, 8383-8392.	1.3	98
36	Roe and red deer as bioindicators of heavy metals contamination in north-western Poland. Chemistry and Ecology, 2013, 29, 100-110.	0.6	56

#	Article	IF	CITATIONS
37	Selenium status in sea ducks ( <i>Melanitta fusca</i> , <i>Melanitta nigra</i> and <i>Clangula) Tj ETQq1 1 0.784314 1019-1025.</i>	rgBT / 0.3	Overlock 10 Tf 9
38	Lead, Cadmium and Other Metals in Serum of Pet Dogs from an Urban Area of NW Poland. Biological Trace Element Research, 2012, 149, 345-351.	1.9	19
39	Selenium Concentration and Glutathione Peroxidase (GSH-Px) Activity in Serum of Cows at Different Stages of Lactation. Biological Trace Element Research, 2012, 147, 91-96.	1.9	60

Assessment of Selenium Concentration in Selected Organs of Farmed Raccoon Dogs (Nyctereutes) Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50

41	Tissue Distribution of Selenium and Effect of Season and Age on Selenium Content in Roe Deer from Northwestern Poland. Biological Trace Element Research, 2011, 140, 299-307.	1.9	10
42	Heavy Metals and Other Elements in Serum of Cattle from Organic and Conventional Farms. Biological Trace Element Research, 2011, 143, 863-870.	1.9	15
43	Clutathione Peroxidase (CSHPx) Activity in the Liver of Red Deer in Relation to Hepatic Selenium Concentrations, Sex, Body Weight and Season of the Year. Biological Trace Element Research, 2011, 144, 560-569.	1.9	14
44	Relationship Between Selenium and Selected Heavy Metals Concentration in Serum of Cattle from a Non-Polluted Area. Biological Trace Element Research, 2011, 144, 517-524.	1.9	13
45	Polychlorinated biphenyl (PCB) residues in European roe deer ( <i>Capreolus capreolus</i> ) and red deer ( <i>Cervus elaphus</i> ) from north-western Poland. Chemistry and Ecology, 2011, 27, 493-501.	0.6	9
46	Selenium content in selected products of animal origin and estimation of the degree of cover daily Se requirement in Poland. International Journal of Food Science and Technology, 2010, 45, 186-191.	1.3	22
47	Liver and kidney concentrations of selenium in wild boars (Sus scrofa) from northwestern Poland. European Journal of Wildlife Research, 2010, 56, 797-802.	0.7	19
48	The health risk assessment of organochlorine pesticides in smoked fish products available in Szczecin, Poland. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2010, 45, 658-665.	0.7	1
49	Distribution of Endocrine-Disrupting Pesticides in Water and Fish from the Oder River, Poland. Acta Ichthyologica Et Piscatoria, 2010, 40, 1-9.	0.3	21
50	Selenium concentration in liver and kidney of free living animals (roe and red deer) from West Pomerania (Poland). European Journal of Wildlife Research, 2009, 55, 279-283.	0.7	16