

Margaret T Fuller

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4217464/publications.pdf>

Version: 2024-02-01

94
papers

9,913
citations

53939

47
h-index

58552

86
g-index

98
all docs

98
docs citations

98
times ranked

8397
citing authors

#	ARTICLE	IF	CITATIONS
1	Identification of Protein-RNA Interactions in Mouse Testis Tissue Using fRIP. <i>Bio-protocol</i> , 2022, 12, e4286.	0.2	1
2	Fly Cell Atlas: A single-nucleus transcriptomic atlas of the adult fruit fly. <i>Science</i> , 2022, 375, eabk2432.	6.0	295
3	Developmental regulation of cell type-specific transcription by novel promoter-proximal sequence elements. <i>Genes and Development</i> , 2020, 34, 663-677.	2.7	23
4	Drosophila doublefault protein coordinates multiple events during male meiosis by controlling mRNA translation. <i>Development (Cambridge)</i> , 2019, 146, .	1.2	4
5	DREF Genetically Counteracts Mi-2 and Caf1 to Regulate Adult Stem Cell Maintenance. <i>PLoS Genetics</i> , 2019, 15, e1008187.	1.5	7
6	The Dlg Module and Clathrin-Mediated Endocytosis Regulate EGFR Signaling and Cyst Cell-Germline Coordination in the Drosophila Testis. <i>Stem Cell Reports</i> , 2019, 12, 1024-1040.	2.3	15
7	Somatic support cells regulate germ cell survival through the Baz/aPKC/Par6 complex. <i>Development (Cambridge)</i> , 2019, 146, .	1.2	8
8	Developmental phosphoproteomics identifies the kinase CK2 as a driver of Hedgehog signaling and a therapeutic target in medulloblastoma. <i>Science Signaling</i> , 2018, 11, .	1.6	59
9	Blocking promiscuous activation at cryptic promoters directs cell type-specific gene expression. <i>Science</i> , 2017, 356, 717-721.	6.0	30
10	Testis-specific ATP synthase peripheral stalk subunits required for tissue-specific mitochondrial morphogenesis in Drosophila. <i>BMC Cell Biology</i> , 2017, 18, 16.	3.0	32
11	The conserved RNA helicase YTHDC2 regulates the transition from proliferation to differentiation in the germline. <i>ELife</i> , 2017, 6, .	2.8	167
12	Differentiation in Stem Cell Lineages and in Life. <i>Current Topics in Developmental Biology</i> , 2016, 116, 375-390.	1.0	8
13	Exocyst-Dependent Membrane Addition Is Required for Anaphase Cell Elongation and Cytokinesis in Drosophila. <i>PLoS Genetics</i> , 2015, 11, e1005632.	1.5	36
14	Recruitment of Mediator Complex by Cell Type and Stage-Specific Factors Required for Tissue-Specific TAF Dependent Gene Activation in an Adult Stem Cell Lineage. <i>PLoS Genetics</i> , 2015, 11, e1005701.	1.5	22
15	Cell type-specific translational repression of Cyclin B during meiosis in males. <i>Development (Cambridge)</i> , 2015, 142, 3394-3402.	1.2	30
16	Cell type-specific translational repression of Cyclin B during meiosis in males. <i>Journal of Cell Science</i> , 2015, 128, e1.1-e1.1.	1.2	0
17	Stem Cell Niches. , 2014, , 59-79.		0
18	GOLPH3 Is Essential for Contractile Ring Formation and Rab11 Localization to the Cleavage Site during Cytokinesis in Drosophila melanogaster. <i>PLoS Genetics</i> , 2014, 10, e1004305.	1.5	49

#	ARTICLE	IF	CITATIONS
19	Escargot Restricts Niche Cell to Stem Cell Conversion in the Drosophila Testis. Cell Reports, 2014, 7, 722-734.	2.9	51
20	The actin-binding protein profilin is required for germline stem cell maintenance and germ cell enclosure by somatic cyst cells. Development (Cambridge), 2014, 141, 73-82.	1.2	42
21	The transcriptional regulator lola is required for stem cell maintenance and germ cell differentiation in the Drosophila testis. Developmental Biology, 2013, 373, 310-321.	0.9	23
22	The polyubiquitin gene <i>Ubi-p63E</i> is essential for male meiotic cell cycle progression and germ cell differentiation in <i>Drosophila</i> . Development (Cambridge), 2013, 140, 3522-3531.	1.2	29
23	Smurf-mediated differential proteolysis generates dynamic BMP signaling in germline stem cells during Drosophila testis development. Developmental Biology, 2013, 383, 106-120.	0.9	22
24	Stem Cell Niches. , 2013, , 51-65.		1
25	Three levels of regulation lead to protamine and Mst77F expression in Drosophila. Developmental Biology, 2013, 377, 33-45.	0.9	30
26	The Histone Variant His2Av is Required for Adult Stem Cell Maintenance in the Drosophila Testis. PLoS Genetics, 2013, 9, e1003903.	1.5	18
27	The polyubiquitin gene <i>Ubi-p63E</i> is essential for male meiotic cell cycle progression and germ cell differentiation in <i>Drosophila</i> . Journal of Cell Science, 2013, 126, e1-e1.	1.2	0
28	The receptor tyrosine phosphatase Lar regulates adhesion between Drosophila male germline stem cells and the niche. Development (Cambridge), 2012, 139, 1381-1390.	1.2	25
29	Mutations in <i>Cog7</i> affect Golgi structure, meiotic cytokinesis and sperm development during <i>Drosophila</i> spermatogenesis. Journal of Cell Science, 2012, 125, 5441-52.	1.2	33
30	Somatic cell lineage is required for differentiation and not maintenance of germline stem cells in <i>Drosophila</i> testes. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 18477-18481.	3.3	67
31	What <i>Drosophila</i> spermatocytes tell us about the mechanisms underlying cytokinesis. Cytoskeleton, 2012, 69, 869-881.	1.0	26
32	A Self-Limiting Switch Based on Translational Control Regulates the Transition from Proliferation to Differentiation in an Adult Stem Cell Lineage. Cell Stem Cell, 2012, 11, 689-700.	5.2	61
33	A Novel Human Polycomb Binding Site Acts As a Functional Polycomb Response Element in Drosophila. PLoS ONE, 2012, 7, e36365.	1.1	24
34	Polycomb Group Genes Psc and Su(z)2 Maintain Somatic Stem Cell Identity and Activity in Drosophila. PLoS ONE, 2012, 7, e52892.	1.1	16
35	Germline Stem Cells. Cold Spring Harbor Perspectives in Biology, 2011, 3, a002642-a002642.	2.3	240
36	Role of Survivin in cytokinesis revealed by a separation-of-function allele. Molecular Biology of the Cell, 2011, 22, 3779-3790.	0.9	27

#	ARTICLE	IF	CITATIONS
37	Sequential changes at differentiation gene promoters as they become active in a stem cell lineage. <i>Development (Cambridge)</i> , 2011, 138, 2441-2450.	1.2	49
38	E-Cadherin Is Required for Centrosome and Spindle Orientation in <i>Drosophila</i> Male Germline Stem Cells. <i>PLoS ONE</i> , 2010, 5, e12473.	1.1	122
39	Phosphatidylinositol 4,5-bisphosphate Directs Spermatid Cell Polarity and Exocyst Localization in <i>Drosophila</i> . <i>Molecular Biology of the Cell</i> , 2010, 21, 1546-1555.	0.9	41
40	The <i>Drosophila</i> SUN protein Spag4 cooperates with the coiled-coil protein Yuri Gagarin to maintain association of the basal body and spermatid nucleus. <i>Journal of Cell Science</i> , 2010, 123, 2763-2772.	1.2	49
41	Stem Cell Niches. , 2009, , 61-72.		0
42	Accumulation of a differentiation regulator specifies transit amplifying division number in an adult stem cell lineage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 22311-22316.	3.3	101
43	Molecular Evolution of the Testis TAFs of <i>Drosophila</i> . <i>Molecular Biology and Evolution</i> , 2009, 26, 1103-1116.	3.5	15
44	TRAPP II is required for cleavage furrow ingression and localization of Rab11 in dividing male meiotic cells of <i>Drosophila</i> . <i>Journal of Cell Science</i> , 2009, 122, 4526-4534.	1.2	66
45	Centrosome misorientation reduces stem cell division during ageing. <i>Nature</i> , 2008, 456, 599-604.	13.7	315
46	A Role for Very-Long-Chain Fatty Acids in Furrow Ingression during Cytokinesis in <i>Drosophila</i> Spermatocytes. <i>Current Biology</i> , 2008, 18, 1426-1431.	1.8	82
47	Asymmetric centrosome behavior and the mechanisms of stem cell division. <i>Journal of Cell Biology</i> , 2008, 180, 261-266.	2.3	119
48	Moesin and its activating kinase Slik are required for cortical stability and microtubule organization in mitotic cells. <i>Journal of Cell Biology</i> , 2008, 180, 739-746.	2.3	204
49	The <i>Drosophila</i> homolog of the Exo84 exocyst subunit promotes apical epithelial identity. <i>Journal of Cell Science</i> , 2007, 120, 3099-3110.	1.2	109
50	Translational control of meiotic cell cycle progression and spermatid differentiation in male germ cells by a novel eIF4G homolog. <i>Development (Cambridge)</i> , 2007, 134, 2863-2869.	1.2	62
51	Asymmetric Inheritance of Mother Versus Daughter Centrosome in Stem Cell Division. <i>Science</i> , 2007, 315, 518-521.	6.0	498
52	Male and Female <i>Drosophila</i> Germline Stem Cells: Two Versions of Immortality. <i>Science</i> , 2007, 316, 402-404.	6.0	420
53	Antagonistic Roles of Rac and Rho in Organizing the Germ Cell Microenvironment. <i>Current Biology</i> , 2007, 17, 1253-1258.	1.8	118
54	The Class I PTP Giotto Is Required for <i>Drosophila</i> Cytokinesis. <i>Current Biology</i> , 2006, 16, 195-201.	1.8	97

#	ARTICLE	IF	CITATIONS
55	Phosphorylation of histone H4 Ser1 regulates sporulation in yeast and is conserved in fly and mouse spermatogenesis. <i>Genes and Development</i> , 2006, 20, 2580-2592.	2.7	94
56	Asymmetric Stem Cell Division and Function of the Niche in the <i>Drosophila</i> Male Germ Line. <i>International Journal of Hematology</i> , 2005, 82, 377-380.	0.7	42
57	Tissue-Specific TAFs Counteract Polycomb to Turn on Terminal Differentiation. <i>Science</i> , 2005, 310, 869-872.	6.0	152
58	Signaling in stem cell niches: lessons from the <i>Drosophila</i> germline. <i>Journal of Cell Science</i> , 2005, 118, 665-672.	1.2	191
59	Belle is a <i>Drosophila</i> DEAD-box protein required for viability and in the germ line. <i>Developmental Biology</i> , 2005, 277, 92-101.	0.9	108
60	Genetic Dissection of Meiotic Cytokinesis in <i>Drosophila</i> Males. <i>Molecular Biology of the Cell</i> , 2004, 15, 2509-2522.	0.9	90
61	Regulation of transcription of meiotic cell cycle and terminal differentiation genes by the testis-specific Zn-finger protein matopetli. <i>Development (Cambridge)</i> , 2004, 131, 1691-1702.	1.2	54
62	A Misexpression Screen Reveals Effects of bag-of-marbles and TGF β Class Signaling on the <i>Drosophila</i> Male Germ-Line Stem Cell Lineage. <i>Genetics</i> , 2004, 167, 707-723.	1.2	164
63	Testis-specific TAF homologs collaborate to control a tissue-specific transcription program. <i>Development (Cambridge)</i> , 2004, 131, 5297-5308.	1.2	177
64	Germ-line specific variants of components of the mitochondrial outer membrane import machinery in <i>Drosophila</i> . <i>FEBS Letters</i> , 2004, 572, 141-146.	1.3	18
65	Stem Cell Niches. , 2004, , 59-72.		1
66	Regulation of Stem Cell Self-renewal Versus Differentiation by a Support Cell Niche: Lessons from the <i>Drosophila</i> Male Germ Line. , 2004, , 171-178.		0
67	Orientation of Asymmetric Stem Cell Division by the APC Tumor Suppressor and Centrosome. <i>Science</i> , 2003, 301, 1547-1550.	6.0	684
68	Germ line stem cell differentiation in <i>Drosophila</i> requires gap junctions and proceeds via an intermediate state. <i>Development (Cambridge)</i> , 2003, 130, 6625-6634.	1.2	95
69	Mitofusin-1 protein is a generally expressed mediator of mitochondrial fusion in mammalian cells. <i>Journal of Cell Science</i> , 2003, 116, 2763-2774.	1.2	369
70	The <i>Drosophila</i> Cog5 Homologue Is Required for Cytokinesis, Cell Elongation, and Assembly of Specialized Golgi Architecture during Spermatogenesis. <i>Molecular Biology of the Cell</i> , 2003, 14, 190-200.	0.9	107
71	Differential expression of the <i>Drosophila</i> mitofusin genes fuzzy onions (fzo) and dmfn. <i>Mechanisms of Development</i> , 2002, 116, 213-216.	1.7	74
72	A germline-specific gap junction protein required for survival of differentiating early germ cells. <i>Development (Cambridge)</i> , 2002, 129, 2529-2539.	1.2	172

#	ARTICLE	IF	CITATIONS
73	Signaling from germ cells mediated by the <i>rhomboid</i> homolog <i>stet</i> organizes encapsulation by somatic support cells. <i>Development</i> (Cambridge), 2002, 129, 4523-4534.	1.2	168
74	Signaling from germ cells mediated by the <i>rhomboid</i> homolog <i>stet</i> organizes encapsulation by somatic support cells. <i>Development</i> (Cambridge), 2002, 129, 4523-34.	1.2	100
75	Genetic analysis of <i>dPsa</i> , the <i>Drosophila</i> orthologue of puromycin-sensitive aminopeptidase, suggests redundancy of aminopeptidases. <i>Development Genes and Evolution</i> , 2001, 211, 581-588.	0.4	29
76	Developmental regulation of transcription by a tissue-specific TAF homolog. <i>Genes and Development</i> , 2001, 15, 1021-1030.	2.7	187
77	Stem Cell Self-Renewal Specified by JAK-STAT Activation in Response to a Support Cell Cue. <i>Science</i> , 2001, 294, 2542-2545.	6.0	651
78	Somatic support cells restrict germline stem cell self-renewal and promote differentiation. <i>Nature</i> , 2000, 407, 750-754.	13.7	353
79	Regulation of Meiosis and Spermatid Differentiation in <i>Drosophila</i> Primary Spermatocytes. , 2000, , 120-132.		1
80	Molecular Characterization of Mutant Alleles of the DNA Repair/Basal Transcription Factor <i>haywire/ERCC3</i> in <i>Drosophila</i> . <i>Genetics</i> , 1999, 152, 291-297.	1.2	16
81	Developmental Genetics of the Essential <i>Drosophila</i> Nucleoporin <i>nup154</i> : Allelic Differences Due to an Outward-Directed Promoter in the P-Element Δ End. <i>Genetics</i> , 1999, 153, 799-812.	1.2	22
82	The <i>DUG</i> gene of <i>Drosophila melanogaster</i> encodes a structural and functional homolog of the <i>S. cerevisiae</i> <i>SUG1</i> predicted ATPase associated with the 26S proteasome. <i>Gene</i> , 1998, 206, 165-174.	1.0	6
83	Genetic control of cell proliferation and differentiation in <i>Drosophila</i> spermatogenesis. <i>Seminars in Cell and Developmental Biology</i> , 1998, 9, 433-444.	2.3	190
84	Mitochondrial Fusion in Yeast Requires the Transmembrane GTPase <i>Fzo1p</i> . <i>Journal of Cell Biology</i> , 1998, 143, 359-373.	2.3	487
85	A Chromatin-associated Kinesin-related Protein Required for Normal Mitotic Chromosome Segregation in <i>Drosophila</i> . <i>Journal of Cell Biology</i> , 1997, 139, 1361-1371.	2.3	56
86	Developmentally Regulated Mitochondrial Fusion Mediated by a Conserved, Novel, Predicted GTPase. <i>Cell</i> , 1997, 90, 121-129.	13.5	543
87	Riding the polar winds: Chromosomes motor down East. <i>Cell</i> , 1995, 81, 5-8.	13.5	45
88	A <i>Drosophila</i> model for xeroderma pigmentosum and Cockayne's syndrome: <i>haywire</i> encodes the fly homolog of <i>ERCC3</i> , a human excision repair gene. <i>Cell</i> , 1992, 71, 925-937.	13.5	143
89	Force and counterforce in the mitotic spindle. <i>Cell</i> , 1992, 71, 547-550.	13.5	32
90	Interacting genes identify interacting proteins involved in microtubule function in <i>Drosophila</i> . <i>Cytoskeleton</i> , 1989, 14, 128-135.	4.4	47

#	ARTICLE	IF	CITATIONS
91	Assembly in vitro of bacteriophage P22 procapsids from purified coat and scaffolding subunits. <i>Journal of Molecular Biology</i> , 1982, 156, 633-665.	2.0	65
92	Structural studies of P22 phage, precursor particles, and proteins by laser Raman spectroscopy. <i>Biochemistry</i> , 1982, 21, 3866-3878.	1.2	42
93	Regulation of tubulin gene expression during embryogenesis in <i>Drosophila melanogaster</i> . <i>Cell</i> , 1982, 28, 33-40.	13.5	85
94	Purification of the coat and scaffolding proteins from procapsids of bacteriophage P22. <i>Virology</i> , 1981, 112, 529-547.	1.1	65