

Alessandro Senes

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4218785/alessandro-senes-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30
papers

2,097
citations

18
h-index

33
g-index

33
ext. papers

2,314
ext. citations

8.1
avg, IF

4.6
L-index

#	Paper	IF	Citations
30	Statistical analysis of amino acid patterns in transmembrane helices: the GxxxG motif occurs frequently and in association with beta-branched residues at neighboring positions. <i>Journal of Molecular Biology</i> , 2000 , 296, 921-36	6.5	529
29	Folding of helical membrane proteins: the role of polar, GxxxG-like and proline motifs. <i>Current Opinion in Structural Biology</i> , 2004 , 14, 465-79	8.1	368
28	Membrane protein folding: beyond the two stage model. <i>FEBS Letters</i> , 2003 , 555, 122-5	3.8	244
27	E(z), a depth-dependent potential for assessing the energies of insertion of amino acid side-chains into membranes: derivation and applications to determining the orientation of transmembrane and interfacial helices. <i>Journal of Molecular Biology</i> , 2007 , 366, 436-48	6.5	130
26	Inside-out Ca(2+) signalling prompted by STIM1 conformational switch. <i>Nature Communications</i> , 2015 , 6, 7826	17.4	119
25	De novo design and molecular assembly of a transmembrane diporphyrin-binding protein complex. <i>Journal of the American Chemical Society</i> , 2010 , 132, 15516-8	16.4	99
24	A frequent, GxxxG-mediated, transmembrane association motif is optimized for the formation of interhelical CEH hydrogen bonds. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E888-95	11.5	73
23	The oligomeric states of the purified sigma-1 receptor are stabilized by ligands. <i>Journal of Biological Chemistry</i> , 2014 , 289, 20333-44	5.4	72
22	BH3-in-groove dimerization initiates and helix 9 dimerization expands Bax pore assembly in membranes. <i>EMBO Journal</i> , 2016 , 35, 208-36	13	69
21	Consensus motif for integrin transmembrane helix association. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 703-8	11.5	65
20	Using alpha-helical coiled-coils to design nanostructured metalloporphyrin arrays. <i>Journal of the American Chemical Society</i> , 2008 , 130, 11921-7	16.4	52
19	The Cytokinin Oxidase/Dehydrogenase CKX1 Is a Membrane-Bound Protein Requiring Homooligomerization in the Endoplasmic Reticulum for Its Cellular Activity. <i>Plant Physiology</i> , 2018 , 176, 2024-2039	6.6	29
18	Ptc7p Dephosphorylates Select Mitochondrial Proteins to Enhance Metabolic Function. <i>Cell Reports</i> , 2017 , 18, 307-313	10.6	28
17	Computational design of membrane proteins. <i>Current Opinion in Structural Biology</i> , 2011 , 21, 460-6	8.1	26
16	Combination of CEH Hydrogen Bonds and van der Waals Packing Modulates the Stability of GxxxG-Mediated Dimers in Membranes. <i>Journal of the American Chemical Society</i> , 2017 , 139, 15774-15785	16.4	24
15	Structural organization of FtsB, a transmembrane protein of the bacterial divisome. <i>Biochemistry</i> , 2013 , 52, 2574-85	3.2	23
14	Structural informatics, modeling, and design with an open-source Molecular Software Library (MSL). <i>Journal of Computational Chemistry</i> , 2012 , 33, 1645-61	3.5	22

13	Toward high-resolution computational design of the structure and function of helical membrane proteins. <i>Nature Structural and Molecular Biology</i> , 2016 , 23, 475-80	17.6	21
12	A Gly-zipper motif mediates homodimerization of the transmembrane domain of the mitochondrial kinase ADCK3. <i>Journal of the American Chemical Society</i> , 2014 , 136, 14068-77	16.4	16
11	An energy-based conformer library for side chain optimization: improved prediction and adjustable sampling. <i>Proteins: Structure, Function and Bioinformatics</i> , 2012 , 80, 2218-34	4.2	14
10	The transmembrane domains of the bacterial cell division proteins FtsB and FtsL form a stable high-order oligomer. <i>Biochemistry</i> , 2013 , 52, 7542-50	3.2	13
9	Oligomerization state of photosynthetic core complexes is correlated with the dimerization affinity of a transmembrane helix. <i>Journal of the American Chemical Society</i> , 2011 , 133, 14071-81	16.4	13
8	The FtsLB subcomplex of the bacterial divisome is a tetramer with an uninterrupted FtsL helix linking the transmembrane and periplasmic regions. <i>Journal of Biological Chemistry</i> , 2018 , 293, 1623-1641	5.4	11
7	Backbone dependency further improves side chain prediction efficiency in the Energy-based Conformer Library (bEBL). <i>Proteins: Structure, Function and Bioinformatics</i> , 2014 , 82, 3177-87	4.2	11
6	Fluorophores, environments, and quantification techniques in the analysis of transmembrane helix interaction using FRET. <i>Biopolymers</i> , 2015 , 104, 247-64	2.2	9
5	Measurement of transmembrane peptide interactions in liposomes using Förster resonance energy transfer (FRET). <i>Methods in Molecular Biology</i> , 2013 , 1063, 19-36	1.4	6
4	Screening for transmembrane association in divisome proteins using TOXGREEN, a high-throughput variant of the TOXCAT assay. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 2573-2583	3.8	6
3	Analysis of spliceosome dynamics by maximum likelihood fitting of dwell time distributions. <i>Methods</i> , 2019 , 153, 13-21	4.6	5
2	The coiled-coil domain of E. coli FtsLB is a structurally detuned element critical for modulating its activation in bacterial cell division. <i>Journal of Biological Chemistry</i> , 2021 , 101460	5.4	0
1	An energetics database to model protein-protein interactions. <i>FASEB Journal</i> , 2019 , 33, 642.7	0.9	