

Saul B Freedman

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4219795/saul-b-freedman-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

254 papers	11,671 citations	56 h-index	102 g-index
285 ext. papers	13,801 ext. citations	7.3 avg, IF	6.38 L-index

#	Paper	IF	Citations
254	Atrial Fibrillation and Dementia: A Report From the AF-SCREEN International Collaboration.. <i>Circulation</i> , 2022 , 145, 392-409	16.7	4
253	2021 Asia Pacific Heart Rhythm Society (APHRS) practice guidance on atrial fibrillation screening.. <i>Journal of Arrhythmia</i> , 2022 , 38, 31-49	1.5	0
252	Cost-Effectiveness of Monitoring Patients Post-Stroke With Mobile ECG During the Hospital Stay.. <i>Journal of the American Heart Association</i> , 2022 , e022735	6	1
251	Alcohol consumption in relation to the incidence of atrial fibrillation in an elderly Chinese population.. <i>Journal of Geriatric Cardiology</i> , 2022 , 19, 52-60	1.7	
250	Incidence of New Onset Atrial Fibrillation After Cardiovascular Surgery in Vietnam: Results From A Novel Screening Strategy.. <i>Journal of Atrial Fibrillation</i> , 2021 , 14, 20200503	0.8	
249	Response to letter to the editor regarding: "Atrial fibrillation prevalence and risk profile from novel community-based screening in Thailand: A prospective multi-centre study". <i>IJC Heart and Vasculture</i> , 2021 , 33, 100752	2.4	
248	Screening for Atrial Fibrillation in American Indian Adults in a Tribal Primary Care Clinic. <i>Journal of the American Heart Association</i> , 2021 , 10, e020069	6	3
247	Subclinical Atrial Fibrillation and the Risk of Recurrent Ischemic Stroke. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 697-699	7	3
246	Risk of Ischemic Stroke in Asymptomatic Atrial Fibrillation Incidentally Detected in Primary Care Compared with Other Clinical Presentations. <i>Thrombosis and Haemostasis</i> , 2021 ,	7	7
245	Periodontitis induces endothelial dysfunction in mice. <i>Scientific Reports</i> , 2021 , 11, 14993	4.9	2
244	Clinical Outcomes in Asymptomatic and Symptomatic Atrial Fibrillation Presentations in GARFIELD-AF: Implications for AF Screening. <i>American Journal of Medicine</i> , 2021 , 134, 893-901.e11	2.4	5
243	Quarterly versus annual ECG screening for atrial fibrillation in older Chinese individuals (AF-CATCH): a prospective, randomised controlled trial. <i>The Lancet Healthy Longevity</i> , 2021 ,	9.5	2
242	Screen-detected atrial fibrillation predicts mortality in elderly subjects. <i>Europace</i> , 2021 , 23, 29-38	3.9	11
241	Atrial Fibrillation in Indigenous Australians: A Multisite Screening Study Using a Single-Lead ECG Device in Aboriginal Primary Health Settings. <i>Heart Lung and Circulation</i> , 2021 , 30, 267-274	1.8	5
240	Cognitive impairment in patients with atrial fibrillation: Implications for outcome in a cohort study. <i>International Journal of Cardiology</i> , 2021 , 323, 83-89	3.2	3
239	World Heart Federation Roadmap on Atrial Fibrillation - A 2020 Update. <i>Global Heart</i> , 2021 , 16, 41	2.9	7
238	Atrial fibrillation self screening, management and guideline recommended therapy (AF SELF SMART): A protocol for atrial fibrillation self-screening in general practice. <i>IJC Heart and Vasculture</i> , 2021 , 32, 100683	2.4	0

237	Atrial fibrillation prevalence and risk profile from novel community-based screening in Thailand: A prospective multi-centre study. <i>IJC Heart and Vasculature</i> , 2021 , 32, 100709	2.4	5
236	Next frontier in management of atrial fibrillation. <i>Heart</i> , 2021 , 107, 767-768	5.1	
235	Clinical Factors Associated with Atrial Fibrillation Detection on Single-Time Point Screening Using a Hand-Held Single-Lead ECG Device. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	11
234	Atrial Fibrillation Detected by Single Time-Point Handheld Electrocardiogram Screening and the Risk of Ischemic Stroke. <i>Thrombosis and Haemostasis</i> , 2021 ,	7	5
233	Population screening for atrial fibrillation to prevent stroke. <i>Lancet, The</i> , 2021 , 398, 1463-1465	40	1
232	High-intensity atrial fibrillation screening to prevent stroke. <i>Lancet, The</i> , 2021 , 398, 1465-1467	40	4
231	Refined atrial fibrillation screening and cost-effectiveness in the German population. <i>Heart</i> , 2021 ,	5.1	1
230	Research Priorities in Atrial Fibrillation Screening: A Report From a National Heart, Lung, and Blood Institute Virtual Workshop. <i>Circulation</i> , 2021 , 143, 372-388	16.7	22
229	High-Density Lipoprotein (HDL) Inhibits Serum Amyloid A (SAA)-Induced Vascular and Renal Dysfunctions in Apolipoprotein E-Deficient Mice. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	8
228	Ischemic Stroke and Transient Ischemic Attack Risk Following Vitamin K Antagonist Cessation in Newly Diagnosed Atrial Fibrillation: A Cohort Study. <i>Journal of the American Heart Association</i> , 2020 , 9, e014376	6	9
227	Association between beta-blocker use and obesity in Hong Kong Chinese elders: a post-hoc analysis. <i>Hong Kong Medical Journal</i> , 2020 , 26, 27-34	0.7	
226	Nurse Led Smartphone Electrographic Monitoring for Atrial Fibrillation after Ischemic Stroke: SPOT-AF. <i>Journal of Stroke</i> , 2020 , 22, 387-395	5.6	6
225	Awareness campaigns of atrial fibrillation as an opportunity for early detection by pharmacists: an international cross-sectional study. <i>Journal of Thrombosis and Thrombolysis</i> , 2020 , 49, 606-617	5.1	12
224	High-Throughput, Contact-Free Detection of Atrial Fibrillation From Video With Deep Learning. <i>JAMA Cardiology</i> , 2020 , 5, 105-107	16.2	38
223	Consumer-led screening for atrial fibrillation using consumer-facing wearables, devices and apps: A survey of health care professionals by AF-SCREEN international collaboration. <i>European Journal of Internal Medicine</i> , 2020 , 82, 97-104	3.9	17
222	Self-monitoring for recurrence of secondary atrial fibrillation following non-cardiac surgery or acute illness: A pilot study. <i>IJC Heart and Vasculature</i> , 2020 , 29, 100566	2.4	
221	Screening for atrial fibrillation: predicted sensitivity of short, intermittent electrocardiogram recordings in an asymptomatic at-risk population. <i>Europace</i> , 2020 , 22, 1781-1787	3.9	13
220	An AI-ECG algorithm for atrial fibrillation risk: steps towards clinical implementation. <i>Lancet, The</i> , 2020 , 396, 236	40	2

219	Detection rate and treatment gap for atrial fibrillation identified through screening in community health centers in China (AF-CATCH): A prospective multicenter study. <i>PLoS Medicine</i> , 2020 , 17, e1003146	11.6	11
218	Atrial fibrillation: villain or bystander in vascular brain injury. <i>European Heart Journal Supplements</i> , 2020 , 22, M51-M59	1.5	8
217	An AI-ECG algorithm for atrial fibrillation risk: steps towards clinical implementation. <i>Lancet, The</i> , 2020 , 396, 235-236	40	0
216	Atrial Fibrillation Screen, Management, and Guideline-Recommended Therapy in the Rural Primary Care Setting: A Cross-Sectional Study and Cost-Effectiveness Analysis of eHealth Tools to Support All Stages of Screening. <i>Journal of the American Heart Association</i> , 2020 , 9, e017080	6	8
215	Artificial intelligence in health care: preparing for the fifth Industrial Revolution. <i>Medical Journal of Australia</i> , 2020 , 213, 253-255.e1	4	7
214	Incremental yield of ECG screening repeated annually over 4 years in an adult Japanese population without prior atrial fibrillation: a retrospective cohort study. <i>BMJ Open</i> , 2020 , 10, e035650	3	4
213	Implementing screening interventions in community pharmacy to promote interprofessional coordination of primary care - A mixed methods evaluation. <i>Research in Social and Administrative Pharmacy</i> , 2020 , 16, 160-167	2.9	9
212	Detection rate and treatment gap for atrial fibrillation identified through screening in community health centers in China (AF-CATCH): A prospective multicenter study 2020 , 17, e1003146		
211	Detection rate and treatment gap for atrial fibrillation identified through screening in community health centers in China (AF-CATCH): A prospective multicenter study 2020 , 17, e1003146		
210	Detection rate and treatment gap for atrial fibrillation identified through screening in community health centers in China (AF-CATCH): A prospective multicenter study 2020 , 17, e1003146		
209	Detection rate and treatment gap for atrial fibrillation identified through screening in community health centers in China (AF-CATCH): A prospective multicenter study 2020 , 17, e1003146		
208	Detection rate and treatment gap for atrial fibrillation identified through screening in community health centers in China (AF-CATCH): A prospective multicenter study 2020 , 17, e1003146		
207	Estimated stroke risk, yield, and number needed to screen for atrial fibrillation detected through single time screening: a multicountry patient-level meta-analysis of 141,220 screened individuals. <i>PLoS Medicine</i> , 2019 , 16, e1002903	11.6	56
206	Telehealth interventions for the secondary prevention of coronary heart disease: A systematic review and meta-analysis. <i>European Journal of Cardiovascular Nursing</i> , 2019 , 18, 260-271	3.3	71
205	Feasibility and acceptability of opportunistic screening to detect atrial fibrillation in Aboriginal adults. <i>Australian and New Zealand Journal of Public Health</i> , 2019 , 43, 313-318	2.3	3
204	Cross-sectional Association Between Blood Pressure Status and Atrial Fibrillation in an Elderly Chinese Population. <i>American Journal of Hypertension</i> , 2019 , 32, 777-785	2.3	8
203	Stroke Risk Stratification: CHADS-VA or CHADS-VASc?. <i>Heart Lung and Circulation</i> , 2019 , 28, e103	1.8	2
202	ECG-based cardiac screening programs: Legal, ethical, and logistical considerations. <i>Heart Rhythm</i> , 2019 , 16, 1584-1591	6.7	14

201	Serum Amyloid A Stimulates Vascular and Renal Dysfunction in Apolipoprotein E-Deficient Mice Fed a Normal Chow Diet. <i>Frontiers in Immunology</i> , 2019 , 10, 380	8.4	7
200	Oral anticoagulation for subclinical atrial tachyarrhythmias detected by implantable cardiac devices: an international survey of the AF-SCREEN Group. <i>International Journal of Cardiology</i> , 2019 , 296, 65-70	3.2	9
199	Reducing Stroke Risk in Atrial Fibrillation: Adherence to Guidelines Has Improved, but Patient Persistence with Anticoagulant Therapy Remains Suboptimal. <i>Korean Circulation Journal</i> , 2019 , 49, 883-907	3.2	18
198	Benefits and Harms of Oral Anticoagulant Therapy in Chronic Kidney Disease: A Systematic Review and Meta-analysis. <i>Annals of Internal Medicine</i> , 2019 , 171, 181-189	8	44
197	Implantable cardiac monitors compared with conventional methods for the detection of atrial high-rate episodes in individuals with embolic stroke of undetermined source. <i>The Cochrane Library</i> , 2019 ,	5.2	78
196	Searching for Atrial Fibrillation Poststroke: A White Paper of the AF-SCREEN International Collaboration. <i>Circulation</i> , 2019 , 140, 1834-1850	16.7	93
195	Uptake of a primary care atrial fibrillation screening program (AF-SMART): a realist evaluation of implementation in metropolitan and rural general practice. <i>BMC Family Practice</i> , 2019 , 20, 170	2.6	10
194	Opportunistic Electrocardiogram Screening for Atrial Fibrillation to Prevent Stroke. <i>JAMA Cardiology</i> , 2019 , 4, 91-92	16.2	13
193	eHealth Tools to Provide Structured Assistance for Atrial Fibrillation Screening, Management, and Guideline-Recommended Therapy in Metropolitan General Practice: The AF - SMART Study. <i>Journal of the American Heart Association</i> , 2019 , 8, e010959	6	29
192	Age-and-sex stratified prevalence of atrial fibrillation in rural Western India: Results of SMART-India, a population-based screening study. <i>International Journal of Cardiology</i> , 2019 , 280, 84-88	3.2	24
191	Contact-Free Screening of Atrial Fibrillation by a Smartphone Using Facial Pulsatile Photoplethysmographic Signals. <i>Journal of the American Heart Association</i> , 2018 , 7,	6	55
190	Integrating new approaches to atrial fibrillation management: the 6th AFNET/EHRA Consensus Conference. <i>Europace</i> , 2018 , 20, 395-407	3.9	66
189	Incidence of postoperative atrial fibrillation recurrence in patients discharged in sinus rhythm after cardiac surgery: a systematic review and meta-analysis. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2018 , 26, 504-511	1.8	36
188	Burden of atrial fibrillation in Māori and Pacific people in New Zealand: a cohort study. <i>Internal Medicine Journal</i> , 2018 , 48, 301-309	1.6	5
187	Atrial fibrillation: is there enough evidence to recommend opportunistic or systematic screening?. <i>International Journal of Epidemiology</i> , 2018 , 47, 1372-1378	7.8	6
186	National Heart Foundation of Australia and the Cardiac Society of Australia and New Zealand: Australian Clinical Guidelines for the Diagnosis and Management of Atrial Fibrillation 2018. <i>Heart Lung and Circulation</i> , 2018 , 27, 1209-1266	1.8	122
185	National Heart Foundation of Australia and Cardiac Society of Australia and New Zealand: Australian clinical guidelines for the diagnosis and management of atrial fibrillation 2018. <i>Medical Journal of Australia</i> , 2018 , 209, 356-362	4	32
184	Major progress in anticoagulant uptake for atrial fibrillation at last: does it translate into stroke prevention?. <i>European Heart Journal</i> , 2018 , 39, 2984-2986	9.5	12

183	Antithrombotic Therapy for Atrial Fibrillation: CHEST Guideline and Expert Panel Report. <i>Chest</i> , 2018 , 154, 1121-1201	5.3	502
182	Choice of Health Options in Prevention of Cardiovascular Events (CHOICE) Replication Study. <i>Heart Lung and Circulation</i> , 2018 , 27, 1406-1414	1.8	2
181	A2637 Detection rate and treatment gap in new asymptomatic and known atrial fibrillation (AF) in a large screening study in community health centres in China (AF-CATCH). <i>Journal of Hypertension</i> , 2018 , 36, e283	1.9	
180	Atrial Fibrillation Screen, Management And Guideline Recommended Therapy (AF SMART II) in the rural primary care setting: an implementation study protocol. <i>BMJ Open</i> , 2018 , 8, e023130	3	11
179	Identification of new-onset atrial fibrillation after cardiac surgery in Vietnam. A feasibility study of a novel screening strategy in a limited-resource setting: study protocol. <i>BMJ Open</i> , 2018 , 8, e020800	3	1
178	Incidence of Atrial Fibrillation in Patients With Recent Ischemic Stroke Versus Matched Controls. <i>Stroke</i> , 2018 , 49, 2529-2531	6.7	6
177	Medium- to long-term persistence with non-vitamin-K oral anticoagulants in patients with atrial fibrillation: Australian experience. <i>Current Medical Research and Opinion</i> , 2017 , 33, 1337-1341	2.5	9
176	Screening for Atrial Fibrillation: A Report of the AF-SCREEN International Collaboration. <i>Circulation</i> , 2017 , 135, 1851-1867	16.7	302
175	Twelve-lead ambulatory electrocardiographic monitoring in Brugada syndrome: Potential diagnostic and prognostic implications. <i>Heart Rhythm</i> , 2017 , 14, 866-874	6.7	27
174	To Screen or Not to Screen? Examining the Arguments Against Screening for Atrial Fibrillation. <i>Heart Lung and Circulation</i> , 2017 , 26, 880-886	1.8	7
173	Smartphone electrographic monitoring for atrial fibrillation in acute ischemic stroke and transient ischemic attack. <i>International Journal of Stroke</i> , 2017 , 12, 786-789	6.3	15
172	Screening of older patients for atrial fibrillation in general practice: Current evidence and its implications for future practice. <i>European Journal of General Practice</i> , 2017 , 23, 246-253	2.8	11
171	Rationale and Design of the Randomized Controlled Trial of Intensive Versus Usual ECG Screening for Atrial Fibrillation in Elderly Chinese by an Automated ECG System in Community Health Centers in Shanghai (AF-CATCH). <i>Cardiovascular Innovations and Applications</i> , 2017 , 2, 273-277	0.1	2
170	Management of atrial high-rate episodes detected by cardiac implanted electronic devices. <i>Nature Reviews Cardiology</i> , 2017 , 14, 701-714	14.8	61
169	Using the Think Aloud Technique to Explore Quality of Life Issues During Standard Quality-of-Life Questionnaires in Patients With Atrial Fibrillation. <i>Heart Lung and Circulation</i> , 2017 , 26, 150-156	1.8	8
168	Stroke prevention in atrial fibrillation: Past, present and future. Comparing the guidelines and practical decision-making. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 1230-1239	7	265
167	Screening for atrial fibrillation: a European Heart Rhythm Association (EHRA) consensus document endorsed by the Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulación Cardíaca y Electrofisiología (SOLAECE). <i>Europace</i> , 2017 , 19, 1589-1623	3.9	135
166	The World Heart Federation Roadmap for Nonvalvular Atrial Fibrillation. <i>Global Heart</i> , 2017 , 12, 273-284	2.9	26

165	Choice of Health Options In prevention of Cardiovascular Events for people with Atrial Fibrillation (CHOICE-AF): A pilot study. <i>European Journal of Cardiovascular Nursing</i> , 2016 , 15, 39-46	3.3	6
164	Stroke prevention in atrial fibrillation. <i>Lancet, The</i> , 2016 , 388, 806-17	4.0	228
163	Atrial fibrillation. <i>Nature Reviews Disease Primers</i> , 2016 , 2, 16016	51.1	115
162	Therapy persistence in newly diagnosed non-valvular atrial fibrillation treated with warfarin or NOAC. A cohort study. <i>Thrombosis and Haemostasis</i> , 2016 , 115, 31-9	7	113
161	Screening for atrial fibrillation during influenza vaccinations by primary care nurses using a smartphone electrocardiograph (iECG): A feasibility study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 13-20	3.9	59
160	Self-monitoring for atrial fibrillation recurrence in the discharge period post-cardiac surgery using an iPhone electrocardiogram. <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 50, 44-51	3	43
159	A roadmap to improve the quality of atrial fibrillation management: proceedings from the fifth Atrial Fibrillation Network/European Heart Rhythm Association consensus conference. <i>Europace</i> , 2016 , 18, 37-50	3.9	90
158	Testosterone treatment and risk of venous thromboembolism: population based case-control study. <i>BMJ, The</i> , 2016 , 355, i5968	5.9	75
157	AF-SCREEN international collaboration. <i>European Heart Journal</i> , 2016 , 37, 3490-3491	9.5	6
156	Opportunistic screening to detect atrial fibrillation in Aboriginal adults in Australia. <i>BMJ Open</i> , 2016 , 6, e013576	3	7
155	Falling cholesterol trend at acute coronary syndrome presentation is strongly related to statin use for secondary prevention. <i>International Journal of Cardiology</i> , 2016 , 212, 192-7	3.2	3
154	Residual Risk of Stroke and Death in Anticoagulant-Treated Patients With Atrial Fibrillation. <i>JAMA Cardiology</i> , 2016 , 1, 366-8	16.2	42
153	Improved persistence with non-vitamin-K oral anticoagulants compared with warfarin in patients with atrial fibrillation: recent Australian experience. <i>Current Medical Research and Opinion</i> , 2016 , 32, 1857-1861 ²²	2.5	1861
152	Serum amyloid A receptor blockade and incorporation into high-density lipoprotein modulates its pro-inflammatory and pro-thrombotic activities on vascular endothelial cells. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 11101-24	6.3	18
151	The mobile revolution--using smartphone apps to prevent cardiovascular disease. <i>Nature Reviews Cardiology</i> , 2015 , 12, 350-60	14.8	141
150	Asymptomatic Atrial Fibrillation: The Case for Screening to Prevent Stroke. <i>JAMA - Journal of the American Medical Association</i> , 2015 , 314, 1911-2	27.4	32
149	Atrial fibrillation screening in pharmacies using an iPhone ECG: a qualitative review of implementation. <i>International Journal of Clinical Pharmacy</i> , 2015 , 37, 1111-20	2.3	44
148	Increasing incidence of non-valvular atrial fibrillation in the UK from 2001 to 2013. <i>Heart</i> , 2015 , 101, 1748-54	9.54	35

147	Identifying postoperative atrial fibrillation in cardiac surgical patients posthospital discharge, using iPhone ECG: a study protocol. <i>BMJ Open</i> , 2015 , 5, e006849	3	5
146	Pleiotropic, heart rate-independent cardioprotection by ivabradine. <i>British Journal of Pharmacology</i> , 2015 , 172, 4380-90	8.6	49
145	Clinical Exercise Stress Testing in Adults (2014). <i>Heart Lung and Circulation</i> , 2015 , 24, 831-7	1.8	6
144	Misperceptions of aspirin efficacy and safety may perpetuate anticoagulant underutilization in atrial fibrillation. <i>European Heart Journal</i> , 2015 , 36, 653-6	9.5	41
143	Statin Therapy and Cognition in Older People: What is the Evidence?. <i>Current Clinical Pharmacology</i> , 2015 , 10, 185-93	2.5	8
142	Pre-treatment with the synthetic antioxidant T-butyl bisphenol protects cerebral tissues from experimental ischemia reperfusion injury. <i>Journal of Neurochemistry</i> , 2014 , 130, 733-47	6	11
141	Ivabradine in stable coronary artery disease without clinical heart failure. <i>New England Journal of Medicine</i> , 2014 , 371, 1091-9	59.2	315
140	Isolated hypertrophy of the basal ventricular septum: characteristics of patients with and without outflow tract obstruction. <i>International Journal of Cardiology</i> , 2014 , 173, 487-93	3.2	23
139	Feasibility and cost-effectiveness of stroke prevention through community screening for atrial fibrillation using iPhone ECG in pharmacies. The SEARCH-AF study. <i>Thrombosis and Haemostasis</i> , 2014 , 111, 1167-76	7	320
138	Adverse prognosis of incidentally detected ambulatory atrial fibrillation. A cohort study. <i>Thrombosis and Haemostasis</i> , 2014 , 112, 276-86	7	94
137	A simple screening tool for assessment of nutritional status in cardiac patients. <i>British Journal of Cardiac Nursing</i> , 2014 , 9, 508-512	0.2	1
136	Pharmacy-based screening for atrial fibrillation in high-risk Maori and Pacific populations. <i>New Zealand Medical Journal</i> , 2014 , 127, 128-31	0.8	3
135	iPhone ECG application for community screening to detect silent atrial fibrillation: a novel technology to prevent stroke. <i>International Journal of Cardiology</i> , 2013 , 165, 193-4	3.2	226
134	Cardiac troponin-T and the prediction of acute and long-term mortality after acute pulmonary embolism. <i>International Journal of Cardiology</i> , 2013 , 165, 126-33	3.2	23
133	Screening for atrial fibrillation above age 65 detects an asymptomatic subset at high risk of stroke. <i>International Journal of Cardiology</i> , 2013 , 164, 371-2	3.2	22
132	Fog on the crystal ball? Missing atrial fibrillation in forecasting the future of stroke. <i>Stroke</i> , 2013 , 44, e136	6.7	1
131	Serum amyloid A stimulates cultured endothelial cells to migrate and proliferate: inhibition by the multikinase inhibitor BIBF1120. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2013 , 40, 662-70 ³		13
130	Medical graduates becoming rural doctors: rural background versus extended rural placement. <i>Medical Journal of Australia</i> , 2013 , 199, 779-82	4	48

129	Screening to identify unknown atrial fibrillation. A systematic review. <i>Thrombosis and Haemostasis</i> , 2013 , 110, 213-22	7	207
128	Screening Education And Recognition in Community pHarmacies of Atrial Fibrillation to prevent stroke in an ambulant population aged >=65 years (SEARCH-AF stroke prevention study): a cross-sectional study protocol. <i>BMJ Open</i> , 2012 , 2,	3	15
127	Lifestyle risk reduction interventions in atrial fibrillation: a systematic review. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 1091-100	3.9	14
126	Changing the lexicon of Cardiac Rehabilitation a progressive step. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 167-8	3.9	
125	Participating in cardiac rehabilitation: a systematic review and meta-synthesis of qualitative data. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 494-503	3.9	184
124	Effect of heart rate reduction by ivabradine on left ventricular remodeling in the echocardiographic substudy of BEAUTIFUL. <i>International Journal of Cardiology</i> , 2011 , 146, 408-14	3.2	69
123	The acute-phase protein serum amyloid A induces endothelial dysfunction that is inhibited by high-density lipoprotein. <i>Free Radical Biology and Medicine</i> , 2011 , 51, 1390-8	7.8	27
122	Beta-blocker dose up-titration or addition of ivabradine in stable angina: more is not necessarily better : editorial to: "efficacy of ivabradine in combination with beta-blocker versus uptitration of beta-blocker in patients with stable angina" by E. Amosova et al. <i>Cardiovascular Drugs and Therapy</i> , 2011 , 25, 501-2	3.9	4
121	Effects of rosuvastatin on subclinical atherosclerosis and arterial stiffness in rheumatoid arthritis: a randomized controlled pilot trial. <i>Scandinavian Journal of Rheumatology</i> , 2011 , 40, 411-21	1.9	30
120	Letter by neubeck et Al regarding article, "impact of cardiac rehabilitation on mortality and cardiovascular events after percutaneous coronary intervention in the community". <i>Circulation</i> , 2011 , 124, e572; author reply e573	16.7	1
119	Nurse-led telephone interventions for people with cardiac disease: the importance of the multi-disciplinary approach. <i>European Journal of Cardiovascular Nursing</i> , 2011 , 10, 70-1	3.3	2
118	Planning locally relevant Internet programs for secondary prevention of cardiovascular disease. <i>European Journal of Cardiovascular Nursing</i> , 2011 , 10, 213-20	3.3	17
117	Increased tissue factor activity in monocytes from obese young adults. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010 , 37, 1049-54	3	16
116	Acute coronary syndromes: consensus recommendations for translating knowledge into action. <i>Medical Journal of Australia</i> , 2010 , 193, 550-1; author reply 551-2	4	
115	Stroke risk and antithrombotic strategies in atrial fibrillation. <i>Stroke</i> , 2010 , 41, 2705-13	6.7	59
114	Incidence and determinants of myocardial infarction following percutaneous coronary interventions according to the revised Joint Task Force definition of troponin T elevation. <i>International Journal of Cardiology</i> , 2010 , 140, 66-72	3.2	21
113	Lack of widespread inflammation after contemporary PCI. <i>International Journal of Cardiology</i> , 2010 , 140, 82-7	3.2	4
112	Impact of sleep disordered breathing severity on hemodynamics, autonomic balance and cardiopulmonary functional status in chronic heart failure. <i>International Journal of Cardiology</i> , 2010 , 141, 227-35	3.2	5

111	Impact of medical consultation frequency on modifiable risk factors and medications at 12 months after acute coronary syndrome in the CHOICE randomised controlled trial. <i>International Journal of Cardiology</i> , 2010 , 145, 481-6	3.2	15
110	Post acute management of coronary disease: Moving forward. <i>International Journal of Cardiology</i> , 2010 , 145, 597	3.2	
109	Unusual features of apical hypertrophic cardiomyopathy. <i>American Journal of Cardiology</i> , 2010 , 105, 879-83	3.3	15
108	Supraventricular tachycardia. <i>Medical Journal of Australia</i> , 2009 , 190, 255-60	4	28
107	Pleiotropic roles of S100A12 in coronary atherosclerotic plaque formation and rupture. <i>Journal of Immunology</i> , 2009 , 183, 593-603	5.3	59
106	A role for acute-phase serum amyloid A and high-density lipoprotein in oxidative stress, endothelial dysfunction and atherosclerosis. <i>Redox Report</i> , 2009 , 14, 187-96	5.9	46
105	Choice of secondary prevention improves risk factors after acute coronary syndrome: 1-year follow-up of the CHOICE (Choice of Health Options In prevention of Cardiovascular Events) randomised controlled trial. <i>Heart</i> , 2009 , 95, 468-75	5.1	91
104	Telehealth interventions for the secondary prevention of coronary heart disease: a systematic review. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 281-9		179
103	Sleep disordered breathing in chronic heart failure. <i>Heart Failure Reviews</i> , 2009 , 14, 89-99	5	17
102	Serum amyloid A may potentiate prothrombotic and proinflammatory events in acute coronary syndromes. <i>Atherosclerosis</i> , 2009 , 202, 596-604	3.1	47
101	Serum amyloid A induction of cytokines in monocytes/macrophages and lymphocytes. <i>Atherosclerosis</i> , 2009 , 207, 374-83	3.1	93
100	Delirium cordis: can we predict the onset of atrial fibrillation?. <i>Lancet, The</i> , 2009 , 373, 698-700	4.0	5
99	The late open artery hypothesis: the case and the artery remain closed. <i>European Heart Journal</i> , 2009 , 30, 129-30	9.5	
98	Acute coronary syndromes: consensus recommendations for translating knowledge into action. <i>Medical Journal of Australia</i> , 2009 , 191, 334-8	4	26
97	The CHOICE (Choice of Health Options In prevention of Cardiovascular Events) replication trial: study protocol. <i>BMC Cardiovascular Disorders</i> , 2008 , 8, 25	2.3	11
96	Antithrombotic therapy in patients treated with oral anticoagulation undergoing coronary artery stenting. An expert consensus document with focus on atrial fibrillation. <i>Annals of Medicine</i> , 2008 , 40, 428-36	1.5	100
95	Differences in management and outcome of ischemic and non-ischemic cardiomyopathy. <i>International Journal of Cardiology</i> , 2008 , 129, 198-204	3.2	24
94	Low utilisation of cardiovascular risk reducing therapy in patients with acute coronary syndromes and non-obstructive coronary artery disease. <i>International Journal of Cardiology</i> , 2008 , 129, 394-8	3.2	18

93	Polymorphonuclear leukocyte phagocytic function increases in plasminogen knockout mice. <i>Thrombosis Research</i> , 2008 , 122, 674-82	8.2	7
92	Ivabradine for patients with stable coronary artery disease and left-ventricular systolic dysfunction (BEAUTIFUL): a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2008 , 372, 807-16	4.0	775
91	Heart rate as a prognostic risk factor in patients with coronary artery disease and left-ventricular systolic dysfunction (BEAUTIFUL): a subgroup analysis of a randomised controlled trial. <i>Lancet, The</i> , 2008 , 372, 817-21	4.0	584
90	Letter by Chung et al regarding article, "N-terminal pro B-type natriuretic peptide testing improves the management of patients with suspected acute heart failure: primary results of the Canadian Prospective Randomized Multicenter IMPROVE-CHF study". <i>Circulation</i> , 2008 , 117, e5; author reply e6	16.7	
89	Patient-centered modular secondary prevention following acute coronary syndrome: a randomized controlled trial. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2008 , 28, 107-15; quiz 116-7	3.6	28
88	Medical schools can cooperate: a new joint venture to provide medical education in the Northern Rivers region of New South Wales. <i>Medical Journal of Australia</i> , 2008 , 188, 179-81	4	
87	Prospective evaluation of the impact of diabetes and left ventricular hypertrophy on the relationship between ischemia and transient ischemic dilation of the left ventricle on single-day adenosine Tc-99m myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2008 , 15, 638-43	2.1	16
86	Autonomic abnormalities in congestive heart failure patients with sleep-disordered breathing. <i>Journal of Cardiac Failure</i> , 2007 , 13, 395-400	3.3	5
85	High risk-factor level and low risk-factor knowledge in patients not accessing cardiac rehabilitation after acute coronary syndrome. <i>Medical Journal of Australia</i> , 2007 , 186, 21-5	4	64
84	Atrial fibrillation. <i>Medical Journal of Australia</i> , 2007 , 186, 197-202	4	27
83	Guidelines for submitting adverse event reports for publication. <i>Pharmacoepidemiology and Drug Safety</i> , 2007 , 16, 581-7	2.6	61
82	Serum amyloid A induces monocyte tissue factor. <i>Journal of Immunology</i> , 2007 , 178, 1852-60	5.3	87
81	Development and testing of innovative patient resources for the management of coronary heart disease (CHD): a descriptive study. <i>BMC Health Services Research</i> , 2006 , 6, 95	2.9	12
80	Lumen loss in the first year in saphenous vein grafts is predominantly a result of negative remodeling of the whole vessel rather than a result of changes in wall thickness. <i>Circulation</i> , 2006 , 114, 1435-40	16.7	43
79	Influence of history of heart failure on diagnostic performance and utility of B-type natriuretic peptide testing for acute dyspnea in the emergency department. <i>American Heart Journal</i> , 2006 , 152, 949-55	4.9	22
78	C-reactive protein contributes to the hypercoagulable state in coronary artery disease. <i>Journal of Thrombosis and Haemostasis</i> , 2006 , 4, 98-106	15.4	21
77	Hypertriglyceridaemia is associated with early non-patency of coronary bypass grafts. <i>Heart</i> , 2006 , 92, 536-8	5.1	1
76	Atrial fibrillation. <i>Primary Care - Clinics in Office Practice</i> , 2005 , 32, 1083-107	2.2	2

75	Elevated circulating levels of matrix metalloproteinase-9 and -2 in patients with symptomatic coronary artery disease. <i>Internal Medicine Journal</i> , 2005 , 35, 331-5	1.6	72
74	Cost-effectiveness of rehabilitation after an acute coronary event: a randomised controlled trial. <i>Medical Journal of Australia</i> , 2005 , 183, 450-5	4	76
73	Coronary artery stenoses: detection with calcium scoring, CT angiography, and both methods combined. <i>Radiology</i> , 2005 , 235, 415-22	20.5	56
72	The angiographic and clinical benefits of mibefradil in the coronary slow flow phenomenon. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 57-62	15.1	88
71	Soluble CD40 ligand in acute coronary syndromes. <i>New England Journal of Medicine</i> , 2003 , 348, 2575-7; author reply 2575-7	59.2	25
70	Effects of angiotensin-converting enzyme inhibition on transient ischemia: the Quinapril Anti-Ischemia and Symptoms of Angina Reduction (QUASAR) trial. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 2049-59	15.1	35
69	Influence of Plasminogen Deficiency on the Contribution of Polymorphonuclear Leucocytes to Fibrin/ogenolysis. <i>Thrombosis and Haemostasis</i> , 2002 , 88, 805-810	7	20
68	Optimal strategy for administering enoxaparin to patients undergoing coronary angiography without angioplasty for acute coronary syndromes. <i>American Journal of Cardiology</i> , 2002 , 89, 1167-70	3	7
67	Plasma vascular endothelial growth factor (VEGF) levels after intramuscular and intramyocardial gene transfer of VEGF-1 plasmid DNA. <i>Human Gene Therapy</i> , 2002 , 13, 1595-603	4.8	33
66	Therapeutic angiogenesis for coronary artery disease. <i>Annals of Internal Medicine</i> , 2002 , 136, 54-71	8	181
65	Cytomegalovirus seropositivity and C-reactive protein have independent and combined predictive value for mortality in patients with angiographically demonstrated coronary artery disease. <i>Circulation</i> , 2001 , 104, E20-1	16.7	2
64	Tremor-induced ECG artifact mimicking ventricular tachycardia. <i>Circulation</i> , 2001 , 103, E112-2	16.7	3
63	Therapeutic angiogenesis for ischemic cardiovascular disease. <i>Journal of Molecular and Cellular Cardiology</i> , 2001 , 33, 379-93	5.8	158
62	Interferon-gamma and lipopolysaccharide potentiate monocyte tissue factor induction by C-reactive protein: relationship with age, sex, and hormone replacement treatment. <i>Circulation</i> , 2000 , 101, 1785-91	16.7	132
61	Acute reaction to dipyridamole during myocardial scintigraphy. <i>New England Journal of Medicine</i> , 1999 , 340, 394	59.2	8
60	Direct transmission of electrocardiograms to a mobile phone for management of a patient with acute myocardial infarction. <i>Journal of Telemedicine and Telecare</i> , 1999 , 5, 67-9	6.8	16
59	Attenuation of anti-ischemic efficacy during chronic therapy with nicorandil in patients with stable angina pectoris. <i>American Journal of Cardiology</i> , 1999 , 83, 1120-4, A9	3	27
58	Vascular risk factors correlate to the extent as well as the severity of coronary atherosclerosis. <i>Coronary Artery Disease</i> , 1999 , 10, 449-53	1.4	11

57	Triggers of daily life ischaemia. <i>Heart</i> , 1998 , 80, 489-92	5.1	8
56	International, randomized, controlled trial of lamifiban (a platelet glycoprotein IIb/IIIa inhibitor), heparin, or both in unstable angina. The PARAGON Investigators. Platelet IIb/IIIa Antagonism for the Reduction of Acute coronary syndrome events in a Global Organization Network. <i>Circulation</i> , 1998 , 97, 2386-95	16.7	316
55	Usefulness of laboratory mental stress test in patients with stable coronary artery disease. <i>Clinical Cardiology</i> , 1997 , 20, 367-71	3.3	5
54	Electrocardiographic measurement of infarct size after thrombolytic therapy. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 617-24	15.1	55
53	Correlation between post-ejection shortening and improvement in regional wall motion after revascularization in patients with coronary artery disease. <i>International Journal of Cardiology</i> , 1996 , 54, 61-7	3.2	29
52	Electrocardiographic identification of the infarct-related artery in acute inferior myocardial infarction. <i>International Journal of Cardiology</i> , 1996 , 54, 5-11	3.2	12
51	Angiographic severity of coronary narrowing is a surrogate marker for the extent of coronary atherosclerosis. <i>American Journal of Cardiology</i> , 1996 , 78, 516-9	3	46
50	Health promotion and education in Australia. Case study. <i>Global Health Promotion</i> , 1995 , 2, 36-44		1
49	Intermittent transdermal nitrates do not improve ischemia in patients taking beta-blockers or calcium antagonists: potential role of rebound ischemia during the nitrate-free period. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 349-55	15.1	30
48	Significance of precordial T-wave inversion in inferior wall acute myocardial infarction. <i>American Journal of Cardiology</i> , 1995 , 75, 81-3	3	4
47	Precordial ST change and site of the infarct-related lesion in right coronary artery-related inferior wall acute myocardial infarction. <i>American Journal of Cardiology</i> , 1995 , 75, 942-3	3	3
46	Relation between ischemia time, infarct size, and left ventricular function in humans. <i>Circulation</i> , 1995 , 92, 710-9	16.7	59
45	Carotid intima-media thickness is only weakly correlated with the extent and severity of coronary artery disease. <i>Circulation</i> , 1995 , 92, 2127-34	16.7	256
44	Implications of ST changes in reperfusion management of acute inferior myocardial infarction. <i>European Heart Journal</i> , 1994 , 15, 1385-90	9.5	6
43	Derivation and validation of a new angiographic score of right coronary artery perfusion. <i>European Heart Journal</i> , 1993 , 14, 469-73	9.5	6
42	Usefulness of continuous ST monitoring in inferior wall acute myocardial infarction for describing the relation between precordial ST depression and inferior ST elevation. <i>American Journal of Cardiology</i> , 1993 , 72, 532-7	3	16
41	Mechanism and significance of precordial ST-segment depression during inferior wall acute myocardial infarction associated with severe narrowing of the dominant right coronary artery. <i>American Journal of Cardiology</i> , 1993 , 71, 1025-30	3	29
40	Regional thallium uptake in irreversible defects. <i>Circulation</i> , 1992 , 86, 1043-4	16.7	

39	Efficacy, safety and duration of nitrate-free interval to prevent tolerance to transdermal nitroglycerin in effort angina. <i>European Heart Journal</i> , 1992 , 13, 671-8	9.5	16
38	Detection of myocardial viability in stunned or hibernating myocardium by delayed emptying on radionuclide ventriculography. <i>American Journal of Cardiology</i> , 1991 , 67, 529-32	3	9
37	Comparison of exercise stress testing with ambulatory electrocardiographic monitoring in the detection of myocardial ischemia after unstable angina pectoris. <i>American Journal of Cardiology</i> , 1991 , 67, 89-91	3	13
36	The unstable ST segment early after thrombolysis for acute infarction and its usefulness as a marker of recurrent coronary occlusion. <i>American Journal of Cardiology</i> , 1991 , 67, 109-15	3	94
35	Prognostic significance of a predischARGE exercise test in risk stratification after unstable angina pectoris. <i>Journal of the American College of Cardiology</i> , 1991 , 18, 677-83	15.1	70
34	ST monitoring for myocardial ischemia during and after coronary angioplasty. <i>American Journal of Cardiology</i> , 1990 , 66, 389-93	3	22
33	Clinical significance of silent ischemia in unstable angina pectoris. <i>American Journal of Cardiology</i> , 1990 , 65, 1313-6	3	43
32	A new method of scoring coronary angiograms to reflect extent of coronary atherosclerosis and improve correlation with major risk factors. <i>American Heart Journal</i> , 1990 , 119, 1262-7	4.9	214
31	Effects of diltiazem and long-term beta 1-adrenergic blockade on hemodynamics and blood flow during exercise in patients with stable angina pectoris. <i>Journal of the American College of Cardiology</i> , 1990 , 15, 184-8	15.1	2
30	Effects of nisoldipine on systemic and leg blood flow, oxygen transport and metabolism, and hemodynamics during exercise in effort angina pectoris. <i>American Journal of Cardiology</i> , 1989 , 63, 802-6 ³		5
29	Evaluation of a microprocessor-controlled sphygmomanometer for recording blood pressure during exercise. <i>American Journal of Cardiology</i> , 1989 , 64, 806-8	3	2
28	Risk of adverse outcome in patients admitted to the coronary care unit with suspected unstable angina pectoris. <i>American Journal of Cardiology</i> , 1989 , 64, 845-8	3	23
27	ST-segment changes during transmural myocardial ischemia in chronic left bundle branch block. <i>American Journal of Cardiology</i> , 1989 , 64, 1216-7	3	12
26	Normalised radionuclide measures of left ventricular diastolic function. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 1989 , 15, 123-7		18
25	Comparison of the effects of nifedipine and nitroglycerin on hemodynamic determinants of myocardial oxygen consumption and supply during exertional angina. <i>Journal of Cardiovascular Pharmacology</i> , 1989 , 13, 361-9	3.1	8
24	Factors influencing the time from onset of chest pain to arrival at hospital. <i>Medical Journal of Australia</i> , 1989 , 150, 6-10	4	60
23	Regional distribution of cardiac output at rest and during exercise in patients with exertional angina pectoris before and after nifedipine therapy. <i>Journal of the American College of Cardiology</i> , 1988 , 11, 837-42	15.1	10
22	Comparison of carvedilol and atenolol for angina pectoris. <i>American Journal of Cardiology</i> , 1987 , 60, 499-502	3.0	24

21	Validation of a real-time electrocardiographic monitor for detection of myocardial ischemia secondary to coronary artery disease. <i>American Journal of Cardiology</i> , 1987 , 60, 525-7	3	32
20	Prediction of multivessel coronary artery disease and prognosis early after acute myocardial infarction by exercise electrocardiography and thallium-201 myocardial perfusion scanning. <i>American Journal of Cardiology</i> , 1986 , 58, 423-7	3	57
19	Late follow-up (41 to 102 months) of medically treated patients with coronary artery spasm and minor atherosclerotic coronary obstructions. <i>American Journal of Cardiology</i> , 1986 , 57, 1261-3	3	23
18	Influence of coronary collateral blood flow on the development of exertional ischemia and Q wave infarction in patients with severe single-vessel disease. <i>Circulation</i> , 1985 , 71, 681-6	16.7	49
17	Different susceptibility to myocardial ischemia provoked by hyperventilation and cold pressor test in exertional and variant angina pectoris. <i>American Journal of Cardiology</i> , 1985 , 56, 18-22	3	53
16	Ergonovine-induced myocardial ischemia: no role for serotonergic receptors?. <i>Circulation</i> , 1984 , 70, 178-83	7	103
15	Myocardial ischemia during ergonovine testing: different susceptibility to coronary vasoconstriction in patients with exertional and variant angina. <i>Circulation</i> , 1984 , 69, 690-5	16.7	37
14	Impairment of myocardial perfusion and function during painless myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 1983 , 1, 924-30	15.1	273
13	Pathophysiology of coronary artery spasm. <i>Circulation</i> , 1982 , 66, 705-9	16.7	62
12	Verapamil in stable effort angina: effects on left ventricular function evaluated with exercise radionuclide ventriculography. <i>American Journal of Cardiology</i> , 1982 , 49, 425-30	3	56
11	Long-term follow-up of verapamil and nitrate treatment for coronary artery spasm. <i>American Journal of Cardiology</i> , 1982 , 50, 711-5	3	51
10	Localization of coronary artery disease with exercise electrocardiography: correlation with thallium-201 myocardial perfusion scanning. <i>American Journal of Cardiology</i> , 1981 , 48, 837-43	3	59
9	Verapamil kinetics in normal subjects and patients with coronary artery spasm. <i>Clinical Pharmacology and Therapeutics</i> , 1981 , 30, 644-52	6.1	112
8	Coronary artery spasm during exercise: treatment with verapamil. <i>Circulation</i> , 1981 , 64, 68-75	16.7	29
7	Exercise-induced ST-segment elevation in leads V1 or aVL. A predictor of anterior myocardial ischemia and left anterior descending coronary artery disease. <i>Circulation</i> , 1981 , 63, 1357-63	16.7	44
6	Coronary artery spasm. <i>Australian and New Zealand Journal of Medicine</i> , 1980 , 10, 69-72		3
5	The value of exercise electrocardiography and exercise thallium-201 myocardial perfusion scanning in determining the presence of single vessel coronary artery obstruction. <i>Australian and New Zealand Journal of Medicine</i> , 1980 , 10, 520-5		2
4	Coronary artery spasm: use of ergonovine in diagnosis. <i>Australian and New Zealand Journal of Medicine</i> , 1980 , 10, 6-11		11

- 3 Serial thallium-201 myocardial perfusion scanning in acute myocardial infarction. *Australian and New Zealand Journal of Medicine*, **1980**, 10, 629-35 2
- 2 Noninvasive prediction of multivessel disease after myocardial infarction. *Circulation*, **1980**, 62, 726-34 16.7 64
- 1 STUDENT EVALUATION OF THE SYDNEY UNIVERSITY MEDICAL COURSE. *Medical Journal of Australia*, **1973**, 1, 179-184 4 2