Carl Eckerström

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4220154/publications.pdf

Version: 2024-02-01

623734 580821 27 663 14 25 citations g-index h-index papers 27 27 27 1412 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	Neuronal and Glia-Related Biomarkers in Cerebrospinal Fluid of Patients with Acute Ischemic Stroke. Journal of Central Nervous System Disease, 2014, 6, JCNSD.S13821.	1.9	82
2	The Gothenburg MCI study: Design and distribution of Alzheimer's disease and subcortical vascular disease diagnoses from baseline to 6-year follow-up. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 114-131.	4.3	67
3	A Combination of Neuropsychological, Neuroimaging, and Cerebrospinal Fluid Markers Predicts Conversion from Mild Cognitive Impairment to Dementia. Journal of Alzheimer's Disease, 2013, 36, 421-431.	2.6	66
4	MRI predictors of amyloid pathology: results from the EMIF-AD Multimodal Biomarker Discovery study. Alzheimer's Research and Therapy, 2018, 10, 100.	6.2	64
5	Subjective Cognitive Impairment Is a Predominantly Benign Condition in Memory Clinic Patients Followed for 6 Years: The Gothenburg-Oslo MCI Study. Dementia and Geriatric Cognitive Disorders Extra, 2017, 7, 1-14.	1.3	51
6	Alzheimer's disease—subcortical vascular disease spectrum in a hospital-based setting: Overview of results from the Gothenburg MCI and dementia studies. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 95-113.	4.3	42
7	Multimodal Prediction of Dementia with up to 10 Years Follow Up: The Gothenburg MCI Study. Journal of Alzheimer's Disease, 2015, 44, 205-214.	2.6	40
8	Cerebrovascular Biomarker Profile Is Related to White Matter Disease and Ventricular Dilation in a LADIS Substudy. Dementia and Geriatric Cognitive Disorders Extra, 2014, 4, 385-394.	1.3	33
9	White Matter Lesion Assessment in Patients with Cognitive Impairment and Healthy Controls: Reliability Comparisons between Visual Rating, a Manual, and an Automatic Volumetrical MRI Method—The Gothenburg MCI Study. Journal of Aging Research, 2013, 2013, 1-10.	0.9	31
10	Longitudinal evaluation of criteria for subjective cognitive decline and preclinical Alzheimer's disease in a memory clinic sample. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 8, 96-107.	2.4	29
11	Estimated intracranial volume from FreeSurfer is biased by total brain volume. European Radiology Experimental, 2018, 2, .	3.4	25
12	Altered thyroid hormone profile in patients with Alzheimer's disease. Psychoneuroendocrinology, 2020, 121, 104844.	2.7	21
13	Similar pattern of atrophy in early―and lateâ€onset Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 253-259.	2.4	16
14	Hippocampal volumes in patients exposed to low-dose radiation to the basal brain. A case–control study in long-term survivors from cancer in the head and neck region. Radiation Oncology, 2012, 7, 202.	2.7	14
15	Neuropsychological Test Performance Among Native and Non-Native Swedes: Second Language Effects. Archives of Clinical Neuropsychology, 2022, 37, 826-838.	0.5	14
16	Differential Impact of Neurofilament Light Subunit on Cognition and Functional Outcome in Memory Clinic Patients with and without Vascular Burden. Journal of Alzheimer's Disease, 2015, 45, 873-881.	2.6	12
17	Valid and efficient manual estimates of intracranial volume from magnetic resonance images. BMC Medical Imaging, 2015, 15, 5.	2.7	9
18	Selfâ€reported cognitive impairment and daily life functioning 7–12 years after seeking care for stressâ€related exhaustion. Scandinavian Journal of Psychology, 2021, 62, 484-492.	1.5	9

#	Article	IF	Citations
19	Validity and reliability of the medial temporal lobe atrophy scale in a memory clinic population. BMC Neurology, 2021, 21, 289.	1.8	9
20	Characteristic Biomarker and Cognitive Profile in Incipient Mixed Dementia. Journal of Alzheimer's Disease, 2020, 73, 597-607.	2.6	8
21	Bloodâ€brain barrier dysfunction and reduced cerebrospinal fluid levels of soluble amyloid precursor proteinâ€Î² in patients with subcortical smallâ€vessel disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2022, 14, e12296.	2.4	5
22	Delineation of two intracranial areas and the perpendicular intracranial width is sufficient for intracranial volume estimation. Insights Into Imaging, 2018, 9, 25-34.	3.4	4
23	Higher thyroid function is associated with accelerated hippocampal volume loss in Alzheimer's disease. Psychoneuroendocrinology, 2022, 139, 105710.	2.7	4
24	Evaluation of a screening program for iron overload and HFE mutations in 50,493 blood donors. Annals of Hematology, 2020, 99, 2295-2301.	1.8	3
25	Cerebrospinal Fluid Sulfatide Levels Lack Diagnostic Utility in the Subcortical Small Vessel Type of Dementia. Journal of Alzheimer's Disease, 2021, 82, 781-790.	2.6	3
26	Latent Cognitive Profiles Differ Between Incipient Alzheimer's Disease and Dementia with Subcortical Vascular Lesions in a Memory Clinic Population. Journal of Alzheimer's Disease, 2020, 73, 955-966.	2.6	1
27	Low Serum Insulin-like Growth Factor-I Is Associated with Decline in Hippocampal Volume in Stable Mild Cognitive Impairment but not in Alzheimer's Disease. Journal of Alzheimer's Disease, 2022, 88, 1007-1016.	2.6	1