## Carl Eckerström

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4220154/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Neuropsychological Test Performance Among Native and Non-Native Swedes: Second Language Effects. Archives of Clinical Neuropsychology, 2022, 37, 826-838.	0.5	14
2	Bloodâ€brain barrier dysfunction and reduced cerebrospinal fluid levels of soluble amyloid precursor proteinâ€Î² in patients with subcortical smallâ€vessel disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2022, 14, e12296.	2.4	5
3	Higher thyroid function is associated with accelerated hippocampal volume loss in Alzheimer's disease. Psychoneuroendocrinology, 2022, 139, 105710.	2.7	4
4	Low Serum Insulin-like Growth Factor-I Is Associated with Decline in Hippocampal Volume in Stable Mild Cognitive Impairment but not in Alzheimer's Disease. Journal of Alzheimer's Disease, 2022, 88, 1007-1016.	2.6	1
5	Selfâ€reported cognitive impairment and daily life functioning 7–12 years after seeking care for stressâ€related exhaustion. Scandinavian Journal of Psychology, 2021, 62, 484-492.	1.5	9
6	Validity and reliability of the medial temporal lobe atrophy scale in a memory clinic population. BMC Neurology, 2021, 21, 289.	1.8	9
7	Cerebrospinal Fluid Sulfatide Levels Lack Diagnostic Utility in the Subcortical Small Vessel Type of Dementia. Journal of Alzheimer's Disease, 2021, 82, 781-790.	2.6	3
8	Characteristic Biomarker and Cognitive Profile in Incipient Mixed Dementia. Journal of Alzheimer's Disease, 2020, 73, 597-607.	2.6	8
9	Latent Cognitive Profiles Differ Between Incipient Alzheimer's Disease and Dementia with Subcortical Vascular Lesions in a Memory Clinic Population. Journal of Alzheimer's Disease, 2020, 73, 955-966.	2.6	1
10	Altered thyroid hormone profile in patients with Alzheimer's disease. Psychoneuroendocrinology, 2020, 121, 104844.	2.7	21
11	Evaluation of a screening program for iron overload andHFE mutations in 50,493 blood donors. Annals of Hematology, 2020, 99, 2295-2301.	1.8	3
12	Delineation of two intracranial areas and the perpendicular intracranial width is sufficient for intracranial volume estimation. Insights Into Imaging, 2018, 9, 25-34.	3.4	4
13	Similar pattern of atrophy in early―and lateâ€onset Alzheimer's disease. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 253-259.	2.4	16
14	Estimated intracranial volume from FreeSurfer is biased by total brain volume. European Radiology Experimental, 2018, 2, .	3.4	25
15	MRI predictors of amyloid pathology: results from the EMIF-AD Multimodal Biomarker Discovery study. Alzheimer's Research and Therapy, 2018, 10, 100.	6.2	64
16	Longitudinal evaluation of criteria for subjective cognitive decline and preclinical Alzheimer's disease in a memory clinic sample. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2017, 8, 96-107.	2.4	29
17	Subjective Cognitive Impairment Is a Predominantly Benign Condition in Memory Clinic Patients Followed for 6 Years: The Gothenburg-Oslo MCI Study. Dementia and Geriatric Cognitive Disorders Extra, 2017, 7, 1-14.	1.3	51
18	The Gothenburg MCI study: Design and distribution of Alzheimer's disease and subcortical vascular disease diagnoses from baseline to 6-year follow-up. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 114-131.	4.3	67

## Carl Eckerström

#	Article	IF	CITATIONS
19	Alzheimer's disease—subcortical vascular disease spectrum in a hospital-based setting: Overview of results from the Gothenburg MCI and dementia studies. Journal of Cerebral Blood Flow and Metabolism, 2016, 36, 95-113.	4.3	42
20	Differential Impact of Neurofilament Light Subunit on Cognition and Functional Outcome in Memory Clinic Patients with and without Vascular Burden. Journal of Alzheimer's Disease, 2015, 45, 873-881.	2.6	12
21	Multimodal Prediction of Dementia with up to 10 Years Follow Up: The Gothenburg MCI Study. Journal of Alzheimer's Disease, 2015, 44, 205-214.	2.6	40
22	Valid and efficient manual estimates of intracranial volume from magnetic resonance images. BMC Medical Imaging, 2015, 15, 5.	2.7	9
23	Cerebrovascular Biomarker Profile Is Related to White Matter Disease and Ventricular Dilation in a LADIS Substudy. Dementia and Geriatric Cognitive Disorders Extra, 2014, 4, 385-394.	1.3	33
24	Neuronal and Glia-Related Biomarkers in Cerebrospinal Fluid of Patients with Acute Ischemic Stroke. Journal of Central Nervous System Disease, 2014, 6, JCNSD.S13821.	1.9	82
25	White Matter Lesion Assessment in Patients with Cognitive Impairment and Healthy Controls: Reliability Comparisons between Visual Rating, a Manual, and an Automatic Volumetrical MRI MethodနThe Gothenburg MCI Study. Journal of Aging Research, 2013, 2013, 1-10.	0.9	31
26	A Combination of Neuropsychological, Neuroimaging, and Cerebrospinal Fluid Markers Predicts Conversion from Mild Cognitive Impairment to Dementia. Journal of Alzheimer's Disease, 2013, 36, 421-431.	2.6	66
27	Hippocampal volumes in patients exposed to low-dose radiation to the basal brain. A case–control study in long-term survivors from cancer in the head and neck region. Radiation Oncology, 2012, 7, 202.	2.7	14