
Marco-Aurelio De Paoli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4221712/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Polymers in dye sensitized solar cells: overview and perspectives. Coordination Chemistry Reviews, 2004, 248, 1455-1468.	9.5	409
2	Dye-Sensitized Nanocrystalline Solar Cells Employing a Polymer Electrolyte. Advanced Materials, 2001, 13, 826-830.	11.1	368
3	Thermal properties of high density polyethylene composites with natural fibres: Coupling agent effect. Polymer Degradation and Stability, 2008, 93, 1770-1775.	2.7	273
4	New insights into dye-sensitized solar cells with polymer electrolytes. Journal of Materials Chemistry, 2009, 19, 5279.	6.7	264
5	Characterization of lignocellulosic curaua fibres. Carbohydrate Polymers, 2009, 77, 47-53.	5.1	236
6	Antistatic coating and electromagnetic shielding properties of a hybrid material based on polyaniline/organoclay nanocomposite and EPDM rubber. Synthetic Metals, 2006, 156, 1249-1255.	2.1	193
7	All polymeric solid state electrochromic devices. Electrochimica Acta, 1999, 44, 2983-2991.	2.6	137
8	Polyamide-6/vegetal fiber composite prepared by extrusion and injection molding. Composites Part A: Applied Science and Manufacturing, 2007, 38, 2404-2411.	3.8	99
9	Sulfonated polystyrene polymer humidity sensor: Synthesis and characterization. Sensors and Actuators B: Chemical, 2007, 123, 42-49.	4.0	90
10	Electrochemical and Structural Characterization of Polymer Gel Electrolytes Based on a PEO Copolymer and an Imidazolium-Based Ionic Liquid for Dye-Sensitized Solar Cells. ACS Applied Materials & Interfaces, 2009, 1, 2870-2877.	4.0	89
11	Dye-sensitized solar cells based on TiO2 nanotubes and a solid-state electrolyte. Journal of Photochemistry and Photobiology A: Chemistry, 2007, 189, 153-160.	2.0	86
12	Poly (ethylene terephthalate) thermo-mechanical and thermo-oxidative degradation mechanisms. Polymer Degradation and Stability, 2009, 94, 1849-1859.	2.7	82
13	Antistatic thermoplastic blend of polyaniline and polystyrene prepared in a double-screw extruder. European Polymer Journal, 2005, 41, 2867-2873.	2.6	74
14	A polymer gel electrolyte composed of a poly(ethylene oxide) copolymer and the influence of its composition on the dynamics and performance of dye-sensitized solar cells. Journal of Power Sources, 2010, 195, 1246-1255.	4.0	71
15	A tecnologia da reciclagem de polÃmeros. Quimica Nova, 2005, 28, 65-72.	0.3	69
16	Solid-state dye-sensitized solar cell: Improved performance and stability using a plasticized polymer electrolyte. Journal of Photochemistry and Photobiology A: Chemistry, 2006, 181, 226-232.	2.0	69
17	Enhancement of photocurrent generation and open circuit voltage in dye-sensitized solar cells using Li+ trapping species in the gel electrolyte. Chemical Communications, 2008, , 1121.	2.2	64
18	A conductive elastomer based on EPDM and polyaniline. European Polymer Journal, 2002, 38, 2459-2463.	2.6	63

#	Article	IF	CITATIONS
19	The role of gel electrolyte composition in the kinetics and performance of dye-sensitized solar cells. Electrochimica Acta, 2008, 53, 7166-7172.	2.6	60
20	Polyolefin composites with curaua fibres: Effect of the processing conditions on mechanical properties, morphology and fibres dimensions. Composites Science and Technology, 2010, 70, 29-35.	3.8	59
21	Biomicrofibrilar composites of high density polyethylene reinforced with curauÃ; fibers: Mechanical, interfacial and morphological properties. Composites Science and Technology, 2010, 70, 1637-1644.	3.8	59
22	Cardanol–formaldehyde thermoset composites reinforced with buriti fibers: Preparation and characterization. Composites Part A: Applied Science and Manufacturing, 2010, 41, 1123-1129.	3.8	58
23	Photodegradation of polypropylene/polystyrene blends: Styrene–butadiene–styrene compatibilisation effect. Polymer Degradation and Stability, 2008, 93, 273-280.	2.7	50
24	Recycled polypropylene reinforced with curaua fibers by extrusion. Journal of Applied Polymer Science, 2009, 112, 3686-3694.	1.3	49
25	Solar module using dye-sensitized solar cells with a polymer electrolyte. Solar Energy Materials and Solar Cells, 2008, 92, 1110-1114.	3.0	45
26	Polypropylene compounding with post-consumer material. Polymer Degradation and Stability, 2002, 78, 491-495.	2.7	41
27	Lignin as a green primary antioxidant for polypropylene. Journal of Applied Polymer Science, 2016, 133, .	1.3	40
28	Application of a composite polymer electrolyte based on montmorillonite in dye-sensitized solar cells. Journal of the Brazilian Chemical Society, 2008, 19, 688-696.	0.6	35
29	Conductive composites of polyamide-6 with polyaniline coated vegetal fiber. Chemical Engineering Journal, 2011, 174, 425-431.	6.6	35
30	Blends of polyaniline with nitrilic rubber. Journal of Applied Polymer Science, 2000, 75, 677-684.	1.3	34
31	Synthesis and characterization of aniline copolymers containing carboxylic groups and their application as sensitizer and hole conductor in solar cells. Synthetic Metals, 2009, 159, 2348-2354.	2.1	34
32	Photoelectronic and transport properties of polypyrrole doped with a dianionic dye. Electrochimica Acta, 2002, 47, 1351-1357.	2.6	31
33	Ageing of polyamide 11 used in the manufacture of flexible piping. Journal of Applied Polymer Science, 2009, 114, 1777-1783.	1.3	31
34	Photoelectrochemistry of polyaniline supported in a microporous cellulose acetate membrane. Synthetic Metals, 1998, 96, 49-54.	2.1	30
35	Photo-oxidation of polypropylene under load. Polymer Degradation and Stability, 1993, 40, 53-58.	2.7	28
36	Highâ€density green polyethylene biocomposite reinforced with cellulose fibers and using lignin as antioxidant. Journal of Applied Polymer Science, 2017, 134, 45219.	1.3	28

#	Article	IF	CITATIONS
37	Elastic polyaniline with EPDM and dodecylbenzenesulfonic acid as plasticizers. Journal of Applied Polymer Science, 2001, 82, 1768-1775.	1.3	26
38	Microwave absorption properties of a conductive thermoplastic blend based on polyaniline. Polymer Bulletin, 2004, 51, 321-326.	1.7	26
39	Use of postconsumer polyethylene in blends with polyamide 6: Effects of the extrusion method and the compatibilizer. Journal of Applied Polymer Science, 2008, 110, 1310-1317.	1.3	23
40	Chemical preparation of conductive elastomeric blends: Polypyrrole/EPDM. I. Oxidant particle-size effect. Journal of Polymer Science Part A, 1994, 32, 1001-1008.	2.5	22
41	Polypropylene compounding with recycled material I. Statistical response surface analysis. Polymer Degradation and Stability, 2001, 71, 293-298.	2.7	21
42	Polyamideâ€6 composites reinforced with cellulose fibers and fabricated by extrusion: Effect of fiber bleaching on mechanical properties and stability. Polymer Composites, 2017, 38, 299-308.	2.3	20
43	Electrochemical impedance spectroscopy of dodecylsulphate doped polypyrrole films in the dark and under illumination. Journal of the Brazilian Chemical Society, 2000, 11, 50-58.	0.6	19
44	Photo-oxidative degradation of poly(epichlorohydrin-co-ethylene oxide) elastomer at 254 nm. Polymer Degradation and Stability, 2002, 76, 219-225.	2.7	17
45	Microwave Absorbing Coatings Based on a Blend of Nitrile Rubber, EPDM Rubber and Polyaniline. Polymer Bulletin, 2005, 55, 299-307.	1.7	17
46	Poliolefinas reforçadas com fibras vegetais curtas: sisal × curauá. Polimeros, 2011, 21, 168-174.	0.2	17
47	Synthesis, characterization and introduction of a new ion-coordinating ruthenium sensitizer dye in quasi-solid state TiO2 solar cells. Journal of Photochemistry and Photobiology A: Chemistry, 2011, 222, 185-191.	2.0	17
48	Kinetic competition in flexible dye sensitised solar cells employing a series of polymer electrolytes. Chemical Communications, 2006, , 877.	2.2	16
49	Polyamideâ€6/highâ€density polyethylene blend using recycled highâ€density polyethylene as compatibilizer: Morphology, mechanical properties, and thermal stability. Polymer Engineering and Science, 2009, 49, 2005-2014.	1.5	16
50	Fingerprinting of bottle-grade poly(ethylene terephthalate) via matrix-assisted laser desorption/ionization mass spectrometry. Polymer Degradation and Stability, 2010, 95, 666-671.	2.7	16
51	Distinguishing between virgin and post-consumption bottle-grade poly (ethylene terephthalate) using thermal properties. Polymer Testing, 2010, 29, 879-885.	2.3	16
52	Bio-based additives for thermoplastics. Polimeros, 2019, 29, .	0.2	16
53	Dye-sensitized solar cells and solar module using polymer electrolytes: Stability and performance investigations. International Journal of Photoenergy, 2006, 2006, 1-6.	1.4	15
54	New polyaniline/porous glass composite. Synthetic Metals, 1997, 84, 107-108.	2.1	14

Marco-Aurelio De Paoli

#	Article	IF	CITATIONS
55	New functionalized 3-(alkyl)thiophene derivatives and spectroelectrochemical characterization of its polymers. Synthetic Metals, 2004, 145, 43-49.	2.1	14
56	Diffusion of amine stabilizers in vulcanized natural rubber compositions used in tires. Journal of Applied Polymer Science, 2000, 75, 670-676.	1.3	13
57	Action spectra of EE and SE illuminated polypyrrole-dodecylsulphate films in aqueous solutions. Solar Energy Materials and Solar Cells, 2000, 60, 73-83.	3.0	12
58	Reactive processing and evaluation of butadiene–styrene copolymer/polyaniline conductive blends. Journal of Applied Polymer Science, 2006, 101, 681-685.	1.3	12
59	Pilot plant scale preparation of dodecylbenzene sulfonic acid doped polyaniline in ethanol/water solution: Control of doping, reduction of purification time and of residues. Synthetic Metals, 2009, 159, 1968-1974.	2.1	12
60	Effect of conducting carbon black on the photostabilization of injection molded poly(propylene-co-ethylene) containing TiO2. Polymer Degradation and Stability, 2003, 82, 89-98.	2.7	11
61	Electrochromic properties of poly{3-[12-(p-methoxyphenoxy)dodecyl]thiophene}. Electrochimica Acta, 2004, 49, 2237-2242.	2.6	11
62	ABS composites with cellulose fibers: Towards fiber-matrix adhesion without surface modification. Composites Part C: Open Access, 2021, 5, 100142.	1.5	11
63	Determination of intrinsic viscosity of poly(ethylene terephthalate) using infrared spectroscopy and multivariate calibration method. Talanta, 2006, 69, 643-649.	2.9	10
64	Effect of the electrolyte cations and anions on the photocurrent of dodecylsulphate doped polypyrrole films. Solar Energy Materials and Solar Cells, 2002, 73, 235-247.	3.0	8
65	Evaluation of Stabilizing Additives Content in the Mechanical Properties of Elastomeric Compositions Subject to Environmental and Accelerated Aging. Materials Research, 2020, 23, .	0.6	8
66	Preparação de eletrodos opticamente transparentes. Quimica Nova, 2005, 28, 345-349.	0.3	7
67	Presence of iron in polymers extruded with corrosive contaminants or abrasive fillers. Polimeros, 2019, 29, .	0.2	7
68	Low cost capillary rheometer, transfer molding and die-drawing module. Polymer Testing, 2006, 25, 197-202.	2.3	6
69	Analysing metals in bottleâ€grade poly(ethylene terephthalate) by Xâ€ray fluorescence spectrometry. Journal of Applied Polymer Science, 2010, 117, 2993-3000.	1.3	6
70	Nonisothermal crystallization of reprocessed poly(ethylene terephthalate). Journal of Applied Polymer Science, 2004, 91, 525-531.	1.3	5
71	Dynamic Vulcanization of Thermoplastic Elastomers Based on Poly(Epichlorohydrin-Co-Ethylene) Tj ETQq1 1	0.784314 rgB1 1.7	[]Overlock]
72	Electropolymerization of Heterocycles on Poly(Vinylch1oride) Coated Electrodes. Molecular Crystals and Liquid Crystals, 1992, 219, 173-181.	0.3	4

#	Article	IF	CITATIONS
73	TiO2 distribution in aged and injected isotactic polypropylene parts by synchrotron radiation X-ray microfluorescence. Journal of Polymer Science, Part B: Polymer Physics, 2002, 40, 657-662.	2.4	3
74	Biocomposite of a multilayer film scrap and curauÃ; fibers. Journal of Thermoplastic Composite Materials, 2017, 30, 225-240.	2.6	3
75	Structural analysis of polymer chain packing by semiempirical methods. Computational and Theoretical Chemistry, 1997, 394, 243-248.	1.5	1
76	<title>Artificial muscles working in aqueous solutions or in air</title> . , 1999, 3669, 98.		1
77	<title>Electrochromic properties of poly(pyrrole)/dodecylbenzenesulfonate</title> .,1991,,.		0
78	Polymer-electrolyte-film-based humidity sensor with integrated signal conditioner. , 2005, , .		0
79	Prof. Adhemar is retiring from PolÃmeros. Polimeros, 2021, 31, .	0.2	Ο