
José F Calvo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4221763/publications.pdf Version: 2024-02-01



LOSÃO E CALVO

#	Article	IF	CITATIONS
1	Ecological values of intermittent rivers for terrestrial vertebrate fauna. Science of the Total Environment, 2022, 806, 151308.	8.0	8
2	Effect of nest composition, experience and nest quality on nest-building behaviour in the Bonelli's Eagle. Scientific Reports, 2022, 12, 4146.	3.3	2
3	Traditional small waterbodies as key landscape elements for farmland bird conservation in Mediterranean semiarid agroecosystems. Global Ecology and Conservation, 2022, 37, e02183.	2.1	2
4	Contribution of artificial waterbodies to biodiversity: A glass half empty or half full?. Science of the Total Environment, 2021, 753, 141987.	8.0	19
5	Comparing detectability patterns of bird species using multi-method occupancy modelling. Scientific Reports, 2021, 11, 2558.	3.3	7
6	Small ponds support high terrestrial bird species richness in a Mediterranean semiarid region. Hydrobiologia, 2021, 848, 1623-1638.	2.0	7
7	Bat ecology and conservation in semiâ€arid and arid landscapes: a global systematic review. Mammal Review, 2020, 50, 52-67.	4.8	16
8	Long-term population monitoring of a territorial forest raptor species. Scientific Data, 2020, 7, 166.	5.3	6
9	Blood concentrations of 50 elements in Eagle owl (Bubo bubo) at different contamination scenarios and related effects on plasma vitamin levels. Environmental Pollution, 2020, 265, 115012.	7.5	6
10	Breeding behaviour and time-activity budgets of Bonelli's Eagles <i>Aquila fasciata</i> : marked sexual differences in parental activities. Bird Study, 2020, 67, 35-44.	1.0	4
11	Evidence of non-random mating in a colour polymorphic raptor, the Booted Eagle. Journal of Ornithology, 2020, 161, 849-857.	1.1	1
12	Spatiotemporal variations of organochlorine pesticides in an apex predator: Influence of government regulations and farming practices. Environmental Research, 2019, 176, 108543.	7.5	11
13	Copulatory behaviour in the Bonelli´s Eagle: Assessing the paternity assurance hypothesis. PLoS ONE, 2019, 14, e0217175.	2.5	4
14	Colour plumage polymorphism in the Booted Eagle: inheritance pattern and temporal stability of the morph frequencies. Journal of Zoology, 2019, 308, 212-220.	1.7	6
15	Use of classical bird census transects as spatial replicates for hierarchical modeling of an avian community. Ecology and Evolution, 2019, 9, 825-835.	1.9	11
16	Multi-criteria assessment of a proposed ecotourism, environmental education and research infrastructure in a unique lagoon ecosystem: The Encañizadas del Mar Menor (Murcia, SE Spain). Journal for Nature Conservation, 2018, 43, 201-210.	1.8	15
17	Nest sites as a key resource for population persistence: A case study modelling nest occupancy under forestry practices. PLoS ONE, 2018, 13, e0205404.	2.5	10
18	Assessment of mercury exposure and maternal-foetal transfer in Miniopterus schreibersii (Chiroptera: Miniopteridae) from southeastern Iberian Peninsula. Environmental Science and Pollution Research, 2017, 24, 5497-5508.	5.3	15

#	Article	IF	CITATIONS
19	The contribution of nonâ€protected areas to the conservation of Eurasian Eagleâ€owls in Mediterranean ecosystems. Ecosphere, 2017, 8, e01952.	2.2	16
20	Factors influencing territorial occupancy and reproductive success in a Eurasian Eagle-owl (Bubo) Tj ETQq0 0 0	rgBT /Over	$\log_{24} 10$ Tf 50
21	Catalogue of the birds of the province of Murcia (Spain). Anales De BiologÃa, 2017, , 7-33.	0.4	11
22	Factors affecting survival in Mediterranean populations of the Eurasian eagle owl. European Journal of Wildlife Research, 2016, 62, 643-651.	1.4	9
23	Integrating occurrence and detectability patterns based on interview data: a case study for threatened mammals in Equatorial Guinea. Scientific Reports, 2016, 6, 33838.	3.3	21
24	Factors influencing the movements during the breeding season of a female booted eagle (Aquila) Tj ETQq0 0 0	rgBT/Over	lock 10 Tf 50
25	Spatio-temporal variations in mortality causes of two migratory forest raptors in Spain. European Journal of Wildlife Research, 2016, 62, 109-118.	1.4	13
26	Are species listed in the Annex II of the Habitats Directive better represented in Natura 2000 network than the remaining species? A test using Spanish bats. Biodiversity and Conservation, 2015, 24, 2459-2473.	2.6	35
27	Diet of the Meridional SerotineEptesicus isabellinusin an Urban Semiarid Mediterranean Landscape. Acta Chiropterologica, 2015, 17, 371-378.	0.6	6
28	Does rainfall affect the productivity of the Booted Eagle (Aquila pennata) during the breeding period in Mediterranean environments?. Journal of Ornithology, 2015, 156, 1-8.	1.1	21
29	Spatial Patterns of Genetic Diversity in Mediterranean Eagle OwlBubo buboPopulations. Ardeola, 2014, 61, 45-62.	0.7	8
30	Patterns of nest reuse in forest raptors and their effects on reproductive output. Journal of Zoology, 2014, 292, 64-70.	1.7	27
31	Bat Activity Over Small Ponds in Dry Mediterranean Forests: Implications for Conservation. Acta Chiropterologica, 2014, 16, 95-101.	0.6	39
32	Factors that influence mercury concentrations in nestling Eagle Owls (Bubo bubo). Science of the Total Environment, 2014, 470-471, 1132-1139.	8.0	35
33	Sexual size dimorphism in greater mouseâ€eared bat <i><scp>M</scp>yotis myotis</i> (<scp>C</scp> hiroptera: <scp>V</scp> espertilionidae) from a <scp>M</scp> editerranean region. Acta Zoologica, 2014, 95, 137-143.	0.8	12
34	Lifespan Analyses of Forest Raptor Nests: Patterns of Creation, Persistence and Reuse. PLoS ONE, 2014, 9, e93628.	2.5	17
35	Preferencia de hábitat del murciélago hortelano meridional Eptesicus isabellinus (Temminck, 1840) en ambientes mediterráneos semiáridos. Animal Biodiversity and Conservation, 2014, 37, 59-67.	0.5	6
36	Factors determining territory fidelity in a migratory forest raptor, the Booted Eagle Hieraaetus pennatus. Journal of Ornithology, 2013, 154, 311-318.	1.1	21

José F Calvo

#	Article	IF	CITATIONS
37	Assessing the short-term effects of an extreme storm on Mediterranean forest raptors. Acta Oecologica, 2013, 48, 47-53.	1.1	14
38	The relationship between brood size and prey selection in a Peregrine Falcon population located in a strategic region on the Western European Flyway. Journal of Ornithology, 2013, 154, 73-82.	1.1	21
39	Ecological niche modelling of three pipistrelle bat species in semiarid Mediterranean landscapes. Acta Oecologica, 2013, 47, 68-73.	1.1	24
40	Effectiveness of the Natura 2000 Network for the conservation of cave-dwelling bats in a Mediterranean region. Animal Conservation, 2013, 16, 528-537.	2.9	41
41	Measurement and evaluation of livelihood assets in sustainable forest commons governance. Land Use Policy, 2013, 30, 908-914.	5.6	82
42	Solitary Hunters Sharing an Abundant Trophic Resource: Simultaneous Hunting by Raptors at a Brambling Winter Roost. Journal of Raptor Research, 2012, 46, 318-322.	0.6	3
43	Potential effects of climatic change on the distribution of Tetraclinis articulata, an endemic tree from arid Mediterranean ecosystems. Climatic Change, 2012, 113, 663-678.	3.6	14
44	The significance of water infrastructures for the conservation of bats in a semiarid Mediterranean landscape. Animal Conservation, 2011, 14, 533-541.	2.9	40
45	Territorial occupancy dynamics in a forest raptor community. Oecologia, 2011, 166, 507-516.	2.0	21
46	Efficiency of a Protected-Area Network in a Mediterranean Region: A Multispecies Assessment with Raptors. Environmental Management, 2011, 47, 983-991.	2.7	25
47	Potential impact of wind farms on territories of large eagles in southeastern Spain. Biodiversity and Conservation, 2010, 19, 3757-3767.	2.6	14
48	Effects of climatic change on the distribution and conservation of Mediterranean forests: the case of Tetraclinis articulata in the Iberian Peninsula. Biodiversity and Conservation, 2010, 19, 3809-3825.	2.6	14
49	Territorial occupancy and breeding performance in a migratory raptor do not follow ideal despotic distribution patterns. Journal of Zoology, 2009, 279, 36-43.	1.7	18
50	Changes in blood pesticide levels in booted eagle (Hieraaetus pennatus) associated with agricultural land practices. Ecotoxicology and Environmental Safety, 2009, 72, 45-50.	6.0	22
51	Breeding performance, age effects and territory occupancy in a Bonelli's Eagle <i>Hieraaetus fasciatus</i> population. Ibis, 2008, 150, 223-233.	1.9	28
52	The Dho-gaza and Mist Net with Eurasian Eagle-Owl (Bubo bubo) Lure: Effectiveness in Capturing Thirteen Species of European Raptors. Journal of Raptor Research, 2008, 42, 48-51.	0.6	15
53	Raptor Ecotoxicology in Spain: A Review on Persistent Environmental Contaminants. Ambio, 2008, 37, 432-439.	5.5	55
54	Patterns of territory settlement by Eurasian scops-owls (Otus scops) in altered semi-arid landscapes. Journal of Arid Environments, 2007, 69, 400-409.	2.4	27

José F Calvo

#	Article	IF	CITATIONS
55	Organochlorine residues in booted eagle (<i>Hieraaetus pennatus</i>) and goshawk (<i>Accipiter) Tj ETQq1 2373-2378.</i>	1 0.784314 4.3	rgBT /Overlac 26
56	Habitat Use of Booted Eagles (Hieraaetus pennatus) in a Special Protection Area: Implications for Conservation. Biodiversity and Conservation, 2007, 16, 3481-3488.	2.6	29
57	How to manage human-induced mortality in the Eagle Owl Bubo bubo. Bird Conservation International, 2006, 16, 265-278.	1.3	36
58	Factors influencing territorial occupancy and reproductive output in the Booted Eagle Hieraaetus pennatus. Ibis, 2006, 148, 807-819.	1.9	25
59	Interannual variations of reproductive parameters in a booted eagle (Hieraaetus pennatus) population: the influence of density and laying date. Journal of Ornithology, 2006, 147, 612-617.	1.1	15
60	Habitat use of booted eagles (Hieraaetus pennatus) in a Special Protection Area: implications for conservation. , 2006, , 239-246.		0
61	Demography and habitat availability in territorial occupancy of two competing species. Oikos, 2005, 108, 125-136.	2.7	60
62	Cadmium in Feathers of Adults and Blood of Nestlings of Three Raptor Species from a Nonpolluted Mediterranean Forest, Southeastern Spain. Bulletin of Environmental Contamination and Toxicology, 2005, 74, 477-484.	2.7	32
63	Lead in Feathers and ?-Aminolevulinic Acid Dehydratase Activity in Three Raptor Species from an Unpolluted Mediterranean Forest (Southeastern Spain). Archives of Environmental Contamination and Toxicology, 2004, 47, 270-5.	4.1	48
64	Predicting the implications of conservation management: a territorial occupancy model of Bonelli's eagle in Murcia, Spain. Oryx, 2002, 36, .	1.0	19
65	Title is missing!. Biodiversity and Conservation, 2002, 11, 975-985.	2.6	54
66	Seed germination, growth, and osmotic adjustment in response to NaCl in a rare succulent halophyte from southeastern Spain. Wetlands, 2001, 21, 256-264.	1.5	49
67	Title is missing!. Human Ecology, 2000, 28, 279-299.	1.4	50
68	Recovery of Germination from Different Osmotic Conditions by Four Halophytes from Southeastern Spain. Annals of Botany, 2000, 85, 279-286.	2.9	150
69	Age and breeding success of a Golden Eagle <i>Aquila chrysaetos</i> population in southeastern Spain. Bird Study, 2000, 47, 235-237.	1.0	29
70	Raptor distribution in relation to landscape composition in semiâ€arid Mediterranean habitats. Journal of Applied Ecology, 1999, 36, 254-262.	4.0	135
71	On the use of three performance measures for fitting species response curves. Journal of Vegetation Science, 1995, 6, 57-62.	2.2	10
72	Interactions between a floodway and coastal constructions in Aguila bay (Southeastern Spain). Ocean and Coastal Management, 1993, 19, 241-262.	4.4	15

#	Article	IF	CITATIONS
73	The use of multivariate analysis for the ecological characterization of landscape: the Mula River watershed, south-east Spain. Journal of Environmental Management, 1992, 34, 297-308.	7.8	6