Federico Selvi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4224910/publications.pdf

Version: 2024-02-01

142 papers 4,584 citations

32 h-index 59 g-index

144 all docs

144 docs citations

times ranked

144

4403 citing authors

#	Article	IF	CITATIONS
1	An updated checklist of the vascular flora native to Italy. Plant Biosystems, 2018, 152, 179-303.	1.6	508
2	An updated checklist of the vascular flora alien to Italy. Plant Biosystems, 2018, 152, 556-592.	1.6	300
3	Biodiversity and ecosystem functioning relations in European forests depend on environmental context. Ecology Letters, 2017, 20, 1414-1426.	6.4	244
4	Biotic homogenization can decrease landscape-scale forest multifunctionality. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 3557-3562.	7.1	196
5	Jack-of-all-trades effects drive biodiversity–ecosystem multifunctionality relationships in European forests. Nature Communications, 2016, 7, 11109.	12.8	185
6	A novel comparative research platform designed to determine the functional significance of tree species diversity in European forests. Perspectives in Plant Ecology, Evolution and Systematics, 2013, 15, 281-291.	2.7	179
7	An inventory of the names of vascular plants endemic to Italy, their loci classici and types. Phytotaxa, 2015, 196, 1.	0.3	138
8	Familial classification of the Boraginales. Taxon, 2016, 65, 502-522.	0.7	93
9	Origin of Mediterranean insular endemics in the Boraginales: integrative evidence from molecular dating and ancestral area reconstruction. Journal of Biogeography, 2009, 36, 1282-1296.	3.0	91
10	Evolutionary lineages of nickel hyperaccumulation and systematics in European Alysseae (Brassicaceae): evidence from nrDNA sequence data. Annals of Botany, 2010, 106, 751-767.	2.9	85
11	The borage family (Boraginaceae s.str.): A revised infrafamilial classification based on new phylogenetic evidence, with emphasis on the placement of some enigmatic genera. Taxon, 2016, 65, 523-546.	0.7	83
12	Continental mapping of forest ecosystem functions reveals a high but unrealised potential for forest multifunctionality. Ecology Letters, 2018, 21, 31-42.	6.4	74
13	Marbleseeds are gromwells – Systematics and evolution of Lithospermum and allies (Boraginaceae) Tj ETQq1 I Evolution, 2009, 52, 755-768.	1 0.78431 2.7	4 rgBT /Overlo
14	Multiple origins for Hound's tongues (Cynoglossum L.) and Navel seeds (Omphalodes Mill.) – The phylogeny of the borage family (Boraginaceae s.str.). Molecular Phylogenetics and Evolution, 2013, 68, 604-618.	2.7	68
15	Developing Sustainable Agromining Systems in Agricultural Ultramafic Soils for Nickel Recovery. Frontiers in Environmental Science, 2018, 6, .	3.3	63
16	Identifying the tree species compositions that maximize ecosystem functioning in European forests. Journal of Applied Ecology, 2019, 56, 733-744.	4.0	58
17	Drivers of earthworm incidence and abundance across European forests. Soil Biology and Biochemistry, 2016, 99, 167-178.	8.8	53
18	Tree Diversity Limits the Impact of an Invasive Forest Pest. PLoS ONE, 2015, 10, e0136469.	2.5	51

#	Article	IF	CITATIONS
19	Diversity, geographic variation and conservationof the serpentine flora of Tuscany (Italy). Biodiversity and Conservation, 2007, 16, 1423-1439.	2.6	49
20	Molecular Systematics of Boraginaceae Tribe Boragineae Based on ITS1 and trnL Sequences, with Special Reference to Anchusa s.l Annals of Botany, 2004, 94, 201-212.	2.9	47
21	Genetic diversity inferred from AFLP fingerprinting in populations of Onosma echioides (Boraginaceae) from serpentine and calcareous soils. Plant Biosystems, 2006, 140, 211-219.	1.6	47
22	Leaf surface and anatomy in Boraginaceae tribe Boragineae with respect to ecology and taxonomy. Flora: Morphology, Distribution, Functional Ecology of Plants, 2001, 196, 269-285.	1.2	46
23	At the intersection of cultural and natural heritage: Distribution and conservation of the type localities of Italian endemic vascular plants. Biological Conservation, 2017, 214, 109-118.	4.1	46
24	Garigue plant communities of ultramafic outcrops of Tuscany (Central Italy). Webbia, 1995, 49, 179-192.	0.3	45
25	Phylogenetic relationships of the monotypic genera <i>Halacsya</i> and <i>Paramoltkia</i> and the origins of serpentine adaptation in circumâ€mediterranean Lithospermeae (Boraginaceae): insights from ITS and <i>matK</i> DNA sequences. Taxon, 2009, 58, 700-714.	0.7	44
26	Pollen morphology in theBoragineae (Boraginaceae) in relation to the taxonomy of the tribe. Plant Systematics and Evolution, 1998, 213, 121-151.	0.9	43
27	Edge influence on understorey plant communities depends on forest management. Journal of Vegetation Science, 2020, 31, 281-292.	2.2	40
28	Fossil and Extant Western Hemisphere Boragineae, and the Polyphyly of "Trigonotideae―Riedl (Boraginaceae: Boraginoideae). Systematic Botany, 2010, 35, 409-419.	0.5	39
29	<i>Anchusa</i> L. and allied genera (<i>Boraginaceae</i>) in Italy. Plant Biosystems, 1998, 132, 113-142.	1.6	38
30	The old charcoal kiln sites in Central Italian forest landscapes. Quaternary International, 2017, 458, 214-223.	1.5	38
31	Microclimatic edge-to-interior gradients of European deciduous forests. Agricultural and Forest Meteorology, 2021, 311, 108699.	4.8	38
32	Driving mechanisms of overstorey–understorey diversity relationships in European forests. Perspectives in Plant Ecology, Evolution and Systematics, 2016, 19, 21-29.	2.7	36
33	Structural variation of forest edges across Europe. Forest Ecology and Management, 2020, 462, 117929.	3.2	35
34	Conifer proportion explains fine root biomass more than tree species diversity and site factors in major European forest types. Forest Ecology and Management, 2017, 406, 330-350.	3.2	34
35	Metallophytes of Serpentine and Calamine Soils $\hat{a}\in$ Their Unique Ecophysiology and Potential for Phytoremediation. Advances in Botanical Research, 2017, , 1-42.	1.1	34
36	Former charcoal kiln platforms as microhabitats affecting understorey vegetation in Mediterranean forests. Applied Vegetation Science, 2016, 19, 486-497.	1.9	32

#	Article	IF	Citations
37	Unravelling soil and plant metal relationships in Albanian nickel hyperaccumulators in the genus Odontarrhena (syn. Alyssum sect. Odontarrhena, Brassicaceae). Plant and Soil, 2019, 440, 135-149.	3.7	32
38	Forest understorey communities respond strongly to light in interaction with forest structure, but not to microclimate warming. New Phytologist, 2022, 233, 219-235.	7.3	32
39	Evolutionary dynamics of serpentine adaptation in Onosma (Boraginaceae) as revealed by ITS sequence data. Plant Systematics and Evolution, 2011, 297, 185-199.	0.9	31
40	AFLP fingerprinting of Anchusa (Boraginaceae) in the Corso-Sardinian system: Genetic diversity, population differentiation and conservation priorities in an insular endemic group threatened with extinction. Biological Conservation, 2008, 141, 2000-2011.	4.1	30
41	Molecular phylogeny, morphology and taxonomic reâ€eircumscription of the generic complex <i>Nonea</i> /i>Elizaldia/i>Pulmonaria/i>/araskevia (Boraginaceaeâ€Boragineae). Taxon, 2006, 55, 907-918.	0.7	29
42	Widespread Crown Defoliation After a Drought and Heat Wave in the Forests of Tuscany (Central) Tj ETQq0 0 0 2019, 2, .	rgBT /Ove 2.3	erlock 10 Tf 50 29
43	Revision of genus Anchusa (Boraginaceae-Boragineae) in Greece. Botanical Journal of the Linnean Society, 2003, 142, 431-454.	1.6	28
44	Taxonomic, phylogenetic and functional diversity of understorey plants respond differently to environmental conditions in European forest edges. Journal of Ecology, 2021, 109, 2629-2648.	4.0	28
45	Diversity and biogeography of Ni-hyperaccumulators of <i>Alyssum </i> section <i>Odontarrhena </i> (Brassicaceae) in the central western Mediterranean: evidence from karyology, morphology and DNA sequence data. Botanical Journal of the Linnean Society, 2013, 173, 269-289.	1.6	27
46	Low genetic diversity and contrasting patterns of differentiation in the two monotypic genera Halacsya and Paramoltkia (Boraginaceae) endemic to the Balkan serpentines. Flora: Morphology, Distribution, Functional Ecology of Plants, 2014, 209, 5-14.	1.2	27
47	Interacting effects of warming and drought on regeneration and early growth of <i>Acer pseudoplatanus</i> and <i>A.Âplatanoides</i> Plant Biology, 2015, 17, 52-62.	3.8	27
48	Boraginaceae. , 2016, , 41-102.		27
49	Karyotype Variation, Evolution and Phylogeny in Borago (Boraginaceae), with Emphasis on Subgenus Buglossites in the Corso-Sardinian System. Annals of Botany, 2006, 98, 857-868.	2.9	26
50	Responses of serpentine plants to pine invasion: Vegetation diversity and nickel accumulation in species with contrasting adaptive strategies. Science of the Total Environment, 2017, 595, 72-80.	8.0	26
51	Drivers of carbon stocks in forest edges across Europe. Science of the Total Environment, 2021, 759, 143497.	8.0	25
52	Stigma form and surface in the tribe Boragineae (Boraginaceae): micromorphological diversity, relationships with pollen, and systematic relevance. Canadian Journal of Botany, 2000, 78, 388-408.	1.1	25
53	Notulae to the Italian alien vascular flora: 7. Italian Botanist, 0, 7, 157-182.	0.0	25
54	The Frankincense tree (Boswellia sacra, Burseraceae) from Oman: ITS and ISSR analyses of genetic diversity and implications for conservation. Genetic Resources and Crop Evolution, 2010, 57, 1041-1052.	1.6	24

#	Article	IF	Citations
55	Impact of pine invasion on the taxonomic and phylogenetic diversity of a relict Mediterranean forest ecosystem. Forest Ecology and Management, 2016, 367, 1-11.	3.2	24
56	The genus Odontarrhena (Brassicaceae) in Albania: Taxonomy and Nickel accumulation in a critical group of metallophytes from a major serpentine hot-spot. Phytotaxa, 2018, 351, 1.	0.3	24
57	Latitudinal variation in seeds characteristics of Acer platanoides and A. pseudoplatanus. Plant Ecology, 2014, 215, 911-925.	1.6	23
58	High epizoochorous specialization and low DNA sequence divergence in Mediterranean <i>Cynoglossum</i> (Boraginaceae): Evidence from fruit traits and ITS region. Taxon, 2011, 60, 969-985.	0.7	22
59	Effects of charcoal hearth soil on forest regeneration: Evidence from a two-year experiment on tree seedlings. Forest Ecology and Management, 2018, 427, 37-44.	3.2	22
60	Systematics, phylogenetic relationships and conservation of the taxa of <i> Anchusa </i> (Boraginaceae) endemic to Sardinia (Italy). Systematics and Biodiversity, 2008, 6, 161-174.	1.2	21
61	Plant neighbour identity and invasive pathogen infection affect associational resistance to an invasive gall wasp. Biological Invasions, 2018, 20, 1459-1473.	2.4	21
62	Anchusella, a new genus ofBoraginaceae from the Central-Eastern Mediterranean. Plant Systematics and Evolution, 1997, 205, 241-264.	0.9	18
63	CHROMOSOME STUDIES IN TURKISH SPECIES OF NONEA (BORAGINACEAE): THE ROLE OF POLYPLOIDY AND DESCENDING DYSPLOIDY IN THE EVOLUTION OF THE GENUS. Edinburgh Journal of Botany, 2002, 59, 405-420.	0.4	17
64	A synopsis of the genus <i>Cynoglossum</i> (Boraginaceae-Cynoglosseae) in Italy. Plant Biosystems, 2012, 146, 461-479.	1.6	17
65	Synopsis of <i>Boraginaceae </i> subfam. <i>Boraginoideae </i> tribe <i>Boragineae </i> in Italy. Plant Biosystems, 2015, 149, 630-677.	1.6	17
66	Onosma juliae (Boraginaceae), a new species from southern Turkey, with remarks on the systematics of Onosma in the Irano-Turanian region. Phytotaxa, 2016, 288, 201.	0.3	17
67	The genus Odontarrhena (Brassicaceae) in Albania: Taxonomy and Nickel accumulation in a critical group of metallophytes from a major serpentine hot-spot. Phytotaxa, 2018, 351, 1.	0.3	17
68	Flora and phytogeography of the volcanic dome of Monte Amiata (Central Italy). Webbia, 1996, 50, 265-310.	0.3	16
69	A reappraisal of the generic status of Gastrocotyle, Hormuzakia and Phyllocara(Boraginaceae) in the light of micromorphological and karyological evidence. Edinburgh Journal of Botany, 1999, 56, 229-251.	0.4	15
70	Karyotype morphology and cytogeography in Brunnera and Cynoglottis (Boraginaceae). Botanical Journal of the Linnean Society, 2001, 136, 365-378.	1.6	15
71	Phylogeny, karyotype evolution and taxonomy of <i>Cerinthe</i> L. (Boraginaceae). Taxon, 2009, 58, 1307-1325.	0.7	15
72	Impacts of warming and changes in precipitation frequency on the regeneration of two Acer species. Flora: Morphology, Distribution, Functional Ecology of Plants, 2015, 214, 24-33.	1.2	15

#	Article	IF	Citations
73	Small scale environmental variation modulates plant defence syndromes of understorey plants in deciduous forests of Europe. Global Ecology and Biogeography, 2021, 30, 205-219.	5.8	15
74	Above―and belowâ€ground complementarity rather than selection drive tree diversity–productivity relationships in European forests. Functional Ecology, 2021, 35, 1756-1767.	3.6	15
75	Phylogeny and historical biogeography of Lithospermeae (Boraginaceae): Disentangling the possible causes of Miocene diversifications. Molecular Phylogenetics and Evolution, 2019, 141, 106626.	2.7	14
76	The Nonea pulla group (Boraginaceae) in Turkey. Plant Systematics and Evolution, 2001, 227, 1-26.	0.9	13
77	Variation in nectar-sugar profile of Anchusa and allied genera (Boraginaceae). Botanical Journal of the Linnean Society, 0, 162, 616-627.	1.6	13
78	Divergent regeneration responses of two closely related tree species to direct abiotic and indirect biotic effects of climate change. Forest Ecology and Management, 2015, 342, 21-29.	3.2	13
79	Anchusa formosa(Boraginaceae), a new species from Southern Sardinia (Italy). Plant Biosystems, 1997, 131, 103-111.	1.6	12
80	The phylogenetic relationships of Cynoglottis (Boraginaceae-Boragineae) inferred from ITS, 5.8S and trnL sequences. Plant Systematics and Evolution, 2004, 246, 195.	0.9	12
81	Typification of names of Euroâ€Mediterranean taxa of <i>Boraginaceae</i> described by Italian botanists. Taxon, 2009, 58, 621-626.	0.7	12
82	Cork oak woodlands in the north Tyrrhenian area (Italy): distribution and plant species diversity of a relict forest ecosystem. Biodiversity and Conservation, 2012, 21, 3061-3078.	2.6	12
83	Nonâ€monophyly of <i>Buglossoides</i> (Boraginaceae: Lithospermeae): Phylogenetic and morphological evidence for the expansion of <i>Glandora</i> and reappraisal of <i>Aegonychon</i> Taxon, 2014, 63, 1065-1078.	0.7	12
84	Linking forest diversity and tree health: preliminary insights from a large-scale survey in Italy. Forest Ecosystems, 2018, 5, .	3.1	12
85	The genus <i>Gymnospermium</i> (Berberidaceae) in Italy: identity and relationships of the populations at the western limit of the genus range. Plant Biosystems, 2019, 153, 796-808.	1.6	12
86	Inability to accumulate Ni in a genus of hyperaccumulators: the paradox of Odontarrhena sibirica (Brassicaceae). Planta, 2020, 252, 99.	3.2	12
87	Chromosome variation in Anatolian species of Nonea Medik. (Boraginaceae), with special reference to endemics and N. persica. Caryologia, 2003, 56, 509-519.	0.3	11
88	The Euro+Med treatment of Boraginaceae in Willdenowia 34 — a response. Willdenowia, 2005, 35, 43.	0.8	11
89	A synopsis of <i>Boraginaceae</i> subfam. <i>Hydrophylloideae</i> and <i>Heliotropioideae</i> i>in Italy. Plant Biosystems, 2014, 148, 2-12.	1.6	11
90	Forest ecological heterogeneity determines contrasting relationships between crown defoliation and tree diversity. Forest Ecology and Management, 2019, 448, 321-329.	3.2	11

#	Article	IF	CITATIONS
91	Cascading effects of canopy mortality drive longâ€term changes in understorey diversity in temperate oldâ€growth forests of Europe. Journal of Vegetation Science, 2019, 30, 905-916.	2.2	11
92	The ultimate types of Anchusa L. and Lycopsis L. (Boraginaceae). Taxon, 1996, 45, 305-307.	0.7	10
93	Edge effects on the realised soil seed bank along microclimatic gradients in temperate European forests. Science of the Total Environment, 2021, 798, 149373.	8.0	10
94	Former charcoal platforms in Mediterranean forest areas: a hostile microhabitat for the recolonization by woody species. IForest, 2017, 10, 136-144.	1.4	10
95	Species richness influences the spatial distribution of trees in European forests. Oikos, 2020, 129, 380-390.	2.7	9
96	Notulae to the Italian alien vascular flora: 11. Italian Botanist, 0, 11, 93-119.	0.0	9
97	Systematics of Nonea (Boraginaceae-Boragineae): New Insights from Phenetic and Cladistic Analyses. Taxon, 2002, 51, 719.	0.7	8
98	Diversity of secondary woody species in relation to species richness and cover of dominant trees in thermophilous deciduous forests. Scandinavian Journal of Forest Research, 2016, 31, 484-494.	1.4	8
99	Population Genetics of Odontarrhena (Brassicaceae) from Albania: The Effects of Anthropic Habitat Disturbance, Soil, and Altitude on a Ni-Hyperaccumulator Plant Group from a Major Serpentine Hotspot. Plants, 2020, 9, 1686.	3. 5	8
100	Odontarrhena stridii (Brassicaceae), a new Nickel-hyperaccumulating species from mainland Greece. Plant Systematics and Evolution, 2020, 306, 1.	0.9	8
101	Climatic conditions, not above- and belowground resource availability and uptake capacity, mediate tree diversity effects on productivity and stability. Science of the Total Environment, 2022, 812, 152560.	8.0	8
102	<i>Armeria saviana</i> sp. nov. (Plumbaginaceae) from central Italy. Nordic Journal of Botany, 2009, 27, 125-133.	0.5	7
103	Arnebia purpurea: a new member of formerly monotypic genus Huynhia (Boraginaceae-Lithospermeae). Phytotaxa, 2015, 204, 123.	0.3	7
104	Trichome Biomineralization and Soil Chemistry in Brassicaceae from Mediterranean Ultramafic and Calcareous Soils. Plants, 2021, 10, 377.	3. 5	7
105	Diversity of Ni growth response and accumulation in Central-Eastern Mediterranean Odontarrhena (Brassicaceae) populations on and off serpentine sites. Environmental and Experimental Botany, 2021, 186, 104455.	4.2	7
106	Plant mortality on ultramafic soils after an extreme heat and drought event in the Mediterranean area. Plant and Soil, 2022, 471, 123-139.	3.7	7
107	Proposals for improvement of Annex I of Directive 92/43/EEC: Central Italy. Plant Sociology, 2021, 58, 99-118.	2.4	7
108	Flora vascolare del Monte Leoni (Toscana Meridionale). Webbia, 1998, 52, 265-306.	0.3	6

#	Article	IF	Citations
109	Understorey phylogenetic diversity in thermophilous deciduous forests: overstorey species identity can matter more than species richness. Forest Ecosystems, 2019, 6, .	3.1	6
110	Notulae to the Italian native vascular flora: 10. Italian Botanist, 0, 10, 47-55.	0.0	6
111	Removal of Anchusa macedonica from Anchusa (Boraginaceae): evidence from phenetics and karyotypic analysis. Taxon, 2000, 49, 765-778.	0.7	5
112	La flora di Monterufoli-Caselli in Val di Cecina (Toscana): un'area protetta di rilevante interesse botanico. Webbia, 2004, 59, 349-393.	0.3	5
113	Early vegetation recovery of a burned Mediterranean forest in relation to post-fire management strategies. Forestry, 2022, 95, 548-561.	2.3	5
114	Soil seed bank responses to edge effects in temperate European forests. Global Ecology and Biogeography, 2022, 31, 1877-1893.	5.8	5
115	Nonea pallens (Boraginaceae). a new addition to the flora of Turkey. Edinburgh Journal of Botany, 1999, 56, 361-369.	0.4	4
116	Systematics of Nonea (Boraginaceae-Boragineae): new insights from phenetic and cladistic analyses. Taxon, 2002, 51, 719-730.	0.7	4
117	La Flora vascolare della Riserva Naturale "Monte Penna―(Grosseto, Toscana meridionale). Webbia, 2008, 63, 81-107.	0.3	4
118	A reappraisal of the genus <i>Megacaryon</i> (Boraginaceae, Lithospermeae) based on molecular, morphological, and karyological evidence. Systematics and Biodiversity, 2017, 15, 552-563.	1.2	4
119	Understorey changes after an extreme drought event are modulated by overstorey tree species mixtures in thermophilous deciduous forests. Forest Ecology and Management, 2021, 484, 118931.	3.2	4
120	Notulae to the Italian native vascular flora: 2. Italian Botanist, 0, 2, 73-92.	0.0	4
121	Contribution to the knowledge of the vascular flora of Miniera di Murlo area (southern Tuscany,) Tj ETQq $1\ 1\ 0.78^2$	1314 rgBT 0.0	/Qverlock
122	Initial oak regeneration responses to experimental warming along microclimatic and macroclimatic gradients. Plant Biology, 2022, 24, 745-757.	3.8	4
123	Evidence from nuclear and choroplast DNA for the placement of Anchusa macedonica in the genus Gastrocotyle (Boraginaceae). Webbia, 2002, 57, 173-180.	0.3	3
124	L'alta valle del Torrente Lente (Toscana meridionale): contributo alla conoscenza floristica e vegetazionale. Webbia, 2004, 59, 309-347.	0.3	3
125	La Flora vascolare della Riserva Naturale Regionale "Cornate-Fosini―(Toscana Meridionale). Webbia, 2004, 59, 395-455.	0.3	3
126	Cynoglossum barbaricinum(Boraginaceae), a new species from Sardinia (Italy). Webbia, 2011, 66, 39-43.	0.3	3

#	Article	IF	CITATIONS
127	<i>Nonea dumanii</i> sp. nov. (Boraginaceae) from the Taurus mountains (south Turkey). Nordic Journal of Botany, 2012, 30, 546-552.	0.5	3
128	Plant Communities of Travertine Outcrops of the Saturnia Area in Southern Tuscany (Central Italy). Hacquetia, 2013, 12, 141-164.	0.4	3
129	Notulae to the Italian native vascular flora: 4. Italian Botanist, 0, 4, 43-51.	0.0	3
130	Photosynthesizing while hyperaccumulating nickel: Insights from the genus Odontarrhena (Brassicaceae). Plant Physiology and Biochemistry, 2022, 176, 9-20.	5.8	3
131	Anchusa samothracica (Boraginaceae), a new species from the island of Samothraki, Greece. Nordic Journal of Botany, 2000, 20, 141-148.	0.5	2
132	Nonea pisidica (Boraginaceae-Boragineae), a new species from southwest Anatolia and its relationships inferred from karyology and cpDNA sequences. Plant Biosystems, 2004, 138, 135-144.	1.6	2
133	<i>Nonea palmyrensis</i> (Boraginaceae): morphology and phylogenetic affinities of a rare endemic of the Syro–Iraqi desert. Nordic Journal of Botany, 2009, 27, 381-387.	0.5	2
134	Typification of the name <i>Cynoglossum creticum</i> Mill. (<i>Boraginaceae</i>). Taxon, 2011, 60, 1477-1477.	0.7	2
135	Polyploidy in Odontarrhena bertolonii (Brassicaceae) in relation to seed germination performance and plant phenotype, with taxonomic implications. Plant Biosystems, 0, , 1-12.	1.6	2
136	Structure and composition of a Mediterranean grassland community grown under Free-Air CO ₂ Enrichment (MiniFACE). Community Ecology, 2008, 9, 141-151.	0.9	2
137	ة»¿Notulae to the Italian native vascular flora: 12. Italian Botanist, 0, 12, 85-103.	0.0	2
138	Exploring Ni-accumulation in serpentinophytic taxa of Brassicaceae from Albania and Greece. Plant Biosystems, 0 , 1 -16.	1.6	2
139	(2321) Proposal to conserve the name <i>Lycopsis pulla</i> (<i>Boraginaceae</i>) with a conserved type. Taxon, 2014, 63, 1132-1133.	0.7	1
140	Notulae to the Italian native vascular flora: 4. Italian Botanist, 0, 4, 43-51.	0.0	1
141	Population genetic structure of Gymnospermium scipetarum subsp. eddae (Berberidaceae), an endangered forest endemic from the Southern Apennines (Italy). Plant Biosystems, 0, , 1-17.	1.6	1
142	Typification of the Linnaean name Myosotis nana (Boraginaceae). Taxon, 2019, 68, 584-588.	0.7	0