

Gulsah Cecener

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4225067/publications.pdf>

Version: 2024-02-01

88
papers

1,019
citations

430442

18
h-index

580395

25
g-index

90
all docs

90
docs citations

90
times ranked

1670
citing authors

#	ARTICLE	IF	CITATIONS
1	The Anticancer Effect of <i>Inula viscosa</i> Methanol Extract by miRNAs Re-regulation: An <i>In Vitro</i> Study on Human Malignant Melanoma Cells. <i>Nutrition and Cancer</i> , 2022, 74, 211-224.	0.9	6
2	The expression and prognostic value of miR-146a and miR-155 in Turkish patients with multiple sclerosis. <i>Neurological Research</i> , 2022, 44, 217-223.	0.6	7
3	<i>Olea europaea</i> leaf extract suppress stemness-Characteristics of gastric cancer via long non-coding RNAs. <i>European Journal of Integrative Medicine</i> , 2022, 49, 102099.	0.8	3
4	Identification of CHEK2 germline mutations in BRCA1/2 and PALB2 negative breast and ovarian cancer patients. <i>Human Heredity</i> , 2022, , .	0.4	2
5	Inhibitory Effects of <i>Olea europaea</i> Leaf Extract on Mesenchymal Transition Mechanism in Glioblastoma Cells. <i>Nutrition and Cancer</i> , 2021, 73, 713-720.	0.9	3
6	Evaluation of the Clinical Features Accompanied by the Gene Mutations. <i>Alzheimer Disease and Associated Disorders</i> , 2021, 35, 214-222.	0.6	4
7	<i>DPYD</i> c.1905+1G Promotes Fluoropyrimidine-Induced Anemia, a Prognostic Factor in Disease-Free Survival, in Colorectal Cancer. <i>Genetic Testing and Molecular Biomarkers</i> , 2021, 25, 276-283.	0.3	1
8	<i>Olea europaea</i> leaf extract decreases tumour size by affecting the LncRNA expression status in glioblastoma 3D cell cultures. <i>European Journal of Integrative Medicine</i> , 2021, 45, 101345.	0.8	4
9	NEAT1 Is a Novel Oncogenic LncRNA and Correlated with miR-143 in Pediatric Oligodendrogliomas. <i>Pediatric Neurosurgery</i> , 2021, 56, 133-139.	0.4	1
10	Association between the anticancer efficacy of cabazitaxel and toll-like receptor 4 mediating signaling pathways in metastatic castration-resistant prostate cancer cells. <i>Human and Experimental Toxicology</i> , 2021, 40, 1122-1129.	1.1	3
11	Investigation of VHL gene associated with miR-223 in clear cell renal cell carcinoma. <i>Molecular Biology Reports</i> , 2021, , 1.	1.0	1
12	Clinicopathologic features and genetic characteristics of the BRCA1/2 mutation in Turkish breast cancer patients. <i>Cancer Genetics</i> , 2020, 240, 23-32.	0.2	11
13	Contribution of functional dopamine D2 and D3 receptor variants to motor and non-motor symptoms of early onset Parkinson's disease. <i>Clinical Neurology and Neurosurgery</i> , 2020, 199, 106257.	0.6	4
14	Talazoparib nanoparticles for overcoming multidrug resistance in triple-negative breast cancer. <i>Journal of Cellular Physiology</i> , 2020, 235, 6230-6245.	2.0	17
15	Long noncoding RNA MALAT1 may be a prognostic biomarker in IDH1/2 wild-type primary glioblastomas. <i>Bosnian Journal of Basic Medical Sciences</i> , 2020, 20, 63-69.	0.6	7
16	The role of usnic acid-induced apoptosis and autophagy in hepatocellular carcinoma. <i>Human and Experimental Toxicology</i> , 2019, 38, 201-215.	1.1	23
17	BMN 673 (talazoparib): A potent PARP inhibitor for triple negative breast cancer with different genetic profile. <i>Journal of Biochemical and Molecular Toxicology</i> , 2019, 33, e22286.	1.4	5
18	Overexpression of miR-21 Is Associated With Recurrence in Patients With Hepatitis B Virus-Mediated Hepatocellular Carcinoma Undergoing Liver Transplantation. <i>Transplantation Proceedings</i> , 2019, 51, 1157-1161.	0.3	15

#	ARTICLE	IF	CITATIONS
19	Oleuropein modulates glioblastoma miRNA pattern different from <i>Olea europaea</i> leaf extract. <i>Human and Experimental Toxicology</i> , 2019, 38, 1102-1110.	1.1	15
20	Investigation of new treatment option for hepatocellular carcinoma: a combination of sorafenib with usnic acid. <i>Journal of Pharmacy and Pharmacology</i> , 2019, 71, 1119-1132.	1.2	12
21	Synergistic effects of hormone therapy drugs and usnic acid on hormone receptor-positive breast and prostate cancer cells. <i>Journal of Biochemical and Molecular Toxicology</i> , 2019, 33, e22338.	1.4	5
22	Talazoparib Loaded Solid Lipid Nanoparticles: Preparation, Characterization and Evaluation of the Therapeutic Efficacy In vitro. <i>Current Drug Delivery</i> , 2019, 16, 511-529.	0.8	10
23	RNA-based markers in biopsy cores with atypical small acinar proliferation: Predictive effect of T2E fusion positivity and MMP2 upregulation for a subsequent prostate cancer diagnosis. <i>Prostate</i> , 2019, 79, 195-205.	1.2	4
24	Prediction of breast cancer metastasis risk using circulating tumor markers: A follow-up study. <i>Bosnian Journal of Basic Medical Sciences</i> , 2019, 19, 172-179.	0.6	1
25	T2E (Tmprss2-ERG) fusion transcripts are associated with higher levels of AMACR mRNA and a subsequent prostate cancer diagnosis in patients with atypical small acinar proliferation. <i>Gene</i> , 2018, 645, 69-75.	1.0	3
26	Overexpression of the Long Noncoding RNA HomeoboxA Transcript at the Distal Tip Predicts Poor Prognosis in a KRAS-Independent Manner in Periampullary Region Tumors. <i>Pancreas</i> , 2018, 47, 213-220.	0.5	4
27	Coexistence of MACC1 and NM23H1 dysregulation and tumor budding promise early prognostic evidence for recurrence risk of early-stage colon cancer. <i>Apmis</i> , 2018, 126, 99-108.	0.9	6
28	Solid lipid nanoparticles: Reversal of tamoxifen resistance in breast cancer. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 120, 73-88.	1.9	49
29	Triple negative breast cancer: new therapeutic approaches and BRCA status. <i>Apmis</i> , 2018, 126, 371-379.	0.9	41
30	Cancer stem cell markers in pancreatic ductal adenocarcinoma. <i>Annals of Oncology</i> , 2018, 29, viii54.	0.6	0
31	Synthetically Lethal BMN 673 (Talazoparib) Loaded Solid Lipid Nanoparticles for BRCA1 Mutant Triple Negative Breast Cancer. <i>Pharmaceutical Research</i> , 2018, 35, 218.	1.7	28
32	In vitro cytotoxic and antiproliferative effects of usnic acid on hormone-dependent breast and prostate cancer cells. <i>Journal of Biochemical and Molecular Toxicology</i> , 2018, 32, e22208.	1.4	18
33	<i>Olea europaea</i> leaf extract and bevacizumab synergistically exhibit beneficial efficacy upon human glioblastoma cancer stem cells through reducing angiogenesis and invasion in vitro. <i>Biomedicine and Pharmacotherapy</i> , 2017, 90, 713-723.	2.5	12
34	Epigenetic approach to early-onset Parkinson's disease: low methylation status of SNCA and PARK2 promoter regions. <i>Neurological Research</i> , 2017, 39, 965-972.	0.6	29
35	<i>Olea europaea</i> Leaf Extract Improves the Efficacy of Temozolomide Therapy by Inducing MGMT Methylation and Reducing P53 Expression in Glioblastoma. <i>Nutrition and Cancer</i> , 2017, 69, 873-880.	0.9	12
36	The matter of clinical sequencing for familial breast cancer: The route from Sanger to next generation. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
37	Solid lipid nanoparticles in reversing the acquired tamoxifen-resistance. , 2017, , .		1
38	THE EFFECT OF SOLID LIPID NANOPARTICLES ON TAMOXIFEN-RESISTANT BREAST CANCER CELLS. International Journal of Pharmacy and Pharmaceutical Sciences, 2016, 8, 43.	0.3	16
39	miR-216b Targets FGFR1 and Confers Sensitivity to Radiotherapy in Pancreatic Ductal Adenocarcinoma Patients Without EGFR or KRAS Mutation. Pancreas, 2016, 45, 1294-1302.	0.5	15
40	Expression and clinical significance of miRNAs that may be associated with the FHIT gene in breast cancer. Gene, 2016, 590, 278-284.	1.0	9
41	An in vitro model for the development of acquired tamoxifen resistance. Cell Biology and Toxicology, 2016, 32, 563-581.	2.4	13
42	A novel $[Mn_2(\frac{1}{4}-(C_6H_5)_2CHCOO)_2(bipy)_4](bipy)(ClO_4)_2$ complex loaded solid lipid nanoparticles: synthesis, characterization and in vitro cytotoxicity on MCF-7 breast cancer cells. Journal of Microencapsulation, 2016, 33, 575-584.	1.2	3
43	Association of PALB2 sequence variants with the risk of early-onset breast cancer in patients from Turkey. Molecular Biology Reports, 2016, 43, 1273-1284.	1.0	7
44	Mutation analysis of the PARKIN, PINK1, DJ1, and SNCA genes in Turkish early-onset Parkinsonâ€™s patients and genotype-phenotype correlations. Clinical Neurology and Neurosurgery, 2016, 148, 147-153.	0.6	22
45	Association of MDR1 , CYP2D6 , and CYP2C19 gene polymorphisms with prophylactic migraine treatment response. Journal of the Neurological Sciences, 2016, 366, 149-154.	0.3	7
46	Impact of 3â€™UTR variation patterns of the KRAS gene on the aggressiveness of pancreatobiliary tumors with the KRAS G13D mutation in a Turkish population. Pancreatology, 2016, 16, 677-686.	0.5	1
47	MCF-7 Cells. Current Drug Delivery, 2016, 13, 1339-1350.	0.8	2
48	Molecular approach to genetic and epigenetic pathogenesis of early-onset colorectal cancer. World Journal of Gastrointestinal Oncology, 2016, 8, 83.	0.8	23
49	Ficus carica Latex Prevents Invasion Through Induction of Let-7d Expression in GBM Cell Lines. Cellular and Molecular Neurobiology, 2015, 35, 175-187.	1.7	30
50	BRCA mutations cause reduction in miR-200c expression in triple negative breast cancer. Gene, 2015, 556, 163-169.	1.0	19
51	Association of miR-1266 with Recurrence/Metastasis Potential in Estrogen Receptor Positive Breast Cancer Patients. Asian Pacific Journal of Cancer Prevention, 2015, 16, 291-297.	0.5	14
52	MicroRNA expression patterns of tumors in early-onset colorectal cancer patients. Journal of Surgical Research, 2014, 191, 113-122.	0.8	29
53	microRNA Expression Pattern Modulates Temozolomide Response in GBM Tumors with Cancer Stem Cells. Cellular and Molecular Neurobiology, 2014, 34, 679-692.	1.7	36
54	Expression status of let-7a and miR-335 among breast tumors in patients with and without germ-line BRCA mutations. Molecular and Cellular Biochemistry, 2014, 395, 77-88.	1.4	16

#	ARTICLE	IF	CITATIONS
55	<i>BRCA1/2</i> Germline Mutations and Their Clinical Importance in Turkish Breast Cancer Patients. Cancer Investigation, 2014, 32, 375-387.	0.6	21
56	Evaluation of Genetic Variations in miRNA-Binding Sites of BRCA1 and BRCA2 Genes as Risk Factors for the Development of Early-Onset and/or Familial Breast Cancer. Asian Pacific Journal of Cancer Prevention, 2014, 15, 8319-8324.	0.5	12
57	Molecular Markers for Patients with Thymic Malignancies: not Feasible at Present?. Asian Pacific Journal of Cancer Prevention, 2014, 15, 3457-3460.	0.5	1
58	Olea europaea leaf extract improves the treatment response of GBM stem cells by modulating miRNA expression. American Journal of Cancer Research, 2014, 4, 572-90.	1.4	13
59	Overexpression of CK20, MAP3K8 and EIF5A correlates with poor prognosis in early-onset colorectal cancer patients. Journal of Cancer Research and Clinical Oncology, 2013, 139, 691-702.	1.2	52
60	Microsatellite instability status affects gene expression profiles in early onset colorectal cancer patients. Journal of Surgical Research, 2013, 185, 626-637.	0.8	10
61	CK19, CK20, EGFR and HER2 Status of Circulating Tumor Cells in Patients with Breast Cancer. Tumori, 2012, 98, 243-251.	0.6	14
62	Olea europaea leaf extract alters microRNA expression in human glioblastoma cells. Journal of Cancer Research and Clinical Oncology, 2012, 138, 1831-1844.	1.2	57
63	The Promoter Hypermethylation Status of GATA6, MGMT, and FHIT in Glioblastoma. Cellular and Molecular Neurobiology, 2012, 32, 237-244.	1.7	21
64	CK19, CK20, EGFR and HER2 status of circulating tumor cells in patients with breast cancer. Tumori, 2012, 98, 243-51.	0.6	8
65	Analysis of mismatch repair gene mutations in Turkish HNPCC patients. Familial Cancer, 2010, 9, 365-376.	0.9	10
66	FHIT Gene Sequence Variants and Reduced Fhit Protein Expression in Glioblastoma Multiforme. Cellular and Molecular Neurobiology, 2010, 30, 301-307.	1.7	5
67	Investigation of MMAC/PTEN Gene Mutations and Protein Expression in Low Grade Gliomas. Cellular and Molecular Neurobiology, 2009, 29, 733-738.	1.7	8
68	Mutation Analysis of the FHIT Gene in Bronchoscopic Specimens from Patients with Suspected Lung Cancer. Tumori, 2008, 94, 845-848.	0.6	5
69	Mutation analysis of the FHIT gene in bronchoscopic specimens from patients with suspected lung cancer. Tumori, 2008, 94, 845-8.	0.6	2
70	Low Frequency of p53 AND k-ras Codon 12 Mutations in Non-Small Cell Lung Carcinoma(NSCLC) Tumors and Surgical Margins. Tumori, 2007, 93, 473-477.	0.6	9
71	Importance of Novel Sequence Alterations in the <i>FHIT</i> Gene on Formation of Breast Cancer. Tumori, 2007, 93, 597-603.	0.6	7
72	P53 Gene Mutations in Surgical Margins and Primary Tumor Tissues of Patients with Squamous Cell Carcinoma of the Head and Neck. Tumori, 2007, 93, 182-188.	0.6	10

#	ARTICLE	IF	CITATIONS
73	Investigation of Mutations and Expression of the <i>FHIT</i> Gene in Turkish Patients with Brain Metastases Derived from Non-Small Cell Lung Cancer. <i>Tumori</i> , 2007, 93, 604-607.	0.6	6
74	Impact of novel PTEN mutations in Turkish patients with glioblastoma multiforme. <i>Journal of Neuro-Oncology</i> , 2007, 82, 263-269.	1.4	18
75	The Mutation Spectrum of the APC Gene in Turkish Patients with Familial Adenomatous Polyposis. <i>Diseases of the Colon and Rectum</i> , 2007, 50, 1899-1904.	0.7	0
76	Importance of novel sequence alterations in the FHIT gene on formation of breast cancer. <i>Tumori</i> , 2007, 93, 597-603.	0.6	3
77	Investigation of mutations and expression of the FHIT gene in Turkish patients with brain metastases derived from non-small cell lung cancer. <i>Tumori</i> , 2007, 93, 604-7.	0.6	4
78	Novel Germline BRCA1 and BRCA2 Mutations in Turkish Women with Breast and/or Ovarian Cancer and Their Relatives. <i>Cancer Investigation</i> , 2006, 24, 484-491.	0.6	19
79	Investigation of APC Mutations in a Turkish Familial Adenomatous Polyposis Family by Heteroduplex Analysis. <i>Diseases of the Colon and Rectum</i> , 2005, 48, 567-571.	0.7	3
80	Investigation of genetic susceptibility to non-small cell lung cancer by fragile site expression. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 2002, 22, 205-215.	0.8	5
81	Investigation of the genotoxic effect in bone marrow of Swiss albino mice exposed long-term to pyrimethamine. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 2002, 22, 393-402.	0.8	5
82	Investigation of genotoxic effect of taxol plus radiation on mice bone marrow cells. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 2002, 22, 1-11.	0.8	4
83	Chromosomal fragile sites and relationship between genetic predisposition to small cell lung cancer. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 2002, 22, 31-40.	0.8	6
84	Effects of Taxol plus radiation on the apoptotic and mitotic indices of mouse intestinal crypt cells. <i>Journal of Cancer Research and Clinical Oncology</i> , 2001, 127, 433-438.	1.2	6
85	The relationship between genetic susceptibility to head and neck cancer with the expression of common fragile sites. <i>Head and Neck</i> , 2000, 22, 591-598.	0.9	23
86	Genotoxic, hematotoxic, pathological, and biochemical effects of hexane on Swiss albino rats. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 2000, 20, 329-340.	0.8	3
87	Common fragile site expression and genetic predisposition to breast cancer. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 1998, 18, 279-291.	0.8	17
88	Common fragile site expression and genetic predisposition to breast cancer. <i>Teratogenesis, Carcinogenesis, and Mutagenesis</i> , 1998, 18, 279-91.	0.8	3