List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4225569/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Intensive care adult patients with severe respiratory failure caused by Influenza A (H1N1)v in Spain. Critical Care, 2009, 13, R148.	2.5	399
2	Epidemiology of community-acquired pneumonia in adults: a population-based study. European Respiratory Journal, 2000, 15, 757-763.	3.1	376
3	Prevalence and prognostic implications of dysphagia in elderly patients with pneumonia. Age and Ageing, 2010, 39, 39-45.	0.7	375
4	New evidence of risk factors for community-acquired pneumonia: a population-based study. European Respiratory Journal, 2008, 31, 1274-1284.	3.1	299
5	Diagnosis and Management of Oropharyngeal Dysphagia and Its Nutritional and Respiratory Complications in the Elderly. Gastroenterology Research and Practice, 2011, 2011, 1-13.	0.7	275
6	Contribution of C-Reactive Protein to the Diagnosis and Assessment of Severity of Community-Acquired Pneumonia. Chest, 2004, 125, 1335-1342.	0.4	220
7	Antibiotic Prescription for Community-Acquired Pneumonia in the Intensive Care Unit: Impact of Adherence to Infectious Diseases Society of America Guidelines on Survival. Clinical Infectious Diseases, 2005, 41, 1709-1716.	2.9	220
8	Pathophysiology of oropharyngeal dysphagia in the frail elderly. Neurogastroenterology and Motility, 2010, 22, 851.	1.6	209
9	Risk factors for community-acquired pneumonia in adults: a population-based case–control study. European Respiratory Journal, 1999, 13, 349-355.	3.1	204
10	Amoxicillin for acute lower-respiratory-tract infection in primary care when pneumonia is not suspected: a 12-country, randomised, placebo-controlled trial. Lancet Infectious Diseases, The, 2013, 13, 123-129.	4.6	187
11	Oropharyngeal dysphagia is a risk factor for community-acquired pneumonia in the elderly. European Respiratory Journal, 2013, 41, 923-928.	3.1	179
12	Proportion of Community-Acquired Pneumonia Cases Attributable to Tobacco Smoking. Chest, 1999, 116, 375-379.	0.4	178
13	Use of serum C reactive protein and procalcitonin concentrations in addition to symptoms and signs to predict pneumonia in patients presenting to primary care with acute cough: diagnostic study. BMJ, The, 2013, 346, f2450-f2450.	3.0	173
14	Community-Acquired Respiratory Coinfection in Critically Ill Patients With Pandemic 2009 Influenza A(H1N1) Virus. Chest, 2011, 139, 555-562.	0.4	164
15	Risk Factors for Community-Acquired Pneumonia in Adults: A Systematic Review of Observational Studies. Respiration, 2017, 94, 299-311.	1.2	163
16	Incidence and prognosis of ventilator-associated tracheobronchitis (TAVeM): a multicentre, prospective, observational study. Lancet Respiratory Medicine,the, 2015, 3, 859-868.	5.2	152
17	Oropharyngeal Dysphagia is a Risk Factor for Readmission for Pneumonia in the Very Elderly Persons: Observational Prospective Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2014, 69A, 330-337.	1.7	137
18	Prognostic Factors of Pneumonia Requiring Admission to the Intensive Care Unit. Chest, 1995, 107, 511-516.	0.4	118

#	Article	IF	CITATIONS
19	Impact of Obesity in Patients Infected With 2009 Influenza A(H1N1). Chest, 2011, 139, 382-386.	0.4	117
20	Prognostic Factors of Severe <i>Legionella</i> Pneumonia Requiring Admission to ICU. American Journal of Respiratory and Critical Care Medicine, 1997, 156, 1467-1472.	2.5	115
21	Impact of early oseltamivir treatment on outcome in critically ill patients with 2009 pandemic influenza A. Journal of Antimicrobial Chemotherapy, 2011, 66, 1140-1149.	1.3	114
22	Procalcitonin (PCT) levels for ruling-out bacterial coinfection in ICU patients with influenza: A CHAID decision-tree analysis. Journal of Infection, 2016, 72, 143-151.	1.7	108
23	Effects of delayed oxygenation assessment on time to antibiotic delivery and mortality in patients with severe community-acquired pneumonia*. Critical Care Medicine, 2007, 35, 2509-2514.	0.4	103
24	Efficacy and safety of trimodulin, a novel polyclonal antibody preparation, in patients with severe community-acquired pneumonia: a randomized, placebo-controlled, double-blind, multicenter, phase II trial (CIGMA study). Intensive Care Medicine, 2018, 44, 438-448.	3.9	96
25	Microbial aetiology of healthcare associated pneumonia in Spain: a prospective, multicentre, case–control study. Thorax, 2013, 68, 1007-1014.	2.7	77
26	Early non-invasive ventilation treatment for severe influenza pneumonia. Clinical Microbiology and Infection, 2013, 19, 249-256.	2.8	72
27	A population-based study of the costs of care for community-acquired pneumonia. European Respiratory Journal, 2004, 23, 610-616.	3.1	71
28	Risk Factors for Noninvasive Ventilation Failure in Critically III Subjects With Confirmed Influenza Infection. Respiratory Care, 2017, 62, 1307-1315.	0.8	59
29	Corticosteroid therapy in patients with primary viralÂpneumonia due to pandemic (H1N1) 2009Âinfluenza. Journal of Infection, 2012, 64, 311-318.	1.7	57
30	Epidemiology, antibiotic therapy and clinical outcomes of healthcare-associated pneumonia in critically ill patients: a Spanish cohort study. Intensive Care Medicine, 2014, 40, 572-581.	3.9	57
31	Pandemic and post-pandemic Influenza A (H1N1) infection in critically ill patients. Critical Care, 2011, 15, R286.	2.5	56
32	Acute kidney injury in critical ill patients affected by influenza A (H1N1) virus infection. Critical Care, 2011, 15, R66.	2.5	46
33	Antibiotic prescribing for discoloured sputum in acute cough/lower respiratory tract infection. European Respiratory Journal, 2011, 38, 119-125.	3.1	45
34	Macrolide-based regimens in absence of bacterial co-infection in critically ill H1N1 patients with primary viral pneumonia. Intensive Care Medicine, 2013, 39, 693-702.	3.9	43
35	Severe 2009 A/H1N1v influenza in pregnant women in Spain*. Critical Care Medicine, 2011, 39, 945-951.	0.4	40
36	Initial Inflammatory Profile in Community-acquired Pneumonia Depends on Time since Onset of Symptoms. American Journal of Respiratory and Critical Care Medicine, 2018, 198, 370-378.	2.5	40

#	Article	IF	CITATIONS
37	Community-Acquired Pneumonia Patients at Risk for Early and Long-term Cardiovascular Events Are Identified by Cardiac Biomarkers. Chest, 2019, 156, 1080-1091.	0.4	40
38	Inhaled drugs as risk factors for community-acquired pneumonia. European Respiratory Journal, 2010, 36, 1080-1087.	3.1	39
39	First influenza season after the 2009 pandemic influenza: report of the first 300 ICU admissions in Spain. Medicina Intensiva, 2011, 35, 208-216.	0.4	39
40	Efficacy of three different valve systems of needle-free closed connectors in avoiding access of microorganisms to endovascular catheters after incorrect handling*. Critical Care Medicine, 2008, 36, 2558-2561.	0.4	34
41	Treatment of acute cough/lower respiratory tract infection by antibiotic class and associated outcomes: a 13 European country observational study in primary care. Journal of Antimicrobial Chemotherapy, 2010, 65, 2472-2478.	1.3	33
42	Community-acquired Legionella Pneumonia in the intensive care unit: Impact on survival of combined antibiotic therapy. Medicina Intensiva, 2013, 37, 320-326.	0.4	32
43	NeumonÃa adquirida en la comunidad en fumadores. Archivos De Bronconeumologia, 2014, 50, 250-254.	0.4	32
44	Delay in diagnosis of influenza A (H1N1)pdm09 virus infection in critically ill patients and impact on clinical outcome. Critical Care, 2016, 20, 337.	2.5	29
45	Serum levels of immunoglobulins and severity of community-acquired pneumonia. BMJ Open Respiratory Research, 2016, 3, e000152.	1.2	29
46	Impact of immunosuppression on incidence, aetiology and outcome of ventilator-associated lower respiratory tract infections. European Respiratory Journal, 2018, 51, 1701656.	3.1	29
47	Discrepancy between clinical criteria for diagnosing acute respiratory distress syndrome secondary to community acquired pneumonia with autopsy findings of diffuse alveolar damage. Respiratory Medicine, 2011, 105, 1170-1175.	1.3	28
48	Incidence and diagnosis of ventilator-associated tracheobronchitis in the intensive care unit: an international online survey. Critical Care, 2014, 18, R32.	2.5	28
49	Differences in the etiology of community-acquired pneumonia according to site of care: A population-based study. Respiratory Medicine, 2007, 101, 2168-2175.	1.3	26
50	Severe pandemic (H1N1)v influenza A infection: Report on the first deaths in Spain. Respirology, 2011, 16, 78-85.	1.3	26
51	Passive smoking at home is a risk factor for community-acquired pneumonia in older adults: a population-based case-control study. BMJ Open, 2014, 4, e005133-e005133.	0.8	24
52	Aspiration pneumonia: A renewed perspective and practical approach. Respiratory Medicine, 2021, 185, 106485.	1.3	24
53	Impact of Lymphocyte and Neutrophil Counts on Mortality Risk in Severe Community-Acquired Pneumonia with or without Septic Shock. Journal of Clinical Medicine, 2019, 8, 754.	1.0	22
54	Serum immunoglobulins in the infected and convalescent phases in community-acquired pneumonia. Respiratory Medicine, 2013, 107, 2038-2045.	1.3	21

#	Article	IF	CITATIONS
55	Amoxicillin for acute lower respiratory tract infection in primary care: subgroup analysis by bacterial and viral aetiology. Clinical Microbiology and Infection, 2018, 24, 871-876.	2.8	21
56	Complications of Oropharyngeal Dysphagia: Aspiration Pneumonia. Nestle Nutrition Institute Workshop Series, 2012, 72, 67-76.	1.5	20
57	La neumonÃa como comorbilidad en la enfermedad pulmonar obstructiva crónica (EPOC). Diferencias entre la exacerbación aguda de la EPOC y la neumonÃa en los pacientes con EPOC. Archivos De Bronconeumologia, 2014, 50, 514-520.	0.4	20
58	lgG2 as an independent risk factor for mortality in patients with community-acquired pneumonia. Journal of Critical Care, 2016, 35, 115-119.	1.0	19
59	Epidemiology, Clinical Features, and Prognosis of Elderly Adults with Severe Forms of Influenza <scp>A</scp> (<scp>H</scp> 1 <scp>N</scp> 1). Journal of the American Geriatrics Society, 2013, 61, 350-356.	1.3	18
60	Community-Acquired Pneumonia Among Smokers. Archivos De Bronconeumologia, 2014, 50, 250-254.	0.4	18
61	Validation of a Prediction Score for Drug-Resistant Microorganisms in Community-acquired Pneumonia. Annals of the American Thoracic Society, 2021, 18, 257-265.	1.5	18
62	Lower Respiratory Tract Infection and Short-Term Outcome in Patients With Acute Respiratory Distress Syndrome. Journal of Intensive Care Medicine, 2020, 35, 588-594.	1.3	14
63	Incidental Chest Radiographic Findings in Adult Patients With Acute Cough. Annals of Family Medicine, 2012, 10, 510-515.	0.9	13
64	Estudio epidemiológico de infección por Clostridium difficile en pacientes crÃŧicos ingresados en una Unidad de Cuidados Intensivos. Medicina Intensiva, 2014, 38, 558-566.	0.4	13
65	Risk factors for community-acquired pneumonia in adults: Recommendations for its prevention. Community Acquired Infection, 2015, 2, 32.	0.1	13
66	Relationship between the Use of Inhaled Steroids for Chronic Respiratory Diseases and Early Outcomes in Community-Acquired Pneumonia. PLoS ONE, 2013, 8, e73271.	1.1	11
67	Professions and Working Conditions Associated With Community-Acquired Pneumonia. Archivos De Bronconeumologia, 2015, 51, 627-631.	0.4	10
68	Relación de las profesiones y las condiciones laborales con la neumonÃa adquirida en la comunidad. Archivos De Bronconeumologia, 2015, 51, 627-631.	0.4	10
69	Aspiration pneumonia: management in Spain. European Geriatric Medicine, 2011, 2, 180-183.	1.2	9
70	Airway Obstruction and Bronchodilator Responsiveness in Adults With Acute Cough. Annals of Family Medicine, 2012, 10, 523-529.	0.9	7
71	The use of benzodiazepines could be a protective factor for community-acquired pneumonia (CAP) in â‰ø0-year-old subjects: TableÂ1. Thorax, 2013, 68, 964.2-965.	2.7	7
72	Bacteraemia in outpatients with community-acquired pneumonia. European Respiratory Journal, 2016, 47, 654-657.	3.1	7

#	Article	IF	CITATIONS
73	Salud bucodental y riesgo de neumonÃa en pacientes asmáticos con tratamiento inhalado. Medicina ClÃnica, 2018, 150, 455-459.	0.3	7
74	Grado de adherencia al tratamiento antivÃrico recomendado durante la pandemia y periodo pospandémico de gripe A (H1N1)pdm09 en 148 unidades de cuidados intensivos españolas. Medicina Intensiva, 2015, 39, 222-233.	0.4	6
75	Fracción gamma del proteinograma y agudizaciones de la enfermedad pulmonar obstructiva crónica. Medicina ClÃnica, 2017, 149, 107-113.	0.3	6
76	Oral health and risk of pneumonia in asthmatic patients with inhaled treatment. Medicina ClÃnica (English Edition), 2018, 150, 455-459.	0.1	3
77	Risk Factors for Community-acquired Pneumonia in Adults: A Review. Clinical Pulmonary Medicine, 2016, 23, 99-104.	0.3	2
78	Gamma globulin fraction of the proteinogram and chronic obstructive pulmonary disease exacerbations. Medicina ClÃnica (English Edition), 2017, 149, 107-113.	0.1	2
79	Benzodiazepine Use and Risk of Community-Acquired Pneumonia in a Population-Based Cohort Study From North-Eastern Spain. Clinical Medicine Insights Therapeutics, 2017, 9, 1179559X1668967.	0.4	2
80	Social Determinants of Community-acquired Pneumonia: Differences by Age Groups. Archivos De Bronconeumologia, 2019, 55, 447-449.	0.4	1
81	Social Determinants of Community-acquired Pneumonia: Differences by Age Groups. Archivos De Bronconeumologia, 2019, 55, 447-449.	0.4	0
82	A CUTOFF HIGHER THAN 120 MINUTES IN PAIRED BLOOD CULTURES COULD BE NECESSARY FOR THE DIAGNOSTIC OF CATHETER-RELATED CANDIDEMIA Critical Care Medicine, 2005, 33, A156.	0.4	0