

MÃ³nica VÃ¡zquez-Del Mercado

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4226577/publications.pdf>

Version: 2024-02-01

124
papers

1,949
citations

304602

22
h-index

330025

37
g-index

132
all docs

132
docs citations

132
times ranked

2958
citing authors

#	ARTICLE	IF	CITATIONS
1	The EuroMyositis registry: an international collaborative tool to facilitate myositis research. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 30-39.	0.5	183
2	Clinical interpretation of antinuclear antibody tests in systemic rheumatic diseases. <i>Modern Rheumatology</i> , 2009, 19, 219-228.	0.9	98
3	Tofacitinib in juvenile idiopathic arthritis: a double-blind, placebo-controlled, withdrawal phase 3 randomised trial. <i>Lancet, The</i> , 2021, 398, 1984-1996.	6.3	79
4	Clinical interpretation of antinuclear antibody tests in systemic rheumatic diseases. <i>Modern Rheumatology</i> , 2009, 19, 219-228.	0.9	65
5	Implications in the difference of anti-Mi-2 and -p155/140 autoantibody prevalence in two dermatomyositis cohorts from Mexico City and Guadalajara. <i>Arthritis Research and Therapy</i> , 2013, 15, R48.	1.6	63
6	TH 1/TH 2 cytokine profile, metalloprotease-9 activity and hormonal status in pregnant rheumatoid arthritis and systemic lupus erythematosus patients. <i>Clinical and Experimental Immunology</i> , 2003, 131, 377-384.	1.1	62
7	Prolactin has a pathogenic role in systemic lupus erythematosus. <i>Immunologic Research</i> , 2017, 65, 512-523.	1.3	49
8	IL-17 Increased in the Third Trimester in Healthy Women with Term Labor. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 99-103.	1.2	48
9	A Controlled Clinical Trial With Pirfenidone in the Treatment of Pathological Skin Scarring Caused by Burns in Pediatric Patients. <i>Annals of Plastic Surgery</i> , 2012, 68, 22-28.	0.5	44
10	ActualizaciÃ³n de la GuÃ­a Mexicana para el Tratamiento FarmacolÃ³gico de la Artritis Reumatoide del Colegio Mexicano de ReumatologÃ­a. <i>ReumatologÃ­a ClÃ­nica</i> , 2014, 10, 227-240.	0.2	44
11	Anti-Cyclic Citrullinated Peptide Antibodies and Severity of Interstitial Lung Disease in Women with Rheumatoid Arthritis. <i>Journal of Immunology Research</i> , 2015, 2015, 1-10.	0.9	43
12	Expression of ICAM1 and VCAM1 Serum Levels in Rheumatoid Arthritis Clinical Activity. Association with Genetic Polymorphisms. <i>Disease Markers</i> , 2009, 26, 119-126.	0.6	42
13	Polymorphisms C677T and A1298C in the MTHFR gene in Mexican patients with rheumatoid arthritis treated with methotrexate: implication with elevation of transaminases. <i>Pharmacogenomics Journal</i> , 2011, 11, 287-291.	0.9	39
14	Tumor Necrosis Factor Î±-308 and -238 Polymorphisms in Rheumatoid Arthritis. Association With Messenger RNA Expression and sTNF-Î±. <i>Journal of Investigative Medicine</i> , 2008, 56, 937-943.	0.7	34
15	Pirfenidone Is an Agonistic Ligand for PPARÎ± and Improves NASH by Activation of SIRT1/LKB1/pAMPK. <i>Hepatology Communications</i> , 2020, 4, 434-449.	2.0	33
16	The +49A>G CTLA-4 polymorphism is associated with rheumatoid arthritis in Mexican population. <i>Clinica Chimica Acta</i> , 2010, 411, 725-728.	0.5	32
17	Serum Levels of Anticyclic Citrullinated Peptide Antibodies, Interleukin-6, Tumor Necrosis Factor-Î±, and C-Reactive Protein Are Associated with Increased Carotid Intima-Media Thickness: A Cross-Sectional Analysis of a Cohort of Rheumatoid Arthritis Patients without Cardiovascular Risk Factors. <i>BioMed Research International</i> , 2015, 2015, 1-10.	0.9	30
18	Detection of autoantibodies to DSF70/LEDGFp75 in Mexican Hispanics using multiple complementary assay platforms. <i>Autoimmunity Highlights</i> , 2017, 8, 1.	3.9	28

#	ARTICLE	IF	CITATIONS
19	Autoantibodies to Argonaute 2 (Su Antigen). <i>Advances in Experimental Medicine and Biology</i> , 2013, 768, 45-59.	0.8	26
20	Serum levels of adiponectin and leptin as biomarkers of proteinuria in lupus nephritis. <i>PLoS ONE</i> , 2017, 12, e0184056.	1.1	26
21	Disease duration of rheumatoid arthritis is a predictor of vascular stiffness. <i>Medicine (United States)</i> , 2017, 96, e7862.	0.4	25
22	Inhibitors of MAPK Pathway ERK1/2 or p38 Prevent the IL-1 β -induced Up-regulation of SRP72 Autoantigen in Jurkat Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 32824-32833.	1.6	24
23	The Impact of <i>LEP</i> G-2548A and <i>LEPR</i> Gln223Arg Polymorphisms on Adiposity, Leptin, and Leptin-Receptor Serum Levels in a Mexican Mestizo Population. <i>BioMed Research International</i> , 2015, 2015, 1-10.	0.9	24
24	Subclinical parameters of arterial stiffness and arteriosclerosis correlate with QRISK3 in systemic lupus erythematosus. <i>PLoS ONE</i> , 2018, 13, e0207520.	1.1	24
25	Genotype and allele frequency of PAI-1 promoter polymorphism in healthy subjects from the west of Mexico. Association with biochemical and hematological parameters. <i>Annales De GÃ©nÃ©tique</i> , 2004, 47, 155-162.	0.4	23
26	Massive myeloid sarcoma affecting the central nervous system, mediastinum, retroperitoneum, liver, and rectum associated with acute myeloblastic leukaemia: a case report. <i>Journal of Clinical Pathology</i> , 2005, 58, 325-327.	1.0	22
27	Reduced IgG anti-small nuclear ribonucleoprotein autoantibody production in systemic lupus erythematosus patients with positive IgM anti-cytomegalovirus antibodies. <i>Arthritis Research and Therapy</i> , 2009, 11, R27.	1.6	22
28	Autoantibodies to transcription intermediary factor (TIF)1 β associated with dermatomyositis. <i>Arthritis Research and Therapy</i> , 2012, 14, R79.	1.6	22
29	Tumor necrosis factor receptor 2 M196R polymorphism in rheumatoid arthritis and osteoarthritis: relationship with sTNFR2 levels and clinical features. <i>Rheumatology International</i> , 2006, 27, 53-59.	1.5	21
30	Increase levels of apo-A1 and apo B are associated in knee osteoarthritis: lack of association with VEGF-460 T/C and +405 C/G polymorphisms. <i>Rheumatology International</i> , 2008, 29, 63-68.	1.5	21
31	The Montreal Cognitive Assessment Test. <i>Journal of Clinical Rheumatology</i> , 2019, 25, 325-328.	0.5	21
32	Autoantibodies to Mi-2 alpha and Mi-2 beta in patients with idiopathic inflammatory myopathy. <i>Rheumatology</i> , 2019, 58, 1655-1661.	0.9	20
33	YKL-40 expression in CD14 ⁺ liver cells in acute and chronic injury. <i>World Journal of Gastroenterology</i> , 2011, 17, 3830.	1.4	20
34	Genotype Ser ⁴¹³ /Ser of <i>PAI-1</i> polymorphism Ser ⁴¹³ /Cys is associated with anti- ϕ phospholipid syndrome and systemic lupus erythematosus in a familial case: comparison with healthy controls. <i>Scandinavian Journal of Rheumatology</i> , 2007, 36, 206-210.	0.6	19
35	The \sim 174G/C and \sim 572G/C Interleukin 6 Promoter Gene Polymorphisms in Mexican Patients with Rheumatoid Arthritis: A Case-Control Study. <i>Clinical and Developmental Immunology</i> , 2013, 2013, 1-5.	3.3	19
36	The 482Ser of <i>PPARGC1A</i> and 12Pro of <i>PPARG2</i> Alleles Are Associated with Reduction of Metabolic Risk Factors Even Obesity in a Mexican-Mestizo Population. <i>BioMed Research International</i> , 2015, 2015, 1-14.	0.9	19

#	ARTICLE	IF	CITATIONS
37	Fibrogenic Polymorphisms (TGF- β 2, PAI-1, AT) in Mexican Patients With Established Liver Fibrosis. Potential Correlation With Pirfenidone Treatment. <i>Journal of Investigative Medicine</i> , 2008, 56, 944-953.	0.7	18
38	High prevalence of autoantibodies to RNA helicase A in Mexican patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2010, 12, R6.	1.6	18
39	Circulating TNFRI and TNFRII levels correlated with the disease activity score (DAS28) in rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2009, 38, 332-335.	0.6	17
40	Association of ADIPOQ +45T>G polymorphism with body fat mass and blood levels of soluble adiponectin and inflammation markers in a Mexican-Mestizo population. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2012, 5, 369.	1.1	17
41	Serum leptin and serum leptin/serum leptin receptor ratio imbalance in obese rheumatoid arthritis patients positive for anti-cyclic citrullinated peptide antibodies. <i>Arthritis Research and Therapy</i> , 2015, 17, 335.	1.6	16
42	Capsaicin induces a protective effect on gastric mucosa along with decreased expression of inflammatory molecules in a gastritis model. <i>Journal of Functional Foods</i> , 2019, 59, 345-351.	1.6	16
43	Prolonged-release pirfenidone prevents obesity-induced cardiac steatosis and fibrosis in a mouse NASH model. <i>Cardiovascular Drugs and Therapy</i> , 2021, 35, 927-938.	1.3	16
44	The β 844 G/A PAI-1 polymorphism is associated with mRNA expression in rheumatoid arthritis. <i>Rheumatology International</i> , 2008, 28, 355-360.	1.5	15
45	Pulmonary function in ankylosing spondylitis: association with clinical variables. <i>Rheumatology International</i> , 2013, 33, 2351-2358.	1.5	15
46	MTHFR C677T, MTHFR A1298C, and OPG A163G polymorphisms in Mexican patients with rheumatoid arthritis and osteoporosis. <i>Disease Markers</i> , 2012, 32, 109-114.	0.6	15
47	The <i>ACTN3</i> R577X polymorphism is associated with inflammatory myopathies in a Mexican population. <i>Scandinavian Journal of Rheumatology</i> , 2012, 41, 396-400.	0.6	14
48	MTHFR C677T, MTHFR A1298C, and OPG A163G Polymorphisms in Mexican Patients with Rheumatoid Arthritis and Osteoporosis. <i>Disease Markers</i> , 2012, 32, 109-114.	0.6	14
49	Association of interleukin-10 promoter haplotypes with disease susceptibility and IL-10 levels in Mexican patients with systemic lupus erythematosus. <i>Clinical and Experimental Medicine</i> , 2015, 15, 439-446.	1.9	14
50	A Functional Ser413/Ser413 PAI-2 Polymorphism Is Associated With Susceptibility and Damage Index Score in Systemic Lupus Erythematosus. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2009, 15, 233-238.	0.7	13
51	Ageing influences the relationship of circulating <i>miR-33a</i> and <i>miR-33b</i> levels with insulin resistance and adiposity. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 244-253.	0.9	13
52	β 383 A/C tumor necrosis factor receptor 1 polymorphism and ankylosing spondylitis in Mexicans: a preliminary study. <i>Rheumatology International</i> , 2012, 32, 2565-2568.	1.5	12
53	Inverse Relationship of the <i>CMKLR1</i> Relative Expression and Chemerin Serum Levels in Obesity with Dysmetabolic Phenotype and Insulin Resistance. <i>Mediators of Inflammation</i> , 2016, 2016, 1-9.	1.4	12
54	Downregulation of hippocampal NR2A/2B subunits related to cognitive impairment in a pristane-induced lupus BALB/c mice. <i>PLoS ONE</i> , 2019, 14, e0217190.	1.1	12

#	ARTICLE	IF	CITATIONS
55	Liver fibrosis secondary to bile duct injury: correlation of Smad7 with TGF- β 2 and extracellular matrix proteins. <i>BMC Gastroenterology</i> , 2009, 9, 81.	0.8	11
56	Amebic monocyte locomotion inhibitory factor peptide ameliorates inflammation in CIA mouse model by downregulation of cell adhesion, inflammation/chemotaxis, and matrix metalloproteinases genes. <i>Inflammation Research</i> , 2010, 59, 1041-1051.	1.6	11
57	CCL2 Serum Levels and Adiposity Are Associated with the Polymorphic Phenotypes -2518A on CCL2 and 641LE on CCR2 in a Mexican Population with Insulin Resistance. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-11.	1.0	11
58	Disease Activity Score on 28 Joints and Polypharmacy Are Independent Predictors for Health-Related Quality of Life Evaluated by INCAVISA in Patients With Rheumatoid Arthritis. <i>Journal of Clinical Rheumatology</i> , 2016, 22, 399-404.	0.5	11
59	Low Levels of CD36 in Peripheral Blood Monocytes in Subclinical Atherosclerosis in Rheumatoid Arthritis: A Cross-Sectional Study in a Mexican Population. <i>BioMed Research International</i> , 2014, 2014, 1-6.	0.9	10
60	Modifications in Lipid Levels Are Independent of Serum TNF- α in Rheumatoid Arthritis: Results of an Observational 24-Week Cohort Study Comparing Patients Receiving Etanercept Plus Methotrexate or Methotrexate as Monotherapy. <i>BioMed Research International</i> , 2014, 2014, 1-10.	0.9	10
61	Niveles de propéptido aminoterminal de procógeno tipos i y iii y gravedad de la enfermedad pulmonar intersticial en mujeres mexicanas con esclerosis sistémica progresiva. <i>Archivos De Bronconeumología</i> , 2015, 51, 440-448.	0.4	10
62	Polymorphism of the β 2-adrenergic receptor and lipid profile in patients with rheumatoid arthritis and systemic lupus erythematosus treated with chloroquine. <i>Rheumatology International</i> , 2003, 23, 99-103.	1.5	9
63	FAS -670A>G promoter polymorphism is associated with soluble Fas levels in primary Sjögren's syndrome. <i>Genetics and Molecular Research</i> , 2014, 13, 4831-4838.	0.3	9
64	Enalapril Influence on Arterial Stiffness in Rheumatoid Arthritis Women: A Randomized Clinical Trial. <i>Frontiers in Medicine</i> , 2020, 6, 341.	1.2	9
65	IgA Antihistone Antibodies in Isoniazid-Treated Tuberculosis Patients. <i>Autoimmunity</i> , 1995, 20, 105-111.	1.2	8
66	Distribution of ϵ 844 G/A and Hind III C/G PAI-1 Polymorphisms and Plasma PAI-1 Levels in Mexican Subjects: Comparison of Frequencies Between Populations. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2008, 14, 220-226.	0.7	8
67	Circulating E-selectin and tumor necrosis factor- α in extraarticular involvement and joint disease activity in rheumatoid arthritis. <i>Rheumatology International</i> , 2009, 29, 281-286.	1.5	8
68	FCGR3A V(176) polymorphism for systemic lupus erythematosus susceptibility in Mexican population. <i>Rheumatology International</i> , 2011, 31, 1065-1068.	1.5	8
69	Geographical Latitude Remains as an Important Factor for the Prevalence of Some Myositis Autoantibodies: A Systematic Review. <i>Frontiers in Immunology</i> , 2021, 12, 672008.	2.2	8
70	Myositis-Specific Antibodies and Myositis-Associated Antibodies in Patients With Idiopathic Inflammatory Myopathies From the PANLAR Myositis Study Group. <i>Journal of Clinical Rheumatology</i> , 2021, 27, e302-e306.	0.5	8
71	A new PCR-RFLP assay for ϵ 1123 G>C polymorphism in the PTPN22 gene: allele and genotype frequencies in a western Mexican population. <i>Clinical Chemistry and Laboratory Medicine</i> , 2009, 47, 491-3.	1.4	7
72	Presence of anti-TIF-1 β , anti-Ro52, anti-SSA/Ro60 and anti-Su/Ago2 antibodies in breast cancer: a cross-sectional study. <i>Immunopharmacology and Immunotoxicology</i> , 2021, 43, 328-333.	1.1	7

#	ARTICLE	IF	CITATIONS
73	The γ 383A>C TNFRI polymorphism is associated with soluble levels and clinical activity in rheumatoid arthritis. <i>Rheumatology International</i> , 2010, 30, 655-659.	1.5	6
74	The Distribution of CD56dimCD16+ and CD56brightCD16 γ Cells are Associated with Prolactin Levels during Pregnancy and Menstrual Cycle in Healthy Women. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 433-437.	1.2	6
75	Coexistence of anti-RNA polymerase III and anti-U1RNP antibodies in patients with systemic lupus erythematosus: two cases without features of scleroderma. <i>Lupus</i> , 2012, 21, 68-74.	0.8	6
76	Prescription for antiresorptive therapy in Mexican patients with rheumatoid arthritis: is it time to reevaluate the strategies for osteoporosis prevention?. <i>Rheumatology International</i> , 2013, 33, 145-150.	1.5	6
77	Potential Chronotherapeutic Optimization of Antimalarials in Systemic Lupus Erythematosus: Is Toll-Like Receptor 9 Expression Dependent on the Circadian Cycle in Humans?. <i>Frontiers in Immunology</i> , 2018, 9, 1497.	2.2	6
78	IgG Anti-ghrelin Immune Complexes Are Increased in Rheumatoid Arthritis Patients Under Biologic Therapy and Are Related to Clinical and Metabolic Markers. <i>Frontiers in Endocrinology</i> , 2019, 10, 252.	1.5	6
79	Evaluation of lipid profile, macular toxicity and clinical manifestations according to APO E genotype in systemic lupus erythematosus and rheumatoid arthritis patients treated with chloroquine. <i>Scandinavian Journal of Rheumatology</i> , 2002, 31, 32-37.	0.6	5
80	Plasminogen activator inhibitor-1 C/G polymorphism in relation to plasma levels in rheumatoid arthritis. <i>Clinical and Experimental Medicine</i> , 2009, 9, 223-228.	1.9	5
81	sE-Selectin expression and A561C polymorphism in relation to rheumatoid arthritis clinical activity. <i>Journal of Rheumatology</i> , 2006, 33, 1968-72.	1.0	5
82	Osteopontin: another piece in the systemic lupus erythematosus immunopathology puzzle. <i>Clinical and Experimental Rheumatology</i> , 2022, 40, 173-182.	0.4	5
83	Plasminogen activator inhibitor-1 polymorphisms (γ 844 G>A and HindIII C>G) in systemic lupus erythematosus: association with clinical variables. <i>Clinical and Experimental Medicine</i> , 2011, 11, 11-17.	1.9	4
84	Increased CD28 serum levels are not associated with specific clinical activity in systemic lupus erythematosus. <i>Rheumatology International</i> , 2011, 31, 1321-1324.	1.5	4
85	Procollagen Type I and III Aminoterminal Propeptide Levels and Severity of Interstitial Lung Disease in Mexican Women With Progressive Systemic Sclerosis. <i>Archivos De Bronconeumologia</i> , 2015, 51, 440-448.	0.4	4
86	Suicide Risk in Rheumatoid Arthritis Patients is Associated With Suboptimal Vitamin D Levels. <i>Journal of Clinical Rheumatology</i> , 2022, 28, 137-142.	0.5	4
87	Placental cytokine expression and NF κ B activity in women with rheumatic diseases. <i>Scandinavian Journal of Rheumatology</i> , 2006, 35, 160-162.	0.6	3
88	Leptin as an open secret in the physiopathology of rheumatic diseases. <i>Clinical Rheumatology</i> , 2020, 39, 301-303.	1.0	3
89	The DNA co-vaccination using Sm antigen and IL-10 as prophylactic experimental therapy ameliorates nephritis in a model of lupus induced by pristane. <i>PLoS ONE</i> , 2021, 16, e0259114.	1.1	3
90	Going Further: Comprehensive Disease Control of Rheumatoid Arthritis, Targeting Cytokines and Chemokines. <i>Journal of Clinical Rheumatology</i> , 2021, 27, e432-e439.	0.5	3

#	ARTICLE	IF	CITATIONS
91	Lipid profile and antibodies against oxidized low density lipoprotein in alcoholic cirrhosis. <i>Hepatology Research</i> , 1999, 15, 95-103.	1.8	2
92	Extrapulmonary Tuberculosis Infection in Mexican Patients With Idiopathic Inflammatory Myopathies. <i>Journal of Clinical Rheumatology</i> , 2015, 21, 331-332.	0.5	2
93	Low CD36 and LOX-1 Levels and CD36 Gene Subexpression Are Associated with Metabolic Dysregulation in Older Individuals with Abdominal Obesity. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-10.	1.0	2
94	Response to: Antisynthetase syndrome or what else? Different perspectives indicate the need for new classification criteria™ by Cavagna et al. <i>Annals of the Rheumatic Diseases</i> , 2017, 77, annrheumdis-2017-212382.	0.5	2
95	Adenovirus Biodistribution is Modified in Sensitive Animals Compared to Na ^{-ve} Animals. <i>Molecular Biotechnology</i> , 2020, 62, 260-272.	1.3	2
96	Evaluation of a psychoeducational intervention including emotional intelligence to increase treatment adherence in rheumatoid arthritis (A pilot study). <i>Reumatismo</i> , 2021, 73, .	0.4	2
97	Sensorineural Hearing Impairment and Subclinical Atherosclerosis in Rheumatoid Arthritis Patients Without Traditional Cardiovascular Risk Factors. <i>Archives of Rheumatology</i> , 2016, 31, 208-214.	0.3	1
98	SAT0374...The euromyositis registry: an international description of myositis. , 2017, , .		1
99	Immunometabolism in Obesity. , 2017, , .		1
100	Evaluation of medical ethics competencies in rheumatology: local experience during national accreditation process. <i>Journal of Medical Ethics</i> , 2019, 45, 839-842.	1.0	1
101	Contribution of rs3211938 polymorphism at CD36 to glucose levels, oxidized low-density lipoproteins, insulin resistance, and body mass index in Mexican mestizos with type-2 diabetes from western Mexico. <i>Nutricion Hospitalaria</i> , 2021, 38, 742-748.	0.2	1
102	CCR2/CCL2 and CMKLR1/RvE1 chemokines system levels are associated with insulin resistance in rheumatoid arthritis. <i>PLoS ONE</i> , 2021, 16, e0246054.	1.1	1
103	Evaluación clínica y ultrasonográfica de la glándula tiroidea en pacientes con artritis reumatoide. <i>Gaceta Medica De Mexico</i> , 2018, 154, 432-437.	0.5	1
104	T.134. DNA Covaccination Encoding Sm D1, Sm D2, Sm B/B, IFN- β and IL-10; Tolerizing Preventive Therapy in a Mouse Model of Pristane Induced Lupus. <i>Clinical Immunology</i> , 2009, 131, S91.	1.4	0
105	S.122. Correlation Between Hormone Levels with NK Cells Receptors During Pregnancy. <i>Clinical Immunology</i> , 2009, 131, S165-S166.	1.4	0
106	Caspase 3 blocking avoids the expression of autoantigens triggered by apoptosis in neonatal Balb/c mice skin. <i>Reumatismo</i> , 2011, 63, 29-37.	0.4	0
107	AB0635...Clinical and Autoantibodies Features in Autoimmune/Inflammatory Syndrome Induced by Adjuvants: Mineral Oils and Silicone. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1015.3-1016.	0.5	0
108	FR10081...Titers of Anti-Ccp Antibodies, IL-6, Tnf-Alpha and CRP Are Associated with Increased Carotid Intima-Media Thickness: Cross-Sectional Analysis of A Rheumatoid Arthritis Group without Cardiovascular Risk Factors. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 410.3-411.	0.5	0

#	ARTICLE	IF	CITATIONS
109	SAT0135â€¦Low Levels of CD36 in Peripheral Blood Monocytes in Subclinical Atherosclerosis in Rheumatoid Arthritis: A Cross-Sectional Study of A Mexican Population. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 639.2-640.	0.5	0
110	AB0371â€¦Lepr 668 A>g Snp is Associated with Titers of Anti-CCP Antibodies and Erythrocyte Sedimentation Rate in Mexican Mestizo Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1017.2-1017.	0.5	0
111	AB0936â€¦Tuberculosis Infection in Mexican Patients with Idiopathic Inflammatory Myopathies: Report of three Cases and Review of the Literature. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1212.3-1212.	0.5	0
112	AB0381â€¦Clinical and Ultrasound Assessment of Thyroid in Rheumatoid Arthritis Mexican Patients. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1020.2-1020.	0.5	0
113	Influence of Anti-TNF and Disease Modifying Antirheumatic Drugs Therapy on Pulmonary Forced Vital Capacity Associated to Ankylosing Spondylitis: A 2-Year Follow-Up Observational Study. <i>Journal of Immunology Research</i> , 2015, 2015, 1-8.	0.9	0
114	AB0029â€¦Relationship SCD36 Levels and Disease Activity in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 906.3-907.	0.5	0
115	[PP.37.14] RELATIONSHIP OF CAROTID FEMORAL PULSE WAVE VELOCITY WITH AGE AND TIME OF EVOLUTION IN PATIENTS WITH RHEUMATOID ARTHRITIS. <i>Journal of Hypertension</i> , 2016, 34, e344-e345.	0.3	0
116	SAT0100â€¦Acpa and abdominal adiposity are independent predictors of increments in basal insulin in patients with ra. , 2017, , .		0
117	AB0083â€¦Single nucleotide polymorphisms in lep â€“ 2548 g>a and lepr + 668 a>g in rheumatoid arthritis mexican mestizos are associated with age at diagnosis, disease activity and anti-ccp antibodies. , 2017, , .		0
118	AB0345â€¦Psychiatric disorders related to hyperleptinemia and rheumatoid arthritis clinical activity measured by das28. , 2017, , .		0
119	AB0330â€¦Rheumatoid factor and RO52KDA antibodies are independent predictors of insulin resistance in rheumatoid arthritis. , 2017, , .		0
120	AB0321â€¦Relationship of carotid femoral pulse wave velocity with age and time of evolution in patients with rheumatoid arthritis. , 2017, , .		0
121	Good response to mycophenolate mofetil on treatment of interstitial lung disease in polymyositis associated with antisynthetase syndrome positive for anti-EJ and anti-Ro52 antibodies. <i>Clinical Rheumatology</i> , 2020, 39, 2837-2839.	1.0	0
122	The Unexplored Frontier of Molecular Epidemiology of Tuberculosis in Patients with Rheumatic Disease. <i>Clinical Research and Trials</i> , 2018, 5, .	0.1	0
123	Evaluation of Safety of a Newly Formulated Pirfenidone in Chronic Kidney Disease: A Non-Randomized Pilot Study in Mexican Patients. <i>Journal of Renal and Hepatic Disorders</i> , 2020, 4, 22-30.	0.1	0
124	Osteopontin: another piece in the systemic lupus erythematosus immunopathology puzzle. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.4	0