

Bolajoko O Olusanya

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4227808/bolajoko-o-olusanya-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216
papers

52,810
citations

57
h-index

229
g-index

235
ext. papers

70,961
ext. citations

11.5
avg, IF

7.83
L-index

#	Paper	IF	Citations
216	Global investment to reduce the burden of hearing loss.. <i>The Lancet Global Health</i> , 2022 , 10, e4-e5	13.6	
215	Accountability framework to decolonise global health. <i>Lancet, The</i> , 2021 , 397, 968	40	2
214	Hearing loss prevalence and years lived with disability, 1990-2019: findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 397, 996-1009	40	82
213	Beyond pledges: academic journals in high-income countries can do more to decolonise global health. <i>BMJ Global Health</i> , 2021 , 6,	6.6	6
212	Transforming global health through equity-driven funding. <i>Nature Medicine</i> , 2021 , 27, 1136-1138	50.5	6
211	Subnational mapping of HIV incidence and mortality among individuals aged 15-49 years in sub-Saharan Africa, 2000-18: a modelling study. <i>Lancet HIV,the</i> , 2021 , 8, e363-e375	7.8	10
210	Infant and Young Child Feeding Practices among Adolescent Mothers and Associated Factors in India. <i>Nutrients</i> , 2021 , 13,	6.7	2
209	Dismantling Structural Discrimination in Global Health. <i>JAMA Pediatrics</i> , 2021 , 175, 993-994	8.3	0
208	Setting the record straight on measuring SDG 4.2.1 - AuthorsReply. <i>The Lancet Global Health</i> , 2021 , 9, e912	13.6	
207	The conundrum of a global tool for early childhood development to monitor SDG indicator 4.2.1. <i>The Lancet Global Health</i> , 2021 , 9, e586-e587	13.6	5
206	Mapping routine measles vaccination in low- and middle-income countries. <i>Nature</i> , 2021 , 589, 415-419	50.4	20
205	Infants affected by Rh sensitization: A 2-year Canadian National Surveillance Study. <i>Paediatrics and Child Health</i> , 2021 , 26, 159-165	0.7	
204	Systemic racism in global health: a personal reflection. <i>The Lancet Global Health</i> , 2021 , 9, e1051-e1052	13.6	3
203	Global, regional, and national progress towards Sustainable Development Goal 3.2 for neonatal and child health: all-cause and cause-specific mortality findings from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021 , 398, 870-905	40	43
202	Global Burden of Childhood Epilepsy, Intellectual Disability, and Sensory Impairments. <i>Pediatrics</i> , 2020 , 146,	7.4	40
201	Global and regional burden of chronic respiratory disease in 2016 arising from non-infectious airborne occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 142-150	2.1	23
200	Health sector spending and spending on HIV/AIDS, tuberculosis, and malaria, and development assistance for health: progress towards Sustainable Development Goal 3. <i>Lancet, The</i> , 2020 , 396, 693-724	40	32

199	Mapping child growth failure across low- and middle-income countries. <i>Nature</i> , 2020 , 577, 231-234	50.4	62
198	Mapping disparities in education across low- and middle-income countries. <i>Nature</i> , 2020 , 577, 235-238	50.4	21
197	Global burden of 369 diseases and injuries in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1204-1222	40	1847
196	Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1223-1249	40	1013
195	Global age-sex-specific fertility, mortality, healthy life expectancy (HALE), and population estimates in 204 countries and territories, 1950-2019: a comprehensive demographic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1160-1203	40	228
194	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1135-1159	40	113
193	Mapping geographical inequalities in oral rehydration therapy coverage in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1038-e1060	13.6	12
192	Measuring universal health coverage based on an index of effective coverage of health services in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020 , 396, 1250-1284	40	112
191	Mapping geographical inequalities in access to drinking water and sanitation facilities in low-income and middle-income countries, 2000-17. <i>The Lancet Global Health</i> , 2020 , 8, e1162-e1185	13.6	27
190	The global distribution of lymphatic filariasis, 2000-18: a geospatial analysis. <i>The Lancet Global Health</i> , 2020 , 8, e1186-e1194	13.6	34
189	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020 , 26, 750-759	50.5	21
188	Global and regional burden of disease and injury in 2016 arising from occupational exposures: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 133-141	2.1	20
187	Global and regional burden of cancer in 2016 arising from occupational exposure to selected carcinogens: a systematic analysis for the Global Burden of Disease Study 2016. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 151-159	2.1	31
186	Regional prevalence and determinants of exclusive breastfeeding in India. <i>International Breastfeeding Journal</i> , 2019 , 14, 20	3.8	25
185	Diseases, Injuries, and Risk Factors in Child and Adolescent Health, 1990 to 2017: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2017 Study. <i>JAMA Pediatrics</i> , 2019 , 173, e190337	8.3	74
184	Diarrhoea deaths and disability-adjusted life years attributable to suboptimal breastfeeding practices in Nigeria: findings from the global burden of disease study 2016. <i>International Breastfeeding Journal</i> , 2019 , 14, 4	3.8	9
183	Poor data produce poor models: children with developmental disabilities deserve better - AuthorsR reply. <i>The Lancet Global Health</i> , 2019 , 7, e189	13.6	1
182	Mapping 123 million neonatal, infant and child deaths between 2000 and 2017. <i>Nature</i> , 2019 , 574, 353-358	58.4	87

181	Hearing loss grades and the. <i>Bulletin of the World Health Organization</i> , 2019 , 97, 725-728	8.2	90
180	Premature mortality in children with developmental disabilities. <i>The Lancet Global Health</i> , 2019 , 7, e1601-e1603	13.6	603
179	RE: Global Initiatives for Early Childhood Development Should Be Disability Inclusive. <i>Pediatrics</i> , 2018 , 141,	7.4	1
178	The Contribution of Neonatal Jaundice to Global Child Mortality: Findings From the GBD 2016 Study. <i>Pediatrics</i> , 2018 , 141,	7.4	30
177	A neurologic dysfunction scoring protocol for jaundiced neonates requiring exchange transfusion. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2018 , 31, 888-894	2	4
176	Alcohol use and burden for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 392, 1015-1035	40	1171
175	Adolescent health in the Eastern Mediterranean Region: findings from the global burden of disease 2015 study. <i>International Journal of Public Health</i> , 2018 , 63, 79-96	4	8
174	Global, regional, and national age-sex-specific mortality and life expectancy, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1684-1735	40	483
173	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1736-1788	40	2850
172	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1923-1994	40	1964
171	Population and fertility by age and sex for 195 countries and territories, 1950-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1995-2051	40	189
170	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1789-1858	40	4524
169	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 2091-2138	40	210
168	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018 , 392, 1859-1922	40	1283
167	Global, regional, and national burden of meningitis, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Neurology, The</i> , 2018 , 17, 1061-1082	24.1	124
166	Tuberculosis disease burden and attributable risk factors in Nigeria, 1990-2016. <i>Tropical Medicine and Health</i> , 2018 , 46, 34	3.4	15
165	Nurturing care for children with developmental disabilities: a moral imperative for sub-Saharan Africa. <i>The Lancet Child and Adolescent Health</i> , 2018 , 2, 772-774	14.5	12
164	Developmental disabilities among children younger than 5 years in 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>The Lancet Global Health</i> , 2018 , 6, e1100-e1121	13.6	188

163	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018 , 391, 2236-2271	40	381
162	Neonatal hyperbilirubinaemia: a global perspective. <i>The Lancet Child and Adolescent Health</i> , 2018 , 2, 610-629	14.9	62
161	Use of Transcutaneous Bilirubin to Determine the Need for Phototherapy in Resource-Limited Settings. <i>Neonatology</i> , 2017 , 111, 324-330	4	8
160	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990-2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2017 , 390, 231-266	40	352
159	Child and Adolescent Health From 1990 to 2015: Findings From the Global Burden of Diseases, Injuries, and Risk Factors 2015 Study. <i>JAMA Pediatrics</i> , 2017 , 171, 573-592	8.3	216
158	Obligations under global health partnerships in LMICs should be contractual. <i>The Lancet Global Health</i> , 2017 , 5, e869	13.6	3
157	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1084-1150	40	421
156	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1260-1344	40	1152
155	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1151-1210	40	2542
154	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1211-1259	40	3432
153	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1345-1422	40	1378
152	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017 , 390, 1423-1459	40	224
151	Severe neonatal hyperbilirubinaemia is frequently associated with long hospitalisation for emergency care in Nigeria. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017 , 106, 2031-2037	3.1	
150	Global, Regional, and National Levels of Maternal Mortality, 1990-2015: A Systematic Analysis for the Global Burden of Disease Study 2015. <i>Obstetrical and Gynecological Survey</i> , 2017 , 72, 11-13	2.4	18
149	Timely sensory stimulation and early childhood development. <i>Lancet, The</i> , 2017 , 390, 2626	40	3
148	Burden of severe neonatal jaundice: a systematic review and meta-analysis. <i>BMJ Paediatrics Open</i> , 2017 , 1, e000105	2.4	54
147	Transcutaneous bilirubin nomograms in African neonates. <i>PLoS ONE</i> , 2017 , 12, e0172058	3.7	11
146	Maternal detection of neonatal jaundice during birth hospitalization using a novel two-color icterometer. <i>PLoS ONE</i> , 2017 , 12, e0183882	3.7	10

145	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980-2015: the Global Burden of Disease Study 2015. <i>Lancet HIV,the</i> , 2016 , 3, e361-e387	7.8	382
144	Training Pediatric Emergency Medicine Specialists in India. <i>Indian Pediatrics</i> , 2016 , 53, 437	1.2	1
143	The authors reply. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 705-6	3	
142	Irradiance Decay in Fluorescent and Light-emitting Diode-based Phototherapy Devices: A Pilot Study. <i>Journal of Tropical Pediatrics</i> , 2016 , 62, 421-4	1.2	9
141	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013: Findings From the Global Burden of Disease 2013 Study. <i>JAMA Pediatrics</i> , 2016 , 170, 267-87	8.3	347
140	Revisiting the Criteria for Exchange Transfusion for Severe Neonatal Hyperbilirubinemia in Resource-Limited Settings. <i>Neonatology</i> , 2016 , 109, 97-104	4	14
139	Aging and Hearing Health: The Life-course Approach. <i>Gerontologist, The</i> , 2016 , 56 Suppl 2, S256-67	5	167
138	A decision-making tool for exchange transfusions in infants with severe hyperbilirubinemia in resource-limited settings. <i>Journal of Perinatology</i> , 2016 , 36, 338-41	3.1	9
137	Heliotherapy for Neonatal Hyperbilirubinemia in Southwest, Nigeria: A Baseline Pre-Intervention Study. <i>PLoS ONE</i> , 2016 , 11, e0151375	3.7	9
136	Setting research priorities to improve global newborn health and prevent stillbirths by 2025. <i>Journal of Global Health</i> , 2016 , 6, 010508	4.3	38
135	The burden and management of neonatal jaundice in Nigeria: A scoping review of the literature. <i>Nigerian Journal of Clinical Practice</i> , 2016 , 19, 1-17	1	47
134	Facility-based constraints to exchange transfusions for neonatal hyperbilirubinemia in resource-limited settings. <i>World Journal of Clinical Pediatrics</i> , 2016 , 5, 182-90	2.5	14
133	Predictors of Repeat Exchange Transfusion for Severe Neonatal Hyperbilirubinemia. <i>Pediatric Critical Care Medicine</i> , 2016 , 17, 231-5	3	9
132	Differences Between Transcutaneous and Serum Bilirubin Measurements in Black African Neonates. <i>Pediatrics</i> , 2016 , 138,	7.4	32
131	Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1775-1812	40	476
130	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1603-1658	40	1216
129	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1459-1544	40	3525
128	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1545-1602	40	3801

127	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1659-1724	40	2431
126	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980-2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1725-1774	40	413
125	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016 , 388, 1813-1850	40	302
124	A modified Bilirubin-induced neurologic dysfunction (BIND-M) algorithm is useful in evaluating severity of jaundice in a resource-limited setting. <i>BMC Pediatrics</i> , 2015 , 15, 28	2.6	25
123	Management of late-preterm and term infants with hyperbilirubinaemia in resource-constrained settings. <i>BMC Pediatrics</i> , 2015 , 15, 39	2.6	54
122	Infants at risk of significant hyperbilirubinemia in poorly-resourced countries: evidence from a scoping review. <i>World Journal of Pediatrics</i> , 2015 , 11, 293-9	4.6	11
121	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990-2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015 , 386, 2145-91	40	1203
120	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 386, 2287-323	40	1776
119	A Randomized Trial of Phototherapy with Filtered Sunlight in African Neonates. <i>New England Journal of Medicine</i> , 2015 , 373, 1115-24	59.2	47
118	Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015 , 385, 117-71	40	4599
117	Prevalence of congenital cytomegalovirus infection in Nigeria: a pilot study. <i>Pediatric Infectious Disease Journal</i> , 2015 , 34, 322-4	3.4	16
116	Screening for neonatal deafness in resource-poor countries: challenges and solutions. <i>Research and Reports in Neonatology</i> , 2015 , 51	1	5
115	Risk factors for severe neonatal hyperbilirubinemia in low and middle-income countries: a systematic review and meta-analysis. <i>PLoS ONE</i> , 2015 , 10, e0117229	3.7	60
114	Societal impact of bilirubin-induced hearing impairment in resource-limited nations. <i>Seminars in Fetal and Neonatal Medicine</i> , 2015 , 20, 58-63	3.7	5
113	Safety and efficacy of filtered sunlight in treatment of jaundice in African neonates. <i>Pediatrics</i> , 2014 , 133, e1568-74	7.4	33
112	Maternal satisfaction with a novel filtered-sunlight phototherapy for newborn jaundice in Southwest Nigeria. <i>BMC Pediatrics</i> , 2014 , 14, 180	2.6	9
111	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 1005-70	40	653
110	Letter to the editor regarding hearing impairment, severe hyperbilirubinemia and heliotherapy. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2014 , 78, 573-4	1.7	1

109	Global, regional, and national levels and causes of maternal mortality during 1990-2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2014 , 384, 980-1004	4.0	950
108	Why is kernicterus still a major cause of death and disability in low-income and middle-income countries?. <i>Archives of Disease in Childhood</i> , 2014 , 99, 1117-21	2.2	88
107	The global burden of disabling hearing impairment: a call to action. <i>Bulletin of the World Health Organization</i> , 2014 , 92, 367-73	8.2	265
106	Addressing the burden of neonatal hyperbilirubinaemia in countries with significant glucose-6-phosphate dehydrogenase deficiency. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014 , 103, 1102-9	3.1	41
105	Pattern and predictors of maternal care-seeking practices for severe neonatal jaundice in Nigeria: a multi-centre survey. <i>BMC Health Services Research</i> , 2014 , 14, 192	2.9	18
104	Undernutrition and Hearing Impairment 2013 , 189-204		1
103	Treatment of neonatal jaundice with filtered sunlight in Nigerian neonates: study protocol of a non-inferiority, randomized controlled trial. <i>Trials</i> , 2013 , 14, 446	2.8	16
102	Letter to the Editor regarding Rnvestigating the burden of hyperbilirubinemia in resource-constrained settingsR <i>International Journal of Pediatric Otorhinolaryngology</i> , 2013 , 77, 1626-7	1.7	1
101	Pattern and characteristics of growth faltering in early infancy in an urban sub-Saharan African setting. <i>Pediatrics and Neonatology</i> , 2013 , 54, 119-27	1.8	1
100	Phototherapy device effectiveness in Nigeria: irradiance assessment and potential for improvement. <i>Journal of Tropical Pediatrics</i> , 2013 , 59, 321-5	1.2	30
99	Evaluation of window-tinting films for sunlight phototherapy. <i>Journal of Tropical Pediatrics</i> , 2013 , 59, 496-501	1.2	13
98	Risk of sensorineural hearing loss in infants with abnormal head size. <i>Annals of African Medicine</i> , 2013 , 12, 98-104	1.7	5
97	Neonatal hyperbilirubinemia and Rhesus disease of the newborn: incidence and impairment estimates for 2010 at regional and global levels. <i>Pediatric Research</i> , 2013 , 74 Suppl 1, 86-100	3.2	224
96	Full-term newborns with normal birth weight requiring special care in a resource-constrained setting. <i>Pan African Medical Journal</i> , 2013 , 15, 36	1.2	2
95	Is home birth a marker for severe malnutrition in early infancy in urban communities of low-income countries?. <i>Maternal and Child Nutrition</i> , 2012 , 8, 492-502	3.4	4
94	Full-term newborns with congenital microcephaly and macrocephaly in Southwest Nigeria. <i>International Health</i> , 2012 , 4, 128-34	2.4	11
93	Maternal and neonatal profile of late-preterm survivors in a poorly resourced country. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2012 , 25, 346-52	2	1
92	PaediatriciansRperspectives on global health priorities for newborn care in a developing country: a national survey from Nigeria. <i>BMC International Health and Human Rights</i> , 2012 , 12, 9	2.5	5

91	Perinatal Outcomes of Multiple Births in Southwest Nigeria. <i>Journal of Health, Population and Nutrition</i> , 2012 , 29,	2.5	2
90	Permanent hearing loss among professional spice grinders in an urban community in southwest Nigeria. <i>Journal of Urban Health</i> , 2012 , 89, 185-95	5.8	3
89	Perinatal correlates of delayed childbearing in a developing country. <i>Archives of Gynecology and Obstetrics</i> , 2012 , 285, 951-7	2.5	14
88	Maternal antecedents of infants with abnormal head sizes in southwest Nigeria: A community-based study. <i>Journal of Family and Community Medicine</i> , 2012 , 19, 113-8	2	2
87	Addressing the needs of adolescent mothers and their offspring in Nigeria: a community-based study. <i>International Journal of Adolescent Medicine and Health</i> , 2012 , 24, 307-13	1.1	2
86	Neonatal hearing screening and intervention in resource-limited settings: an overview. <i>Archives of Disease in Childhood</i> , 2012 , 97, 654-9	2.2	36
85	Perinatal outcomes associated with maternal hypertensive disorders of pregnancy in a developing country. <i>Hypertension in Pregnancy</i> , 2012 , 31, 120-30	2	26
84	Pattern of head growth and nutritional status of microcephalic infants at early postnatal assessment in a low-income country. <i>Nigerian Journal of Clinical Practice</i> , 2012 , 15, 142-6	1	2
83	Implementing the new WHO guidelines for the early detection of sensorineural hearing loss in newborns and infants in Nigeria. <i>Nigerian Quarterly Journal of Hospital Medicine</i> , 2012 , 22, 69-71	0.1	
82	Making targeted screening for infant hearing loss an effective option in less developed countries. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011 , 75, 316-21	1.7	22
81	Highlights of the new WHO Report on Newborn and Infant Hearing Screening and implications for developing countries. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2011 , 75, 745-8	1.7	25
80	Predictors of early-onset permanent hearing loss in malnourished infants in Sub-Saharan Africa. <i>Research in Developmental Disabilities</i> , 2011 , 32, 124-32	2.7	7
79	Priorities for early childhood development in low-income countries. <i>Journal of Developmental and Behavioral Pediatrics</i> , 2011 , 32, 476-81	2.4	16
78	Child survival and child development in developing countries. <i>Journal of Paediatrics and Child Health</i> , 2011 , 47, 845-6	1.3	
77	Predictors of growth velocity in early infancy in a resource-poor setting. <i>Early Human Development</i> , 2011 , 87, 647-52	2.2	21
76	Infants delivered in maternity homes run by traditional birth attendants in urban Nigeria: a community-based study. <i>Health Care for Women International</i> , 2011 , 32, 474-91	1.5	9
75	Perinatal outcomes of multiple births in southwest Nigeria. <i>Journal of Health, Population and Nutrition</i> , 2011 , 29, 639-47	2.5	24
74	The burden and management of infants with life-long and irreversible hearing impairment in Nigeria. <i>Nigerian Journal of Medicine: Journal of the National Association of Resident Doctors of Nigeria</i> , 2011 , 20, 310-21	0.1	

73	Implementing the new WHO guidelines for the early detection of sensorineural hearing loss in newborns and infants in Nigeria. <i>Nigerian Quarterly Journal of Hospital Medicine</i> , 2011 , 21, 324-6	0.1	1
72	Prevalence, pattern and risk factors for undernutrition in early infancy using the WHO Multicentre Growth Reference: a community-based study. <i>Paediatric and Perinatal Epidemiology</i> , 2010 , 24, 572-83	2.7	20
71	Non-uptake of facility-based maternity services in an inner-city community in Lagos, Nigeria: an observational study. <i>Journal of Biosocial Science</i> , 2010 , 42, 341-58	1.6	38
70	Surrogate measurements for identifying newborns with low birth weight in a community with predominant non-hospital births. <i>Journal of Child Health Care</i> , 2010 , 14, 386-95	2	3
69	Telehealth in audiology: the need and potential to reach underserved communities. <i>International Journal of Audiology</i> , 2010 , 49, 195-202	2.6	140
68	Perinatal profile of very low birthweight infants under a universal newborn hearing screening programme in a developing country: a case-control study. <i>Developmental Neurorehabilitation</i> , 2010 , 13, 156-63	1.8	4
67	Hearing health-care delivery in sub-Saharan Africa--a role for tele-audiology. <i>Journal of Telemedicine and Telecare</i> , 2010 , 16, 53-6	6.8	34
66	Pattern and determinants of BCG immunisation delays in a sub-Saharan African community. <i>Health Research Policy and Systems</i> , 2010 , 8, 1	3.7	58
65	Is discordance in TEOAE and AABR outcomes predictable in newborns?. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2010 , 74, 1303-9	1.7	17
64	Preference for private hospital-based maternity services in inner-city Lagos, Nigeria: An observational study. <i>Health Policy</i> , 2010 , 96, 210-6	3.2	15
63	Reducing the burden of severe neonatal jaundice in G6PD-deficient populations in low-income countries: are we doing enough?. <i>International Health</i> , 2010 , 2, 22-4	2.4	4
62	Ambient noise levels and infant hearing screening programs in developing countries: an observational report. <i>International Journal of Audiology</i> , 2010 , 49, 535-41	2.6	16
61	Is undernutrition a risk factor for sensorineural hearing loss in early infancy?. <i>British Journal of Nutrition</i> , 2010 , 103, 1296-301	3.6	13
60	Predictors of preterm births and low birthweight in an inner-city hospital in sub-Saharan Africa. <i>Maternal and Child Health Journal</i> , 2010 , 14, 978-86	2.4	27
59	Intrauterine growth restriction in a low-income country: Risk factors, adverse perinatal outcomes and correlation with current WHO Multicenter Growth Reference. <i>Early Human Development</i> , 2010 , 86, 439-44	2.2	10
58	Correlates of birth asphyxia using two Apgar score classification methods. <i>Nigerian Quarterly Journal of Hospital Medicine</i> , 2010 , 20, 153-61	0.1	2
57	Sensorineural hearing loss in infants with neonatal jaundice in Lagos: a community-based study. <i>Annals of Tropical Paediatrics</i> , 2009 , 29, 119-28		18
56	Newborns at risk of sensorineural hearing loss in low-income countries. <i>Archives of Disease in Childhood</i> , 2009 , 94, 227-30	2.2	34

55	Universal infant hearing screening programme in a community with predominant non-hospital births: a three-year experience. <i>Journal of Epidemiology and Community Health</i> , 2009 , 63, 481-7	5.1	18
54	Maternal and neonatal factors associated with mode of delivery under a universal newborn hearing screening programme in Lagos, Nigeria. <i>BMC Pregnancy and Childbirth</i> , 2009 , 9, 41	3.2	18
53	Community-based infant hearing screening in a developing country: parental uptake of follow-up services. <i>BMC Public Health</i> , 2009 , 9, 66	4.1	22
52	Infants with HIV-infected mothers in a universal newborn hearing screening programme in Lagos, Nigeria. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009 , 98, 1288-93	3.1	8
51	Infants with severe neonatal jaundice in Lagos, Nigeria: incidence, correlates and hearing screening outcomes. <i>Tropical Medicine and International Health</i> , 2009 , 14, 301-10	2.3	42
50	Follow-up default in a hospital-based universal newborn hearing screening programme in a low-income country. <i>Child: Care, Health and Development</i> , 2009 , 35, 190-8	2.8	19
49	Costs and performance of early hearing detection programmes in Lagos, Nigeria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2009 , 103, 179-86	2	25
48	Optimising the use of routine immunisation clinics for early childhood development in sub-Saharan Africa. <i>Vaccine</i> , 2009 , 27, 3719-23	4.1	7
47	Place of birth and characteristics of infants with congenital and early-onset hearing loss in a developing country. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2009 , 73, 1263-9	1.7	11
46	Adverse neonatal outcomes associated with trial of labor after previous cesarean delivery in an inner-city hospital in Lagos, Nigeria. <i>International Journal of Gynecology and Obstetrics</i> , 2009 , 107, 135-9	4	5
45	Predictors of term stillbirths in an inner-city maternity hospital in Lagos, Nigeria. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 1243-51	3.8	21
44	Are risk factors for stillbirths in low-income countries associated with sensorineural hearing loss in survivors?. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2009 , 22, 576-83	2	3
43	Comment on Baltussen and Smith. Cost-effectiveness of selected interventions for hearing impairment in Africa and Asia: a mathematical modelling approach. <i>International Journal of Audiology</i> , 2009 , 48, 159-60; discussion 160	2.6	2
42	The need for standardization of methods for worldwide infant hearing screening: a systematic review. <i>Laryngoscope</i> , 2008 , 118, 1830-6	3.6	21
41	Non-hospital delivery and permanent congenital and early-onset hearing loss in a developing country. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008 , 115, 1419-27	3.7	9
40	Hospital-based universal newborn hearing screening for early detection of permanent congenital hearing loss in Lagos, Nigeria. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2008 , 72, 991-1001	1.7	40
39	Factors associated with auditory neuropathy/dys-synchrony in a developing country. <i>Audiological Medicine</i> , 2008 , 6, 120-128		3
38	Pitfalls in the diagnosis and management of transient synovitis of the hip: a retrospective case-note analysis. <i>Archives of Disease in Childhood</i> , 2008 , 93, 451-2	2.2	5

37	Global health priorities for developing countries: some equity and ethical considerations. <i>Journal of the National Medical Association</i> , 2008 , 100, 1212-7	2.3	5
36	Priorities for early hearing detection and intervention in sub-Saharan Africa. <i>International Journal of Audiology</i> , 2008 , 47 Suppl 1, S3-13	2.6	21
35	Community-based infant hearing screening for early detection of permanent hearing loss in Lagos, Nigeria: a cross-sectional study. <i>Bulletin of the World Health Organization</i> , 2008 , 86, 956-63	8.2	61
34	Promoting effective interventions for neglected health conditions in developing countries. <i>Disability and Rehabilitation</i> , 2007 , 29, 973-6	2.4	2
33	Progress towards early detection services for infants with hearing loss in developing countries. <i>BMC Health Services Research</i> , 2007 , 7, 14	2.9	55
32	"The right stuff": the global burden of disease. <i>PLoS Medicine</i> , 2007 , 4, e84	11.6	7
31	Global burden of childhood hearing impairment and disease control priorities for developing countries. <i>Lancet, The</i> , 2007 , 369, 1314-1317	4.0	132
30	Addressing the global neglect of childhood hearing impairment in developing countries. <i>PLoS Medicine</i> , 2007 , 4, e74	11.6	26
29	Revisiting the ten questions questionnaire for developing countries. <i>International Journal of Epidemiology</i> , 2006 , 35, 1103	7.8	0
28	Reducing the burden of communication disorders in the developing world: an opportunity for the millennium development project. <i>JAMA - Journal of the American Medical Association</i> , 2006 , 296, 441-4	27.4	88
27	Ethical issues in screening for hearing impairment in newborns in developing countries. <i>Journal of Medical Ethics</i> , 2006 , 32, 588-91	2.5	13
26	Physician education on infant hearing loss in a developing country. <i>Developmental Neurorehabilitation</i> , 2006 , 9, 373-7		8
25	Disabilities, physicians and the Millennium Development Goals. <i>Disability and Rehabilitation</i> , 2006 , 28, 244	2.4	1
24	Stillbirths in sub-Saharan Africa. <i>Lancet, The</i> , 2006 , 368, 117	4.0	3
23	Early detection of infant hearing loss: current experiences of health professionals in a developing country. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2006 , 95, 1300-2	3.1	6
22	Maternal views on infant hearing loss in a developing country. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 619-23	1.7	32
21	Communication disorders in Nigerian children. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 697-702	1.7	8
20	Early hearing detection at immunization clinics in developing countries. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2006 , 70, 1495-8	1.7	28

19	Globalization of infant hearing screening: the next challenge before JCIH?. <i>Journal of the American Academy of Audiology</i> , 2006 , 17, 293-5; discussion 295-6	1.3	6
18	Adverse perinatal conditions in hearing-impaired children in a developing country. <i>Paediatric and Perinatal Epidemiology</i> , 2006 , 20, 366-71	2.7	20
17	Letter to the Editors: the burden of neonatal jaundice and sepsis in developing countries. <i>Tropical Medicine and International Health</i> , 2006 , 11, 381	2.3	3
16	Health priorities for developing countries: importance of non-fatal but disabling conditions. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2006 , 100, 1089-90	2	1
15	Early Hearing Detection and Intervention in Developing Countries: Current Status and Prospects. <i>Volta Review</i> , 2006 , 106, 381-418	3	5
14	State of the world's children: life beyond survival. <i>Archives of Disease in Childhood</i> , 2005 , 90, 317-8	2.2	20
13	Childhood deafness poses problems in developing countries. <i>BMJ, The</i> , 2005 , 330, 480-1	5.9	22
12	Screening for early childhood hearing loss in Nigeria. <i>Journal of Medical Screening</i> , 2005 , 12, 115-8	1.4	22
11	Informed choice: why measuring behaviour is important. <i>Archives of Disease in Childhood</i> , 2005 , 90, 546-7; author reply 546-7	2.2	6
10	Infant hearing screening: route to informed choice. <i>Archives of Disease in Childhood</i> , 2004 , 89, 1039-40	2.2	9
9	Self-reported outcomes of aural rehabilitation in a developing country. <i>International Journal of Audiology</i> , 2004 , 43, 563-71	2.6	29
8	Classification of childhood hearing impairment: implications for rehabilitation in developing countries. <i>Disability and Rehabilitation</i> , 2004 , 26, 1221-8	2.4	11
7	Benefits and challenges of newborn hearing screening for developing countries. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2004 , 68, 287-305	1.7	83
6	Polio-vaccination boycott in Nigeria. <i>Lancet, The</i> , 2004 , 363, 1912	4.0	11
5	Predictors of hearing loss in school entrants in a developing country. <i>Journal of Postgraduate Medicine</i> , 2004 , 50, 173-8; discussion 178-9	0.8	17
4	Hearing impairment in children with impacted cerumen. <i>Annals of Tropical Paediatrics</i> , 2003 , 23, 121-8		15
3	West African children in private foster care in City and Hackney. <i>Child: Care, Health and Development</i> , 2000 , 26, 337-42	2.8	5
2	Hearing impairment prevention in developing countries: making things happen. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2000 , 55, 167-71	1.7	23

- 1 The hearing profile of Nigerian school children. *International Journal of Pediatric Otorhinolaryngology*, **2000**, 55, 173-9

1.7 59