

# Ahmed E Othman

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4228664/publications.pdf>

Version: 2024-02-01

99  
papers

1,768  
citations

304743

22  
h-index

414414

32  
g-index

100  
all docs

100  
docs citations

100  
times ranked

2262  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comprehensive Clinical Evaluation of a Deep Learning-Accelerated, Single-Breath-Hold Abdominal HASTE at 1.5 T and 3 T. <i>Academic Radiology</i> , 2023, 30, 93-102.	2.5	3
2	Deep learning-based super-resolution gradient echo imaging of the pancreas: Improvement of image quality and reduction of acquisition time. <i>Diagnostic and Interventional Imaging</i> , 2023, 104, 53-59.	3.2	18
3	Analysis of a Deep Learning-Based Superresolution Algorithm Tailored to Partial Fourier Gradient Echo Sequences of the Abdomen at 1.5 T. <i>Investigative Radiology</i> , 2022, 57, 157-162.	6.2	22
4	Beyond Glioma: The Utility of Radiomic Analysis for Non-Glial Intracranial Tumors. <i>Cancers</i> , 2022, 14, 836.	3.7	3
5	Accelerated Three-dimensional T2-Weighted Turbo-Spin-Echo Sequences with Inner-Volume Excitation and Iterative Denoising in the Setting of Pelvis MRI at 1.5T: Impact on Image Quality and Lesion Detection. <i>Academic Radiology</i> , 2022, , .	2.5	2
6	Feasibility of an accelerated 2D-multi-contrast knee MRI protocol using deep-learning image reconstruction: a prospective intraindividual comparison with a standard MRI protocol. <i>European Radiology</i> , 2022, 32, 6215-6229.	4.5	22
7	AI Lung Segmentation and Perfusion Analysis of Dual-Energy CT Can Help to Distinguish COVID-19 Infiltrates from Visually Similar Immunotherapy-Related Pneumonitis Findings and Can Optimize Radiological Workflows. <i>Tomography</i> , 2022, 8, 22-32.	1.8	4
8	CoRad-19 â€œ Modular Digital Teaching during the SARS-CoV-2 Pandemic. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2022, , .	1.3	4
9	Monitoring Pulmonary Thrombectomy: What Information Can Be Gained with Arterial Spin Labeling MRI?. <i>Korean Journal of Radiology</i> , 2022, 23, 931.	3.4	1
10	Fellowship Training: Navigating the Decision to Be a Generalist or a Subspecialistâ€™ <i>Radiology</i> In Training. <i>Radiology</i> , 2022, 305, E63-E65.	7.3	1
11	Reduction in Acquisition Time and Improvement in Image Quality in T2-Weighted MR Imaging of Musculoskeletal Tumors of the Extremities Using a Novel Deep Learning-Based Reconstruction Technique in a Turbo Spin Echo (TSE) Sequence. <i>Tomography</i> , 2022, 8, 1759-1769.	1.8	8
12	Effects of radiation dose reduction on diagnostic performance of 3rd generation Dual Source CT pulmonary angiography. <i>European Journal of Radiology</i> , 2021, 134, 109426.	2.6	11
13	Simulated Radiation Dose Reduction in Whole-Body CT on a 3rd Generation Dual-Source Scanner: An Intraindividual Comparison. <i>Diagnostics</i> , 2021, 11, 118.	2.6	3
14	Deep Learning-Based Superresolution Reconstruction for Upper Abdominal Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2021, 56, 509-516.	6.2	20
15	Image Quality Improvement of Dynamic Contrast-Enhanced Gradient Echo Magnetic Resonance Imaging by Iterative Denoising and Edge Enhancement. <i>Investigative Radiology</i> , 2021, 56, 465-470.	6.2	17
16	Prospective Image Quality and Lesion Assessment in the Setting of MR-Guided Radiation Therapy of Prostate Cancer on an MR-Linac at 1.5 T: A Comparison to a Standard 3 T MRI. <i>Cancers</i> , 2021, 13, 1533.	3.7	14
17	Deep learningâ€™accelerated T2-weighted imaging of the prostate: Reduction of acquisition time and improvement of image quality. <i>European Journal of Radiology</i> , 2021, 137, 109600.	2.6	74
18	Development and Evaluation of Deep Learning-Accelerated Single-Breath-Hold Abdominal HASTE at 3 T Using Variable Refocusing Flip Angles. <i>Investigative Radiology</i> , 2021, 56, 645-652.	6.2	26

#	ARTICLE	IF	CITATIONS
19	Early Tumor Size Reduction of at least 10% at the First Follow-Up Computed Tomography Can Predict Survival in the Setting of Advanced Melanoma and Immunotherapy. <i>Academic Radiology</i> , 2021, , .	2.5	2
20	Diagnostic Performance of a Contrast-Enhanced Ultra-Low-Dose High-Pitch CT Protocol with Reduced Scan Range for Detection of Pulmonary Embolisms. <i>Diagnostics</i> , 2021, 11, 1251.	2.6	3
21	Accelerated T2-Weighted TSE Imaging of the Prostate Using Deep Learning Image Reconstruction: A Prospective Comparison with Standard T2-Weighted TSE Imaging. <i>Cancers</i> , 2021, 13, 3593.	3.7	47
22	1.5 vs 3 Tesla Magnetic Resonance Imaging. <i>Investigative Radiology</i> , 2021, 56, 692-704.	6.2	6
23	Feasibility and Implementation of a Deep Learning MR Reconstruction for TSE Sequences in Musculoskeletal Imaging. <i>Diagnostics</i> , 2021, 11, 1484.	2.6	36
24	Diagnostic Confidence and Feasibility of a Deep Learning Accelerated HASTE Sequence of the Abdomen in a Single Breath-Hold. <i>Investigative Radiology</i> , 2021, 56, 313-319.	6.2	52
25	Application of a Novel Iterative Denoising and Image Enhancement Technique in T1-Weighted Precontrast and Postcontrast Gradient Echo Imaging of the Abdomen. <i>Investigative Radiology</i> , 2021, 56, 328-334.	6.2	25
26	Deep Learning Applications in Magnetic Resonance Imaging: Has the Future Become Present?. <i>Diagnostics</i> , 2021, 11, 2181.	2.6	37
27	A Machine learning model trained on dual-energy CT radiomics significantly improves immunotherapy response prediction for patients with stage IV melanoma. , 2021, 9, e003261.		20
28	Clinical Evaluation of an Abbreviated Contrast-Enhanced Whole-Body MRI for Oncologic Follow-Up Imaging. <i>Diagnostics</i> , 2021, 11, 2368.	2.6	3
29	Performance of an Automated Workflow for Magnetic Resonance Imaging of the Prostate. <i>Investigative Radiology</i> , 2020, 55, 277-284.	6.2	7
30	Carotid and cerebrovascular dual-energy computed tomography angiography: Optimization of window settings for virtual monoenergetic imaging reconstruction. <i>European Journal of Radiology</i> , 2020, 130, 109166.	2.6	9
31	Is there a link between very early changes of primary and secondary lymphoid organs in <sup>18</sup> F-FDG-PET/MRI and treatment response to checkpoint inhibitor therapy?. , 2020, 8, e000656.		21
32	Diagnostic Performance of Different Simulated Low-Dose Levels in Patients with Suspected Cervical Abscess Using a Third-Generation Dual-Source CT Scanner. <i>Diagnostics</i> , 2020, 10, 1072.	2.6	4
33	The scaffold protein p62 regulates adaptive thermogenesis through ATF2 nuclear target activation. <i>Nature Communications</i> , 2020, 11, 2306.	12.8	21
34	Effects of simulated dose variation on contrast-enhanced CT-based radiomic analysis for Non-Small Cell Lung Cancer. <i>European Journal of Radiology</i> , 2020, 124, 108804.	2.6	11
35	Baseline clinical and imaging predictors of treatment response and overall survival of patients with metastatic melanoma undergoing immunotherapy. <i>European Journal of Radiology</i> , 2019, 121, 108688.	2.6	20
36	Effect of a novel denoising technique on image quality and diagnostic accuracy in low-dose CT in patients with suspected appendicitis. <i>European Journal of Radiology</i> , 2019, 116, 198-204.	2.6	26

#	ARTICLE	IF	CITATIONS
37	Advanced Virtual Monoenergetic Imaging: Improvement of Visualization and Differentiation of Intramuscular Lesions in Portal-Venous-phase Contrast-enhanced Dual-energy CT. <i>Academic Radiology</i> , 2019, 26, 1457-1465.	2.5	6
38	Dual energy computed tomography virtual monoenergetic imaging: technique and clinical applications. <i>British Journal of Radiology</i> , 2019, 92, 20180546.	2.2	81
39	Reduced scan range abdominopelvic CT in patients with suspected acute appendicitis - impact on diagnostic accuracy and effective radiation dose. <i>BMC Medical Imaging</i> , 2019, 19, 4.	2.7	6
40	Effects of Radiation Dose Reduction on Diagnostic Accuracy of Abdominal CT in Young Adults with Suspected Acute Diverticulitis: A Retrospective Intraindividual Analysis. <i>Academic Radiology</i> , 2019, 26, 782-790.	2.5	6
41	Precision of T2 TSE MRI-CT-image fusions based on gold fiducials and repetitive T2 TSE MRI-MRI-fusions for adaptive IGRT of prostate cancer by using phantom and patient data. <i>Acta Oncologica</i> , 2019, 58, 88-94.	1.8	15
42	Continuous Hepatic Arterial Multiphase Magnetic Resonance Imaging During Free-Breathing. <i>Investigative Radiology</i> , 2018, 53, 596-601.	6.2	14
43	Diagnostic performance of different perfusion algorithms for the detection of angiographical spasm. <i>Journal of Neuroradiology</i> , 2018, 45, 290-294.	1.1	4
44	Diagnostic Accuracy of Simulated Low-Dose Perfusion CT to Detect Cerebral Perfusion Impairment after Aneurysmal Subarachnoid Hemorrhage: A Retrospective Analysis. <i>Radiology</i> , 2018, 287, 643-650.	7.3	20
45	Dose Reduction and Dose Management in Computed Tomography – State of the Art. <i>RoFo Fortschritte Auf Dem Gebiet Der Rontgenstrahlen Und Der Bildgebenden Verfahren</i> , 2018, 190, 531-541.	1.3	13
46	Evaluation of reduced-dose CT for acute non-traumatic abdominal pain: evaluation of diagnostic accuracy in comparison to standard-dose CT. <i>Acta Radiologica</i> , 2018, 59, 4-12.	1.1	17
47	Self-gated 4D-MRI of the liver: Initial clinical results of continuous multiphase imaging of hepatic enhancement. <i>Journal of Magnetic Resonance Imaging</i> , 2018, 47, 459-467.	3.4	11
48	Implementation of a 5-Minute Magnetic Resonance Imaging Screening Protocol for Prostate Cancer in Men With Elevated Prostate-Specific Antigen Before Biopsy. <i>Investigative Radiology</i> , 2018, 53, 186-190.	6.2	44
49	Transfer of stroke patients impairs eligibility for endovascular stroke treatment. <i>Journal of Neuroradiology</i> , 2018, 45, 49-53.	1.1	16
50	Optimisation of window settings for traditional and noise-optimised virtual monoenergetic imaging in dual-energy computed tomography pulmonary angiography. <i>European Radiology</i> , 2018, 28, 1393-1401.	4.5	23
51	Impact of Radiation Dose Reduction in Abdominal Computed Tomography on Diagnostic Accuracy and Diagnostic Performance in Patients with Suspected Appendicitis. <i>Academic Radiology</i> , 2018, 25, 309-316.	2.5	6
52	Scan time reduction in diffusion-weighted imaging of the pancreas using a simultaneous multislice technique with different acceleration factors: How fast can we go?. <i>European Radiology</i> , 2018, 28, 1504-1511.	4.5	36
53	Virtual non-enhanced dual-energy CT reconstruction may replace true non-enhanced CT scans in the setting of suspected active hemorrhage. <i>European Journal of Radiology</i> , 2018, 109, 218-222.	2.6	14
54	Spinal Epidural Arteriovenous Fistula with Perimedullary Venous Reflux: Clinical and Neuroradiologic Features of an Underestimated Vascular Disorder. <i>American Journal of Neuroradiology</i> , 2018, 39, 2095-2102.	2.4	14

#	ARTICLE	IF	CITATIONS
55	Impact of helmet use in equestrian-related traumatic brain injury: a matched-pairs analysis. <i>British Journal of Neurosurgery</i> , 2018, 32, 37-43.	0.8	15
56	Improvement of Endovascular Stroke Treatment: A 24-Hour Neuroradiological On-Site Service Is Not Enough. <i>BioMed Research International</i> , 2018, 2018, 1-8.	1.9	9
57	Impact of dual-energy CT post-processing to differentiate venous thrombosis from iodine flux artefacts. <i>European Radiology</i> , 2018, 28, 5076-5082.	4.5	7
58	Fast Abdominal Contrast-Enhanced Imaging With High Parallel-Imaging Factors Using a 60-Channel Receiver Coil Setup. <i>Investigative Radiology</i> , 2018, 53, 602-608.	6.2	9
59	Cost-effectiveness of Endovascular Therapy for Acute Ischemic Stroke: A Systematic Review of the Impact of Patient Age. <i>Radiology</i> , 2018, 288, 518-526.	7.3	41
60	Value of computed tomography texture analysis for prediction of perioperative complications during laparoscopic partial nephrectomy in patients with renal cell carcinoma. <i>PLoS ONE</i> , 2018, 13, e0195270.	2.5	5
61	Low-Dose Volume-Perfusion CT of the Brain: Effects of Radiation Dose Reduction on Performance of Perfusion CT Algorithms. <i>Clinical Neuroradiology</i> , 2017, 27, 311-318.	1.9	7
62	Weekend effect in endovascular stroke treatment: do treatment decisions, procedural times, and outcome depend on time of admission?. <i>Journal of NeuroInterventional Surgery</i> , 2017, 9, 336-339.	3.3	15
63	Feasibility of accelerated simultaneous multislice diffusion-weighted MRI of the prostate. <i>Journal of Magnetic Resonance Imaging</i> , 2017, 46, 1507-1515.	3.4	19
64	Crossed cerebellar diaschisis in acute ischemic stroke: Impact on morphologic and functional outcome. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2017, 37, 3615-3624.	4.3	32
65	Temporary Stent-Assisted Coil Embolization as a Treatment Option for Wide-Neck Aneurysms. <i>American Journal of Neuroradiology</i> , 2017, 38, 1372-1376.	2.4	9
66	Noise-optimized monoenergetic post-processing improves visualization of incidental pulmonary embolism in cancer patients undergoing single-pass dual-energy computed tomography. <i>Radiologia Medica</i> , 2017, 122, 280-287.	7.7	14
67	Monoenergetic Dual-energy Computed Tomographic Imaging. <i>Journal of Thoracic Imaging</i> , 2017, 32, 151-158.	1.5	43
68	Infarct fogging on immediate postinterventional CT—a not infrequent occurrence. <i>Neuroradiology</i> , 2017, 59, 853-859.	2.2	10
69	Early Imaging Prediction of Malignant Cerebellar Edema Development in Acute Ischemic Stroke. <i>Stroke</i> , 2017, 48, 2597-2600.	2.0	25
70	Imaging of gastrointestinal melanoma metastases: Correlation with surgery and histopathology of resected specimen. <i>European Radiology</i> , 2017, 27, 2538-2545.	4.5	10
71	Feasibility of self-gated isotropic radial late-phase MR imaging of the liver. <i>European Radiology</i> , 2017, 27, 985-994.	4.5	12
72	Effect of Noise-Optimized Monoenergetic Postprocessing on Diagnostic Accuracy for Detecting Incidental Pulmonary Embolism in Portal-Venous Phase Dual-Energy Computed Tomography. <i>Investigative Radiology</i> , 2017, 52, 142-147.	6.2	44

#	ARTICLE	IF	CITATIONS
73	Endovascular stentectomy using the snare over stent-retriever (SOS) technique: An experimental feasibility study. PLoS ONE, 2017, 12, e0178197.	2.5	10
74	Effect of reduced z-axis scan coverage on diagnostic performance and radiation dose of neck computed tomography in patients with suspected cervical abscess. PLoS ONE, 2017, 12, e0180671.	2.5	10
75	Prediction of Postoperative Risks in Laparoscopic Partial Nephrectomy Using RENAL, Mayo Adhesive Probability and Renal Pelvic Score. Anticancer Research, 2017, 37, 1369-1374.	1.1	16
76	Long Term Outcome after Application of the Angio-Seal Vascular Closure Device in Minipigs. PLoS ONE, 2016, 11, e0163878.	2.5	7
77	Imaging of Cholangiocarcinoma. Visceral Medicine, 2016, 32, 402-410.	1.3	26
78	MRI Appearance of Intracerebral Iodinated Contrast Agents: Is It Possible to Distinguish Extravasated Contrast Agent from Hemorrhage?. American Journal of Neuroradiology, 2016, 37, 1418-1421.	2.4	20
79	Volume perfusion CT imaging of cerebral vasospasm: diagnostic performance of different perfusion maps. Neuroradiology, 2016, 58, 787-792.	2.2	20
80	Scan time minimization in hepatic diffusion-weighted imaging: evaluation of the simultaneous multislice acceleration technique with different acceleration factors and gradient preparation schemes. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2016, 29, 739-749.	2.0	18
81	Spinal dual-energy computed tomography: improved visualisation of spinal tumorous growth with a noise-optimised advanced monoenergetic post-processing algorithm. Neuroradiology, 2016, 58, 1093-1102.	2.2	12
82	Imaging of Ventriculoperitoneal Shunt Complications. Journal of Computer Assisted Tomography, 2016, 40, 991-996.	0.9	7
83	Effect of Temporal Resolution on Diagnostic Performance of Dynamic Contrast-Enhanced Magnetic Resonance Imaging of the Prostate. Investigative Radiology, 2016, 51, 290-296.	6.2	38
84	Optimized Fast Dynamic Contrast-Enhanced Magnetic Resonance Imaging of the Prostate. Investigative Radiology, 2016, 51, 106-112.	6.2	21
85	Hemangiopericytoma/solitary fibrous tumor of the greater omentum: A case report and review of the literature. International Journal of Surgery Case Reports, 2016, 23, 160-162.	0.6	11
86	Impact of image denoising on image quality, quantitative parameters and sensitivity of ultra-low-dose volume perfusion CT imaging. European Radiology, 2016, 26, 167-174.	4.5	18
87	CT imaging of bone and bone marrow infiltration in malignant melanoma—Challenges and limitations for clinical staging in comparison to 18FDG-PET/CT. European Journal of Radiology, 2016, 85, 732-738.	2.6	43
88	Clinical Impact of Ventilation Duration in Patients with Stroke Undergoing Interventional Treatment under General Anesthesia: The Shorter the Better?. American Journal of Neuroradiology, 2016, 37, 1074-1079.	2.4	18
89	Comparison of different population-averaged arterial-input-functions in dynamic contrast-enhanced MRI of the prostate: Effects on pharmacokinetic parameters and their diagnostic performance. Magnetic Resonance Imaging, 2016, 34, 496-501.	1.8	18
90	Radiation dose reduction in perfusion CT imaging of the brain: A review of the literature. Journal of Neuroradiology, 2016, 43, 1-5.	1.1	38

#	ARTICLE	IF	CITATIONS
91	Metal artifact reduction for flat panel detector intravenous CT angiography in patients with intracranial metallic implants after endovascular and surgical treatment. <i>Journal of NeuroInterventional Surgery</i> , 2016, 8, 824-829.	3.3	27
92	Feasibility of combined surgical and endovascular carotid access for interventional treatment of ischemic stroke. <i>Journal of NeuroInterventional Surgery</i> , 2016, 8, 571-575.	3.3	27
93	High-Pitch Low-Dose Whole-Body Computed Tomography for the Assessment of Ventriculoperitoneal Shunts in a Pediatric Patient Model. <i>Investigative Radiology</i> , 2015, 50, 858-862.	6.2	4
94	Minimally Invasive Monitoring of Chronic Central Venous Catheter Patency in Mice Using Digital Subtraction Angiography (DSA). <i>PLoS ONE</i> , 2015, 10, e0130661.	2.5	8
95	Effects of radiation dose reduction in Volume Perfusion CT imaging of acute ischemic stroke. <i>European Radiology</i> , 2015, 25, 3415-3422.	4.5	19
96	Enhanced reading time efficiency by use of automatically unfolded CT rib reformations in acute trauma. <i>European Journal of Radiology</i> , 2015, 84, 2173-2180.	2.6	23
97	Evaluation of whole body Ultralow-Dose CT for the assessment of ventriculoperitoneal shunt complications: an experimental ex-vivo study in a swine model. <i>European Radiology</i> , 2015, 25, 2199-2204.	4.5	6
98	Feasibility of CAIPIRINHA-Dixon-TWIST-VIBE for dynamic contrast-enhanced MRI of the prostate. <i>European Journal of Radiology</i> , 2015, 84, 2110-2116.	2.6	18
99	Advocating neuroimaging studies of transmitter release in human physical exercise challenges studies. <i>Open Access Journal of Sports Medicine</i> , 2010, 1, 167.	1.3	10