

Lisa Grazina Johnston

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4228908/lisa-grazina-johnston-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58
papers

2,624
citations

25
h-index

51
g-index

61
ext. papers

2,907
ext. citations

4.2
avg, IF

4.81
L-index

#	Paper	IF	Citations
58	Populations size estimations using SS-PSE among MSM in four European cities: how many MSM are living with HIV?. <i>European Journal of Public Health</i> , 2021 , 31, 1129-1136	2.1	
57	Increasing HIV prevalence and injection drug use among men who have sex with men in Ho Chi Minh City, Vietnam. <i>International Journal of STD and AIDS</i> , 2020 , 31, 1247-1254	1.4	
56	Reduced bias for respondent-driven sampling: accounting for non-uniform edge sampling probabilities in people who inject drugs in Mauritius. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2019 , 68, 1411-1429	1.5	3
55	The 12 city HIV Surveillance Survey among MSM in Brazil 2016 using respondent-driven sampling: a description of methods and RDS diagnostics. <i>Revista Brasileira De Epidemiologia</i> , 2019 , 22, e190004	1.3	7
54	Estimating the Population Size of Males Who Inject Drugs in Myanmar: Methods for Obtaining Township and National Estimates. <i>AIDS and Behavior</i> , 2019 , 23, 295-301	4.3	6
53	Population Size Estimations Among Hidden Populations Using Respondent-Driven Sampling Surveys: Case Studies From Armenia. <i>JMIR Public Health and Surveillance</i> , 2019 , 5, e12034	11.4	6
52	Defining and surveying key populations at risk of HIV infection: Towards a unified approach to eligibility criteria for respondent-driven sampling HIV biobehavioral surveys. <i>International Journal of STD and AIDS</i> , 2018 , 29, 895-903	1.4	2
51	The Associations of Perceived Social Support with Key HIV Risk and Protective Factors Among Young Males Who Have Sex with Males in Bangkok and Chiang Mai, Thailand. <i>AIDS and Behavior</i> , 2018 , 22, 1899-1907	4.3	1
50	HIV prevalence among men who have sex with men in Brazil: results of the 2nd national survey using respondent-driven sampling. <i>Medicine (United States)</i> , 2018 , 97, S9-S15	1.8	88
49	Correlates of Forced Sex Among Young Men Who Have Sex With Men in Yangon and Monywa, Myanmar. <i>Archives of Sexual Behavior</i> , 2017 , 46, 1001-1010	3.5	10
48	Associations of HIV Testing, Sexual Risk and Access to Prevention Among Female Sex Workers in the Dominican Republic. <i>AIDS and Behavior</i> , 2017 , 21, 2362-2371	4.3	9
47	Measuring a hidden population: A novel technique to estimate the population size of women with sexual violence-related pregnancies in South Kivu Province, Democratic Republic of Congo. <i>Journal of Epidemiology and Global Health</i> , 2017 , 7, 45-53	5.5	11
46	Ensuring Inclusion of Adolescent Key Populations at Higher Risk of HIV Exposure: Recommendations for Conducting Biological Behavioral Surveillance Surveys. <i>JMIR Public Health and Surveillance</i> , 2017 , 3, e40	11.4	8
45	Respondent-driven sampling as a recruitment method for men who have sex with men in southern sub-Saharan Africa: a cross-sectional analysis by wave. <i>Sexually Transmitted Infections</i> , 2016 , 92, 292-8	2.8	32
44	Sex Differences in HIV Prevalence, Behavioral Risks and Prevention Needs Among Anglophone and Francophone Sub-Saharan African Migrants Living in Rabat, Morocco. <i>AIDS and Behavior</i> , 2016 , 20, 746-53	4.3	8
43	The importance of assessing self-reported HIV status in bio-behavioural surveys. <i>Bulletin of the World Health Organization</i> , 2016 , 94, 605-12	8.2	12
42	Recent HIV Testing Among Young Men Who Have Sex with Men in Bangkok and Chiang Mai: HIV Testing and Prevention Strategies Must Be Enhanced in Thailand. <i>AIDS and Behavior</i> , 2016 , 20, 2023-32	4.3	17

41	A Systematic Review of Published Respondent-Driven Sampling Surveys Collecting Behavioral and Biologic Data. <i>AIDS and Behavior</i> , 2016 , 20, 1754-76	4.3	40
40	Sampling Males Who Inject Drugs in Haiphong, Vietnam: Comparison of Time-Location and Respondent-Driven Sampling Methods. <i>Journal of Urban Health</i> , 2015 , 92, 744-57	5.8	9
39	Strengthening the Reporting of Observational Studies in Epidemiology for respondent-driven sampling studies: "STROBE-RDS" statement. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1463-71	5.7	133
38	Diagnostics for Respondent-driven Sampling. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2015 , 178, 241-269	2.1	152
37	Strategic information is everyone's business: perspectives from an international stakeholder meeting to enhance strategic information data along the HIV Cascade for people who inject drugs. <i>Harm Reduction Journal</i> , 2015 , 12, 41	4.6	6
36	Estimating the Size of Hidden Populations Using Respondent-driven Sampling Data: Case Examples from Morocco. <i>Epidemiology</i> , 2015 , 26, 846-52	3.1	27
35	A simulative comparison of respondent driven sampling with incentivized snowball sampling--the "strudel effect". <i>Drug and Alcohol Dependence</i> , 2014 , 135, 71-7	4.9	17
34	Epidemiological challenges to the assessment of HIV burdens among key populations: respondent-driven sampling, time-location sampling and demographic and health surveys. <i>Current Opinion in HIV and AIDS</i> , 2014 , 9, 101-6	4.2	23
33	High HIV and HCV and the unmet needs of people who inject drugs in Yerevan, Armenia. <i>International Journal of Drug Policy</i> , 2014 , 25, 740-3	5.5	3
32	Analyzing Data in RDS 2014 , 84-100		3
31	Respondent driven sampling for HIV biological and behavioral surveillance in Latin America and the Caribbean. <i>AIDS and Behavior</i> , 2013 , 17, 2313-40	4.3	36
30	Unexpectedly high injection drug use, HIV and hepatitis C prevalence among female sex workers in the Republic of Mauritius. <i>AIDS and Behavior</i> , 2013 , 17, 574-84	4.3	12
29	An empirical examination of respondent driven sampling design effects among HIV risk groups from studies conducted around the world. <i>AIDS and Behavior</i> , 2013 , 17, 2202-10	4.3	50
28	Determinants of HIV infection among female sex workers in two cities in the Republic of Moldova: the role of injection drug use and sexual risk. <i>AIDS and Behavior</i> , 2013 , 17, 2588-96	4.3	8
27	Incorporating the service multiplier method in respondent-driven sampling surveys to estimate the size of hidden and hard-to-reach populations: case studies from around the world. <i>Sexually Transmitted Diseases</i> , 2013 , 40, 304-10	2.4	71
26	HIV, syphilis and sexual risk behaviours among men who have sex with men in Agadir and Marrakesh, Morocco. <i>Sexually Transmitted Infections</i> , 2013 , 89 Suppl 3, iii45-8	2.8	23
25	Prevalence of HIV and sexually transmitted infections and patterns of recent HIV testing among men who have sex with men in Zagreb, Croatia. <i>Sexually Transmitted Infections</i> , 2012 , 88, 539-44	2.8	17
24	Evaluation of respondent-driven sampling. <i>Epidemiology</i> , 2012 , 23, 138-47	3.1	194

23	High HIV and hepatitis C prevalence amongst injecting drug users in Mauritius: findings from a population size estimation and respondent driven sampling survey. <i>International Journal of Drug Policy</i> , 2011 , 22, 252-8	5.5	31
22	HIV and related risk behavior among men who have sex with men in Zanzibar, Tanzania: results of a behavioral surveillance survey. <i>AIDS and Behavior</i> , 2011 , 15, 186-92	4.3	62
21	Correlates of HIV risk among injecting drug users in sixteen Ukrainian cities. <i>AIDS and Behavior</i> , 2011 , 15, 65-74	4.3	25
20	Échantillonnage d'Erminé selon les répondants pour les populations difficiles [Joindre]. <i>Methodological Innovations Online</i> , 2010 , 5, 38.2-48		3
19	Formative research to optimize respondent-driven sampling surveys among hard-to-reach populations in HIV behavioral and biological surveillance: lessons learned from four case studies. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010 , 22, 784-92	2.2	78
18	Respondent-driven sampling: A new method for studying street children with findings from Albania. <i>Vulnerable Children and Youth Studies</i> , 2010 , 5, 1-11	1.3	13
17	Sampling Hard-to-Reach Populations with Respondent Driven Sampling. <i>Methodological Innovations Online</i> , 2010 , 5, 38.1-48		87
16	The associations of voluntary counseling and testing acceptance and the perceived likelihood of being HIV-infected among men with multiple sex partners in a South African township. <i>AIDS and Behavior</i> , 2010 , 14, 922-31	4.3	44
15	Effectiveness of respondent-driven sampling to recruit high risk heterosexual men who have multiple female sexual partners: differences in HIV prevalence and sexual risk behaviours measured at two time points. <i>AIDS and Behavior</i> , 2010 , 14, 1330-9	4.3	18
14	Evaluating recruitment among female sex workers and injecting drug users at risk for HIV using respondent-driven sampling in Estonia. <i>Journal of Urban Health</i> , 2010 , 87, 304-317	5.8	38
13	HIV risk and the overlap of injecting drug use and high-risk sexual behaviours among men who have sex with men in Zanzibar (Unguja), Tanzania. <i>International Journal of Drug Policy</i> , 2010 , 21, 485-92	5.5	37
12	Efficacy of convenience sampling through the internet versus respondent driven sampling among males who have sex with males in Tallinn and Harju County, Estonia: challenges reaching a hidden population. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2009 , 21, 1195-202	2.2	20
11	Risk Factors Associated with Condom Use Among Men Who Have Sex with Men in Ukraine. <i>Journal of LGBT Health Research</i> , 2009 , 5, 51-62		4
10	Estimating HIV prevalence and risk behaviors among high-risk heterosexual men with multiple sex partners: use of respondent-driven sampling. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2009 , 51, 72-7	3.1	34
9	Prevalence of sexually transmitted infections among men who have sex with men in Zagreb, Croatia. <i>AIDS and Behavior</i> , 2009 , 13, 303-9	4.3	24
8	Improving survey methods in sero-epidemiological studies of injecting drug users: a case example of two cross sectional surveys in Serbia and Montenegro. <i>BMC Infectious Diseases</i> , 2009 , 9, 14	4	14
7	The effectiveness of respondent driven sampling for recruiting males who have sex with males in Dhaka, Bangladesh. <i>AIDS and Behavior</i> , 2008 , 12, 294-304	4.3	77
6	An empirical comparison of respondent-driven sampling, time location sampling, and snowball sampling for behavioral surveillance in men who have sex with men, Fortaleza, Brazil. <i>AIDS and Behavior</i> , 2008 , 12, S97-104	4.3	171

5	Implementation challenges to using respondent-driven sampling methodology for HIV biological and behavioral surveillance: field experiences in international settings. <i>AIDS and Behavior</i> , 2008 , 12, S134-41	4.3	191
4	Using respondent-driven sampling methodology for HIV biological and behavioral surveillance in international settings: a systematic review. <i>AIDS and Behavior</i> , 2008 , 12, S105-30	4.3	323
3	Exploring barriers to respondent driven sampling in sex worker and drug-injecting sex worker populations in Eastern Europe. <i>Journal of Urban Health</i> , 2006 , 83, i6-15	5.8	68
2	Assessment of respondent driven sampling for recruiting female sex workers in two Vietnamese cities: reaching the unseen sex worker. <i>Journal of Urban Health</i> , 2006 , 83, i16-28	5.8	113
1	Methods to recruit hard-to-reach groups: comparing two chain referral sampling methods of recruiting injecting drug users across nine studies in Russia and Estonia. <i>Journal of Urban Health</i> , 2006 , 83, i39-53	5.8	97