

Judith Allen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4229247/judith-allen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

159
papers

17,208
citations

60
h-index

130
g-index

171
ext. papers

20,163
ext. citations

9.4
avg. IF

6.87
L-index

#	Paper	IF	Citations
159	Dietary protein supplementation results in molecular and cellular changes related to T helper type 2 immunity in the lung and small intestine in lactating rats re-infected with .. <i>Parasitology</i> , 2022 , 149, 337-346	2.7	0
158	Neutrophils: Friend or Foe in Filariasis?. <i>Parasite Immunology</i> , 2022 , e12918	2.2	0
157	Recruitment of dendritic cell progenitors to foci of influenza A virus infection sustains immunity. <i>Science Immunology</i> , 2021 , 6, eabi9331	28	1
156	IL-13 is a driver of COVID-19 severity 2021 ,		10
155	Surgical adhesions: A sticky macrophage problem. <i>Science</i> , 2021 , 371, 993-994	33.3	1
154	The magnitude of airway remodeling is not altered by distinct allergic inflammatory responses in BALB/c versus C57BL/6 mice but matrix composition differs. <i>Immunology and Cell Biology</i> , 2021 , 99, 640-655	5.55	2
153	IL-13 is a driver of COVID-19 severity. <i>JCI Insight</i> , 2021 , 6,	9.9	18
152	The expanding world of tissue-resident macrophages. <i>European Journal of Immunology</i> , 2021 , 51, 1882-1896	10.6	9
151	IL-13 deficiency exacerbates lung damage and impairs epithelial-derived type 2 molecules during nematode infection. <i>Life Science Alliance</i> , 2021 , 4,	5.8	3
150	Trichuris muris infection drives cell-intrinsic IL4R alpha independent colonic RELM β macrophages. <i>PLoS Pathogens</i> , 2021 , 17, e1009768	7.6	0
149	The immune response of inbred laboratory mice to Litomosoides sigmodontis: A route to discovery in myeloid cell biology. <i>Parasite Immunology</i> , 2020 , 42, e12708	2.2	11
148	IL-17A both initiates, via IFN γ suppression, and limits the pulmonary type-2 immune response to nematode infection. <i>Mucosal Immunology</i> , 2020 , 13, 958-968	9.2	18
147	Activation of the NLRP3 Inflammasome by Particles from the Echinococcus granulosus Laminated Layer. <i>Infection and Immunity</i> , 2020 , 88,	3.7	1
146	Eosinophil Deficiency Promotes Aberrant Repair and Adverse Remodeling Following Acute Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2020 , 5, 665-681	8.7	20
145	Zebrafish IL-4-like Cytokines and IL-10 Suppress Inflammation but Only IL-10 Is Essential for Gill Homeostasis. <i>Journal of Immunology</i> , 2020 , 205, 994-1008	5.3	10
144	Inflammasome-Independent Role for NLRP3 in Controlling Innate Antihelminth Immunity and Tissue Repair in the Lung. <i>Journal of Immunology</i> , 2019 , 203, 2724-2734	5.3	10
143	Enhanced monocyte recruitment and delayed alternative macrophage polarization accompanies impaired repair following myocardial infarction in C57BL/6 compared to BALB/c mice. <i>Clinical and Experimental Immunology</i> , 2019 , 198, 83-93	6.2	6

142	Crystal-clear treatment for allergic disease. <i>Science</i> , 2019 , 364, 738-739	33.3	25
141	Extent of Ischemic Brain Injury After Thrombotic Stroke Is Independent of the NLRP3 (NACHT, LRR and PYD Domains-Containing Protein 3) Inflammasome. <i>Stroke</i> , 2019 , 50, 1232-1239	6.7	27
140	Particles from the Echinococcus granulosus Laminated Layer Inhibit CD40 Upregulation in Dendritic Cells by Interfering with Akt Activation. <i>Infection and Immunity</i> , 2019 , 87,	3.7	6
139	Comparative genomics of the major parasitic worms. <i>Nature Genetics</i> , 2019 , 51, 163-174	36.3	201
138	The Transcription Factor STAT6 Mediates Direct Repression of Inflammatory Enhancers and Limits Activation of Alternatively Polarized Macrophages. <i>Immunity</i> , 2018 , 48, 75-90.e6	32.3	106
137	Interleukin-4 activated macrophages mediate immunity to filarial helminth infection by sustaining CCR3-dependent eosinophilia. <i>PLoS Pathogens</i> , 2018 , 14, e1006949	7.6	23
136	Ym1 induces RELM β and rescues IL-4R β deficiency in lung repair during nematode infection. <i>PLoS Pathogens</i> , 2018 , 14, e1007423	7.6	29
135	Body Protein Reserves Sustain Maternal Performance in Early Lactation but Dietary Protein Is Necessary to Maintain Performance and Immune Responses to <i>Nippostrongylus brasiliensis</i> in Lactating Rats. <i>Journal of Nutrition</i> , 2018 , 148, 1638-1646	4.1	2
134	Tissue-resident macrophages in the intestine are long lived and defined by Tim-4 and CD4 expression. <i>Journal of Experimental Medicine</i> , 2018 , 215, 1507-1518	16.6	147
133	Myeloid cell recruitment versus local proliferation differentiates susceptibility from resistance to filarial infection. <i>ELife</i> , 2018 , 7,	8.9	26
132	Local amplifiers of IL-4R β -mediated macrophage activation promote repair in lung and liver. <i>Science</i> , 2017 , 356, 1076-1080	33.3	120
131	Interleukin 4 promotes the development of ex-Foxp3 Th2 cells during immunity to intestinal helminths. <i>Journal of Experimental Medicine</i> , 2017 , 214, 1809-1826	16.6	31
130	Macrophage origin limits functional plasticity in helminth-bacterial co-infection. <i>PLoS Pathogens</i> , 2017 , 13, e1006233	7.6	28
129	E Eosinophils have an essential role in cardiac repair following myocardial infarction. <i>Heart</i> , 2017 , 103, A152-A152	5.1	5
128	The Silent Undertakers: Macrophages Programmed for Efferocytosis. <i>Immunity</i> , 2017 , 47, 810-812	32.3	9
127	Tissue-specific contribution of macrophages to wound healing. <i>Seminars in Cell and Developmental Biology</i> , 2017 , 61, 3-11	7.5	218
126	Pharmacological inhibition of PI3K class III enhances the production of pro- and anti-inflammatory cytokines in dendritic cells stimulated by TLR agonists. <i>International Immunopharmacology</i> , 2016 , 36, 213-217	5.8	7
125	The IL-4/STAT6 signaling axis establishes a conserved microRNA signature in human and mouse macrophages regulating cell survival via miR-342-3p. <i>Genome Medicine</i> , 2016 , 8, 63	14.4	30

124	Fat-associated lymphoid clusters control local IgM secretion during pleural infection and lung inflammation. <i>Nature Communications</i> , 2016 , 7, 12651	17.4	63
123	Particles from the <i>Echinococcus granulosus</i> laminated layer inhibit IL-4 and growth factor-driven Akt phosphorylation and proliferative responses in macrophages. <i>Scientific Reports</i> , 2016 , 6, 39204	4.9	13
122	Beyond killing: Can we find new ways to manage infection?. <i>Evolution, Medicine and Public Health</i> , 2016 , 2016, 148-57	3	55
121	IL-33 delivery induces serous cavity macrophage proliferation independent of interleukin-4 receptor alpha. <i>European Journal of Immunology</i> , 2016 , 46, 2311-2321	6.1	26
120	The adult murine heart has a sparse, phagocytically active macrophage population that expands through monocyte recruitment and adopts an M2 phenotype in response to Th2 immunologic challenge. <i>Immunobiology</i> , 2015 , 220, 924-33	3.4	33
119	Oncogenic properties of apoptotic tumor cells in aggressive B cell lymphoma. <i>Current Biology</i> , 2015 , 25, 577-88	6.3	66
118	Inflammation-induced formation of fat-associated lymphoid clusters. <i>Nature Immunology</i> , 2015 , 16, 819-828	8.8	128
117	IL-17 and neutrophils: unexpected players in the type 2 immune response. <i>Current Opinion in Immunology</i> , 2015 , 34, 99-106	7.8	53
116	The laminated layer: Recent advances and insights into <i>Echinococcus</i> biology and evolution. <i>Experimental Parasitology</i> , 2015 , 158, 23-30	2.1	31
115	A dominant role for the methyl-CpG-binding protein Mbd2 in controlling Th2 induction by dendritic cells. <i>Nature Communications</i> , 2015 , 6, 6920	17.4	53
114	Increased exposure to <i>Plasmodium chabaudi</i> antigens sustains cross-reactivity and avidity of antibodies binding <i>Nippostrongylus brasiliensis</i> : dissecting cross-phylum cross-reactivity in a rodent model. <i>Parasitology</i> , 2015 , 142, 1703-14	2.7	1
113	Bottom-up regulation of malaria population dynamics in mice co-infected with lung-migratory nematodes. <i>Ecology Letters</i> , 2015 , 18, 1387-96	10	18
112	Down Regulation of the TCR Complex CD3 ϵ Chain on CD3+ T Cells: A Potential Mechanism for Helminth-Mediated Immune Modulation. <i>Frontiers in Immunology</i> , 2015 , 6, 51	8.4	9
111	Modulation of dendritic cell alternative activation and function by the vitamin A metabolite retinoic acid. <i>International Immunology</i> , 2015 , 27, 589-96	4.9	6
110	Interleukin-4 Receptor Signaling in Myeloid Cells Controls Collagen Fibril Assembly in Skin Repair. <i>Immunity</i> , 2015 , 43, 803-16	32.3	182
109	Unconventional maturation of dendritic cells induced by particles from the laminated layer of larval <i>Echinococcus granulosus</i> . <i>Infection and Immunity</i> , 2014 , 82, 3164-76	3.7	34
108	Chitinase-like proteins promote IL-17-mediated neutrophilia in a tradeoff between nematode killing and host damage. <i>Nature Immunology</i> , 2014 , 15, 1116-25	19.1	132
107	Macrophage Activation and Polarization: Nomenclature and Experimental Guidelines. <i>Immunity</i> , 2014 , 41, 339-340	32.3	41

106	Coinfection. Virus-helminth coinfection reveals a microbiota-independent mechanism of immunomodulation. <i>Science</i> , 2014 , 345, 578-82	33.3	195
105	Macrophage activation and polarization: nomenclature and experimental guidelines. <i>Immunity</i> , 2014 , 41, 14-20	32.3	3249
104	Host protective roles of type 2 immunity: parasite killing and tissue repair, flip sides of the same coin. <i>Seminars in Immunology</i> , 2014 , 26, 329-40	10.7	148
103	Pathogenesis of Helminth Infections 2014 , 347-359		
102	Alternatively activated macrophages derived from monocytes and tissue macrophages are phenotypically and functionally distinct. <i>Blood</i> , 2014 , 123, e110-22	2.2	221
101	The secreted triose phosphate isomerase of <i>Brugia malayi</i> is required to sustain microfilaria production in vivo. <i>PLoS Pathogens</i> , 2014 , 10, e1003930	7.6	18
100	Macrophage proliferation, provenance, and plasticity in macroparasite infection. <i>Immunological Reviews</i> , 2014 , 262, 113-33	11.3	60
99	Type 2 immunity and wound healing: evolutionary refinement of adaptive immunity by helminths. <i>Nature Reviews Immunology</i> , 2013 , 13, 607-14	36.5	311
98	Alternative activation of macrophages by filarial nematodes is MyD88-independent. <i>Immunobiology</i> , 2013 , 218, 570-8	3.4	6
97	Sources of heterogeneity in human monocyte subsets. <i>Immunology Letters</i> , 2013 , 152, 32-41	4.1	48
96	Beyond stem cells: self-renewal of differentiated macrophages. <i>Science</i> , 2013 , 342, 1242974	33.3	322
95	Tissue-resident macrophages. <i>Nature Immunology</i> , 2013 , 14, 986-95	19.1	1179
94	IL-4 directly signals tissue-resident macrophages to proliferate beyond homeostatic levels controlled by CSF-1. <i>Journal of Experimental Medicine</i> , 2013 , 210, 2477-91	16.6	269
93	Quantifying variation in the potential for antibody-mediated apparent competition among nine genotypes of the rodent malaria parasite <i>Plasmodium chabaudi</i> . <i>Infection, Genetics and Evolution</i> , 2013 , 20, 270-5	4.5	11
92	Distinct bone marrow-derived and tissue-resident macrophage lineages proliferate at key stages during inflammation. <i>Nature Communications</i> , 2013 , 4, 1886	17.4	216
91	Future prospects and challenges of vaccines against filariasis. <i>Parasite Immunology</i> , 2012 , 34, 243-53	2.2	31
90	Induction of IL-4R β -dependent microRNAs identifies PI3K/Akt signaling as essential for IL-4-driven murine macrophage proliferation in vivo. <i>Blood</i> , 2012 , 120, 2307-16	2.2	131
89	The biology of nematode- and IL4R β -dependent murine macrophage polarization in vivo as defined by RNA-Seq and targeted lipidomics. <i>Blood</i> , 2012 , 120, e93-e104	2.2	44

88	Over expression of IL-10 by macrophages overcomes resistance to murine filariasis. <i>Experimental Parasitology</i> , 2012 , 132, 90-6	2.1	11
87	Conditional deletion of Stat3 in mammary epithelium impairs the acute phase response and modulates immune cell numbers during post-lactational regression. <i>Journal of Pathology</i> , 2012 , 227, 106-17	9.4	70
86	Harnessing evolutionary biology to combat infectious disease. <i>Nature Medicine</i> , 2012 , 18, 217-20	50.5	20
85	Chitinase 3-like 1 protein levels are elevated in Schistosoma haematobium infected children. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1898	4.8	16
84	Deletion of parasite immune modulatory sequences combined with immune activating signals enhances vaccine mediated protection against filarial nematodes. <i>PLoS Neglected Tropical Diseases</i> , 2012 , 6, e1968	4.8	22
83	Alternatively activated dendritic cells regulate CD4+ T-cell polarization in vitro and in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 9977-82	11.5	87
82	Investigating Co-infection Dynamics through Evolution of Bio-PEPA Model Parameters: A Combined Process Algebra and Evolutionary Computing Approach. <i>Lecture Notes in Computer Science</i> , 2012 , 227-246	0.9	5
81	Candidate innate immune system gene expression in the ecological model Daphnia. <i>Developmental and Comparative Immunology</i> , 2011 , 35, 1068-77	3.2	14
80	Local macrophage proliferation, rather than recruitment from the blood, is a signature of TH2 inflammation. <i>Science</i> , 2011 , 332, 1284-8	33.3	1002
79	Interactive effects of protein nutrition, genetic growth potential and Heligmosomoides bakeri infection pressure on resilience and resistance in mice. <i>Parasitology</i> , 2011 , 138, 1305-15	2.7	7
78	Diversity and dialogue in immunity to helminths. <i>Nature Reviews Immunology</i> , 2011 , 11, 375-88	36.5	585
77	Understanding the laminated layer of larval Echinococcus II: immunology. <i>Trends in Parasitology</i> , 2011 , 27, 264-73	6.4	76
76	The economy of inflammation: when is less more?. <i>Trends in Parasitology</i> , 2011 , 27, 382-7	6.4	93
75	Analyzing airway inflammation with chemical biology: dissection of acidic mammalian chitinase function with a selective drug-like inhibitor. <i>Chemistry and Biology</i> , 2011 , 18, 569-79		38
74	Suppressor of cytokine signaling (SOCS)1 is a key determinant of differential macrophage activation and function. <i>Journal of Leukocyte Biology</i> , 2011 , 90, 845-54	6.5	144
73	Th2 responses to helminth parasites can be therapeutically enhanced by, but are not dependent upon, GITR-GITR ligand costimulation in vivo. <i>Journal of Immunology</i> , 2011 , 187, 1411-20	5.3	20
72	Immunology. Eosinophils forestall obesity. <i>Science</i> , 2011 , 332, 186-7	33.3	18
71	Evolution of Th2 immunity: a rapid repair response to tissue destructive pathogens. <i>PLoS Pathogens</i> , 2011 , 7, e1002003	7.6	238

70	Similarity and diversity in macrophage activation by nematodes, trematodes, and cestodes. <i>Journal of Biomedicine and Biotechnology</i> , 2010 , 2010, 262609		65
69	Filarial parasites develop faster and reproduce earlier in response to host immune effectors that determine filarial life expectancy. <i>PLoS Biology</i> , 2010 , 8, e1000525	9.7	65
68	Antibody isotype analysis of malaria-nematode co-infection: problems and solutions associated with cross-reactivity. <i>BMC Immunology</i> , 2010 , 11, 6	3.7	19
67	Alternatively activated macrophages elicited by helminth infection can be reprogrammed to enable microbial killing. <i>Journal of Immunology</i> , 2009 , 182, 3084-94	5.3	105
66	MIF homologues from a filarial nematode parasite synergize with IL-4 to induce alternative activation of host macrophages. <i>Journal of Leukocyte Biology</i> , 2009 , 85, 844-54	6.5	55
65	<i>Plasmodium chabaudi</i> limits early <i>Nippostrongylus brasiliensis</i> -induced pulmonary immune activation and Th2 polarization in co-infected mice. <i>BMC Immunology</i> , 2009 , 10, 60	3.7	21
64	Early recruitment of natural CD4+ Foxp3+ Treg cells by infective larvae determines the outcome of filarial infection. <i>European Journal of Immunology</i> , 2009 , 39, 192-206	6.1	98
63	Chitinases and chitinase-like proteins: potential therapeutic targets for the treatment of T-helper type 2 allergies. <i>Clinical and Experimental Allergy</i> , 2009 , 39, 943-55	4.1	71
62	Animal models of airway inflammation and airway smooth muscle remodelling in asthma. <i>Pulmonary Pharmacology and Therapeutics</i> , 2009 , 22, 455-65	3.5	23
61	Experimental manipulation of immune-mediated disease and its fitness costs for rodent malaria parasites. <i>BMC Evolutionary Biology</i> , 2008 , 8, 128	3	33
60	<i>Litomosoides sigmodontis</i> : vaccine-induced immune responses against <i>Wolbachia</i> surface protein can enhance the survival of filarial nematodes during primary infection. <i>Experimental Parasitology</i> , 2008 , 118, 285-9	2.1	10
59	Blockade of TNF receptor 1 reduces disease severity but increases parasite transmission during <i>Plasmodium chabaudi</i> infection. <i>International Journal for Parasitology</i> , 2008 , 38, 1073-81	4.3	24
58	Murine gammaherpesvirus-induced fibrosis is associated with the development of alternatively activated macrophages. <i>Journal of Leukocyte Biology</i> , 2008 , 84, 50-8	6.5	40
57	Does <i>Litomosoides sigmodontis</i> synthesize dimethylethanolamine from choline?. <i>Parasitology</i> , 2008 , 135, 55-61	2.7	4
56	Of mice, cattle, and humans: the immunology and treatment of river blindness. <i>PLoS Neglected Tropical Diseases</i> , 2008 , 2, e217	4.8	92
55	Mapping immune response profiles: the emerging scenario from helminth immunology. <i>European Journal of Immunology</i> , 2007 , 37, 3319-26	6.1	114
54	Alternative activation is an innate response to injury that requires CD4+ T cells to be sustained during chronic infection. <i>Journal of Immunology</i> , 2007 , 179, 3926-36	5.3	214
53	CTLA-4 and CD4+ CD25+ regulatory T cells inhibit protective immunity to filarial parasites in vivo. <i>Journal of Immunology</i> , 2007 , 179, 4626-34	5.3	103

52	Draft genome of the filarial nematode parasite <i>Brugia malayi</i> . <i>Science</i> , 2007 , 317, 1756-60	33.3	513
51	Vaccination against filarial nematodes with irradiated larvae provides long-term protection against the third larval stage but not against subsequent life cycle stages. <i>International Journal for Parasitology</i> , 2006 , 36, 903-14	4.3	46
50	F4/80+ alternatively activated macrophages control CD4+ T cell hyporesponsiveness at sites peripheral to filarial infection. <i>Journal of Immunology</i> , 2006 , 176, 6918-27	5.3	101
49	Simvastatin promotes Th2-type responses through the induction of the chitinase family member Ym1 in dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 7777-82	11.5	96
48	Parasite genetic diversity does not influence TNF-mediated effects on the virulence of primary rodent malaria infections. <i>Parasitology</i> , 2006 , 133, 673-84	2.7	18
47	Evolutionary Causes and Consequences of Immunopathology. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2005 , 36, 373-397	13.5	263
46	Quantitative appraisal of murine filariasis confirms host strain differences but reveals that BALB/c females are more susceptible than males to <i>Litomosoides sigmodontis</i> . <i>Microbes and Infection</i> , 2005 , 7, 612-8	9.3	24
45	Co-infected C57BL/6 mice mount appropriately polarized and compartmentalized cytokine responses to <i>Litomosoides sigmodontis</i> and <i>Leishmania major</i> but disease progression is altered. <i>Parasite Immunology</i> , 2005 , 27, 317-24	2.2	26
44	Removal of regulatory T cell activity reverses hyporesponsiveness and leads to filarial parasite clearance in vivo. <i>Journal of Immunology</i> , 2005 , 174, 4924-33	5.3	242
43	Chitinase and Fizz family members are a generalized feature of nematode infection with selective upregulation of Ym1 and Fizz1 by antigen-presenting cells. <i>Infection and Immunity</i> , 2005 , 73, 385-94	3.7	219
42	Malaria-filaria coinfection in mice makes malarial disease more severe unless filarial infection achieves patency. <i>Journal of Infectious Diseases</i> , 2005 , 191, 410-21	7	127
41	Inducible costimulator is required for type 2 antibody isotype switching but not T helper cell type 2 responses in chronic nematode infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 9872-7	11.5	20
40	Both free-living and parasitic nematodes induce a characteristic Th2 response that is dependent on the presence of intact glycans. <i>Infection and Immunity</i> , 2004 , 72, 398-407	3.7	100
39	Most of the response elicited against <i>Wolbachia</i> surface protein in filarial nematode infection is due to the infective larval stage. <i>Journal of Infectious Diseases</i> , 2004 , 189, 120-7	7	20
38	Helminth parasites--masters of regulation. <i>Immunological Reviews</i> , 2004 , 201, 89-116	11.3	671
37	Interferon gamma suppresses glucocorticoid augmentation of macrophage clearance of apoptotic cells. <i>European Journal of Immunology</i> , 2004 , 34, 1752-61	6.1	39
36	Cytokine-dependent inflammatory cell recruitment patterns in the peritoneal cavity of mice exposed to the parasitic nematode <i>Brugia malayi</i> . <i>Medical Microbiology and Immunology</i> , 2003 , 192, 33-40		18
35	Macrophages in chronic type 2 inflammation have a novel phenotype characterized by the abundant expression of Ym1 and Fizz1 that can be partly replicated in vitro. <i>Immunology Letters</i> , 2003 , 85, 173-80	4.1	188

34	IL-4 dependent alternatively-activated macrophages have a distinctive in vivo gene expression phenotype. <i>BMC Immunology</i> , 2002 , 3, 7	3.7	259
33	Immunisation of mice against neosporosis. <i>International Journal for Parasitology</i> , 2002 , 32, 867-76	4.3	45
32	IL-4 is required to prevent filarial nematode development in resistant but not susceptible strains of mice. <i>International Journal for Parasitology</i> , 2002 , 32, 1277-84	4.3	58
31	The FAR proteins of filarial nematodes: secretion, glycosylation and lipid binding characteristics. <i>Molecular and Biochemical Parasitology</i> , 2002 , 122, 161-70	1.9	42
30	Divergent roles for macrophages in lymphatic filariasis. <i>Parasite Immunology</i> , 2001 , 23, 345-52	2.2	61
29	A <i>Brugia malayi</i> homolog of macrophage migration inhibitory factor reveals an important link between macrophages and eosinophil recruitment during nematode infection. <i>Journal of Immunology</i> , 2001 , 167, 5348-54	5.3	113
28	Requirements for in vivo IFN-gamma induction by live microfilariae of the parasitic nematode, <i>Brugia malayi</i> . <i>Parasitology</i> , 2000 , 120 (Pt 6), 631-40	2.7	15
27	Antigen-presenting cells recruited by <i>Brugia malayi</i> induce Th2 differentiation of naive CD4(+) T cells. <i>European Journal of Immunology</i> , 2000 , 30, 1127-35	6.1	84
26	Alternatively activated macrophages induced by nematode infection inhibit proliferation via cell-to-cell contact. <i>European Journal of Immunology</i> , 2000 , 30, 2669-78	6.1	189
25	The abundant larval transcript-1 and -2 genes of <i>Brugia malayi</i> encode stage-specific candidate vaccine antigens for filariasis. <i>Infection and Immunity</i> , 2000 , 68, 4174-9	3.7	147
24	The serpin secreted by <i>Brugia malayi</i> microfilariae, Bm-SPN-2, elicits strong, but short-lived, immune responses in mice and humans. <i>Journal of Immunology</i> , 2000 , 165, 5161-9	5.3	58
23	Interleukin-5 is essential for vaccine-mediated immunity but not innate resistance to a filarial parasite. <i>Infection and Immunity</i> , 2000 , 68, 2513-7	3.7	59
22	Analysis of genes expressed at the infective larval stage validates utility of <i>Litomosoides sigmodontis</i> as a murine model for filarial vaccine development. <i>Infection and Immunity</i> , 2000 , 68, 5454-8	3.7	54
21	Evolution and immunology. The economics of immunity. <i>Science</i> , 2000 , 290, 1104-5	33.3	58
20	Immunology of Lymphatic Filariasis: Current Controversies. <i>Tropical Medicine</i> , 2000 , 217-243		11
19	Suppressive antigen-presenting cells in Helminth infection. <i>Pathobiology</i> , 1999 , 67, 265-8	3.6	10
18	Comparative analysis of glycosylated and nonglycosylated filarial homologues of the 20-kilodalton retinol binding protein from <i>Onchocerca volvulus</i> (Ov20). <i>Infection and Immunity</i> , 1999 , 67, 6329-34	3.7	12
17	Profound suppression of cellular proliferation mediated by the secretions of nematodes. <i>Parasite Immunology</i> , 1998 , 20, 241-7	2.2	91

16	Requirement for in vivo production of IL-4, but not IL-10, in the induction of proliferative suppression by filarial parasites. <i>Journal of Immunology</i> , 1998 , 160, 4124-32	5.3	35
15	Requirement for in vivo production of IL-4, but not IL-10, in the induction of proliferative suppression by filarial parasites. <i>Journal of Immunology</i> , 1998 , 160, 1304-12	5.3	35
14	Th1-Th2: reliable paradigm or dangerous dogma?. <i>Trends in Immunology</i> , 1997 , 18, 387-92		251
13	APC from mice harbouring the filarial nematode, <i>Brugia malayi</i> , prevent cellular proliferation but not cytokine production. <i>International Immunology</i> , 1996 , 8, 143-51	4.9	99
12	Immunology of human helminth infection. <i>International Archives of Allergy and Immunology</i> , 1996 , 109, 3-10	3.7	121
11	The gp15/400 polyprotein antigen of <i>Brugia malayi</i> binds fatty acids and retinoids. <i>Molecular and Biochemical Parasitology</i> , 1995 , 71, 41-50	1.9	43
10	Infection of IL-4-deficient mice with the parasitic nematode <i>Brugia malayi</i> demonstrates that host resistance is not dependent on a T helper 2-dominated immune response. <i>Journal of Immunology</i> , 1995 , 154, 5995-6001	5.3	56
9	Fine specificity of the genetically controlled immune response to native and recombinant gp15/400 (polyprotein allergen) of <i>Brugia malayi</i> . <i>Infection and Immunity</i> , 1995 , 63, 2892-8	3.7	15
8	Adult and microfilarial stages of the filarial parasite <i>Brugia malayi</i> stimulate contrasting cytokine and Ig isotype responses in BALB/c mice. <i>Journal of Immunology</i> , 1994 , 153, 1216-24	5.3	80
7	An intermolecular mechanism of T cell help for the production of antibodies to the bacterial pathogen, <i>Chlamydia trachomatis</i> . <i>European Journal of Immunology</i> , 1993 , 23, 1169-72	6.1	19
6	A single peptide from the major outer membrane protein of <i>Chlamydia trachomatis</i> elicits T cell help for the production of antibodies to protective determinants. <i>Journal of Immunology</i> , 1991 , 147, 674-9	5.3	32
5	Cysteine-rich outer membrane proteins of <i>Chlamydia trachomatis</i> display compensatory sequence changes between biovariants. <i>Molecular Microbiology</i> , 1990 , 4, 1543-50	4.1	39
4	Identification by sequence analysis of two-site posttranslational processing of the cysteine-rich outer membrane protein 2 of <i>Chlamydia trachomatis</i> serovar L2. <i>Journal of Bacteriology</i> , 1989 , 171, 285-91	3.5	76
3	Eosinophil deficiency promotes aberrant repair and adverse remodelling following acute myocardial infarction		1
2	The pericardium promotes cardiac repair and remodelling post-myocardial infarction		4
1	Macrophages in Helminth Infection: Effectors, Regulators, and Wound Healers	477-490	