List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4229527/publications.pdf Version: 2024-02-01

		136885	133188
105	3,924	32	59
papers	citations	h-index	g-index
132	132	132	3350
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Memory functioning 7 years after severe childhood traumatic brain injury: Results of the Traumatisme Grave de l'Enfant study. Journal of Neuropsychology, 2022, 16, 183-210.	0.6	2
2	Arterial Spin Labeling for the Etiological Workup of Intracerebral Hemorrhage in Children. Stroke, 2022, 53, 185-193.	1.0	6
3	Functional status 1 year after severe childhood traumatic brain injury predicts 7-year outcome: Results of the TGE study. Annals of Physical and Rehabilitation Medicine, 2022, 65, 101627.	1.1	3
4	Functional outcome after severe childhood traumatic brain injury: Results of the TGE prospective longitudinal study. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101375.	1,1	21
5	First Line Onyx Embolization in Ruptured Pediatric Arteriovenous Malformations. Clinical Neuroradiology, 2021, 31, 155-163.	1.0	5
6	Hemorrhage Expansion After Pediatric Intracerebral Hemorrhage. Stroke, 2021, 52, 588-594.	1.0	4
7	Acute surgical management of children with ruptured brain arteriovenous malformation. Journal of Neurosurgery: Pediatrics, 2021, 27, 437-445.	0.8	2
8	Mortality and functional outcome after pediatric intracerebral hemorrhage: cohort study and meta-analysis. Journal of Neurosurgery: Pediatrics, 2021, 27, 661-667.	0.8	6
9	Pediatric brain arteriovenous malformation recurrence: a cohort study, systematic review and meta-analysis. Journal of NeuroInterventional Surgery, 2021, , neurintsurg-2021-017777.	2.0	10
10	Forehead Widening in Nonsyndromic Scaphocephaly Operated After 12 Months of Age. Journal of Craniofacial Surgery, 2021, 32, 42-45.	0.3	2
11	"Perimortem―total body CT-scan examination in severely injured children: an informative insight into the causes of death. International Journal of Legal Medicine, 2020, 134, 625-635.	1.2	5
12	Participation seven years after severe childhood traumatic brain injury. Disability and Rehabilitation, 2020, 42, 2402-2411.	0.9	22
13	Self- and parent-reported Quality of Life 7Âyears after severe childhood traumatic brain injury in the Traumatisme Grave de l'Enfant cohort: associations with objective and subjective factors and outcomes. Quality of Life Research, 2020, 29, 515-528.	1.5	19
14	Executive functions and attention 7 years after severe childhood traumatic brain injury: Results of the Traumatisme Grave de l'Enfant (TGE) cohort. Annals of Physical and Rehabilitation Medicine, 2020, 63, 270-279.	1.1	19
15	Self- and Parent-Reported Fatigue 7 Years After Severe Childhood Traumatic Brain Injury: Results of the Traumatisme Grave de l'Enfant Prospective Longitudinal Study. Journal of Head Trauma Rehabilitation, 2020, 35, 104-116.	1.0	14
16	Risk Factors for Early Brain AVM Rupture: Cohort Study of Pediatric and Adult Patients. American Journal of Neuroradiology, 2020, 41, 2358-2363.	1.2	16
17	Centralâ€lineâ€associated bloodstream infections in a surgical paediatric intensive care unit: Risk factors and prevention with chlorhexidine bathing. Journal of Paediatrics and Child Health, 2020, 56, 936-942.	0.4	3
18	Hydrocephalus in children with ruptured cerebral arteriovenous malformation. Journal of Neurosurgery: Pediatrics, 2020, 26, 283-287.	0.8	2

PHILIPPE G. MEYER

#	Article	IF	CITATIONS
19	Assessment of memory functioning over two years following severe childhood traumatic brain injury: results of the TGE cohort. Brain Injury, 2019, 33, 1208-1218.	0.6	6
20	Nontraumatic Pediatric Intracerebral Hemorrhage. Stroke, 2019, 50, 3654-3661.	1.0	49
21	AVC de l'enfant, imagerie diagnostique et thérapeutique. Bulletin De L'Academie Nationale De Medecine, 2019, 203, 513-521.	0.0	0
22	Pituitary deficiency and precocious puberty after childhood severe traumatic brain injury: a long-term follow-up prospective study. European Journal of Endocrinology, 2019, 180, 281-290.	1.9	21
23	French clinical practice guidelines for Moyamoya angiopathy. Revue Neurologique, 2018, 174, 292-303.	0.6	21
24	Management of severe traumatic brain injury (first 24 hours). Anaesthesia, Critical Care & Pain Medicine, 2018, 37, 171-186.	0.6	126
25	Targeted temperature management in the ICU: Guidelines from a French expert panel. Anaesthesia, Critical Care & Pain Medicine, 2018, 37, 481-491.	0.6	27
26	Predictors of Outcome in Patients with Pediatric Intracerebral Hemorrhage: Development and Validation of a Modified Score. Radiology, 2018, 286, 651-658.	3.6	31
27	Intoxication mortelle d'un nourrisson par un dispositif transdermique de fentanyl. Toxicologie Analytique Et Clinique, 2018, 30, 263-267.	0.1	1
28	Sex Differences in Cardiovascular Pathophysiology. Circulation, 2018, 138, 198-205.	1.6	302
29	Bilambdoid and sagittal synostosis: Report of 39 cases. , 2018, 9, 206.		19
30	Prospective memory 7 years after severe childhood traumatic brain injury – the TGE 2 prospective longitudinal study. Developmental Neurorehabilitation, 2017, 20, 456-461.	0.5	5
31	Characteristics of defenestrating craniofacial injuries in pediatric patients. American Journal of Emergency Medicine, 2017, 35, 1027-1030.	0.7	0
32	Long-term Outcome After Multiple Burr Hole Surgery in Children With Moyamoya Angiopathy: A Single-Center Experience in 108 Hemispheres. Neurosurgery, 2017, 80, 950-956.	0.6	32
33	Targeted temperature management in the ICU: guidelines from a French expert panel. Annals of Intensive Care, 2017, 7, 70.	2.2	48
34	Executive function after severe childhood traumatic brain injury – Age-at-injury vulnerability periods: The TGE prospective longitudinal study. Annals of Physical and Rehabilitation Medicine, 2017, 60, 74-82.	1.1	44
35	Damage control appliqué à la pédiatrie. Anesthésie & Réanimation, 2016, 2, 247-253.	0.1	4
36	Extended follow-up of neurological, cognitive, behavioral and academic outcomes after severe abusive head trauma. Child Abuse and Neglect, 2016, 51, 358-367.	1.3	82

#	Article	IF	CITATIONS
37	Abusive Head Trauma: Epidemiological Aspects and Diagnosis. Brazilian Neurosurgery, 2015, 34, 267-273.	0.0	Ο
38	Noninvasive cardiac output measurement using bioreactance in postoperative pediatric patients. Paediatric Anaesthesia, 2015, 25, 160-166.	0.6	7
39	Surgical options for treatment of traumatic subdural hematomas in children younger than 2 years of age. Journal of Neurosurgery: Pediatrics, 2014, 13, 456-461.	0.8	23
40	Prevalence of Pituitary Dysfunction After Severe Traumatic Brain Injury in Children and Adolescents: A Large Prospective Study. Journal of Clinical Endocrinology and Metabolism, 2014, 99, 2052-2060.	1.8	37
41	Long-Term Outcome of 106 Consecutive Pediatric Ruptured Brain Arteriovenous Malformations After Combined Treatment. Stroke, 2014, 45, 1664-1671.	1.0	86
42	Current Techniques and Protocols in the Surgical Management of Scaphocephaly in Young Infants. Journal of Craniofacial Surgery, 2014, 25, 39-41.	0.3	22
43	Development of a 3-year-old child head–neck finite element model and derivation of novel head injury criterion. International Journal of Crashworthiness, 2014, 19, 233-243.	1.1	7
44	Mortality in severe traumatic brain injury. Lancet Neurology, The, 2013, 12, 426-427.	4.9	4
45	Scaphocephaly correction with retrocoronal and prelambdoid craniotomies (Renier's "H―technique). Child's Nervous System, 2012, 28, 1327-1332.	0.6	38
46	Reducing Blood Losses and Transfusion Requirements in Craniosynostosis Surgery. Anesthesiology, 2012, 116, 733-734.	1.3	11
47	Emergency tracheal intubation of severely head-injured children: Changing daily practice after implementation of national guidelines*. Pediatric Critical Care Medicine, 2011, 12, 65-70.	0.2	35
48	Transcranial Doppler can predict intracranial hypertension in children with severe traumatic brain injuries. Child's Nervous System, 2011, 27, 979-984.	0.6	59
49	Cloverleaf skull deformity and hydrocephalus. Child's Nervous System, 2011, 27, 1683-1691.	0.6	13
50	Mortality in Children With Severe Head Trauma: Predictive Factors and Proposal for a New Predictive Scale. Neurosurgery, 2010, 67, 1542-1547.	0.6	69
51	Complex Pediatric Orbital Fractures Combined With Traumatic Brain Injury. Journal of Craniofacial Surgery, 2010, 21, 1054-1059.	0.3	9
52	Hemorrhagic Shock and Encephalopathy Syndrome in a Quadriplegic Child. Spine, 2010, 35, E730-E732.	1.0	8
53	Acute hyperglycemia is a reliable outcome predictor in children with severe traumatic brain injury. Acta Neurochirurgica, 2010, 152, 1559-1565.	0.9	34
54	About hierarchical log linear analysis of admission blood parameters and clinical outcome following traumatic brain injury. Acta Neurochirurgica, 2010, 152, 2005-2005.	0.9	1

#	Article	IF	CITATIONS
55	Paediatric prehospital tracheal intubation: What makes different our practice across the Ocean?. Resuscitation, 2010, 81, 634.	1.3	1
56	Paediatric intracranial empyema: differences according to age. European Journal of Pediatrics, 2009, 168, 1235-1241.	1.3	44
57	Spinal epidural hematoma in hemophilic children: controversies in management. Child's Nervous System, 2009, 25, 993-993.	0.6	1
58	Focus session on the changing "epidemiology―of craniosynostosis (comparing two quinquennia:) Tj ETQq0 Malades. Child's Nervous System, 2009, 25, 807-811.	0 0 rgBT 0.6	Overlock 10 55
59	Defenestration in children younger than 6Âyears old: mortality predictors in severe head trauma. Child's Nervous System, 2009, 25, 1077-1083.	0.6	33
60	Intraoperative hyponatremia: is it related to surgical procedure or fluid maintenance?. Paediatric Anaesthesia, 2009, 19, 711-712.	0.6	3
61	Utility of Computed Tomography Scan in Pediatric Blunt Chest Trauma. Journal of Trauma, 2009, 67, 1131-1132.	2.3	3
62	Pediatric Brain Death Diagnosis in the View of Organ Donation in France. Transplantation, 2009, 87, 616-617.	0.5	11
63	Admission Base Deficit as a Long-Term Prognostic Factor in Severe Pediatric Trauma Patients. Journal of Trauma, 2009, 67, 1272-1277.	2.3	26
64	Successful conservative treatment of traumatic subacute subdural haematomas in neonates with haemophilia A. Child's Nervous System, 2008, 24, 679-683.	0.6	3
65	Management of critically ill children with traumatic brain injury. Paediatric Anaesthesia, 2008, 18, 455-461.	0.6	52
66	Hypothermia Therapy after Traumatic Brain Injury in Children. New England Journal of Medicine, 2008, 358, 2447-2456.	13.9	726
67	Misuse of an Adult Seat Belt in a 7-Year-old Child. Pediatric Emergency Care, 2008, 24, 161-163.	0.5	4
68	Balloon Dissection: An Unusual Source of Venous Air Embolism During Brain Surgery. Journal of Neurosurgical Anesthesiology, 2008, 20, 71-72.	0.6	1
69	Use of recombinant activated factor VII in intractable bleeding during pediatric neurosurgical procedures. Pediatric Critical Care Medicine, 2007, 8, 576-579.	0.2	30
70	Prevention of Vascular Air Embolism. Anesthesiology, 2007, 107, 850-850.	1.3	0
71	Epidemiology and early predictive factors of mortality and outcome in children with traumatic severe brain injury: Experience of a French pediatric trauma center*. Pediatric Critical Care Medicine, 2006, 7, 461-467.	0.2	191
72	Grand mal seizures: an unusual and puzzling primary presentation of ruptured hepatic hydatid cyst. Paediatric Anaesthesia, 2006, 16, 676-679.	0.6	9

#	Article	IF	CITATIONS
73	The epidemiology of pediatric falls from heights. Pediatric Surgery International, 2006, 23, 95-96.	0.6	2
74	Hypothermia Pediatric Head Injury Trial: The Value of a Pretrial Clinical Evaluation Phase. Developmental Neuroscience, 2006, 28, 291-301.	1.0	33
75	Surgical evacuation of acute subdural hematoma improves cerebral hemodynamics in children: a transcranial Doppler evaluation. Child's Nervous System, 2005, 21, 133-137.	0.6	22
76	Combined high cervical spine and brain stem injuries: a complex and devastating injury in children. Journal of Pediatric Surgery, 2005, 40, 1637-1642.	0.8	17
77	Laparoscopic surgery in a patient with ventriculoperitoneal shunt: monitoring of shunt function with transcranial Doppler. British Journal of Anaesthesia, 2004, 92, 434-437.	1.5	26
78	The prognostic value of transcranial Doppler studies in children with moderate and severe head injury. Intensive Care Medicine, 2004, 30, 108-112.	3.9	77
79	Comparison of perioperative blood salvage and postoperative reinfusion of drained blood during surgical correction of craniosynostosis in infants. Paediatric Anaesthesia, 2003, 13, 797-804.	0.6	34
80	Pediatric neurologic emergencies. Current Opinion in Critical Care, 2001, 7, 81-87.	1.6	20
81	Validity of applying TRISS analysis to paediatric blunt trauma patients managed in a French paediatric level I trauma centre. Intensive Care Medicine, 2001, 27, 743-750.	3.9	42
82	Postal survey of cuffed or uncuffed tracheal tubes used for paediatric tracheal intubation. Paediatric Anaesthesia, 2001, 11, 277-281.	0.6	65
83	Is the sitting or the prone position best for surgery for posterior fossa tumours in children?. Paediatric Anaesthesia, 2001, 11, 541-547.	0.6	52
84	Postoperative Sudden Death in Two Adolescents with Myelomeningocele and Unrecognized Arrhythmogenic Right Ventricular Dysplasia. Anesthesiology, 2001, 95, 257-259.	1.3	18
85	Complications of emergency tracheal intubation in severely head-injured children. Paediatric Anaesthesia, 2000, 10, 253-260.	0.6	49
86	Intraventricular fibrinolysis for post-traumatic intraventricular hemorrhage in a child with multiple injuries. Intensive Care Medicine, 2000, 26, 1579-1580.	3.9	3
87	Emergency management of deeply comatose children with acute rupture of cerebral arteriovenous malformations. Canadian Journal of Anaesthesia, 2000, 47, 758-766.	0.7	42
88	Critical care management of neurotrauma in children: new trends and perspectives. Child's Nervous System, 1999, 15, 732-739.	0.6	36
89	Papillomas and carcinomas of the choroid plexus in children. Journal of Neurosurgery, 1998, 88, 521-528.	0.9	226
90	Predictive Factors of Outcome in Severely Traumatized Children. Anesthesia and Analgesia, 1998, 87, 537-542.	1.1	46

6

#	Article	IF	CITATIONS
91	Predictive Factors of Outcome in Severely Traumatized Children. Anesthesia and Analgesia, 1998, 87, 537-542.	1.1	63
92	Successful Treatment of Uncontrollable Posttraumatic Intracranial Hypertension with Dihydroergotamin in a Child. Anesthesia and Analgesia, 1997, 85, 1218-1220.	1.1	2
93	Successful Treatment of Uncontrollable Posttraumatic Intracranial Hypertension with Dihydroergotamin in a Child. Anesthesia and Analgesia, 1997, 85, 1218-1220.	1.1	3
94	Intraoperative Autologous Blood Transfusion in the Surgical Correction of Craniosynostosis. Neurosurgery, 1996, 39, 213-213.	0.6	20
95	9 Severe trauma in children. Bailliere's Clinical Anaesthesiology, 1996, 10, 753-770.	0.2	4
96	Prevention of venous air embolism in paediatric neurosurgical procedures performed in the sitting position by combined use of MAST suit and PEEP. British Journal of Anaesthesia, 1994, 73, 795-800.	1.5	37
97	BLOOD LOSS DURING REPAIR OF CRANIOSYNOSTOSIS. British Journal of Anaesthesia, 1993, 71, 854-857.	1.5	117
98	Prehospital Sudden Death: Need for Immediate Effective Resuscitation. Archives of Internal Medicine, 1989, 149, 463.	4.3	1
99	Pharmacokinetic interations between NSAIDs (indomethacin or sulindac) and H2-receptor antagonists (cimetidine or ranitidine) in human volunteers. Clinical Pharmacology and Therapeutics, 1988, 44, 442-452.	2.3	15
100	Is blood lactate determination really reliable and useful in critically ill patients with liver disease?. American Journal of Medicine, 1988, 84, 374.	0.6	0
101	Is There a Direct Relationship Between Lactic Acidosis and Epinephrine Administration?. Archives of Internal Medicine, 1988, 148, 980.	4.3	Ο
102	Nosocomial Bacteremia and Sinusitis in Nasotracheally Intubated Patients in Intensive Care. Clinical Infectious Diseases, 1988, 10, 1226-1227.	2.9	7
103	Severe Diarrhea in Pneumococcal Bacteremia. JAMA - Journal of the American Medical Association, 1987, 257, 1897.	3.8	5
104	Listeria monocytogenes infection and hairy cell leukemia. American Journal of Medicine, 1987, 83, 188.	0.6	4
105	Specific Binding of [3H]Rauwolscine to ?2-Adrenoceptors in Rat Cerebral Cortex: Comparison Between Crude and Synaptosomal Plasma Membranes. Journal of Neurochemistry, 1983, 41, 710-715.	2.1	37