SerafÃ- Cambray

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4230332/publications.pdf

Version: 2024-02-01

758635 676716 22 626 12 22 citations h-index g-index papers 22 22 22 1409 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Activin A directs striatal projection neuron differentiation of human pluripotent stem cells. Development (Cambridge), 2015, 142, 1375-1386.	1.2	134
2	Metabolomics predicts stroke recurrence after transient ischemic attack. Neurology, 2015, 84, 36-45.	1.5	93
3	FLRT3 Is a Robo1-Interacting Protein that Determines Netrin-1 Attraction in Developing Axons. Current Biology, 2014, 24, 494-508.	1.8	73
4	Activin induces cortical interneuron identity and differentiation in embryonic stem cell-derived telencephalic neural precursors. Nature Communications, 2012, 3, 841.	5. 8	68
5	A Current Estimation of the Early Risk of Stroke after Transient Ischemic Attack: A Systematic Review and Meta-Analysis of Recent Intervention Studies. Cerebrovascular Diseases, 2017, 43, 90-98.	0.8	36
6	Protein Kinase KIS Localizes to RNA Granules and Enhances Local Translation. Molecular and Cellular Biology, 2009, 29, 726-735.	1.1	34
7	An in-depth analysis shows a hidden atherogenic lipoprotein profile in non-diabetic chronic kidney disease patients. Expert Opinion on Therapeutic Targets, 2019, 23, 619-630.	1.5	29
8	Metabolomics Predicts Neuroimaging Characteristics of Transient Ischemic Attack Patients. EBioMedicine, 2016, 14, 131-138.	2.7	24
9	Cytoplasmic cyclin D1 regulates glioblastoma dissemination. Journal of Pathology, 2019, 248, 501-513.	2.1	21
10	Characteristics of atheromatosis in the prediabetes stage: a cross-sectional investigation of the ILERVAS project. Cardiovascular Diabetology, 2019, 18, 154.	2.7	17
11	Nâ€ŧerminal proâ€brain natriuretic peptide level determined at different times identifies transient ischaemic attack patients with atrial fibrillation. European Journal of Neurology, 2014, 21, 679-683.	1.7	15
12	The determination of copeptin levels helps management decisions among transient ischaemic attack patients. Acta Neurologica Scandinavica, 2016, 134, 140-147.	1.0	14
13	Magnesium Levels Modify the Effect of Lipid Parameters on Carotid Intima Media Thickness. Nutrients, 2020, 12, 2631.	1.7	13
14	Association of Candidate Gene Polymorphisms With Chronic Kidney Disease: Results of a Case-Control Analysis in the Nefrona Cohort. Frontiers in Genetics, 2019, 10, 118.	1.1	11
15	Metabolomic Estimation of the Diagnosis and Onset Time of Permanent and Transient Cerebral Ischemia. Molecular Neurobiology, 2018, 55, 6193-6200.	1.9	10
16	Association of a single nucleotide polymorphism combination pattern of the Klotho gene with non-cardiovascular death in patients with chronic kidney disease. CKJ: Clinical Kidney Journal, 2020, 13, 1017-1024.	1.4	10
17	Genome-Wide Association Study of VKORC1 and CYP2C9 on acenocoumarol dose, stroke recurrence and intracranial haemorrhage in Spain. Scientific Reports, 2020, 10, 2806.	1.6	7
18	The rs1126616 Single Nucleotide Polymorphism of the Osteopontin Gene Is Independently Associated with Cardiovascular Events in a Chronic Kidney Disease Cohort. Journal of Clinical Medicine, 2019, 8, 592.	1.0	6

#	Article	IF	CITATIONS
19	Peritoneal Dialysis Is an Independent Factor Associated to Lower Intima Media Thickness in Dialysis Patients Free From Previous Cardiovascular Disease. Frontiers in Physiology, 2018, 9, 1743.	1.3	4
20	<i>CYP24A1</i> and <i>KL</i> polymorphisms are associated with the extent of vascular calcification but do not improve prediction of cardiovascular events. Nephrology Dialysis Transplantation, 2021, 36, 2076-2083.	0.4	3
21	Clinical Evolution of Elderly Adults with Ischemic Stroke. Journal of the American Geriatrics Society, 2016, 64, 2167-2170.	1.3	2
22	The rs2108622 polymorphism is related to the early risk of ischemic stroke in non-valvular atrial fibrillation subjects under oral anticoagulation. Pharmacogenomics Journal, 2018, 18, 652-656.	0.9	2