SerafÃ- Cambray

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4230332/publications.pdf

Version: 2024-02-01

758635 676716 22 626 12 22 citations h-index g-index papers 22 22 22 1409 docs citations times ranked citing authors all docs

#	Article	IF	Citations
1	<i>CYP24A1</i> and <i>KL</i> polymorphisms are associated with the extent of vascular calcification but do not improve prediction of cardiovascular events. Nephrology Dialysis Transplantation, 2021, 36, 2076-2083.	0.4	3
2	Association of a single nucleotide polymorphism combination pattern of the Klotho gene with non-cardiovascular death in patients with chronic kidney disease. CKJ: Clinical Kidney Journal, 2020, 13, 1017-1024.	1.4	10
3	Magnesium Levels Modify the Effect of Lipid Parameters on Carotid Intima Media Thickness. Nutrients, 2020, 12, 2631.	1.7	13
4	Genome-Wide Association Study of VKORC1 and CYP2C9 on acenocoumarol dose, stroke recurrence and intracranial haemorrhage in Spain. Scientific Reports, 2020, 10, 2806.	1.6	7
5	Characteristics of atheromatosis in the prediabetes stage: a cross-sectional investigation of the ILERVAS project. Cardiovascular Diabetology, 2019, 18, 154.	2.7	17
6	An in-depth analysis shows a hidden atherogenic lipoprotein profile in non-diabetic chronic kidney disease patients. Expert Opinion on Therapeutic Targets, 2019, 23, 619-630.	1.5	29
7	The rs1126616 Single Nucleotide Polymorphism of the Osteopontin Gene Is Independently Associated with Cardiovascular Events in a Chronic Kidney Disease Cohort. Journal of Clinical Medicine, 2019, 8, 592.	1.0	6
8	Cytoplasmic cyclin D1 regulates glioblastoma dissemination. Journal of Pathology, 2019, 248, 501-513.	2.1	21
9	Association of Candidate Gene Polymorphisms With Chronic Kidney Disease: Results of a Case-Control Analysis in the Nefrona Cohort. Frontiers in Genetics, 2019, 10, 118.	1.1	11
10	Metabolomic Estimation of the Diagnosis and Onset Time of Permanent and Transient Cerebral Ischemia. Molecular Neurobiology, 2018, 55, 6193-6200.	1.9	10
11	The rs2108622 polymorphism is related to the early risk of ischemic stroke in non-valvular atrial fibrillation subjects under oral anticoagulation. Pharmacogenomics Journal, 2018, 18, 652-656.	0.9	2
12	Peritoneal Dialysis Is an Independent Factor Associated to Lower Intima Media Thickness in Dialysis Patients Free From Previous Cardiovascular Disease. Frontiers in Physiology, 2018, 9, 1743.	1.3	4
13	A Current Estimation of the Early Risk of Stroke after Transient Ischemic Attack: A Systematic Review and Meta-Analysis of Recent Intervention Studies. Cerebrovascular Diseases, 2017, 43, 90-98.	0.8	36
14	The determination of copeptin levels helps management decisions among transient ischaemic attack patients. Acta Neurologica Scandinavica, 2016, 134, 140-147.	1.0	14
15	Metabolomics Predicts Neuroimaging Characteristics of Transient Ischemic Attack Patients. EBioMedicine, 2016, 14, 131-138.	2.7	24
16	Clinical Evolution of Elderly Adults with Ischemic Stroke. Journal of the American Geriatrics Society, 2016, 64, 2167-2170.	1.3	2
17	Activin A directs striatal projection neuron differentiation of human pluripotent stem cells. Development (Cambridge), 2015, 142, 1375-1386.	1.2	134
18	Metabolomics predicts stroke recurrence after transient ischemic attack. Neurology, 2015, 84, 36-45.	1.5	93

#	Article	IF	CITATION
19	FLRT3 Is a Robo1-Interacting Protein that Determines Netrin-1 Attraction in Developing Axons. Current Biology, 2014, 24, 494-508.	1.8	73
20	Nâ€terminal proâ€brain natriuretic peptide level determined at different times identifies transient ischaemic attack patients with atrial fibrillation. European Journal of Neurology, 2014, 21, 679-683.	1.7	15
21	Activin induces cortical interneuron identity and differentiation in embryonic stem cell-derived telencephalic neural precursors. Nature Communications, 2012, 3, 841.	5.8	68
22	Protein Kinase KIS Localizes to RNA Granules and Enhances Local Translation. Molecular and Cellular Biology, 2009, 29, 726-735.	1.1	34