

Steven H Swerdlow

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4230772/steven-h-swerdlow-publications-by-citations.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|--------------------------|----------------|-----------------|
| 97 papers | 12,104 citations | 36 h-index | 102 g-index |
| 102 ext. papers | 14,481 ext. citations | 5.4 avg, IF | 6.24 L-index |

| # | Paper | IF | Citations |
|----|--|------|-----------|
| 97 | The 2016 revision of the World Health Organization classification of lymphoid neoplasms. <i>Blood</i> , 2016 , 127, 2375-90 | 2.2 | 4080 |
| 96 | WHO-EORTC classification for cutaneous lymphomas. <i>Blood</i> , 2005 , 105, 3768-85 | 2.2 | 2980 |
| 95 | The 2008 WHO classification of lymphoid neoplasms and beyond: evolving concepts and practical applications. <i>Blood</i> , 2011 , 117, 5019-32 | 2.2 | 1356 |
| 94 | The 2018 update of the WHO-EORTC classification for primary cutaneous lymphomas. <i>Blood</i> , 2019 , 133, 1703-1714 | 2.2 | 431 |
| 93 | ALK-negative anaplastic large cell lymphoma is a genetically heterogeneous disease with widely disparate clinical outcomes. <i>Blood</i> , 2014 , 124, 1473-80 | 2.2 | 294 |
| 92 | From centrocytic to mantle cell lymphoma: a clinicopathologic and molecular review of 3 decades. <i>Human Pathology</i> , 2002 , 33, 7-20 | 3.7 | 124 |
| 91 | Clonal Salivary Gland Infiltrates Associated With Myoepithelial Sialadenitis (Sjögren's Syndrome) Begin as Nonmalignant Antigen-Selected Expansions. <i>Blood</i> , 1998 , 91, 1864-1872 | 2.2 | 122 |
| 90 | In situ mantle cell lymphoma: clinical implications of an incidental finding with indolent clinical behavior. <i>Haematologica</i> , 2012 , 97, 270-8 | 6.6 | 121 |
| 89 | Congenital muscular dystrophy with primary laminin alpha2 (merosin) deficiency presenting as inflammatory myopathy. <i>Annals of Neurology</i> , 1996 , 40, 782-91 | 9.4 | 105 |
| 88 | Salivary gland mucosa-associated lymphoid tissue lymphoma immunoglobulin VH genes show frequent use of V1-69 with distinctive CDR3 features. <i>Blood</i> , 2000 , 95, 3878-3884 | 2.2 | 104 |
| 87 | Circular DNA tumor viruses make circular RNAs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E8737-E8745 | 11.5 | 100 |
| 86 | Diagnosis of Double hit Diffuse large B-cell lymphoma and B-cell lymphoma, unclassifiable, with features intermediate between DLBCL and Burkitt lymphoma: when and how, FISH versus IHC. <i>Hematology American Society of Hematology Education Program</i> , 2014 , 2014, 90-9 | 3.1 | 93 |
| 85 | Cutaneous marginal zone lymphomas have distinctive features and include 2 subsets. <i>American Journal of Surgical Pathology</i> , 2010 , 34, 1830-41 | 6.7 | 85 |
| 84 | Salivary gland lymphoid infiltrates associated with lymphoepithelial lesions: a clinicopathologic, immunophenotypic, and genotypic study. <i>Human Pathology</i> , 1997 , 28, 850-61 | 3.7 | 85 |
| 83 | Extranodal marginal zone B-cell lymphomas of the ocular adnexa: multiparameter analysis of 34 cases including interphase molecular cytogenetics and PCR for <i>Chlamydia psittaci</i> . <i>American Journal of Surgical Pathology</i> , 2007 , 31, 792-802 | 6.7 | 75 |
| 82 | The many faces of small B cell lymphomas with plasmacytic differentiation and the contribution of MYD88 testing. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 468, 259-75 | 5.1 | 73 |
| 81 | Primary cutaneous marginal zone B-cell lymphoma: a molecular and clinicopathological study of cases from Asia, Germany, and the United States. <i>Modern Pathology</i> , 2008 , 21, 1517-26 | 9.8 | 73 |

| | | | |
|----|--|-----|----|
| 80 | Morphologic Features of ALK-negative Anaplastic Large Cell Lymphomas With DUSP22 Rearrangements. <i>American Journal of Surgical Pathology</i> , 2016 , 40, 36-43 | 6.7 | 70 |
| 79 | Cytotoxic T-cell and NK-cell lymphomas: current questions and controversies. <i>American Journal of Surgical Pathology</i> , 2014 , 38, e60-71 | 6.7 | 69 |
| 78 | The proliferation center microenvironment and prognostic markers in chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Human Pathology</i> , 2006 , 37, 152-9 | 3.7 | 65 |
| 77 | Follicular peripheral T-cell lymphoma expands the spectrum of classical Hodgkin lymphoma mimics. <i>American Journal of Surgical Pathology</i> , 2012 , 36, 1636-46 | 6.7 | 61 |
| 76 | Lymphoplasmacytic lymphoma and other non-marginal zone lymphomas with plasmacytic differentiation. <i>American Journal of Clinical Pathology</i> , 2011 , 136, 195-210 | 1.9 | 59 |
| 75 | Immunophenotypic and genotypic markers of follicular center cell neoplasia in diffuse large B-cell lymphomas. <i>Modern Pathology</i> , 2000 , 13, 1219-31 | 9.8 | 59 |
| 74 | EBV-positive extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue in the posttransplant setting: a distinct type of posttransplant lymphoproliferative disorder?. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 807-15 | 6.7 | 58 |
| 73 | Non-mycosis fungoides cutaneous T-cell lymphomas: report of the 2011 Society for Hematopathology/European Association for Haematopathology workshop. <i>American Journal of Clinical Pathology</i> , 2013 , 139, 491-514 | 1.9 | 53 |
| 72 | Is lymphoplasmacytic lymphoma/immunocytoma a distinct entity? A clinicopathologic study of 20 cases. <i>American Journal of Surgical Pathology</i> , 2001 , 25, 742-51 | 6.7 | 53 |
| 71 | and hijack immunoglobulin light-chain enhancers in cyclin D1 mantle cell lymphoma. <i>Blood</i> , 2019 , 133, 940-951 | 2.2 | 48 |
| 70 | Mantle cell lymphoma--a spectrum from indolent to aggressive disease. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 468, 245-57 | 5.1 | 46 |
| 69 | MYD88 L265P mutation analysis helps define nodal lymphoplasmacytic lymphoma. <i>Modern Pathology</i> , 2015 , 28, 564-74 | 9.8 | 45 |
| 68 | Follicular lymphoma-like B cells of uncertain significance (in situ follicular lymphoma) may infrequently progress, but precedes follicular lymphoma, is associated with other overt lymphomas and mimics follicular lymphoma in flow cytometric studies. <i>Haematologica</i> , 2013 , 98, 1571-80 | 6.6 | 45 |
| 67 | Cutaneous B-cell lymphoproliferative disorders: report of the 2011 Society for Hematopathology/European Association for Haematopathology workshop. <i>American Journal of Clinical Pathology</i> , 2013 , 139, 515-35 | 1.9 | 43 |
| 66 | Indolent lymphomas in the pediatric population: follicular lymphoma, IRF4/MUM1+ lymphoma, nodal marginal zone lymphoma and chronic lymphocytic leukemia. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 468, 141-57 | 5.1 | 42 |
| 65 | Utility of Routine Classical Cytogenetic Studies in the Evaluation of Suspected Lymphomas Results of 279 Consecutive Lymph Node/Extranodal Tissue Biopsies. <i>American Journal of Clinical Pathology</i> , 2004 , 121, 826-835 | 1.9 | 42 |
| 64 | Chronic lymphocytic leukemia/small lymphocytic lymphoma with cyclin D1 positive proliferation centers do not have CCND1 translocations or gains and lack SOX11 expression. <i>American Journal of Clinical Pathology</i> , 2012 , 138, 132-9 | 1.9 | 37 |
| 63 | Follicular lymphomas with plasmacytic differentiation include two subtypes. <i>Modern Pathology</i> , 2010 , 23, 71-9 | 9.8 | 36 |

| | | | |
|----|--|------|----|
| 62 | Novel insights into the genetics and epigenetics of MALT lymphoma unveiled by next generation sequencing analyses. <i>Haematologica</i> , 2019 , 104, e558-e561 | 6.6 | 31 |
| 61 | Lymphoma classification and the tools of our trade: an introduction to the 2012 USCAP Long Course. <i>Modern Pathology</i> , 2013 , 26 Suppl 1, S1-S14 | 9.8 | 31 |
| 60 | Venetoclax in a Patient with a Blastic Plasmacytoid Dendritic-Cell Neoplasm. <i>New England Journal of Medicine</i> , 2018 , 379, 1479-1481 | 59.2 | 29 |
| 59 | Cutaneous marginal zone lymphomas. <i>Seminars in Diagnostic Pathology</i> , 2017 , 34, 76-84 | 4.3 | 28 |
| 58 | Histological and immunoglobulin VH gene analysis of interfollicular small lymphocytic lymphoma provides evidence for two types. <i>American Journal of Pathology</i> , 2000 , 157, 1063-70 | 5.8 | 27 |
| 57 | Defining the borders of splenic marginal zone lymphoma: a multiparameter study. <i>Human Pathology</i> , 2010 , 41, 540-51 | 3.7 | 26 |
| 56 | The heterogeneity of follicular lymphomas: from early development to transformation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 468, 127-39 | 5.1 | 25 |
| 55 | Further Exploration of the Complexities of Large B-Cell Lymphomas With MYC Abnormalities and the Importance of a Blastoid Morphology. <i>American Journal of Surgical Pathology</i> , 2017 , 41, 1155-1166 | 6.7 | 25 |
| 54 | Recommendations for the reporting of lymphoid neoplasms: A report from the Association of Directors of Anatomic and Surgical Pathology. <i>Modern Pathology</i> , 2004 , 17, 131-135 | 9.8 | 25 |
| 53 | Follicular center-cell lymphoma with plasmacytic differentiation, monoclonal paraprotein, and peripheral blood involvement. Recapitulation of normal B-cell development. <i>American Journal of Surgical Pathology</i> , 1985 , 9, 764-70 | 6.7 | 24 |
| 52 | RARA and PML gene rearrangements in acute promyelocytic leukemia with complex translocations and atypical features. <i>Genes Chromosomes and Cancer</i> , 1994 , 9, 49-56 | 5 | 23 |
| 51 | A case-control study of hematopoietic and lymphoid neoplasms: the role of work in the chemical industry. <i>American Journal of Industrial Medicine</i> , 1997 , 31, 21-7 | 2.7 | 22 |
| 50 | Analysis of immunoglobulin V genes suggests cutaneous marginal zone B-cell lymphomas recognise similar antigens. <i>British Journal of Haematology</i> , 2006 , 132, 571-5 | 4.5 | 22 |
| 49 | Deletion 6q is not a characteristic marker of nodal lymphoplasmacytic lymphoma. <i>Cancer Genetics and Cytogenetics</i> , 2005 , 162, 85-8 | | 22 |
| 48 | Epstein-Barr virus-infected cells in IgG4-related lymphadenopathy with comparison with extranodal IgG4-related disease. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 946-55 | 6.7 | 21 |
| 47 | Molecular characteristics of mantle cell lymphoma presenting with clonal plasma cell component. <i>American Journal of Surgical Pathology</i> , 2011 , 35, 177-89 | 6.7 | 20 |
| 46 | Pediatric follicular lymphomas, marginal zone lymphomas, and marginal zone hyperplasia. <i>Pathology Patterns Reviews</i> , 2004 , 122 Suppl, S98-109 | | 20 |
| 45 | A subset of ocular adnexal marginal zone lymphomas may arise in association with IgG4-related disease. <i>Scientific Reports</i> , 2015 , 5, 13539 | 4.9 | 19 |

| | | | |
|----|---|------|----|
| 44 | Cytologic features of post-transplant lymphoproliferative disorder. <i>Diagnostic Cytopathology</i> , 1997 , 16, 489-96 | 1.4 | 19 |
| 43 | Proliferation centres of chronic lymphocytic leukaemia/small lymphocytic lymphoma have enhanced expression of MYC protein, which does not result from rearrangement or gain of the MYC gene. <i>British Journal of Haematology</i> , 2016 , 175, 173-5 | 4.5 | 18 |
| 42 | More on Blastic Plasmacytoid Dendritic-Cell Neoplasms. <i>New England Journal of Medicine</i> , 2019 , 380, 696-697 | 59.2 | 18 |
| 41 | CD43 and CD5 antibodies define four normal and neoplastic B-cell subsets: a three-color flow cytometric study. <i>Cytometry</i> , 1995 , 22, 223-31 | | 17 |
| 40 | Immunohistochemistry for BRAF V600E in the Differential Diagnosis of Hairy Cell Leukemia vs Other Splenic B-Cell Lymphomas. <i>American Journal of Clinical Pathology</i> , 2015 , 144, 87-93 | 1.9 | 16 |
| 39 | Primary cutaneous marginal zone lymphoma with subclinical cutaneous involvement and biclonality. <i>Journal of Cutaneous Pathology</i> , 2011 , 38, 724-30 | 1.7 | 15 |
| 38 | Integration of microarray analysis into the clinical diagnosis of hematological malignancies: How much can we improve cytogenetic testing?. <i>Oncotarget</i> , 2015 , 6, 18845-62 | 3.3 | 14 |
| 37 | Class-switched Primary Cutaneous Marginal Zone Lymphomas Are Frequently IgG4-positive and Have Features Distinct From IgM-positive Cases. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 1403-1412 | 6.7 | 13 |
| 36 | As the world turns, evolving lymphoma classifications-past, present and future. <i>Human Pathology</i> , 2020 , 95, 55-77 | 3.7 | 11 |
| 35 | The molecular landscape and other distinctive features of primary cutaneous follicle center lymphoma. <i>Human Pathology</i> , 2020 , 106, 93-105 | 3.7 | 11 |
| 34 | Expansion of PD1-positive T Cells in Nodal Marginal Zone Lymphoma: A Potential Diagnostic Pitfall. <i>American Journal of Surgical Pathology</i> , 2020 , 44, 657-664 | 6.7 | 10 |
| 33 | CD49d shows superior performance characteristics for flow cytometric prognostic testing in chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Cytometry Part B - Clinical Cytometry</i> , 2018 , 94, 129-135 | 3.4 | 9 |
| 32 | Plasma cell (Zoon) balanitis: another inflammatory disorder that can be rich in IgG4+ plasma cells. <i>American Journal of Surgical Pathology</i> , 2014 , 38, 1437-43 | 6.7 | 9 |
| 31 | Cyclin D1-positive Mediastinal Large B-Cell Lymphoma With Copy Number Gains of CCND1 Gene: A Study of 3 Cases With Nonmediastinal Disease. <i>American Journal of Surgical Pathology</i> , 2019 , 43, 110-120 | 6.7 | 9 |
| 30 | Comparison of Myocyte Enhancer Factor 2B Versus Other Germinal Center-associated Antigens in the Differential Diagnosis of B-Cell Non-Hodgkin Lymphomas. <i>American Journal of Surgical Pathology</i> , 2018 , 42, 342-350 | 6.7 | 8 |
| 29 | Utility of CD279/PD-1 immunohistochemistry in the evaluation of benign and neoplastic T-cell-rich bone marrow infiltrates. <i>American Journal of Clinical Pathology</i> , 2014 , 142, 88-98 | 1.9 | 8 |
| 28 | CD56 extranodal natural killer (NK)/T-cell lymphoma, nasal type presenting as skin ulcers in a white man. <i>JAAD Case Reports</i> , 2016 , 2, 390-396 | 1.4 | 6 |
| 27 | Evaluating breast lymphoplasmacytic infiltrates: a multiparameter immunohistochemical study, including assessment of IgG4. <i>Human Pathology</i> , 2015 , 46, 1162-70 | 3.7 | 5 |

| | | | |
|----|---|-----|---|
| 26 | Chronic lymphocytic leukemia/small lymphocytic lymphoma: another neoplasm related to the B-cell follicle?. <i>Leukemia and Lymphoma</i> , 2015 , 56, 3378-86 | 1.9 | 5 |
| 25 | Cryptic insertions of the immunoglobulin light chain enhancer region near in t(11;14)-negative mantle cell lymphoma. <i>Haematologica</i> , 2020 , 105, e408-e411 | 6.6 | 5 |
| 24 | How I Diagnose Primary Cutaneous Marginal Zone Lymphoma. <i>American Journal of Clinical Pathology</i> , 2020 , 154, 428-449 | 1.9 | 5 |
| 23 | Gamma heavy chain disease lacks the MYD88 L265p mutation associated with lymphoplasmacytic lymphoma. <i>Haematologica</i> , 2014 , 99, e154-5 | 6.6 | 4 |
| 22 | J chain and myocyte enhancer factor 2B are useful in differentiating classical Hodgkin lymphoma from nodular lymphocyte predominant Hodgkin lymphoma and primary mediastinal large B-cell lymphoma. <i>Human Pathology</i> , 2017 , 68, 47-53 | 3.7 | 4 |
| 21 | Salivary gland mucosa-associated lymphoid tissue lymphoma immunoglobulin VH genes show frequent use of V1-69 with distinctive CDR3 features. <i>Blood</i> , 2000 , 95, 3878-3884 | 2.2 | 4 |
| 20 | Does Taking the Fellowship In-Service Hematopathology Examination and Performance Relate to Success on the American Board of Pathology Hematology Examination?. <i>American Journal of Clinical Pathology</i> , 2016 , 146, 107-12 | 1.9 | 4 |
| 19 | Langerin staining identifies most littoral cell angiomas but not most other splenic angiomatous lesions. <i>Human Pathology</i> , 2019 , 83, 43-49 | 3.7 | 2 |
| 18 | Harmonization of Training, Training Requirements, Board Certification, and Practice of Hematopathology. <i>American Journal of Clinical Pathology</i> , 2019 , 152, 625-637 | 1.9 | 2 |
| 17 | Are kappa and lambda light-chain-bearing B cells functionally distinct?. <i>Trends in Immunology</i> , 1985 , 6, 200 | | 2 |
| 16 | Role of Epstein-Barr virus status and immunophenotypic studies in the evaluation of exfoliative cytology specimens from patients with post-transplant lymphoproliferative disorders. <i>Cancer Cytopathology</i> , 2016 , 124, 425-35 | 3.9 | 2 |
| 15 | Mutational Landscape of TdT+ Large B-cell Lymphomas Supports Their Distinction From B-lymphoblastic Neoplasms: A Multiparameter Study of a Rare and Aggressive Entity. <i>American Journal of Surgical Pathology</i> , 2022 , 46, 71-82 | 6.7 | 2 |
| 14 | Molecular and Cytogenetic Education in Hematopathology Fellowship. <i>American Journal of Clinical Pathology</i> , 2019 , 152, 438-445 | 1.9 | 1 |
| 13 | Martin A. Swerdlow, MD (1923-2012). <i>American Journal of Clinical Pathology</i> , 2013 , 139, 401-2 | 1.9 | 1 |
| 12 | Phase II Study of Short Course CHOP-Rituximab Followed by 90-Y Ibritumomab Tiuxetan as First-Line Treatment for Follicular Lymphoma: An Update and Extension of Preliminary Findings on Predictors of Relapse.. <i>Blood</i> , 2008 , 112, 2001-2001 | 2.2 | 1 |
| 11 | Histopathologic, immunophenotypic, and mutational landscape of follicular lymphomas with plasmacytic differentiation. <i>Modern Pathology</i> , 2021 , | 9.8 | 1 |
| 10 | Diagnostic Utility of Isolated Tube C Positivity in T-Cell Receptor γ Testing Using BIOMED-2 Primers. <i>American Journal of Clinical Pathology</i> , 2019 , 151, 386-394 | 1.9 | 1 |
| 9 | IRTA1 positivity helps identify a MALT-lymphoma-like subset of primary cutaneous marginal zone lymphomas, largely but not exclusively defined by IgM expression. <i>Journal of Cutaneous Pathology</i> , 2022 , 49, 55-60 | 1.7 | 0 |

| | | | |
|---|---|-----|---|
| 8 | Light Chain-Restricted Plasmacytoid Cells in Hyperplastic Germinal CentersA Clinicopathologic Investigation. <i>American Journal of Clinical Pathology</i> , 2021 , 156, 871-885 | 1.9 | 0 |
| 7 | Novel Genetic Subgroups Inform on Shared Pathobiology within Adult and Pediatric Burkitt Lymphoma. <i>Blood</i> , 2021 , 138, 806-806 | 2.2 | |
| 6 | Impact of the JAK2 V617F Mutation on Survival in Patients with Catastrophic Intra-Abdominal Thromboses.. <i>Blood</i> , 2006 , 108, 3610-3610 | 2.2 | |
| 5 | The Herbicide Isoproturon Induces Activation-Induced Cytidine Deaminase Expression in Germinal Center B Cells. <i>Blood</i> , 2015 , 126, 4816-4816 | 2.2 | |
| 4 | BLIMP1 Is Commonly Inactivated In Anaplastic Large T-Cell Lymphomas (ALCL). <i>Blood</i> , 2011 , 118, 2634-2634 | 2.2 | |
| 3 | SNP-Arrays Provide New Insights Into the Pathogenesis of Richter Syndrome (RS). <i>Blood</i> , 2011 , 118, 263-263 | 2.2 | |
| 2 | Follicular colonization in chronic lymphocytic leukemia/small lymphocytic lymphoma (comment on "Small lymphocytic lymphoma mimicking primary cutaneous marginal zone lymphoma with colonization of germinal center follicles"). <i>Journal of Cutaneous Pathology</i> , 2021 , 48, 198-199 | 1.7 | |
| 1 | Definitions and Pathology of PTLD 2021 , 9-26 | | |