

# Fiona C Warren

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4231112/publications.pdf>

Version: 2024-02-01

59  
papers

2,564  
citations

201575

27  
h-index

206029

48  
g-index

59  
all docs

59  
docs citations

59  
times ranked

4103  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. <i>Lancet</i> , The, 2016, 388, 871-880.	6.3	427
2	Impact of Exercise Rehabilitation on Exercise Capacity and Quality-of-Life in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2019, 73, 1430-1443.	1.2	172
3	The acute effects of physical activity on cigarette cravings: systematic review and meta-analysis with individual participant data. <i>Addiction</i> , 2013, 108, 26-37.	1.7	158
4	Telephone triage for management of same-day consultation requests in general practice (the ESTEEM) Tj ETQq0 0 0 rgBT /Overlock 10 T 1859-1868.	6.3	156
5	Internet-based behavioral activation—Treatment for postnatal depression (Netmums): A randomized controlled trial. <i>Journal of Affective Disorders</i> , 2013, 150, 814-822.	2.0	134
6	Impact of exercise-based cardiac rehabilitation in patients with heart failure (ExTraMATCH II) on mortality and hospitalisation: an individual patient data meta-analysis of randomised trials. <i>European Journal of Heart Failure</i> , 2018, 20, 1735-1743.	2.9	125
7	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. <i>Trials</i> , 2015, 16, 1.	0.7	108
8	The effects and costs of home-based rehabilitation for heart failure with reduced ejection fraction: The REACH-HF multicentre randomized controlled trial. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 262-272.	0.8	96
9	Time trends in autism diagnosis over 20 years: a UK population-based cohort study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2022, 63, 674-682.	3.1	89
10	A randomised controlled trial of a facilitated home-based rehabilitation intervention in patients with heart failure with preserved ejection fraction and their caregivers: the REACH-HFpEF Pilot Study. <i>BMJ Open</i> , 2018, 8, e019649.	0.8	66
11	Singing for people with aphasia (SPA): a protocol for a pilot randomised controlled trial of a group singing intervention to improve well-being. <i>BMJ Open</i> , 2018, 8, e025167.	0.8	54
12	The clinical effectiveness and cost-effectiveness of telephone triage for managing same-day consultation requests in general practice: a cluster randomised controlled trial comparing general practitioner-led and nurse-led management systems with usual care (the ESTEEM trial). <i>Health Technology Assessment</i> , 2015, 19, 1-212.	1.3	50
13	Validation of Exercise Capacity as a Surrogate Endpoint in Exercise-Based Rehabilitation for Heart Failure. <i>JACC: Heart Failure</i> , 2018, 6, 596-604.	1.9	47
14	Adjunctive Ketamine With Relapse Prevention-Based Psychological Therapy in the Treatment of Alcohol Use Disorder. <i>American Journal of Psychiatry</i> , 2022, 179, 152-162.	4.0	46
15	Integrating quantitative and qualitative data and findings when undertaking randomised controlled trials. <i>BMJ Open</i> , 2019, 9, e032081.	0.8	42
16	Randomised controlled trial and health economic evaluation of the impact of diagnostic testing for influenza, respiratory syncytial virus and <i>Streptococcus pneumoniae</i> infection on the management of acute admissions in the elderly and high-risk 18- to 64-year-olds. <i>Health Technology Assessment</i> , 2014, 18, 1-274, vii-viii.	1.3	39
17	Quitting patient care and career break intentions among general practitioners in South West England: findings of a census survey of general practitioners. <i>BMJ Open</i> , 2017, 7, e015853.	0.8	37
18	Telephone triage systems in UK general practice: analysis of consultation duration during the index day in a pragmatic randomised controlled trial. <i>British Journal of General Practice</i> , 2016, 66, e214-e218.	0.7	36

#	ARTICLE	IF	CITATIONS
19	Feasibility, acceptability and effectiveness of an online alternative to face-to-face consultation in general practice: a mixed-methods study of webGP in six Devon practices. <i>BMJ Open</i> , 2018, 8, e018688.	0.8	36
20	The cost effectiveness of REACH-HF and home-based cardiac rehabilitation compared with the usual medical care for heart failure with reduced ejection fraction: A decision model-based analysis. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1252-1261.	0.8	36
21	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. <i>Health Technology Assessment</i> , 2014, 18, 1-324.	1.3	36
22	Caregiver outcomes of the REACH-HF multicentre randomized controlled trial of home-based rehabilitation for heart failure with reduced ejection fraction. <i>European Journal of Cardiovascular Nursing</i> , 2019, 18, 611-620.	0.4	35
23	Associations Between Systolic Interarm Differences in Blood Pressure and Cardiovascular Disease Outcomes and Mortality. <i>Hypertension</i> , 2021, 77, 650-661.	1.3	34
24	Exercise-based cardiac rehabilitation for chronic heart failure: the EXTRAMATCH II individual participant data meta-analysis. <i>Health Technology Assessment</i> , 2019, 23, 1-98.	1.3	34
25	Continuation of Antidepressants vs Sequential Psychological Interventions to Prevent Relapse in Depression. <i>JAMA Psychiatry</i> , 2021, 78, 868.	6.0	33
26	Combining behavioural activation with physical activity promotion for adults with depression: findings of a parallel-group pilot randomised controlled trial (BACPAc). <i>Trials</i> , 2015, 16, 367.	0.7	30
27	Systematic review of methods used in meta-analyses where a primary outcome is an adverse or unintended event. <i>BMC Medical Research Methodology</i> , 2012, 12, 64.	1.4	29
28	Do difficulties in accessing in-hours primary care predict higher use of out-of-hours GP services? Evidence from an English National Patient Survey. <i>Emergency Medicine Journal</i> , 2015, 32, 373-378.	0.4	28
29	Characteristics of service users and provider organisations associated with experience of out of hours general practitioner care in England: population based cross sectional postal questionnaire survey. <i>BMJ</i> , The, 2015, 350, h2040-h2040.	3.0	25
30	Home-based rehabilitation for heart failure with reduced ejection fraction: mixed methods process evaluation of the REACH-HF multicentre randomised controlled trial. <i>BMJ Open</i> , 2019, 9, e026039.	0.8	24
31	Cost and Outcome of Behavioural Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive-behavioural therapy for depression. <i>Health Technology Assessment</i> , 2017, 21, 1-366.	1.3	24
32	Exercise training for chronic heart failure (ExTraMATCH II): Protocol for an individual participant data meta-analysis. <i>International Journal of Cardiology</i> , 2014, 174, 683-687.	0.8	23
33	Improving patient experience in primary care: a multimethod programme of research on the measurement and improvement of patient experience. <i>Programme Grants for Applied Research</i> , 2017, 5, 1-452.	0.4	23
34	An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. <i>Nicotine and Tobacco Research</i> , 2016, 18, 289-297.	1.4	20
35	Hierarchical network meta-analysis models to address sparsity of events and differing treatment classifications with regard to adverse outcomes. <i>Statistics in Medicine</i> , 2014, 33, 2449-2466.	0.8	19
36	Assessing the effectiveness of enhanced psychological care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): study protocol for a pilot cluster randomised controlled trial. <i>Trials</i> , 2016, 17, 59.	0.7	19

#	ARTICLE	IF	CITATIONS
37	Evaluation of different recruitment and randomisation methods in a trial of general practitioner-led interventions to increase physical activity: a randomised controlled feasibility study with factorial design. <i>Trials</i> , 2014, 15, 134.	0.7	18
38	The effect of nurses' preparedness and nurse practitioner status on triage call management in primary care: A secondary analysis of cross-sectional data from the ESTEEM trial. <i>International Journal of Nursing Studies</i> , 2016, 58, 12-20.	2.5	15
39	Singing for people with aphasia (SPA): results of a pilot feasibility randomised controlled trial of a group singing intervention investigating acceptability and feasibility. <i>BMJ Open</i> , 2021, 11, e040544.	0.8	14
40	Assessing the effectiveness of Enhanced Psychological Care for patients with depressive symptoms attending cardiac rehabilitation compared with treatment as usual (CADENCE): a pilot cluster randomised controlled trial. <i>Trials</i> , 2018, 19, 211.	0.7	12
41	Policies and strategies to retain and support the return of experienced GPs in direct patient care: the ReGROUP mixed-methods study. <i>Health Services and Delivery Research</i> , 2019, 7, 1-288.	1.4	11
42	Exploring demographic and lifestyle associations with patient experience following telephone triage by a primary care doctor or nurse: secondary analyses from a cluster randomised controlled trial. <i>BMJ Quality and Safety</i> , 2015, 24, 572-582.	1.8	10
43	Western medical acupuncture in a group setting for knee osteoarthritis: results of a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 10.	0.5	10
44	Enhanced psychological care in cardiac rehabilitation services for patients with new-onset depression: the CADENCE feasibility study and pilot RCT. <i>Health Technology Assessment</i> , 2018, 22, 1-220.	1.3	10
45	Detecting Risk Of Postural hypotension (DROP): derivation and validation of a prediction score for primary care. <i>BMJ Open</i> , 2018, 8, e020740.	0.8	9
46	The value of social practice theory for implementation science: learning from a theory-based mixed methods process evaluation of a randomised controlled trial. <i>BMC Medical Research Methodology</i> , 2020, 20, 181.	1.4	9
47	Process evaluation of a randomised pilot trial of home-based rehabilitation compared to usual care in patients with heart failure with preserved ejection fraction and their caregiver's. <i>Pilot and Feasibility Studies</i> , 2021, 7, 11.	0.5	9
48	A facilitated home-based cardiac rehabilitation intervention for people with heart failure and their caregivers: a research programme including the REACH-HF RCT. <i>Programme Grants for Applied Research</i> , 2021, 9, 1-100.	0.4	8
49	Individual participant data (IPD) meta-analysis of psychological relapse prevention interventions versus control for patients in remission from depression: a protocol. <i>BMJ Open</i> , 2020, 10, e034158.	0.8	7
50	Distance from practice moderates the relationship between patient management involving nurse telephone triage consulting and patient satisfaction with care. <i>Health and Place</i> , 2015, 34, 92-96.	1.5	6
51	Patient perspectives on telephone triage in general practice – Authors' reply. <i>Lancet</i> , 2015, 385, 688.	6.3	5
52	Associations between interarm differences in blood pressure and cardiovascular disease outcomes: protocol for an individual patient data meta-analysis and development of a prognostic algorithm. <i>BMJ Open</i> , 2017, 7, e016844.	0.8	5
53	COVID-NURSE: evaluation of a fundamental nursing care protocol compared with care as usual on experience of care for noninvasively ventilated patients in hospital with the SARS-CoV-2 virus protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2021, 11, e046436.	0.8	5
54	Exercise training for chronic heart failure (ExTraMATCH II): Why all data are not equal. <i>European Journal of Preventive Cardiology</i> , 2019, 26, 1229-1231.	0.8	3

#	ARTICLE	IF	CITATIONS
55	The clinical and cost effectiveness of adapted dialectical behaviour therapy (DBT) for bipolar mood instability in primary care (ThrIVe-B programme): a feasibility study. <i>Trials</i> , 2018, 19, 560.	0.7	2
56	Randomised feasibility trial and embedded qualitative process evaluation of a new intervention to facilitate the involvement of older patients with multimorbidity in decision-making about their healthcare during general practice consultations: the VOLITION study protocol. <i>Pilot and Feasibility Studies</i> , 2020, 6, 161.	0.5	2
57	Economic evaluation of a complex intervention (Engager) for prisoners with common mental health problems, near to and after release: a cost-utility and cost-consequences analysis. <i>European Journal of Health Economics</i> , 2021, , 1.	1.4	2
58	Clinical and cost-effectiveness of teen online problem-solving for adolescents who have survived an acquired brain injury in the UK: protocol for a randomised, controlled feasibility study (TOPS-UK). <i>BMJ Open</i> , 2019, 9, e029349.	0.8	1
59	Vitamin D and COVID-19 in older age: evidence versus expectations. <i>British Journal of General Practice</i> , 2021, 71, 10-11.	0.7	1