

Philippe V Alves

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4232801/publications.pdf>

Version: 2024-02-01

23
papers

230
citations

1307594

7
h-index

996975

15
g-index

23
all docs

23
docs citations

23
times ranked

188
citing authors

#	ARTICLE	IF	CITATIONS
1	Helminth parasites of South American fishes: current status and characterization as a model for studies of biodiversity. <i>Journal of Helminthology</i> , 2017, 91, 150-164.	1.0	40
2	Annotated checklist of fish cestodes from South America. <i>ZooKeys</i> , 2017, 650, 1-205.	1.1	31
3	A new genus and two new species of dactylogyrid monogeneans from gills of Neotropical catfishes (Siluriformes: Doradidae and Loricariidae). <i>Parasitology International</i> , 2018, 67, 4-12.	1.3	30
4	A New <i>Physaloptera</i> (Nematoda: Physalopteridae) Parasite of <i>Tupinambis merianae</i> (Squamata: Teiidae) from Southeastern Brazil. <i>Journal of Parasitology</i> , 2012, 98, 1227-1235.	0.7	28
5	A Checklist of the Aspidogastrea (Platyhelminthes: Trematoda) of the World. <i>Zootaxa</i> , 2015, 3918, 339.	0.5	24
6	<i>Physaloptera baina</i> n. sp. (Nematoda: Physalopteridae) Parasitic in <i>Salvator merianae</i> (Squamata: Teiidae), with a Key to <i>Physaloptera</i> Species Parasitizing Reptiles from Brazil. <i>Journal of Parasitology</i> , 2014, 100, 221-227.	0.7	13
7	Integrative taxonomy reveals hidden cestode diversity in <i>Pimelodus</i> catfishes in the Neotropics. <i>Zoologica Scripta</i> , 2021, 50, 210-224.	1.7	10
8	A new genus and species of proteocephalidean tapeworm (Cestoda), first parasite found in the driftwood catfish <i>Tocantinsia piresi</i> (Siluriformes: Auchenipteridae) from Brazil. <i>Folia Parasitologica</i> , 2015, 62, .	1.3	8
9	Untangling convoluted taxonomy of <i>Chambiella</i> Rego, Chubb & Pavanelli, 1999 (Cestoda: Tj ETQq1 1 0.784314 rgBT /Overlock) pimelodid catfishes in the Neotropical Region. <i>Systematic Parasitology</i> , 2017, 94, 367-389.	1.1	7
10	A phylogenetic study of the cecal amphistome <i>Zygocotyle lunata</i> (Trematoda: Zygocotylidae), with notes on the molecular systematics of Paramphistomoidea. <i>Parasitology Research</i> , 2020, 119, 2511-2520.	1.6	7
11	<i>Ophiotaenia echidis</i> n. sp. (Cestoda: Proteocephalidae) from the saw-scaled viper, <i>Echis carinatus sochureki</i> Stemmler (Ophidia: Viperidae), one of the world's deadliest snakes, from the United Arab Emirates. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2021, 14, 341-354.	1.5	5
12	New arrangement of three genera of fish tapeworms (Cestoda: Proteocephalidae) in catfishes (Siluriformes) from the Neotropical Region: taxonomic implications of molecular phylogenetic analyses. <i>Parasitology Research</i> , 2021, 120, 1593-1603.	1.6	5
13	A new genus of proteocephalid tapeworm (Cestoda) from the marbled swamp eel <i>Synbranchus marmoratus</i> Bloch (Synbranchiformes: Synbranchidae) in the River Parana basin, Argentina. <i>Folia Parasitologica</i> , 2017, 64, .	1.3	5
14	A new species of <i>Echinostoma</i> (Trematoda: Echinostomatidae) from the "revolvum" group found in Brazil: refuting the occurrence of <i>Echinostoma miyagawai</i> (= <i>E. robustum</i>) in the Americas. <i>Parasitology</i> , 2022, 149, 325-336.	1.5	5
15	A redescription of <i>Lobatostoma kemostoma</i> (MacCallum & MacCallum, 1913) (Trematoda: Aspidogastrea) from the florida pompano fish <i>Trachinotus carolinus</i> (Linnaeus, 1766) off the Brazilian coast. <i>Journal of Helminthology</i> , 2015, 89, 335-344.	1.0	3
16	Molecular data support monophyly of the recently erected <i>Riggenbachiella</i> (Cestoda: Proteocephalidae), parasites of Neotropical catfishes. <i>Zootaxa</i> , 2019, 4706, 594-597.	0.5	2
17	Exploring Neotropical anuran parasites: a morphological, life cycle and phylogenetic study of <i>Catadiscus marinholtzi</i> (Trematoda: Diplodiscidae). <i>Parasitology</i> , 2021, 148, 798-808.	1.5	2
18	Redescription of the two most recorded <i>Physaloptera</i> (Nematoda: Physalopteridae) parasitizing lizards in the Americas: first step towards a robust species identification framework. <i>Systematic Parasitology</i> , 2022, 99, 63-81.	1.1	2

#	ARTICLE	IF	CITATIONS
19	Ochoterenella esslingerin. sp. (Nematoda: Onchocercidae: Waltonellinae) from Bokermannohyla luctuosa (Anura: Hylidae) in Minas Gerais, Brazil, with notes on Paraochoterenella Purnomo & Bangs, 1999. Parasite, 2012, 19, 341-350.	2.0	1
20	Towards a robust systematic baseline of Neotropical fish tapeworms (Cestoda: Proteocephalidae): amended diagnoses of two genera from the redbellied catfish, Phractocephalus hemiliopterus. Zootaxa, 2018, 4370, 363.	0.5	1
21	New Records of Nematodes in the Yellow-Billed Cuckoo Coccyzus americanus (Cuculiformes:). Tj ETQq1 1 0.784314 rgBT /Overlock 10	0.7	1
22	Co-occurrence of Eutrombicula alfreddugesi and Oswaldofilaria chabaudi in Tropidurus torquatus and first report of microfilariae in the chigger mite: possible evidence of a lifecycle pathway?. Journal of Helminthology, 2021, 95, e25.	1.0	0
23	Description of the first species of Pseudoendorchis (Cestoda: Proteocephalidae) with uniloculate suckers from the pimelodid catfish Megalonema platycephalum, with comments on the taxonomic importance of the terminal vagina. Systematic Parasitology, 2021, 98, 535-545.	1.1	0