
Maria InÃ^as Schmidt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4233042/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Global accessibility of therapeutics for diabetes mellitus. Nature Reviews Endocrinology, 2022, 18, 199-204. | 9.6 | 38 |
| 2 | Premature mortality due to four main non-communicable diseases and suicide in Brazil and its states from 1990 to 2019: A Global Burden of Disease Study. Revista Da Sociedade Brasileira De Medicina Tropical, 2022, 55, e0328. | 0.9 | 4 |
| 3 | Breastfeeding Rates and Related Factors at 1 Year Postpartum in Women With Gestational Diabetes Initially Recruited for a Diabetes Prevention Program. Canadian Journal of Diabetes, 2022, 46, 441-448. | 0.8 | 1 |
| 4 | The inflammatory food index and its association with weight gain and incidence of diabetes: Longitudinal Study of Adult Health (ELSA-Brasil). Nutrition, Metabolism and Cardiovascular Diseases, 2022, 32, 675-683. | 2.6 | 1 |
| 5 | Exposure to and Burden of Major Non-Communicable Disease Risk Factors in Brazil and its States, 1990-2019: The Global Burden of Disease Study. Revista Da Sociedade Brasileira De Medicina Tropical, 2022, 55, e0275. | 0.9 | 3 |
| 6 | Commentary on Education-Related Health Inequities in Noncommunicable Diseases: An Analysis of the Brazilian National Health Survey, 2013 and 2019. Cadernos De Saude Publica, 2022, 38, e00233221. | 1.0 | 1 |
| 7 | Evolution of diabetes in Brazil: prevalence data from the 2013 and 2019 Brazilian National Health Survey. Cadernos De Saude Publica, 2022, 38, e00149321. | 1.0 | 6 |
| 8 | Thyroid-Stimulating Hormone and Thyroid Hormones and Incidence of Diabetes: Prospective Results of the Brazilian Longitudinal Study of Adult Health (ELSA-BRASIL). Thyroid, 2022, 32, 694-704. | 4.5 | 9 |
| 9 | Obesity, gestational weight gain, and birth weight in women with gestational diabetes: the LINDA-Brasil (2014–2017) and the EBDG (1991–1995) studies. Jornal De Pediatria, 2021, 97, 167-176. | 2.0 | 7 |
| 10 | Hypertension, Prehypertension, and Hypertension Control. Hypertension, 2021, 77, 672-681. | 2.7 | 56 |
| 11 | Birth weight and body fat mass in adults assessed by bioimpedance in the ELSA-Brasil study. Cadernos De Saude Publica, 2021, 37, e00061619. | 1.0 | 3 |
| 12 | Global mortality from dementia: Application of a new method and results from the Global Burden of Disease Study 2019. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2021, 7, e12200. | 3.7 | 53 |
| 13 | A pandemia da COVID-19 no Brasil: a série de projeções do Institute for Health Metrics and Evaluation e a evolução observada, maio a agosto de 2020. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2021, 30, e2020680. | 1.0 | 8 |
| 14 | Hearing loss prevalence and years lived with disability, 1990–2019: findings from the Global Burden of Disease Study 2019. Lancet, The, 2021, 397, 996-1009. | 13.7 | 358 |
| 15 | Incidence of excess body weight and annual weight gain in women and men: Results from the <scp>ELSAâ€Brasil</scp> cohort. American Journal of Human Biology, 2021, , e23606. | 1.6 | 2 |
| 16 | Incidence of thyroid diseases: Results from the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Archives of Endocrinology and Metabolism, 2021, 65, 468-478. | 0.6 | 3 |
| 17 | Association between control of diabetes mellitus and polypharmacy at the Brazilian Longitudinal Study of Adult Health (ELSAâ€Brasil). Pharmacoepidemiology and Drug Safety, 2021, 30, 749-757. | 1.9 | 3 |
| 18 | Control of Glucose, Blood Pressure, and Cholesterol among Adults with Diabetes: The Brazilian National Health Survey. Journal of Clinical Medicine, 2021, 10, 3428. | 2.4 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Reference values for the triglyceride to high-density lipoprotein ratio and its association with cardiometabolic diseases in a mixed adult population: The ELSA-Brasil study. Journal of Clinical Lipidology, 2021, 15, 699-711. | 1.5 | 6 |
| 20 | Lifetime risk of developing diabetes and years of life lost among those with diabetes in Brazil. Journal of Global Health, 2021, 11, 04041. | 2.7 | 10 |
| 21 | Social Distancing, Mask Use, and Transmission of Severe Acute Respiratory Syndrome Coronavirus 2, Brazil, April–June 2020. Emerging Infectious Diseases, 2021, 27, 2135-2143. | 4.3 | 12 |
| 22 | 1309Breastfeeding and weight retention in women with Gestational Diabetes Mellitus (GDM): LINDA-Brasil Cohort. International Journal of Epidemiology, 2021, 50, . | 1.9 | 0 |
| 23 | 1311Postpartum weight retention and pregnancy weight gain in women with Gestational Diabetes Mellitus (GDM). International Journal of Epidemiology, 2021, 50, . | 1.9 | 1 |
| 24 | Chagas disease is not associated with diabetes, metabolic syndrome, insulin resistance and beta cell dysfunction at baseline of Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Parasitology International, 2021, 85, 102440. | 1.3 | 2 |
| 25 | Regression to the Mean Contributes to the Apparent Improvement in Glycemia 3.8 Years After Screening: The ELSA-Brasil Study. Diabetes Care, 2021, 44, 81-88. | 8.6 | 12 |
| 26 | The positive association between serum uric acid, impaired fasting glucose, impaired glucose tolerance, and diabetes mellitus in the ELSA-Brasil study. Cadernos De Saude Publica, 2021, 37, e00255920. | 1.0 | 2 |
| 27 | Factors Associated With Breastfeeding Among Women With Gestational Diabetes. Journal of Human Lactation, 2020, 36, 126-135. | 1.6 | 5 |
| 28 | Ultra-processed foods, incident overweight and obesity, and longitudinal changes in weight and waist circumference: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Public Health Nutrition, 2020, 23, 1076-1086. | 2.2 | 143 |
| 29 | Anemia and Cognitive Performance in the ELSA-Brasil Cohort Baseline. Journal of Neuropsychiatry and Clinical Neurosciences, 2020, 32, 227-234. | 1.8 | 5 |
| 30 | Four-year adiposity change and remission of hypertension: an observational evaluation from the Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Human Hypertension, 2020, 34, 68-75. | 2.2 | 6 |
| 31 | Trends in mortality due to non-communicable diseases in the Brazilian adult population: national and subnational estimates and projections for 2030. Population Health Metrics, 2020, 18, 16. | 2.7 | 39 |
| 32 | Markers of adiposity, insulin resistance, prediabetes and cognitive function at baseline of the Brazilian Longitudinal Study of Adult Health (ELSA – Brasil). Diabetes Research and Clinical Practice, 2020, 170, 108499. | 2.8 | 6 |
| 33 | Lifetime night work exposure and the risk of type 2 diabetes: results from the longitudinal study of adult health (ELSA-Brasil). Chronobiology International, 2020, 37, 1344-1347. | 2.0 | 4 |
| 34 | The burden of disease among Brazilian older adults and the challenge for health policies: results of the Global Burden of Disease Study 2017. Population Health Metrics, 2020, 18, 14. | 2.7 | 24 |
| 35 | Glaucoma, but not cataracts, predicts lower verbal fluency performance: 3.8-year follow-up from the ELSA-Brasil study. Aging, Neuropsychology, and Cognition, 2020, 28, 1-13. | 1.3 | 0 |
| 36 | Impact of binge eating during pregnancy on gestational weight gain and postpartum weight retention among women with gestational diabetes mellitus: LINDAâ€Brasil. International Journal of Eating Disorders, 2020, 53, 1818-1825. | 4.0 | 3 |

Maria InÃ≜s Schmidt

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Homeostasis model assessment of insulin resistance (HOMA-IR) and metabolic syndrome at baseline of a multicentric Brazilian cohort: ELSA-Brasil study. Cadernos De Saude Publica, 2020, 36, e00072120. | 1.0 | 14 |
| 38 | The burden of diabetes and hyperglycemia in Brazil: a global burden of disease study 2017. Population Health Metrics, 2020, 18, 9. | 2.7 | 22 |
| 39 | Sex differences in the association between self-reported sleep duration, insomnia symptoms and cardiometabolic risk factors: cross-sectional findings from Brazilian longitudinal study of adult health. Archives of Public Health, 2020, 78, 48. | 2.4 | 15 |
| 40 | Clobal, regional, and national burden of chronic kidney disease, 1990–2017: a systematic analysis for the Clobal Burden of Disease Study 2017. Lancet, The, 2020, 395, 709-733. | 13.7 | 2,858 |
| 41 | The global, regional, and national burden of cirrhosis by cause in 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. The Lancet Gastroenterology and Hepatology, 2020, 5, 245-266. | 8.1 | 823 |
| 42 | A nationwide analysis of the excess death attributable to diabetes in Brazil. Journal of Global Health, 2020, 10, 010401. | 2.7 | 10 |
| 43 | The burden of non-communicable diseases attributable to high BMI in Brazil, 1990–2017: findings from the Global Burden of Disease Study. Population Health Metrics, 2020, 18, 18. | 2.7 | 32 |
| 44 | Association between cognitive performance and self-reported glaucoma in middle-aged and older adults: a cross-sectional analysis of ELSA-Brasil. Brazilian Journal of Medical and Biological Research, 2020, 53, e10347. | 1.5 | 2 |
| 45 | Insulin resistance underlying type 2 diabetes – Authors' reply. Lancet Diabetes and Endocrinology,the, 2019, 7, 424-425. | 11.4 | 0 |
| 46 | Repeated high blood pressure at 6 and 11 years at the Pelotas 2004 birth cohort study. BMC Public Health, 2019, 19, 1260. | 2.9 | 3 |
| 47 | Characteristics of neighborhood environment (social cohesion and safety) and common mental disorders in ELSA-Brasil study: a multilevel analysis. Cadernos De Saude Publica, 2019, 35, e00197017. | 1.0 | 8 |
| 48 | Context-dependence of race self-classification: Results from a highly mixed and unequal middle-income country. PLoS ONE, 2019, 14, e0216653. | 2.5 | 27 |
| 49 | Decreased heart rate variability as a predictor for diabetes—A prospective study of the Brazilian longitudinal study of adult health. Diabetes/Metabolism Research and Reviews, 2019, 35, e3175. | 4.0 | 11 |
| 50 | Physical inactivity as risk factor for mortality by diabetes mellitus in Brazil in 1990, 2006, and 2016. Diabetology and Metabolic Syndrome, 2019, 11, 23. | 2.7 | 17 |
| 51 | Sexâ€specific patterns in the association between salt intake and blood pressure: The ELSAâ€Brasil study. Journal of Clinical Hypertension, 2019, 21, 502-509. | 2.0 | 25 |
| 52 | Intermediate hyperglycaemia to predict progression to type 2 diabetes (ELSA-Brasil): an occupational cohort study in Brazil. Lancet Diabetes and Endocrinology,the, 2019, 7, 267-277. | 11.4 | 53 |
| 53 | Early-life nutritional status and metabolic syndrome: gender-specific associations from a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Public Health Nutrition, 2018, 21, 1546-1553. | 2.2 | 6 |
| 54 | La obesidad central es el componente clave en la asociación del sÃndrome metabólico con el deterioro del strain longitudinal global del ventrÃculo izquierdo. Revista Espanola De Cardiologia, 2018, 71, 524-530. | 1.2 | 6 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Carotid-femoral pulse wave velocity in a healthy adult sample: The ELSA-Brasil study. International Journal of Cardiology, 2018, 251, 90-95. | 1.7 | 27 |
| 56 | Central Obesity is the Key Component in the Association of Metabolic Syndrome With Left Ventricular Global Longitudinal Strain Impairment. Revista Espanola De Cardiologia (English Ed), 2018, 71, 524-530. | 0.6 | 11 |
| 57 | Validity and reproducibility of retinal arteriole and venule diameter measurements: ELSA-Brasil study. A cross-sectional study. Sao Paulo Medical Journal, 2018, 136, 276-286. | 0.9 | 2 |
| 58 | Lifestyle Intervention for the Prevention of Diabetes in Women With Previous Gestational Diabetes Mellitus: A Systematic Review and Meta-Analysis. Frontiers in Endocrinology, 2018, 9, 583. | 3.5 | 85 |
| 59 | Optimal cut-off points for waist circumference in the definition of metabolic syndrome in Brazilian adults: baseline analyses of the Longitudinal Study of Adult Health (ELSA-Brasil). Diabetology and Metabolic Syndrome, 2018, 10, 49. | 2.7 | 14 |
| 60 | Consumption of ultra-processed foods and socioeconomic position: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health. Cadernos De Saude Publica, 2018, 34, e00019717. | 1.0 | 47 |
| 61 | Burden of disease in Brazil, 1990–2016: a systematic subnational analysis for the Global Burden of Disease Study 2016. Lancet, The, 2018, 392, 760-775. | 13.7 | 267 |
| 62 | Infection-related microcephaly after the 2015 and 2016 Zika virus outbreaks in Brazil: a surveillance-based analysis. Lancet, The, 2017, 390, 861-870. | 13.7 | 254 |
| 63 | Evaluation of the modified FINDRISC to identify individuals at high risk for diabetes among middleâ€aged white and black ARIC study participants. Diabetes, Obesity and Metabolism, 2017, 19, 1260-1266. | 4.4 | 20 |
| 64 | Insulin resistance is associated with carotid intima-media thickness in non-diabetic subjects. A cross-sectional analysis of the ELSA-Brasil cohort baseline. Atherosclerosis, 2017, 260, 34-40. | 0.8 | 19 |
| 65 | The burden of diabetes and hyperglycemia in Brazil-past and present: findings from the Global Burden of Disease Study 2015. Diabetology and Metabolic Syndrome, 2017, 9, 18. | 2.7 | 33 |
| 66 | Brazilian dietary patterns and the dietary approaches to stop hypertension (DASH) diet-relationship with metabolic syndrome and newly diagnosed diabetes in the ELSA-Brasil study. Diabetology and Metabolic Syndrome, 2017, 9, 13. | 2.7 | 39 |
| 67 | Lack of Association Between Subclinical Hypothyroidism and Carotid–Femoral Pulse Wave Velocity in a Cross-Sectional Analysis of the ELSA–Brasil. American Journal of Hypertension, 2017, 30, 81-87. | 2.0 | 11 |
| 68 | The burden of diabetes and hyperglycemia in Brazil and its states: findings from the Global Burden of Disease Study 2015. Revista Brasileira De Epidemiologia, 2017, 20, 90-101. | 0.8 | 24 |
| 69 | Comparison of machine-learning algorithms to build a predictive model for detecting undiagnosed diabetes - ELSA-Brasil: accuracy study. Sao Paulo Medical Journal, 2017, 135, 234-246. | 0.9 | 56 |
| 70 | Coffee Consumption and Heart Rate Variability: The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil) Cohort Study. Nutrients, 2017, 9, 741. | 4.1 | 10 |
| 71 | Clinical characteristics of women with gestational diabetes - comparison of two cohorts enrolled 20 years apart in southern Brazil. Sao Paulo Medical Journal, 2017, 135, 376-382. | 0.9 | 10 |
| 72 | Factors associated with self-reported diabetes according to the 2013 National Health Survey. Revista De Saude Publica, 2017, 51, 12s. | 1.7 | 30 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Cause-specific mortality for 249 causes in Brazil and states during 1990–2015: a systematic analysis for the global burden of disease study 2015. Population Health Metrics, 2017, 15, 39. | 2.7 | 78 |
| 74 | Age at first childbirth and newly diagnosed diabetes among postmenopausal women: a cross-sectional analysis of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Sao Paulo Medical Journal, 2017, 135, 266-269. | 0.9 | 0 |
| 75 | Circulating early biomarkers of atherogenesis in participants of the Longitudinal Study of Adult Health (ELSA-Brasil) without diabetes or cardiovascular disease. Archives of Endocrinology and Metabolism, 2016, 60, 573-581. | 0.6 | 3 |
| 76 | Stages of hyperglycemia and common mental disorders in adults - The Brazilian Study of Adult Health (ELSA-Brasil). Sao Paulo Medical Journal, 2016, 134, 423-429. | 0.9 | 5 |
| 77 | Common mental disorders and sociodemographic characteristics: baseline findings of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Revista Brasileira De Psiquiatria, 2016, 38, 91-97. | 1.7 | 55 |
| 78 | Sex-specific associations of low birth weight with adult-onset diabetes and measures of glucose homeostasis: Brazilian Longitudinal Study of Adult Health. Scientific Reports, 2016, 6, 37032. | 3.3 | 14 |
| 79 | Trends in the prevalence of self-reported diabetes in Brazilian capital cities and the Federal District, 2006–2014. Diabetology and Metabolic Syndrome, 2016, 8, 70. | 2.7 | 9 |
| 80 | Sex-specific associations of birth weight with measures of adiposity in mid-to-late adulthood: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). International Journal of Obesity, 2016, 40, 1286-1291. | 3.4 | 12 |
| 81 | Epicardial fat thickness: distribution and association with diabetes mellitus, hypertension and the metabolic syndrome in the ELSA-Brasil study. International Journal of Cardiovascular Imaging, 2016, 32, 563-572. | 1.5 | 9 |
| 82 | Gender differences in cumulative life-course socioeconomic position and social mobility in relation to new onset diabetes inÂadults—the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Annals of Epidemiology, 2016, 26, 858-864.e1. | 1.9 | 10 |
| 83 | Association of binge eating behavior and psychiatric comorbidity in ELSA-Brasil study: Results from baseline data. Eating Behaviors, 2016, 23, 145-149. | 2.0 | 4 |
| 84 | Clinical management of pregnancy in the obese mother: before conception, during pregnancy, and post partum. Lancet Diabetes and Endocrinology,the, 2016, 4, 1037-1049. | 11.4 | 86 |
| 85 | Plasminogen activator inhibitor-1 and type 2 diabetes: a systematic review and meta-analysis of observational studies. Scientific Reports, 2016, 6, 17714. | 3.3 | 81 |
| 86 | Factors associated with metabolically healthy status in obesity, overweight, and normal weight at baseline of ELSA-Brasil. Medicine (United States), 2016, 95, e4010. | 1.0 | 24 |
| 87 | Lifestyle INtervention for Diabetes prevention After pregnancy (LINDA-Brasil): study protocol for a multicenter randomized controlled trial. BMC Pregnancy and Childbirth, 2016, 16, 68. | 2.4 | 19 |
| 88 | Prevalence, awareness, treatment, and control ofÂhigh low-density lipoprotein cholesterol in Brazil: Baseline of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Journal of Clinical Lipidology, 2016, 10, 568-576. | 1.5 | 30 |
| 89 | Chronic kidney disease among adult participants of the ELSA-Brasil cohort: association with race and socioeconomic position. Journal of Epidemiology and Community Health, 2016, 70, 380-389. | 3.7 | 83 |
| 90 | Artificially Sweetened Beverage Consumption Is Positively Associated with Newly Diagnosed Diabetes in Normal-Weight but Not in Overweight or Obese Brazilian Adults. Journal of Nutrition, 2016, 146, 290-297. | 2.9 | 12 |

Maria InÃ≜s Schmidt

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Total and Full-Fat, but Not Low-Fat, Dairy Product Intakes are Inversely Associated with Metabolic Syndrome in Adults. Journal of Nutrition, 2016, 146, 81-89. | 2.9 | 63 |
| 92 | Primary health care quality and hospitalizations for ambulatory care sensitive conditions in the public health system in Porto Alegre, Brazil. Family Practice, 2016, 33, 238-242. | 1.9 | 22 |
| 93 | Timing and Type of Alcohol Consumption and the Metabolic Syndrome - ELSA-Brasil. PLoS ONE, 2016, 11, e0163044. | 2.5 | 40 |
| 94 | Education plays a greater role than age in cognitive test performance among participants of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). BMC Neurology, 2015, 15, 191. | 1.8 | 54 |
| 95 | Cost-effectiveness of a national population-based screening program for type 2 diabetes: the Brazil experience. Diabetology and Metabolic Syndrome, 2015, 7, 95. | 2.7 | 16 |
| 96 | Trends in mortality due to diabetes in Brazil, 1996–2011. Diabetology and Metabolic Syndrome, 2015, 7, 109. | 2.7 | 23 |
| 97 | Cuidados em saúde entre portadores de diabetes mellitus autorreferido no Brasil, Pesquisa Nacional de Saúde, 2013. Revista Brasileira De Epidemiologia, 2015, 18, 17-32. | 0.8 | 21 |
| 98 | Inconsistency of Association between Coffee Consumption and Cognitive Function in Adults and Elderly in a Cross-Sectional Study (ELSA-Brasil). Nutrients, 2015, 7, 9590-9601. | 4.1 | 23 |
| 99 | Coffee Consumption, Newly Diagnosed Diabetes, and Other Alterations in Glucose Homeostasis: A Cross-Sectional Analysis of the Longitudinal Study of Adult Health (ELSA-Brasil). PLoS ONE, 2015, 10, e0126469. | 2.5 | 34 |
| 100 | Prevalence, Awareness, Treatment and Influence of Socioeconomic Variables on Control of High Blood Pressure: Results of the ELSA-Brasil Study. PLoS ONE, 2015, 10, e0127382. | 2.5 | 132 |
| 101 | Prevalência de diabetes autorreferido no Brasil: resultados da Pesquisa Nacional de Saúde 2013. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2015, 24, 305-314. | 1.0 | 79 |
| 102 | Relative leg length is associated with type 2 diabetes differently according to pubertal timing: The <scp>B</scp> razilian longitudinal study of adult health. American Journal of Human Biology, 2015, 27, 219-225. | 1.6 | 5 |
| 103 | Cohort Profile: Longitudinal Study of Adult Health (ELSA-Brasil). International Journal of Epidemiology, 2015, 44, 68-75. | 1.9 | 416 |
| 104 | Associations of dairy intake with glycemia and insulinemia, independent of obesity, in Brazilian adults: the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). American Journal of Clinical Nutrition, 2015, 101, 775-782. | 4.7 | 48 |
| 105 | The decline in mortality due to acute complications of diabetes mellitus in Brazil, 1991–2010. BMC Public Health, 2015, 15, 772. | 2.9 | 20 |
| 106 | Gender-specific association between night-work exposure and type-2 diabetes: results from longitudinal study of adult health, ELSA-Brasil. Scandinavian Journal of Work, Environment and Health, 2015, 41, 569-578. | 3.4 | 24 |
| 107 | Eating disorders symptoms in pregnancy and postpartum: A prospective study in a disadvantaged population in Brazil. International Journal of Eating Disorders, 2014, 47, 426-430. | 4.0 | 22 |
| 108 | High prevalence of diabetes and intermediate hyperglycemia – The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Diabetology and Metabolic Syndrome, 2014, 6, 123. | 2.7 | 103 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Earlier age at menarche is associated with higher diabetes risk and cardiometabolic disease risk factors in Brazilian adults: Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). Cardiovascular Diabetology, 2014, 13, 22. | 6.8 | 67 |
| 110 | Strategies for implementing the WHO diagnostic criteria and classification of hyperglycaemia first detected in pregnancy. Diabetes Research and Clinical Practice, 2014, 103, 364-372. | 2.8 | 93 |
| 111 | Dialysis for end stage renal disease financed through the Brazilian National Health System, 2000 to 2012. BMC Nephrology, 2014, 15, 111. | 1.8 | 21 |
| 112 | Information–processing methods for mortality surveillance in the presence of varying levels of completeness and ill–defined codes of causes of death – the case of Brazil. Population Health Metrics, 2014, 12, . | 2.7 | 1 |
| 113 | Prevalence, Correlates, and Description of Self-Reported Diabetes in Brazilian Capitals – Results from a Telephone Survey. PLoS ONE, 2014, 9, e108044. | 2.5 | 21 |
| 114 | Life Course Socioeconomic Position and C-Reactive Protein: Mediating Role of Health-Risk Behaviors and Metabolic Alterations. The Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). PLoS ONE, 2014, 9, e108426. | 2.5 | 22 |
| 115 | Construção de base de dados nacional de pacientes em tratamento dialÃtico no Sistema Único de Saúde, 2000-2012. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2014, 23, 227-238. | 1.0 | 4 |
| 116 | Mortalidade por complicações agudas do diabetes melito no Brasil, 2006-2010. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2014, 23, 455-462. | 1.0 | 20 |
| 117 | Mortalidade por doenças crônicas não transmissÃveis no Brasil e suas regiões, 2000 a 2011. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2014, 23, 599-608. | 1.0 | 96 |
| 118 | Epidemiology, management, complications and costs associated with type 2 diabetes in Brazil: a comprehensive literature review. Globalization and Health, 2013, 9, 62. | 4.9 | 65 |
| 119 | The Association of Plasma Lactate With Incident Cardiovascular Outcomes. American Journal of Epidemiology, 2013, 178, 401-409. | 3.4 | 33 |
| 120 | Association of Second and Third Trimester Weight Gain in Pregnancy with Maternal and Fetal Outcomes. PLoS ONE, 2013, 8, e54704. | 2.5 | 89 |
| 121 | Fibre intake and evolution of BMI: from pre-pregnancy to postpartum. Public Health Nutrition, 2013, 16, 1403-1413. | 2.2 | 10 |
| 122 | Dietary patterns during pregnancy and the association with sociodemographic characteristics among women attending general practices in southern Brazil: the ECCAGe Study. Cadernos De Saude Publica, 2013, 29, 970-980. | 1.0 | 28 |
| 123 | Lactate and Risk of Incident Diabetes in a Case-Cohort of the Atherosclerosis Risk in Communities (ARIC) Study. PLoS ONE, 2013, 8, e55113. | 2.5 | 53 |
| 124 | Brazilian Longitudinal Study of Adult Health (ELSA-Brasil): Objectives and Design. American Journal of Epidemiology, 2012, 175, 315-324. | 3.4 | 558 |
| 125 | Epidemiology in Latin America and the Caribbean: current situation and challenges. International Journal of Epidemiology, 2012, 41, 557-571. | 1.9 | 154 |
| 126 | Gestational diabetes and pregnancy outcomes - a systematic review of the World Health Organization (WHO) and the International Association of Diabetes in Pregnancy Study Groups (IADPSG) diagnostic criteria. BMC Pregnancy and Childbirth, 2012, 12, 23. | 2.4 | 420 |

Maria InÃ≜s Schmidt

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 127 | Abuse Against Women, Depression, and Infant Morbidity. American Journal of Preventive Medicine, 2012, 43, 188-195. | 3.0 | 10 |
| 128 | Desigualdades de gênero na mortalidade por doenças crônicas não transmissÃveis no Brasil. Ciencia E Saude Coletiva, 2012, 17, 2627-2634. | 0.5 | 21 |
| 129 | Binge eating during pregnancy and birth outcomes: A cohort study in a disadvantaged population in Brazil. International Journal of Eating Disorders, 2012, 45, 827-831. | 4.0 | 20 |
| 130 | Diabetes Medication Use and Blood Lactate Level among Participants with Type 2 Diabetes: The Atherosclerosis Risk in Communities Carotid MRI Study. PLoS ONE, 2012, 7, e51237. | 2.5 | 15 |
| 131 | Health conditions and health-policy innovations in Brazil: the way forward. Lancet, The, 2011, 377, 2042-2053. | 13.7 | 370 |
| 132 | Chronic non-communicable diseases in Brazil: burden and current challenges. Lancet, The, 2011, 377, 1949-1961. | 13.7 | 979 |
| 133 | Violence during pregnancy and newborn outcomes: a cohort study in a disadvantaged population in Brazil. European Journal of Public Health, 2011, 21, 92-97. | 0.3 | 41 |
| 134 | O enfrentamento das doenças crônicas não transmissÃveis: um desafio para a sociedade brasileira. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2011, 20, 421-423. | 1.0 | 4 |
| 135 | Smoking, Smoking Cessation, and Risk for Type 2 Diabetes Mellitus. Annals of Internal Medicine, 2010, 152, 10. | 3.9 | 303 |
| 136 | Intensive Insulin Therapy in Severe Traumatic Brain Injury: A Randomized Trial. Journal of Trauma, 2010, 68, 904-911. | 2.3 | 48 |
| 137 | Violence and depressive symptoms during pregnancy: a primary care study in Brazil. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 983-988. | 3.1 | 17 |
| 138 | Socioeconomic, demographic and nutritional factors associated with maternal weight gain in general practices in Southern Brazil. Cadernos De Saude Publica, 2010, 26, 1024-1034. | 1.0 | 38 |
| 139 | Association of blood lactate with type 2 diabetes: the Atherosclerosis Risk in Communities Carotid MRI Study. International Journal of Epidemiology, 2010, 39, 1647-1655. | 1.9 | 176 |
| 140 | Dipeptidyl Peptidase IV and Incident Diabetes: The Atherosclerosis Risk in Communities (ARIC) study. Diabetes Care, 2010, 33, 1109-1111. | 8.6 | 5 |
| 141 | High-Molecular-Weight Adiponectin and the Risk of Type 2 Diabetes in the ARIC Study. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 5097-5104. | 3.6 | 94 |
| 142 | Who, and what, causes health inequities? Reflections on emerging debates from an exploratory Latin American/North American workshop. Journal of Epidemiology and Community Health, 2010, 64, 747-749. | 3.7 | 48 |
| 143 | International Association of Diabetes and Pregnancy Study Groups Recommendations on the Diagnosis and Classification of Hyperglycemia in Pregnancy. Diabetes Care, 2010, 33, 676-682. | 8.6 | 3,870 |
| 144 | Dietary fibre intake of pregnant women attending general practices in southern Brazil – The ECCAGE Study. Public Health Nutrition, 2009, 12, 1392-1398. | 2.2 | 17 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Inappropriate eating behaviors during pregnancy: Prevalence and associated factors among pregnant women attending primary care in southern Brazil. International Journal of Eating Disorders, 2009, 42, 387-393. | 4.0 | 63 |
| 146 | Prevalence of use and potential impact of increased use of primary care interventions to prevent cardiovascular hospitalizations in patients with diabetes. Diabetes Research and Clinical Practice, 2009, 85, 328-334. | 2.8 | 3 |
| 147 | Evaluation of the ability of a Latin-American gestational weight curve to predict adverse pregnancy outcomes. International Journal of Gynecology and Obstetrics, 2009, 106, 223-226. | 2.3 | 11 |
| 148 | Prevalência de diabetes e hipertensão no Brasil baseada em inquérito de morbidade auto-referida, Brasil, 2006. Revista De Saude Publica, 2009, 43, 74-82. | 1.7 | 72 |
| 149 | Initial impact and cost of a nationwide population screening campaign for diabetes in Brazil: A follow up study. BMC Health Services Research, 2008, 8, 189. | 2.2 | 25 |
| 150 | Relation between fasting glucose and retinopathy for diagnosis of diabetes: three population-based cross-sectional studies. Lancet, The, 2008, 371, 736-743. | 13.7 | 207 |
| 151 | Blood Viscosity and Hematocrit as Risk Factors for Type 2 Diabetes Mellitus: The Atherosclerosis Risk in Communities (ARIC) Study. American Journal of Epidemiology, 2008, 168, 1153-1160. | 3.4 | 164 |
| 152 | Gestational diabetes and pre-eclampsia: common antecedents?. Arquivos Brasileiros De Endocrinologia E Metabologia, 2008, 52, 975-984. | 1.3 | 32 |
| 153 | Waist circumference in the prediction of obesity-related adverse pregnancy outcomes. Cadernos De Saude Publica, 2007, 23, 391-398. | 1.0 | 34 |
| 154 | Obesity and gestational weight gain: cesarean delivery and labor complications. Revista De Saude Publica, 2006, 40, 457-465. | 1.7 | 62 |
| 155 | Coffee and Sweetened Beverage Consumption and the Risk of Type 2 Diabetes Mellitus: The Atherosclerosis Risk in Communities Study. American Journal of Epidemiology, 2006, 164, 1075-1084. | 3.4 | 141 |
| 156 | The Epidemiology of Low-Grade Chronic Systemic Inflammation and Type 2 Diabetes. Diabetes Technology and Therapeutics, 2006, 8, 7-17. | 4.4 | 79 |
| 157 | Identifying Individuals at High Risk for Diabetes: The Atherosclerosis Risk in Communities study. Diabetes Care, 2005, 28, 2013-2018. | 8.6 | 401 |
| 158 | Aerobic Exercise and Submaximal Functional Capacity in Overweight Pregnant Women. Obstetrics and Gynecology, 2005, 106, 243-249. | 2.4 | 100 |
| 159 | Glucose and Insulin Components of the Metabolic Syndrome Are Associated with Hyperandrogenism in Postmenopausal Women: The Atherosclerosis Risk in Communities Study. American Journal of Epidemiology, 2004, 160, 540-548. | 3.4 | 110 |
| 160 | Academic medicine as a resource for global health: the case of Brazil. BMJ: British Medical Journal, 2004, 329, 753-754. | 2.3 | 3 |
| 161 | Adiponectin and the Development of Type 2 Diabetes. Diabetes, 2004, 53, 2473-2478. | 0.6 | 315 |
| 162 | Fasting Plasma Free Fatty Acids and Risk of Type 2 Diabetes: The Atherosclerosis Risk in Communities study. Diabetes Care, 2004, 27, 77-82. | 8.6 | 142 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|--------------|
| 163 | A nationwide population screening program for diabetes in Brazil. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2004, 16, 320-7. | 1.1 | 20 |
| 164 | Inflammation Markers Predict Increased Weight Gain in Smoking Quitters. Obesity, 2003, 11, 1339-1344. | 4.0 | 28 |
| 165 | Diabesity: An Inflammatory Metabolic Condition. Clinical Chemistry and Laboratory Medicine, 2003, 41, 1120-30. | 2.3 | 109 |
| 166 | Detection of Undiagnosed Diabetes and Other Hyperglycemia States: The Atherosclerosis Risk in Communities Study. Diabetes Care, 2003, 26, 1338-1343. | 8.6 | 36 |
| 167 | Low-Grade Systemic Inflammation and the Development of Type 2 Diabetes. Diabetes, 2003, 52, 1799-1805. | 0.6 | 908 |
| 168 | Nutritional status of pregnant women: prevalence and associated pregnancy outcomes. Revista De Saude Publica, 2001, 35, 502-507. | 1.7 | 103 |
| 169 | Fibrinogen, Other Putative Markers of Inflammation, and Weight Gain in Middleâ€aged Adults—The ARIC Study. Obesity, 2000, 8, 279-286. | 4.0 | 123 |
| 170 | Markers of inflammation and prediction of diabetes mellitus in adults (Atherosclerosis Risk in) Tj ETQqO O O rgBT | /Overlock 13.7 | 10 Tf 50 462 |

| 171 | Prevalence and Clinical Correlates of Unsuccessful Use of Drugs to Induce Menstruation. Contraception, 1998, 57, 93-97. | 1.5 | 7 |
|-----|---|-----|-----|
| 172 | Clustering of dyslipidemia, hyperuricemia, diabetes, and hypertension and its association with fasting insulin and central and overall obesity in a general population. Metabolism: Clinical and Experimental, 1996, 45, 699-706. | 3.4 | 197 |
| 173 | Association of the Waist-to-Hip Ratio Is Different with Wine than with Beer or Hard Liquor Consumption. American Journal of Epidemiology, 1995, 142, 1034-1038. | 3.4 | 86 |
| 174 | Association of Waist-Hip Ratio With Diabetes Mellitus: Strength and Possible Modifiers. Diabetes Care, 1992, 15, 912-914. | 8.6 | 34 |
| 175 | Increased Gastric Inhibitory Polypeptide Levels in Patients with Symptomatic Postprandial Hypoglycemia*. Journal of Clinical Endocrinology and Metabolism, 1983, 56, 648-652. | 3.6 | 13 |
| 176 | Elevated Hypoglycemic Index and Late Hyperinsulinism in Symptomatic Postprandial Hypoglycemia*. Journal of Clinical Endocrinology and Metabolism, 1980, 50, 371-376. | 3.6 | 40 |