Andreas Hierlemann

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4233593/andreas-hierlemann-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 305
papers
 9,516
citations
 53
h-index
 87
g-index

 380
ext. papers
 11,401
ext. citations
 7.1
avg, IF
 6.1
L-index

#	Paper	IF	Citations
305	Modeling and measuring glucose diffusion and consumption by colorectal cancer spheroids in hanging drops using integrated biosensors <i>Microsystems and Nanoengineering</i> , 2022 , 8, 14	7.7	O
304	Real-time and automated monitoring of antischistosomal drug activity profiles for screening of compound libraries <i>IScience</i> , 2022 , 25, 104087	6.1	1
303	Deciphering the pathogenic role of a variant with uncertain significance for short QT and Brugada syndromes using gene-edited human-induced pluripotent stem cell-derived cardiomyocytes and preclinical drug screening <i>Clinical and Translational Medicine</i> , 2021 , 11, e646	5.7	1
302	What is the future of electrical impedance spectroscopy in flow cytometry?. <i>Biomicrofluidics</i> , 2021 , 15, 061302	3.2	5
301	An Immunocompetent Microphysiological System to Simultaneously Investigate Effects of Anti-Tumor Natural Killer Cells on Tumor and Cardiac Microtissues <i>Frontiers in Immunology</i> , 2021 , 12, 781337	8.4	2
300	Evaluation of Human Liver Microtissues for Drug Screening on Schistosomula. <i>ACS Infectious Diseases</i> , 2021 , 7, 1894-1900	5.5	1
299	A Microfluidic Hanging-Drop-Based Islet Perifusion System for Studying Glucose-Stimulated Insulin Secretion From Multiple Individual Pancreatic Islets. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 674431	5.8	4
298	Microfluidic Co-Culture Platform to Recapitulate the Maternal-Placental-Embryonic Axis. <i>Advanced Biology</i> , 2021 , 5, e2100609		4
297	Electrophysiological Phenotype Characterization of Human iPSC-Derived Neuronal Cell Lines by Means of High-Density Microelectrode Arrays. <i>Advanced Biology</i> , 2021 , 5, e2000223		6
296	A microfluidic single-cell array for in situ laminar-flow-based comparative culturing of budding yeast cells. <i>Talanta</i> , 2021 , 231, 122401	6.2	3
295	Extracellular Recording of Entire Neural Networks Using a Dual-Mode Microelectrode Array With 19584 Electrodes and High SNR. <i>IEEE Journal of Solid-State Circuits</i> , 2021 , 56, 2466-2475	5.5	4
294	A Microphysiological Cell-Culturing System for Pharmacokinetic Drug Exposure and High-Resolution Imaging of Arrays of 3D Microtissues <i>Frontiers in Pharmacology</i> , 2021 , 12, 785851	5.6	1
293	Combining In Vivo and Organotypic In Vitro Approaches to Assess the Human Relevance of Basimglurant (RG7090), a Potential CAR Activator. <i>Toxicological Sciences</i> , 2020 , 176, 329-342	4.4	1
292	Parallelized Impedance-Based Platform for Continuous Dose-Response Characterization of Antischistosomal Drugs. <i>Advanced Biology</i> , 2020 , 4, e1900304	3.5	7
291	Parallelized Wireless Sensing System for Continuous Monitoring of Microtissue Spheroids. <i>ACS Sensors</i> , 2020 , 5, 2036-2043	9.2	6
290	Characterization of a long-term mouse primary liver 3D tissue model recapitulating innate-immune responses and drug-induced liver toxicity. <i>PLoS ONE</i> , 2020 , 15, e0235745	3.7	6
289	Massively parallel microwire arrays integrated with CMOS chips for neural recording. <i>Science Advances</i> , 2020 , 6, eaay2789	14.3	56

(2019-2020)

288	Neurons differentiate magnitude and location of mechanical stimuli. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 848-856	11.5	22
287	Predicting Metabolism-Related Drug-Drug Interactions Using a Microphysiological Multitissue System. <i>Advanced Biology</i> , 2020 , 4, e2000079	3.5	7
286	The fibrotic response of primary liver spheroids recapitulates in vivo hepatic stellate cell activation. <i>Biomaterials</i> , 2020 , 261, 120335	15.6	9
285	Versatile live-cell activity analysis platform for characterization of neuronal dynamics at single-cell and network level. <i>Nature Communications</i> , 2020 , 11, 4854	17.4	16
284	How Can Microfluidic and Microfabrication Approaches Make Experiments More Physiologically Relevant?. <i>Cell Systems</i> , 2020 , 11, 209-211	10.6	3
283	Cell Types of the Human Retina and Its Organoids at Single-Cell Resolution. <i>Cell</i> , 2020 , 182, 1623-1640.	≘§∉ .2	130
282	CHIME: CMOS-Hosted Microelectrodes for Massively Scalable Neuronal Recordings. <i>Frontiers in Neuroscience</i> , 2020 , 14, 834	5.1	2
281	In Vitro Platform for Studying Human Insulin Release Dynamics of Single Pancreatic Islet Microtissues at High Resolution. <i>Advanced Biology</i> , 2020 , 4, e1900291	3.5	24
280	Accurate signal-source localization in brain slices by means of high-density microelectrode arrays. <i>Scientific Reports</i> , 2019 , 9, 788	4.9	13
279	Microfluidic Multitissue Platform for Advanced Embryotoxicity Testing In Vitro. <i>Advanced Science</i> , 2019 , 6, 1900294	13.6	29
278	Tubing-Free Microfluidic Microtissue Culture System Featuring Gradual, -Like Substance Exposure Profiles. <i>Frontiers in Bioengineering and Biotechnology</i> , 2019 , 7, 72	5.8	10
277	Technologies to Study Action Potential Propagation With a Focus on HD-MEAs. <i>Frontiers in Cellular Neuroscience</i> , 2019 , 13, 159	6.1	10
276	Optimal Electrode Size for Multi-Scale Extracellular-Potential Recording From Neuronal Assemblies. <i>Frontiers in Neuroscience</i> , 2019 , 13, 385	5.1	39
275	Integrated Microphysiological Systems: Transferable Organ Models and Recirculating Flow. <i>Advanced Biology</i> , 2019 , 3, e1900018	3.5	9
274	Single-Cell Electrical Stimulation Using CMOS-Based High-Density Microelectrode Arrays. <i>Frontiers in Neuroscience</i> , 2019 , 13, 208	5.1	23
273	Medullary Respiratory Circuit Is Reorganized by a Seasonally-Induced Program in Preparation for Hibernation. <i>Frontiers in Neuroscience</i> , 2019 , 13, 376	5.1	2
272	Carbon-Nanotube-Based Monolithic CMOS Platform for Electrochemical Detection of Neurotransmitter Glutamate. <i>Sensors</i> , 2019 , 19,	3.8	9
271	Large-Scale Mapping of Axonal Arbors Using High-Density Microelectrode Arrays. <i>Frontiers in Cellular Neuroscience</i> , 2019 , 13, 404	6.1	7

270	Classification of Inhibitory and Excitatory Neurons of Dissociated Cultures Based on Action Potential Waveforms on High-density CMOS Microelectrode Arrays. <i>IEEJ Transactions on Electronics, Information and Systems</i> , 2019 , 139, 615-624	0.1	1
269	Stimulation and Artifact-Suppression Techniques for In Vitro High-Density Microelectrode Array Systems. <i>IEEE Transactions on Biomedical Engineering</i> , 2019 , 66, 2481-2490	5	7
268	The Axon Initial Segment is the Dominant Contributor to the Neuron's Extracellular Electrical Potential Landscape. <i>Advanced Biology</i> , 2019 , 3, e1800308	3.5	20
267	Scalable Microfluidic Platform for Flexible Configuration of and Experiments with Microtissue Multiorgan Models. <i>SLAS Technology</i> , 2019 , 24, 79-95	3	20
266	Monolithic CMOS sensor platform featuring an array of 9'216 carbon-nanotube-sensor elements and low-noise, wide-bandwidth and wide-dynamic-range readout circuitry. <i>Sensors and Actuators B: Chemical</i> , 2019 , 279, 255-266	8.5	4
265	Dual-mode Microelectrode Array Featuring 20k Electrodes and High SNR for Extracellular Recording of Neural Networks 2019 , 2018,		6
264	Fabrication and Operation of Microfluidic Hanging-Drop Networks. <i>Methods in Molecular Biology</i> , 2018 , 1771, 183-202	1.4	6
263	Smart Cell Culture Systems: Integration of Sensors and Actuators into Microphysiological Systems. <i>ACS Chemical Biology</i> , 2018 , 13, 1767-1784	4.9	40
262	Wide-band Electrical Impedance Spectroscopy (EIS) Measures S. pombe Cell Growth in vivo. <i>Methods in Molecular Biology</i> , 2018 , 1721, 135-153	1.4	2
261	How Diverse Retinal Functions Arise from Feedback at the First Visual Synapse. <i>Neuron</i> , 2018 , 99, 117-1	343, e 911	l 29
260	Microfluidics: Microfluidic Hydrogel Hanging-Drop Network for Long-Term Culturing of 3D Microtissues and Simultaneous High-Resolution Imaging (Adv. Biosys. 7/2018). <i>Advanced Biology</i> , 2018 , 2, 1870062	3.5	
259	A 15-channel 30-V Neural Stimulator for Spinal Cord Repair. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2018 , 26, 2185-2189	2.6	1
258	Acquisition of Bioelectrical Signals with Small Electrodes 2018 , 2017, 1-4		4
257	Parvalbumin expression and gamma oscillation occurrence increase over time in a neurodevelopmental model of NMDA receptor dysfunction. <i>PeerJ</i> , 2018 , 6, e5543	3.1	
256	Miniature Fluidic Microtissue Culturing Device for Rapid Biological Detection. <i>Integrated Analytical Systems</i> , 2018 , 207-225	0.4	1
255	Impedance-Based Microfluidic Assay for Automated Antischistosomal Drug Screening. <i>ACS Sensors</i> , 2018 , 3, 2613-2620	9.2	15
254	Impedance Spectroscopy and Electrophysiological Imaging of Cells With a High-Density CMOS Microelectrode Array System. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2018 , 12, 1356-1368	5.1	23
253	Long-Term High-Density Extracellular Recordings Enable Studies of Muscle Cell Physiology. Frontiers in Physiology, 2018 , 9, 1424	4.6	3

(2016-2018)

252	Automatic spike sorting for high-density microelectrode arrays. <i>Journal of Neurophysiology</i> , 2018 , 120, 3155-3171	3.2	17
251	Microfluidic Hydrogel Hanging-Drop Network for Long-Term Culturing of 3D Microtissues and Simultaneous High-Resolution Imaging. <i>Advanced Biology</i> , 2018 , 2, 1800054	3.5	10
250	Integrating impedance-based growth-rate monitoring into a microfluidic cell culture platform for live-cell microscopy. <i>Microsystems and Nanoengineering</i> , 2018 , 4, 8	7.7	20
249	Direct Interfacing of Neurons to Highly Integrated Microsystems. <i>Proceedings of the IEEE International Conference on Micro Electro Mechanical Systems (MEMS)</i> , 2017 , 2017, 199-204		1
248	A Multi-Functional Microelectrode Array Featuring 59760 Electrodes, 2048 Electrophysiology Channels, Stimulation, Impedance Measurement and Neurotransmitter Detection Channels. <i>IEEE Journal of Solid-State Circuits</i> , 2017 , 52, 1576-1590	5.5	91
247	Causal evidence for retina-dependent and -independent visual motion computations in mouse cortex. <i>Nature Neuroscience</i> , 2017 , 20, 960-968	25.5	65
246	Combination of High-density Microelectrode Array and Patch Clamp Recordings to Enable Studies of Multisynaptic Integration. <i>Scientific Reports</i> , 2017 , 7, 978	4.9	35
245	Dielectrophoresis-Assisted Integration of 1024 Carbon Nanotube Sensors into a CMOS Microsystem. <i>Advanced Materials</i> , 2017 , 29, 1606852	24	12
244	Development of neural population activity toward self-organized criticality. <i>Neuroscience</i> , 2017 , 343, 55-65	3.9	17
243	26th Annual Computational Neuroscience Meeting (CNS*2017): Part 2. <i>BMC Neuroscience</i> , 2017 , 18,	3.2	5
243	26th Annual Computational Neuroscience Meeting (CNS*2017): Part 2. <i>BMC Neuroscience</i> , 2017 , 18, High-Density Mapping of Brain Slices using a Large Multi-Functional High-Density CMOS Microelectrode Array System 2017 , 2017, 135-138	3.2	5
	High-Density Mapping of Brain Slices using a Large Multi-Functional High-Density CMOS	3.2	
242	High-Density Mapping of Brain Slices using a Large Multi-Functional High-Density CMOS Microelectrode Array System 2017 , 2017, 135-138	0.3	4
242	High-Density Mapping of Brain Slices using a Large Multi-Functional High-Density CMOS Microelectrode Array System 2017 , 2017, 135-138 Impedance-based detection of larvae viability for drug screening 2017 , 2017, A Tubing-Free, Microfluidic Platform for the Realization of Physiologically Relevant Dosing Curves		4
242 241 240	High-Density Mapping of Brain Slices using a Large Multi-Functional High-Density CMOS Microelectrode Array System 2017, 2017, 135-138 Impedance-based detection of larvae viability for drug screening 2017, 2017, A Tubing-Free, Microfluidic Platform for the Realization of Physiologically Relevant Dosing Curves on Cellular Models. <i>Proceedings (mdpi)</i> , 2017, 1, 497	0.3	4 2
242241240239	High-Density Mapping of Brain Slices using a Large Multi-Functional High-Density CMOS Microelectrode Array System 2017, 2017, 135-138 Impedance-based detection of larvae viability for drug screening 2017, 2017, A Tubing-Free, Microfluidic Platform for the Realization of Physiologically Relevant Dosing Curves on Cellular Models. <i>Proceedings (mdpi)</i> , 2017, 1, 497 Tracking individual action potentials throughout mammalian axonal arbors. <i>ELife</i> , 2017, 6, 2048 Action Potential Recording Channels with 2.4 µVrms Noise and Stimulation Artifact	0.3	4 2 28
242 241 240 239 238	High-Density Mapping of Brain Slices using a Large Multi-Functional High-Density CMOS Microelectrode Array System 2017, 2017, 135-138 Impedance-based detection of larvae viability for drug screening 2017, 2017, A Tubing-Free, Microfluidic Platform for the Realization of Physiologically Relevant Dosing Curves on Cellular Models. <i>Proceedings (mdpi)</i> , 2017, 1, 497 Tracking individual action potentials throughout mammalian axonal arbors. <i>ELife</i> , 2017, 6, 2048 Action Potential Recording Channels with 2.4 µVrms Noise and Stimulation Artifact Suppression 2017, 2016, 136-139 Electrical Identification and Selective Microstimulation of Neuronal Compartments Based on	0.3	4 4 2 28 7

234	Microarray-based MALDI-TOF mass spectrometry enables monitoring of monoclonal antibody production in batch and perfusion cell cultures. <i>Methods</i> , 2016 , 104, 33-40	4.6	19	
233	Seamless Combination of Fluorescence-Activated Cell Sorting and Hanging-Drop Networks for Individual Handling and Culturing of Stem Cells and Microtissue Spheroids. <i>Analytical Chemistry</i> , 2016 , 88, 1222-9	7.8	21	
232	Robust Functionalization of Large Microelectrode Arrays by Using Pulsed Potentiostatic Deposition. <i>Sensors</i> , 2016 , 17,	3.8	4	
231	Cortical Axons, Isolated in Channels, Display Activity-Dependent Signal Modulation as a Result of Targeted Stimulation. <i>Frontiers in Neuroscience</i> , 2016 , 10, 83	5.1	12	
230	Multiple Single-Unit Long-Term Tracking on Organotypic Hippocampal Slices Using High-Density Microelectrode Arrays. <i>Frontiers in Neuroscience</i> , 2016 , 10, 537	5.1	11	
229	Switch-matrix-based Monolithic CMOS Platform Featuring a Large Array of Carbon Nanotube Sensor Elements and a 96-channel Readout Circuitry. <i>Procedia Engineering</i> , 2016 , 168, 916-919			
228	A microelectrode array with 8,640 electrodes enabling simultaneous full-frame readout at 6.5 kfps and 112-channel switch-matrix readout at 20 kS/s 2016 ,		5	
227	Multi-analyte biosensor interface for real-time monitoring of 3D microtissue spheroids in hanging-drop networks. <i>Microsystems and Nanoengineering</i> , 2016 , 2, 16022	7.7	88	
226	22.8 Multi-Functional Microelectrode Array System Featuring 59,760 Electrodes, 2048 Electrophysiology Channels, Impedance and Neurotransmitter Measurement Units <i>Digest of Technical Papers - IEEE International Solid-State Circuits Conference</i> , 2016 , 2016, 394-396	4	29	
225	Automated, Multiplexed Electrical Impedance Spectroscopy Platform for Continuous Monitoring of Microtissue Spheroids. <i>Analytical Chemistry</i> , 2016 , 88, 10876-10883	7.8	35	
224	Electrical Impedance Spectroscopy for Microtissue Spheroid Analysis in Hanging-Drop Networks. <i>ACS Sensors</i> , 2016 , 1, 1028-1035	9.2	43	
223	Characterization of Single Yeast Cell Phenotypes Using Microfluidic Impedance Cytometry and Optical Imaging. <i>ACS Sensors</i> , 2016 , 1, 1020-1027	9.2	37	
222	Bayes optimal template matching for spike sorting - combining fisher discriminant analysis with optimal filtering. <i>Journal of Computational Neuroscience</i> , 2015 , 38, 439-59	1.4	55	
221	A Frequency-Domain Analysis of Latch Comparator Offset due to Load Capacitor Mismatch <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2015 , 62, 527-532	3.5	4	
220	Chronic Co-Variation of Neural Network Configuration and Activity in Mature Dissociated Cultures. <i>Electronics and Communications in Japan</i> , 2015 , 98, 34-42	0.4		
219	Versatile, simple-to-use microfluidic cell-culturing chip for long-term, high-resolution, time-lapse imaging. <i>Analytical Chemistry</i> , 2015 , 87, 4144-51	7.8	23	
218	96-well format-based microfluidic platform for parallel interconnection of multiple multicellular spheroids. <i>Journal of the Association for Laboratory Automation</i> , 2015 , 20, 274-82		48	
217	Microfluidics-based single-step preparation of injection-ready polymeric nanosystems for medical imaging and drug delivery. <i>Nanoscale</i> , 2015 , 7, 16983-93	7.7	24	

(2015-2015)

216	visual coding with a population of direction-selective neurons. <i>Journal of Neurophysiology</i> , 2015 , 114, 2485-99	3.2	25
215	Long-Term, High-Spatiotemporal Resolution Recording From Cultured Organotypic Slices with High-Density Microelectrode Arrays 2015 , 18, 1037-1040		2
214	Real-time multi-analyte online monitoring of 3d cell cultures by integrated enzyme-based biosensors in hanging drop networks 2015 ,		2
213	Monolithic integration of a silicon nanowire field-effect transistors array on a complementary metal-oxide semiconductor chip for biochemical sensor applications. <i>Analytical Chemistry</i> , 2015 , 87, 998	3 <i>7-</i> 90	30
212	Adding the 'heart' to hanging drop networks for microphysiological multi-tissue experiments. <i>Lab on A Chip</i> , 2015 , 15, 4138-47	7.2	41
211	Complexity optimization and high-throughput low-latency hardware implementation of a multi-electrode spike-sorting algorithm. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2015 , 23, 149-58	4.8	17
210	Microfluidic Cell Culturing Platform Combining Long-term, High-resolution Imaging with Impedance Spectroscopy. <i>Procedia Engineering</i> , 2015 , 120, 154-157		1
209	Time-lapse electrical impedance spectroscopy for monitoring the cell cycle of single immobilized S. pombe cells. <i>Scientific Reports</i> , 2015 , 5, 17180	4.9	32
208	Highly integrated CMOS microsystems to interface with neurons at subcellular resolution 2015 , 2015, 13.2.1-13.2.4		
207	A method for electrophysiological characterization of hamster retinal ganglion cells using a high-density CMOS microelectrode array. <i>Frontiers in Neuroscience</i> , 2015 , 9, 360	5.1	10
206	Recording large extracellular spikes in microchannels along many axonal sites from individual neurons. <i>PLoS ONE</i> , 2015 , 10, e0118514	3.7	52
205	A network comprising short and long noncoding RNAs and RNA helicase controls mouse retina architecture. <i>Nature Communications</i> , 2015 , 6, 7305	17.4	62
204	High-resolution CMOS MEA platform to study neurons at subcellular, cellular, and network levels. <i>Lab on A Chip</i> , 2015 , 15, 2767-80	7.2	141
203	On-chip lysis of mammalian cells through a handheld corona device. <i>Lab on A Chip</i> , 2015 , 15, 2990-7	7.2	10
202	Automated navigation of a glass micropipette on a high-density microelectrode array. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 881-4	0.9	1
201	Mitotic cells contract actomyosin cortex and generate pressure to round against or escape epithelial confinement. <i>Nature Communications</i> , 2015 , 6, 8872	17.4	54
200	On-chip electroporation and impedance spectroscopy of single-cells. <i>Sensors and Actuators B: Chemical</i> , 2015 , 210, 82-90	8.5	60
199	3D spherical microtissues and microfluidic technology for multi-tissue experiments and analysis. Journal of Biotechnology, 2015 , 205, 24-35	3.7	96

198	Characterization of subcellular morphology of single yeast cells using high frequency microfluidic impedance cytometer. <i>Lab on A Chip</i> , 2014 , 14, 369-77	7.2	79
197	Resonance-enhanced microfluidic impedance cytometer for detection of single bacteria. <i>Lab on A Chip</i> , 2014 , 14, 3313-24	7.2	60
196	A 1024-Channel CMOS Microelectrode Array With 26,400 Electrodes for Recording and Stimulation of Electrogenic Cells In Vitro. <i>IEEE Journal of Solid-State Circuits</i> , 2014 , 49, 2705-2719	5.5	130
195	Sensor system including silicon nanowire ion sensitive FET arrays and CMOS readout. <i>Sensors and Actuators B: Chemical</i> , 2014 , 204, 568-577	8.5	13
194	Reconfigurable microfluidic hanging drop network for multi-tissue interaction and analysis. <i>Nature Communications</i> , 2014 , 5, 4250	17.4	240
193	A synthetic multifunctional mammalian pH sensor and CO2 transgene-control device. <i>Molecular Cell</i> , 2014 , 55, 397-408	17.6	87
192	Fully integrated CMOS microsystem for electrochemical measurements on 32 B2 working electrodes at 90 frames per second. <i>Analytical Chemistry</i> , 2014 , 86, 6425-32	7.8	48
191	Development of a Reliable Packaging for CMOS-based Microelectrode Arrays by Using an Automated Setup. <i>Procedia Engineering</i> , 2014 , 87, 1402-1405		1
190	Real-time monitoring of immobilized single yeast cells through multifrequency electrical impedance spectroscopy. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 7015-25	4.4	28
189	High-Throughput Hardware for Real-Time Spike Overlap Decomposition in Multi-Electrode Neuronal Recording Systems. 2014 , 2014, 658-661		
188	Real-time In-situ Lactate Monitoring in 3D Multi-cellular Spheroid Cultures by Using Enzyme-based Biosensors in Hanging Drop Networks. <i>Procedia Engineering</i> , 2014 , 87, 96-99		5
187	Multisite monitoring of choline using biosensor microprobe arrays in combination with CMOS circuitry. <i>Biomedizinische Technik</i> , 2014 , 59, 305-14	1.3	
186	Chronic Co-variation of Neural Network Configuration and Activity in Mature Dissociated Cultures. <i>IEEJ Transactions on Electronics, Information and Systems</i> , 2014 , 134, 338-344	0.1	
185	Tracking axonal action potential propagation on a high-density microelectrode array across hundreds of sites. <i>Nature Communications</i> , 2013 , 4, 2181	17.4	150
184	A Verilog-A model for silicon nanowire biosensors: From theory to verification. <i>Sensors and Actuators B: Chemical</i> , 2013 , 179, 293-300	8.5	10
183	FinFET integrated low-power circuits for enhanced sensing applications. <i>Sensors and Actuators B:</i> Chemical, 2013 , 186, 789-795	8.5	3
182	An unsupervised method for on-chip neural spike detection in multi-electrode recording systems. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2013 , 2013, 2535-8	0.9	
181	Conferring flexibility and reconfigurability to a 26,400 microelectrode CMOS array for high throughput neural recordings 2013 ,		3

Low power finfet ph-sensor with high-sensitivity voltage readout 2013, 180 2 Single-cell lysis for visual analysis by electron microscopy. Journal of Structural Biology, 2013, 183, 467-47,34 179 22 Parameters for burst detection. Frontiers in Computational Neuroscience, 2013, 7, 193 178 3.5 43 Factors affecting blind localization of a glass micropipette using a high-density microelectrode аггау 2013, Silicon nanowire ion-sensitive field-effect transistor array integrated with a CMOS-based readout 176 3 chip 2013. Development of a Microfluidic GHz Impedance Cytometer. TM Technisches Messen, 2013, 80, 411-420 175 0.7 1 Analysis of neuronal cells of dissociated primary culture on high-density CMOS electrode array. Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE 174 0.9 4 Engineering in Medicine and Biology Society Annual International Conference, 2013, 2013, 1045-8 Development of a Microfluidic GHz Impedance Cytometer. TM Technisches Messen, 2013, 80, 411-420 173 0.7 Microfluidic single-cell cultivation chip with controllable immobilization and selective release of 7.2 172 54 yeast cells. Lab on A Chip, **2012**, 12, 906-15 Monolithic system featuring a gold nanowire array on a CMOS chip for biosensing applications 2012 171 Connecting Fluidics to electron microscopy. Journal of Structural Biology, 2012, 177, 128-34 170 22 3.4 Recording from defined populations of retinal ganglion cells using a high-density CMOS-integrated microelectrode array with real-time switchable electrode selection. Journal of Neuroscience 169 3 44 Methods, **2012**, 211, 103-13 Dynamic and static impedance spectroscopy for single particle characterization in microfluidic chips 168 2 2012. A Hybrid FinFET-based Biosensor with Integrated Readout Capability. Procedia Engineering, 2012, 167 1 47,821-824 Sub-millisecond closed-loop feedback stimulation between arbitrary sets of individual neurons. 166 3.5 33 Frontiers in Neural Circuits, 2012, 6, 121 High-density microelectrode array recordings and real-time spike sorting for closed-loop 165 64 experiments: an emerging technology to study neural plasticity. Frontiers in Neural Circuits, 2012, 6, $105^{3.5}$ Applicability of independent component analysis on high-density microelectrode array recordings. 164 3.2 49 Journal of Neurophysiology, 2012, 108, 334-48 6 163 2012,

162	Bandwidth Compensation for High Resolution Impedance Spectroscopy. <i>Procedia Engineering</i> , 2011 , 25, 1209-1212		3
161	Growing Cells Atop Microelectronic Chips: Interfacing Electrogenic Cells In Vitro With CMOS-Based Microelectrode Arrays. <i>Proceedings of the IEEE</i> , 2011 , 99, 252-284	14.3	100
160	The potential of microelectrode arrays and microelectronics for biomedical research and diagnostics. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 399, 2313-29	4.4	86
159	High-resolution mapping of single neurons provides insight into neuron structure and LFP generation. <i>BMC Neuroscience</i> , 2011 , 12,	3.2	78
158	Recording of neural activity of mouse retinal ganglion cells by means of an integrated high-density microelectrode array 2011 ,		1
157	Mass-sensitive detection of gas-phase volatile organics using disk microresonators. <i>Analytical Chemistry</i> , 2011 , 83, 3305-11	7.8	19
156	Multi-target electrochemical biosensing enabled by integrated CMOS electronics. <i>Journal of Micromechanics and Microengineering</i> , 2011 , 21, 054010	2	20
155	. IEEE Journal of Solid-State Circuits, 2010 , 45, 467-482	5.5	166
154	Adaptive microsensor systems. Annual Review of Analytical Chemistry, 2010, 3, 255-76	12.5	26
153	Compact voltage and current stimulation buffer for high-density microelectrode arrays. <i>IEEE Transactions on Biomedical Circuits and Systems</i> , 2010 , 4, 372-8	5.1	20
152	Compact voltage and current stimulation buffer for high-density microelectrode arrays 2010,		5
151	Subcellular-resolution recording of electrical activity using a CMOS-microelectroode system 2009,		1
150	Exploring the resolution of different disk-type chemical sensors 2009,		1
149	Depth recording capabilities of planar high-density microelectrode arrays 2009,		9
148	Microelectronic system for high-resolution mapping of extracellular electric fields applied to brain slices. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 2191-8	11.8	165
147	CMOS-Based Bio/Chemosensor and Bioelectronic Microsystems. <i>Procedia Chemistry</i> , 2009 , 1, 5-8		5
146	Chiral sensing using a complementary metal-oxide semiconductor-integrated three-transducer microsensor system. <i>Analytical Chemistry</i> , 2009 , 81, 9353-64	7.8	10
145	Direct determination of the enantiomeric purity or enantiomeric composition of methylpropionates using a single capacitive microsensor. <i>Analytical Chemistry</i> , 2009 , 81, 1969-75	7.8	7

144	Differential impedance spectrometer and vision system for analysis of single cells 2009,		1
143	A synthetic mammalian electro-genetic transcription circuit. <i>Nucleic Acids Research</i> , 2009 , 37, e33	20.1	41
142	Higher-order chemical sensing. <i>Chemical Reviews</i> , 2008 , 108, 563-613	68.1	323
141	2008,		26
140	Monolithic Resonant-Cantilever-Based CMOS Microsystem for Biochemical Sensing. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2008 , 55, 2551-2560	3.9	49
139	Evaluation of multitransducer arrays for the determination of organic vapor mixtures. <i>Analytical Chemistry</i> , 2008 , 80, 227-36	7.8	47
138	Digital systems architecture to accommodate wide range resistance changes of metal-oxide sensors 2008 ,		4
137	Wafer-level flame-spray-pyrolysis deposition of gas-sensitive layers on microsensors. <i>Journal of Micromechanics and Microengineering</i> , 2008 , 18, 035040	2	40
136	Gas and liquid phase sensing of volatile organics with disk microresonator 2008,		2
135	Modulation of cardiomyocyte electrical properties using regulated bone morphogenetic protein-2 expression. <i>Tissue Engineering - Part A</i> , 2008 , 14, 1969-88	3.9	19
134	Analysis of resonating microcantilevers operating in a viscous liquid environment. <i>Sensors and Actuators A: Physical</i> , 2008 , 141, 43-51	3.9	70
133	Opposite signs of capacitive microsensor signals upon exposure to the enantiomers of methyl propionate compounds. <i>Angewandte Chemie - International Edition</i> , 2008 , 47, 913-6	16.4	10
132	Micropatterning Layers by Flame Aerosol Deposition-Annealing. Advanced Materials, 2008, 20, 3005-30	104	120
131	Opposite Signs of Capacitive Microsensor Signals upon Exposure to the Enantiomers of Methyl Propionate Compounds. <i>Angewandte Chemie</i> , 2008 , 120, 927-930	3.6	
130	A CMOS-based integrated-system architecture for a static cantilever array. <i>Sensors and Actuators B: Chemical</i> , 2008 , 131, 254-264	8.5	15
129	An 11k-Electrode 126-Channel High-Density Microelectrode Array to Interact with Electrogenic Cells. <i>Digest of Technical Papers - IEEE International Solid-State Circuits Conference</i> , 2007 ,	4	21
128	Liquid-phase chemical and biochemical detection using fully integrated magnetically actuated complementary metal oxide semiconductor resonant cantilever sensor systems. <i>Analytical Chemistry</i> , 2007 , 79, 1646-54	7.8	61
127	Patterned cell adhesion by self-assembled structures for use with a CMOS cell-based biosensor. <i>Biosensors and Bioelectronics</i> , 2007 , 22, 1426-33	11.8	31

126	Molecular design and characterization of the neuron-microelectrode array interface. <i>Biomaterials</i> , 2007 , 28, 5246-58	15.6	44
125	A CMOS-based microelectrode array for interaction with neuronal cultures. <i>Journal of Neuroscience Methods</i> , 2007 , 164, 93-106	3	53
124	Autonomous microfluidic multi-channel chip for real-time PCR with integrated liquid handling. <i>Biomedical Microdevices</i> , 2007 , 9, 711-8	3.7	49
123	Single-chip microelectronic system to interface with living cells. <i>Biosensors and Bioelectronics</i> , 2007 , 22, 2546-53	11.8	69
122	Monolithic CMOS multi-transducer gas sensor microsystem for organic and inorganic analytes. <i>Sensors and Actuators B: Chemical</i> , 2007 , 126, 431-440	8.5	28
121	A CMOS-based Microelectrode Array for Information Processing with Natural Neurons 2007,		1
120	Using microelectronics technology to communicate with living cells. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 6082-5		1
119	A hybrid microsystem for parallel perfusion experiments on living cells. <i>Journal of Micromechanics and Microengineering</i> , 2007 , 17, 1721-1730	2	7
118	A perforated CMOS microchip for immobilization and activity monitoring of electrogenic cells. Journal of Micromechanics and Microengineering, 2007 , 17, 462-471	2	10
117	Cell recordings with a CMOS high-density microelectrode array. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 167-70		10
116	11🛮00 Electrode-, 126 channel-CMOS microelectrode array for electrogenic cells 2007 ,		1
115	Multi-Chip High-Density Microelectrode System for Electrogenic-Cell Recording and Stimulation 2007 ,		5
114	A Digital CMOS Architecture for a Micro-Hotplate Array. <i>IEEE Journal of Solid-State Circuits</i> , 2007 , 42, 441-450	5.5	26
113	CMOS-Based Monolithic Controllers for Smart Sensors Comprising Micromembranes and Microcantilevers. <i>IEEE Transactions on Circuits and Systems Part 1: Regular Papers</i> , 2007 , 54, 141-152		12
112	Integrated Cantilevers and Atomic Force Microscopes. <i>Nanoscience and Technology</i> , 2007 , 1-22	0.6	3
111	Integrated Microelectrode Arrays. Integrated Circuits and Systems, 2007, 207-258	0.2	2
110	CMOS microhotplate sensor system for operating temperatures up to 500 °C. Sensors and Actuators B: Chemical, 2006 , 117, 346-352	8.5	39
109	CMOS Monolithic Metal © xide Gas Sensor Microsystems. <i>IEEE Sensors Journal</i> , 2006 , 6, 276-286	4	40

(2005-2006)

108	Configurable electrodes for capacitive-type sensors and chemical sensors. <i>IEEE Sensors Journal</i> , 2006 , 6, 3-10	4	19
107	Towards a versatile DRIE: silicon pit structures combined with electrochemical etch stop. <i>Journal of Microelectromechanical Systems</i> , 2006 , 15, 840-848	2.5	4
106	CMOS microelectrode array for bidirectional interaction with neuronal networks. <i>IEEE Journal of Solid-State Circuits</i> , 2006 , 41, 1620-1629	5.5	90
105	Tissue-transplant fusion and vascularization of myocardial microtissues and macrotissues implanted into chicken embryos and rats. <i>Tissue Engineering</i> , 2006 , 12, 2541-53		51
104	Detection and discrimination capabilities of a multitransducer single-chip gas sensor system. <i>Analytical Chemistry</i> , 2006 , 78, 6910-20	7.8	30
103	Transient signal analysis using complementary metal oxide semiconductor capacitive chemical microsensors. <i>Analytical Chemistry</i> , 2006 , 78, 279-90	7.8	28
102	Micro hot plate-based sensor array system for the detection of environmentally relevant gases. <i>Analytical Chemistry</i> , 2006 , 78, 6801-8	7.8	23
101	Explosive vaporization in microenclosures. Experimental Thermal and Fluid Science, 2006, 30, 829-836	3	4
100	Characterization of a microfluidic dispensing system for localised stimulation of cellular networks. <i>Lab on A Chip</i> , 2006 , 6, 218-29	7.2	20
99	Microfluidics/CMOS orthogonal capabilities for cell biology. <i>Biomedical Microdevices</i> , 2006 , 8, 159-66	3.7	10
98	Microfabricated gas sensor systems with sensitive nanocrystalline metal-oxide films. <i>Journal of Nanoparticle Research</i> , 2006 , 8, 823-839	2.3	72
97	Semiconductor-Based Chemical Microsensors 2006 , 567-666		1
96	Semiconductor-Based Chemical Microsensors 2006 , 567-666		
95	Tissue-Transplant Fusion and Vascularization of Myocardial Microtissues and Macrotissues Implanted into Chicken Embryos and Rats. <i>Tissue Engineering</i> , 2006 , 060913044658024		
94	CMOS monolithic mechatronic microsystem for surface imaging and force response studies. <i>IEEE Journal of Solid-State Circuits</i> , 2005 , 40, 951-959	5.5	10
93	Transistor heater for microhotplate-based metal-oxide microsensors. <i>IEEE Electron Device Letters</i> , 2005 , 26, 295-297	4.4	11
92	Magnetically actuated complementary metal oxide semiconductor resonant cantilever gas sensor systems. <i>Analytical Chemistry</i> , 2005 , 77, 2690-9	7.8	40
91	3D nonlinear modeling of microhotplates in CMOS technology for use as metal-oxide-based gas sensors. <i>Journal of Micromechanics and Microengineering</i> , 2005 , 15, 190-200	2	30

90	CMOS-based Chemical Sensors. Advanced Micro & Nanosystems, 2005, 335-390		3
89	Impedance characterization and modeling of electrodes for biomedical applications. <i>IEEE Transactions on Biomedical Engineering</i> , 2005 , 52, 1295-302	5	439
88	Connecting heat transfer macromodels for array MEMS structures. <i>Journal of Micromechanics and Microengineering</i> , 2005 , 15, 1205-1214	2	12
87	Characterization of magnetically actuated resonant cantilevers in viscous fluids. <i>Applied Physics Letters</i> , 2005 , 87, 162510	3.4	29
86	Single-chip mechatronic microsystem for surface imaging and force response studies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17011-5	11.5	35
85	A Smart Single-Chip Micro-Hotplate-Based Gas Sensor System in CMOS-Technology. <i>Analog Integrated Circuits and Signal Processing</i> , 2004 , 39, 275-287	1.2	28
84	Metal oxide-based monolithic complementary metal oxide semiconductor gas sensor microsystem. <i>Analytical Chemistry</i> , 2004 , 76, 4437-45	7.8	66
83	CMOS microelectrode array for the monitoring of electrogenic cells. <i>Biosensors and Bioelectronics</i> , 2004 , 20, 358-66	11.8	128
82	CMOS monolithic metal-oxide sensor system comprising a microhotplate and associated circuitry. <i>IEEE Sensors Journal</i> , 2004 , 4, 9-16	4	60
81	Tuning sensitivity and selectivity of complementary metal oxide semiconductor-based capacitive chemical microsensors. <i>Analytical Chemistry</i> , 2004 , 76, 2470-7	7.8	75
80	Hotplate-based monolithic CMOS microsystems for gas detection and material characterization for operating temperatures up to 500/spl deg/C. <i>IEEE Journal of Solid-State Circuits</i> , 2004 , 39, 1202-1207	5.5	50
79	Cell-based CMOS sensor and actuator arrays. <i>IEEE Journal of Solid-State Circuits</i> , 2004 , 39, 2431-2437	5.5	27
78	CMOS Single-chip Gas Detection Systems: Part II. Sensors Update, 2003, 12, 51-120		29
77	Microfabrication techniques for chemical/biosensors. <i>Proceedings of the IEEE</i> , 2003 , 91, 839-863	14.3	135
76	CMOS-based chemical microsensors. <i>Analyst, The</i> , 2003 , 128, 15-28	5	101
75	Nanochemical surface analyzer in CMOS technology. <i>Ultramicroscopy</i> , 2002 , 91, 21-7	3.1	16
74	CMOS Single Chip Gas Detection Systems Part I. Sensors Update, 2002, 11, 101-155		25
73	CMOS single-chip gas detection system comprising capacitive, calorimetric and mass-sensitive microsensors. <i>IEEE Journal of Solid-State Circuits</i> , 2002 , 37, 1867-1878	5.5	105

72	Complementary metal oxide semiconductor cantilever arrays on a single chip: mass-sensitive detection of volatile organic compounds. <i>Analytical Chemistry</i> , 2002 , 74, 3084-95	7.8	239
71	Smart single-chip gas sensor microsystem. <i>Nature</i> , 2001 , 414, 293-6	50.4	501
70	Use of linear solvation energy relationships for modeling responses from polymer-coated acoustic-wave vapor sensors. <i>Analytical Chemistry</i> , 2001 , 73, 3458-66	7.8	82
69	Application-specific sensor systems based on CMOS chemical microsensors. <i>Sensors and Actuators B: Chemical</i> , 2000 , 70, 2-11	8.5	102
68	Conferring selectivity to chemical sensors via polymer side-chain selection: thermodynamics of vapor sorption by a set of polysiloxanes on thickness-shear mode resonators. <i>Analytical Chemistry</i> , 2000 , 72, 3696-708	7.8	70
67	Effective use of molecular recognition in gas sensing: results from acoustic wave and in situ FT-IR measurements. <i>Analytical Chemistry</i> , 1999 , 71, 3022-35	7.8	57
66	Reflectance Infrared Spectroscopy on Operating Surface Acoustic Wave Chemical Sensors during Exposure to Gas-Phase Analytes. <i>Analytical Chemistry</i> , 1999 , 71, 3615-3621	7.8	10
65	CMOS-based chemical microsensors: components of a micronose system 1999 ,		2
64	Structural Distortion of Dendrimers on Gold Surfaces: A Tapping-Mode AFM Investigation. <i>Journal of the American Chemical Society</i> , 1998 , 120, 5323-5324	16.4	184
63	Chiral discrimination in the gas phase using different transducers: thickness shear mode resonators and reflectometric interference spectroscopy. <i>Analytical Chemistry</i> , 1997 , 69, 3058-68	7.8	27
62	Chiral discrimination of inhalation anesthetics and methyl propionates by thickness shear mode resonators: new insights into the mechanisms of enantioselectivity by cyclodextrins. <i>Analytical Chemistry</i> , 1997 , 69, 4017-31	7.8	61
61	Chiral discrimination using piezoelectric and optical gas sensors. <i>Nature</i> , 1997 , 387, 577-80	50.4	117
60	New method of vaporising volatile organics for gas tests. <i>Sensors and Actuators B: Chemical</i> , 1997 , 45, 259-264	8.5	19
59	Selective detection of nitrogen and oxygen containing volatile organic compounds: use of metal-modified polysiloxanes as sensor coatings. <i>Analytica Chimica Acta</i> , 1997 , 346, 327-339	6.6	18
58	Performances of mass-sensitive devices for gas sensing: thickness shear mode and surface acoustic wave transducers. <i>Analytical Chemistry</i> , 1996 , 68, 2210-8	7.8	90
57	Pattern Recognition and Multicomponent Analysis. Sensors Update, 1996 , 2, 119-180		40
56	Gravimetric, dielectric and calorimetric methods for the detection of organic solvent vapours using poly(ether urethane) coatings. <i>Sensors and Actuators B: Chemical</i> , 1996 , 34, 356-360	8.5	20
55	Different strategies for the identification of gas sensing systems. <i>Sensors and Actuators B: Chemical</i> , 1996 , 34, 213-223	8.5	27

54	Dynamic calibration of QMB polymer-coated sensors by Wiener kernel estimation. <i>Sensors and Actuators B: Chemical</i> , 1995 , 27, 275-285	8.5	27	
53	Capacitive sensors in CMOS technology with polymer coating. <i>Sensors and Actuators B: Chemical</i> , 1995 , 25, 357-361	8.5	43	
52	Detection of organic solvents with reliable chemical sensors based on cellulose derivatives. <i>Sensors and Actuators B: Chemical</i> , 1995 , 25, 443-447	8.5	16	
51	A composed neural network for the recognition of gas mixtures. <i>Sensors and Actuators B: Chemical</i> , 1995 , 25, 808-812	8.5	20	
50	Structure identification of non-linear models for QMB polymer-coated sensors. <i>Sensors and Actuators B: Chemical</i> , 1995 , 25, 830-842	8.5	8	
49	Polymer-based sensor arrays and multicomponent analysis for the detection of hazardous oragnic vapours in the environment. <i>Sensors and Actuators B: Chemical</i> , 1995 , 26, 126-134	8.5	98	
48	Integrated array sensor for detecting organic solvents. Sensors and Actuators B: Chemical, 1995, 26, 135	5-839	82	
47	Application of neural-network systems to the dynamic response of polymer-based sensor arrays. <i>Sensors and Actuators B: Chemical</i> , 1995 , 27, 232-236	8.5	35	
46	Modified polymers for reliable detection of organic solvents: Thermodynamically controlled selectivities and sensitivities. <i>Sensors and Actuators B: Chemical</i> , 1994 , 19, 448-452	8.5	23	
45	CMOS Bidirectional Electrode Array for Electrogenic Cells		4	
44	Monolithic CMOS multi-transducer gas sensor microsystem		1	
43	Towards a versatile DRIE: silicon pit structures combined with electrochemical etch stop		1	
42	Integrated chemical microsensor systems in CMOS-technology		3	
41	CMOS microelectrode array for bidirectional interaction with neuronal networks		6	
40			2	
39	Smart single-chip CMOS microhotplate array for metal-oxide-based gas sensors		4	
38	Monitoring of environmentally monolithic metal-oxide relevant gases by a digital microsensor array		1	
37	A digital CMOS micro-hotplate array for analysis of environmentally relevant gases		6	

36	A single-chip CMOS micro-hotplate array for hazardous-gas detection and material characterization	19
35	CMOS microelectrode array for extracellular stimulation and recording of electrogenic cells	1
34	Precise cell placement by pneumatic anchoring	1
33	Advanced chemical microsensor systems in CMOS technology [gas sensors]	1
32	CMOS monolithic atomic force microscope	7
31	Digital MOS-transistor-based microhotplate array for simultaneous detection of environmentally relevant gases	2
30	A monolithic fully-differential CMOS gas sensor microsystem for microhotplate temperatures up to 450/spl deg/C	1
29	CMOS monolithic microelectrode array for stimulation and recording of natural neural networks	13
28	A micro-hotplate-based monolithic CMOS thermal analysis system	2
27	Hotplate-based conductometric monolithic CMOS gas sensor system	5
26	Multi-transducer recordings from a single-chip gas sensor system coated with different polymers	1
25	Magnetically actuated CMOS resonant cantilever gas sensor for volatile organic compounds	4
24	A micro-hotplate-based monolithic CMOS gas sensor array	3
23	A CMOS-based sensor array system for chemical and biochemical applications	1
22	Fully integrated CMOS resonant cantilever sensor for biochemical detection in liquid environments	3
21	Single-chip CMOS capacitive gas sensor for detection of volatile organic compounds	3
20	A gas detection system on a single CMOS chip comprising capacitive, calorimetric, and mass-sensitive microsensors	4
19	Hand-Held and Palm-Top Chemical Microsensor Systems for Gas Analysis201-229	4

18	CMOS single-chip multisensor gas detection system		2
17	A smart single-chip micro-hotplate-based chemical sensor system in CMOS-technology		16
16	CMOS MEMS - present and future		21
15	N-well based CMOS calorimetric chemical sensors		6
14	A single-chip CMOS resonant beam gas sensor		3
13	Polymer Coated Capacitive Microintegrated Gas Sensor		15
12	Comparison Of Mass-sensitive Devices For Gas Sensing: Bulk Acoustic Wave (baw)- And Surface Acoustic Wave (saw) Transducers		2
11	Different Strategies For The Dynamical Calibration Of Gas Sensors		2
10	Cell Types of the Human Retina and Its Organoids at Single-Cell Resolution: Developmental Convergence, Transcriptomic Identity, and Disease Map. <i>SSRN Electronic Journal</i> ,	1	8
9	Dual-mode Microelectrode Array with 20k-electrodes and High SNR for High-Throughput Extracellular Recording and Stimulation. <i>Frontiers in Cellular Neuroscience</i> ,12,	6.1	3
8	Versatile live-cell activity analysis platform for characterization of neuronal dynamics at single-cell and network level		1
7	Electrophysiological Phenotype Characterization of Human iPSC-Derived Neuronal Cell Lines by Means of High-Density Microelectrode Arrays		1
6	The axon initial segment drives the neuron⊠ extracellular action potential		2
5	CHIME: CMOS-hosted in-vivo microelectrodes for massively scalable neuronal recordings		5
4	Massively Parallel Microwire Arrays Integrated with CMOS chips for Neural Recording		7
3	Cell types of the human retina and its organoids at single-cell resolution: developmental convergence, transcriptomic identity, and disease map		10
2	Analysis Of Complex Gas Mixtures By Pattern Recognition With Polymer Based Quartz Microbalance Sensor Arrays		1
1	Human brain organoid networks		3