Mimi L K Tang

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4234189/mimi-l-k-tang-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 14,735 113 291 h-index g-index citations papers 6.48 17,723 329 5.3 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|-------------------|-----------|
| 291 | The association between environmental greenness and the risk of food allergy: A population-based study in Melbourne, Australia <i>Pediatric Allergy and Immunology</i> , 2022 , 33, e13749 | 4.2 | 1 |
| 290 | Associations between Body Mass Index Trajectories in the first two years of life and Allergic Rhinitis, Eczema and Food Allergy outcomes up to early adulthood <i>Pediatric Allergy and Immunology</i> , 2022 , 33, e13765 | 4.2 | |
| 289 | Determinants of rapid infant weight gain: A pooled analysis of seven cohorts <i>Pediatric Obesity</i> , 2022 , e12928 | 4.6 | O |
| 288 | Probiotic peanut oral immunotherapy is associated with long-term persistence of 8-week sustained unresponsiveness and long-lasting quality-of-life improvement <i>Clinical and Experimental Allergy</i> , 2022 , | 4.1 | О |
| 287 | Innate Immune Activation and Circulating Inflammatory Markers in Preschool Children <i>Frontiers in Immunology</i> , 2021 , 12, 830049 | 8.4 | O |
| 286 | Burden of infection in Australian infants. Journal of Paediatrics and Child Health, 2021, 57, 204-211 | 1.3 | 1 |
| 285 | Ana o 3 sigE testing increases the accuracy of cashew allergy diagnosis using a two-step model. <i>Pediatric Allergy and Immunology</i> , 2021 , 33, e13705 | 4.2 | 2 |
| 284 | Food allergy across the globe. Journal of Allergy and Clinical Immunology, 2021, 148, 1347-1364 | 11.5 | 11 |
| 283 | Maternal inflammatory and omega-3 fatty acid pathways mediate the association between socioeconomic disadvantage and childhood cognition <i>Brain, Behavior, and Immunity</i> , 2021 , 100, 211-21 | 8 ^{16.6} | O |
| 282 | Children of Asian ethnicity in Australia have higher risk of food allergy and early-onset eczema than those in Singapore. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 3171-3182 | 9.3 | 2 |
| 281 | Prevention and management of allergic reactions to food in child care centers and schools: Practice guidelines. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 1561-1578 | 11.5 | 10 |
| 280 | Maternal prenatal gut microbiota composition predicts child behaviour. EBioMedicine, 2021, 68, 103400 | 8.8 | 6 |
| 279 | Backyard benefits? A cross-sectional study of yard size and greenness and childrenß physical activity and outdoor play. <i>BMC Public Health</i> , 2021 , 21, 1402 | 4.1 | 1 |
| 278 | Infant microbiota in colic: predictive associations with problem crying and subsequent child behavior. <i>Journal of Developmental Origins of Health and Disease</i> , 2021 , 12, 260-270 | 2.4 | 7 |
| 277 | No cashew allergy in infants introduced to cashew by age 1 year. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 147, 383-384 | 11.5 | 4 |
| 276 | Targeting the perinatal diet to modulate the gut microbiota increases dietary variety and prebiotic and probiotic food intakes: results from a randomised controlled trial. <i>Public Health Nutrition</i> , 2021 , 24, 1129-1141 | 3.3 | 2 |
| 275 | Are young children with asthma more likely to be less physically active?. <i>Pediatric Allergy and Immunology</i> , 2021 , 32, 288-294 | 4.2 | 1 |

(2020-2021)

| 274 | Is short-term exposure to grass pollen adversely associated with lung function and airway inflammation in the community?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 , 76, 1136-1146 | 9.3 | 3 |
|-----|---|-------------|-----|
| 273 | Epigenetic programming underpins B-cell dysfunction in peanut and multi-food allergy. <i>Clinical and Translational Immunology</i> , 2021 , 10, e1324 | 6.8 | 4 |
| 272 | Maternal and Cord Blood 25-Hydroxyvitamin D Are Associated with Increased Cord Blood and Naive and Activated Regulatory T Cells: The Barwon Infant Study. <i>Journal of Immunology</i> , 2021 , 206, 874-882 | 5.3 | 1 |
| 271 | The association between outdoor allergens - pollen, fungal spore season and high asthma admission days in children and adolescents. <i>International Journal of Environmental Health Research</i> , 2021 , 1-10 | 3.6 | 4 |
| 270 | Study protocol of a phase 2, dual-centre, randomised, controlled trial evaluating the effectiveness of probiotic and egg oral immunotherapy at inducing desensitisation or sustained unresponsiveness (remission) in participants with egg allergy compared with placebo (Probiotic | 3 | 2 |
| 269 | Egg Allergen Oral Immunotherapy for Treatment of Egg Allergy: PEAT study). <i>BMJ Open</i> , 2021 , 11, e04- Long-term benefit of probiotic peanut oral immunotherapy on quality of life in a randomized trial. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021 , 9, 4493-4495.e1 | 4331 5·4 | O |
| 268 | Cost-Effectiveness of Food Allergy Interventions in Children: A Systematic Review of Economic Evaluations. <i>Value in Health</i> , 2021 , 24, 1360-1376 | 3.3 | 3 |
| 267 | The newborn metabolome: associations with gestational diabetes, sex, gestation, birth mode, and birth weight. <i>Pediatric Research</i> , 2021 , | 3.2 | 1 |
| 266 | Physical activity and adiposity in preschool children: The Barwon Infant Study. <i>Pediatric Obesity</i> , 2021 , e12853 | 4.6 | 0 |
| 265 | The maternal gut microbiome during pregnancy and offspring allergy and asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2021 , 148, 669-678 | 11.5 | 3 |
| 264 | Exposure to adversity and inflammatory outcomes in mid and late childhood. <i>Brain, Behavior, & Immunity - Health,</i> 2020 , 9, 100146 | 5.1 | 2 |
| 263 | Costs and uptake of a community model of paediatric food allergy care versus specialist hospital care: A before-and-after controlled trial. <i>Journal of Paediatrics and Child Health</i> , 2020 , 56, 1225-1232 | 1.3 | |
| 262 | No obvious impact of caesarean delivery on childhood allergic outcomes: findings from Australian cohorts. <i>Archives of Disease in Childhood</i> , 2020 , 105, 664-670 | 2.2 | 6 |
| 261 | A WAO - ARIA - GALEN consensus document on molecular-based allergy diagnosis (PAMD@): Update 2020. <i>World Allergy Organization Journal</i> , 2020 , 13, 100091 | 5.2 | 47 |
| 260 | Serum cytokine concentrations and asthma persistence to middle age. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 2985-2988 | 9.3 | 3 |
| 259 | Maternal carriage of Prevotella during pregnancy associates with protection against food allergy in the offspring. <i>Nature Communications</i> , 2020 , 11, 1452 | 17.4 | 35 |
| 258 | IgE allergy diagnostics and other relevant tests in allergy, a World Allergy Organization position paper. World Allergy Organization Journal, 2020 , 13, 100080 | 5.2 | 100 |
| 257 | Mass cytometry reveals cellular fingerprint associated with IgE+ peanut tolerance and allergy in early life. <i>Nature Communications</i> , 2020 , 11, 1091 | 17.4 | 22 |

| 256 | Gut microbiota composition during infancy and subsequent behavioural outcomes. <i>EBioMedicine</i> , 2020 , 52, 102640 | 8.8 | 23 |
|-----|---|-------|----|
| 255 | Plasma metabolomic profiles associated with infant food allergy with further consideration of other early life factors. <i>Prostaglandins Leukotrienes and Essential Fatty Acids</i> , 2020 , 159, 102099 | 2.8 | 2 |
| 254 | Improving timely access to food allergy care: A pragmatic controlled trial. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1449-1453 | 9.3 | 2 |
| 253 | Postnatal probiotics and allergic disease in very preterm infants: Sub-study to the ProPrems randomized trial. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 127-136 | 9.3 | 15 |
| 252 | Folate levels in pregnancy and offspring food allergy and eczema. <i>Pediatric Allergy and Immunology</i> , 2020 , 31, 38-46 | 4.2 | 3 |
| 251 | Peanut Oral Immunotherapy: State of the Art. <i>Immunology and Allergy Clinics of North America</i> , 2020 , 40, 97-110 | 3.3 | 4 |
| 250 | Deserters on the atopic march: Risk factors, immune profile and clinical outcomes of food sensitized-tolerant infants. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020 , 75, 1404- | -1443 | 3 |
| 249 | Community-Based Adverse Food Reactions and Anaphylaxis in Children with IgE-Mediated Food Allergy at Age 6 Years: A Population-Based Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 3515-3524 | 5.4 | 5 |
| 248 | Determinants of placental leptin receptor gene expression and association with measures at birth. <i>Placenta</i> , 2020 , 100, 89-95 | 3.4 | 5 |
| 247 | Associations between grass pollen exposures and in early life with food allergy in 12-month-old infants. <i>International Journal of Environmental Health Research</i> , 2020 , 1-11 | 3.6 | 1 |
| 246 | Study protocol of a multicentre, randomised, controlled trial evaluating the effectiveness of probiotic and peanut oral immunotherapy (PPOIT) in inducing desensitisation or tolerance in children with peanut allergy compared with oral immunotherapy (OIT) alone and with placebo (the | 3 | 1 |
| 245 | PPOIT-003 study). BMJ Open, 2020, 10, e035871 Skin Prick Test Predictive Values for the Outcome of Cashew Challenges in Children. Journal of Allergy and Clinical Immunology: in Practice, 2020, 8, 141-148.e2 | 5.4 | 7 |
| 244 | Developments in understanding and applying prebiotics in research and practice-an ISAPP conference paper. <i>Journal of Applied Microbiology</i> , 2020 , 128, 934-949 | 4.7 | 48 |
| 243 | Outdoor fungal spores and acute respiratory effects in vulnerable individuals. <i>Environmental Research</i> , 2019 , 178, 108675 | 7.9 | 8 |
| 242 | High incidence of respiratory disease in Australian infants despite low rate of maternal cigarette smoking. <i>Journal of Paediatrics and Child Health</i> , 2019 , 55, 1437-1444 | 1.3 | 4 |
| 241 | Gene expression signatures of circulating human type 1, 2, and 3 innate lymphoid cells. <i>Journal of Allergy and Clinical Immunology</i> , 2019 , 143, 2321-2325 | 11.5 | 18 |
| 240 | A child with Klinefelter syndrome and both IgE-mediated food allergy and low proportion of naive Treg. <i>Clinical Case Reports (discontinued)</i> , 2019 , 7, 302-303 | 0.7 | |
| 239 | PEBBLES study protocol: a randomised controlled trial to prevent atopic dermatitis, food allergy and sensitisation in infants with a family history of allergic disease using a skin barrier improvement strategy. <i>BMJ Open</i> , 2019 , 9, e024594 | 3 | 23 |

(2018-2019)

| 238 | NaMe regulatory T cells in infancy: Associations with perinatal factors and development of food allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1760-1768 | 9.3 | 11 |
|-----|--|-------|----|
| 237 | X-linked agammaglobulinemia (XLA):Phenotype, diagnosis, and therapeutic challenges around the world. <i>World Allergy Organization Journal</i> , 2019 , 12, 100018 | 5.2 | 53 |
| 236 | Egg allergen specific IgE diversity predicts resolution of egg allergy in the population cohort HealthNuts. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 318-326 | 9.3 | 36 |
| 235 | Decreased maternal serum acetate and impaired fetal thymic and regulatory T cell development in preeclampsia. <i>Nature Communications</i> , 2019 , 10, 3031 | 17.4 | 42 |
| 234 | Food allergy at 1 year predicts persistence of eczema at 6 years. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 2078-2081.e6 | 5.4 | |
| 233 | Targeting the Infant Gut Microbiota Through a Perinatal Educational Dietary Intervention: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2019 , 8, e14771 | 2 | 9 |
| 232 | Challenges of managing food allergy in the developing world. <i>World Allergy Organization Journal</i> , 2019 , 12, 100089 | 5.2 | 24 |
| 231 | Important risk factors for the development of food allergy and potential options for prevention. <i>Expert Review of Clinical Immunology</i> , 2019 , 15, 147-152 | 5.1 | 6 |
| 230 | B-cell phenotype and function in infants with egg allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2019 , 74, 1022-1025 | 9.3 | 5 |
| 229 | Patterns of Carriage of Prescribed Adrenaline Autoinjectors in 10- to 14-Year-Old Food-Allergic Students: A Population-Based Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 437 | 7-443 | 14 |
| 228 | Children with East Asian-Born Parents Have an Increased Risk of Allergy but May Not Have More Asthma in Early Childhood. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 539-547.e3 | 5.4 | 9 |
| 227 | Early Exposure to Cowß Milk Protein Is Associated with a Reduced Risk of Cowß Milk Allergic Outcomes. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 462-470.e1 | 5.4 | 25 |
| 226 | Self-reported anaphylaxis to packaged foods in Australia. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 687-689 | 5.4 | 9 |
| 225 | Patterns of tree nut sensitization and allergy in the first 6lyears of life in a population-based cohort. Journal of Allergy and Clinical Immunology, 2019, 143, 644-650.e5 | 11.5 | 38 |
| 224 | Identification and analysis of peanut-specific effector T and regulatory T cells in children allergic and tolerant to peanut. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 1699-1710.e7 | 11.5 | 26 |
| 223 | Risk Factors for Food Allergy in Early Adolescence: The SchoolNuts Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 496-505 | 5.4 | 12 |
| 222 | The skin as a target for prevention of the atopic march. <i>Annals of Allergy, Asthma and Immunology</i> , 2018 , 120, 145-151 | 3.2 | 75 |
| 221 | The Prevalence of Food Sensitization Appears Not to Have Changed between 2 Melbourne Cohorts of High-Risk Infants Recruited 15 Years Apart. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 440-448.e2 | 5.4 | 15 |

| 220 | Preliminary Development of the Food Allergy Coping and Emotions Questionnaires for Children, Adolescents, and Young People: Qualitative Analysis of Data on IgE-Mediated Food Allergy from Five Countries. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 506-513.e11 | 5.4 | 13 |
|-----|--|------|-----|
| 219 | Anaphylaxis to packaged foods in Australasia. <i>Journal of Paediatrics and Child Health</i> , 2018 , 54, 551-555 | 1.3 | 10 |
| 218 | A randomized trial of a barrier lipid replacement strategy for the prevention of atopic dermatitis and allergic sensitization: the PEBBLES pilot study. <i>British Journal of Dermatology</i> , 2018 , 178, e19-e21 | 4 | 71 |
| 217 | The longitudinal impact of probiotic and peanut oral immunotherapy on health-related quality of life. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 560-568 | 9.3 | 37 |
| 216 | Is Skin Testing or sIgE Testing Necessary Before Early Introduction of Peanut for Prevention of Peanut Allergy?. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 408-413 | 5.4 | 6 |
| 215 | The role of human rhinovirus (HRV) species on asthma exacerbation severity in children and adolescents. <i>Journal of Asthma</i> , 2018 , 55, 596-602 | 1.9 | 9 |
| 214 | Debates in Allergy Medicine: Oral immunotherapy shortens the duration of milk and egg allergy - the con argument. <i>World Allergy Organization Journal</i> , 2018 , 11, 12 | 5.2 | 8 |
| 213 | Immunological Comparison of Native and Recombinant Henß Egg Yolk Allergen, Chicken Serum Albumin (Gal d 5), Produced in Kluveromyces lactis. <i>Nutrients</i> , 2018 , 10, | 6.7 | 5 |
| 212 | Epigenetic dysregulation of naive CD4+ T-cell activation genes in childhood food allergy. <i>Nature Communications</i> , 2018 , 9, 3308 | 17.4 | 40 |
| 211 | Food Allergy Is an Important Risk Factor for Childhood Asthma, Irrespective of Whether It Resolves. Journal of Allergy and Clinical Immunology: in Practice, 2018 , 6, 1336-1341.e3 | 5.4 | 21 |
| 210 | International Union of Immunological Societies: 2017 Primary Immunodeficiency Diseases Committee Report on Inborn Errors of Immunity. <i>Journal of Clinical Immunology</i> , 2018 , 38, 96-128 | 5.7 | 510 |
| 209 | The 2017 IUIS Phenotypic Classification for Primary Immunodeficiencies. <i>Journal of Clinical Immunology</i> , 2018 , 38, 129-143 | 5.7 | 345 |
| 208 | Adjuvant Therapies in Food Immunotherapy. <i>Immunology and Allergy Clinics of North America</i> , 2018 , 38, 89-101 | 3.3 | 13 |
| 207 | Self-reported adverse food reactions and anaphylaxis in the SchoolNuts study: Alpopulation-based study of adolescents. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 982-990 | 11.5 | 29 |
| 206 | Prevalence of clinic-defined food allergy in early adolescence: The SchoolNuts study. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 141, 391-398.e4 | 11.5 | 61 |
| 205 | Impact of the 23-valent pneumococcal polysaccharide vaccination in pregnancy against infant acute lower respiratory infections in the Northern Territory of Australia. <i>Pneumonia (Nathan Qld)</i> , 2018 , 10, 13 | 2.8 | 5 |
| 204 | Probiotics for treating eczema. <i>The Cochrane Library</i> , 2018 , 11, CD006135 | 5.2 | 29 |
| 203 | The Epidemiology of Food Allergy in the Global Context. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 164 |

| 202 | The skin barrier function gene SPINK5 is associated with thallenge-proven IgE-mediated food allergy in infants. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1356-1364 | 9.3 | 42 |
|-----|--|--------------------|-----|
| 201 | Food allergy: is prevalence increasing?. <i>Internal Medicine Journal</i> , 2017 , 47, 256-261 | 1.6 | 122 |
| 200 | The prevalence of food allergy and other allergic diseases in early childhood in a population-based study: HealthNuts age 4-year follow-up. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 140, 145-153.6 | 2 ^{11.5} | 146 |
| 199 | An Australian Consensus on Infant Feeding Guidelines to Prevent Food Allergy: Outcomes From the Australian Infant Feeding Summit. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 1617- | 18 2 4 | 78 |
| 198 | Repeat pneumococcal polysaccharide vaccine in Indigenous Australian adults is associated with decreased immune responsiveness. <i>Vaccine</i> , 2017 , 35, 2908-2915 | 4.1 | 12 |
| 197 | Genetic variation at the Th2 immune gene IL13 is associated with IgE-mediated paediatric food allergy. <i>Clinical and Experimental Allergy</i> , 2017 , 47, 1032-1037 | 4.1 | 21 |
| 196 | Long Term Effects of a Probiotic and Peanut Oral Immunotherapy (PPOIT) Treatment on Peanut Allergic Children. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, AB136 | 11.5 | 2 |
| 195 | Food Challenge and Community-Reported Reaction Profiles in Food-Allergic Children Aged 1 and 4 Years: A Population-Based Study. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2017 , 5, 398-40 | 9 ⁵ .é3 | 24 |
| 194 | The practice and perception of precautionary allergen labelling by the Australasian food manufacturing industry. <i>Clinical and Experimental Allergy</i> , 2017 , 47, 961-968 | 4.1 | 4 |
| 193 | Vitamin D insufficiency in the first 6 months of infancy and challenge-proven IgE-mediated food allergy at 1 year of age: a case-cohort study. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2017 , 72, 1222-1231 | 9.3 | 38 |
| 192 | The maternal microbiome during pregnancy and allergic disease in the offspring. <i>Seminars in Immunopathology</i> , 2017 , 39, 669-675 | 12 | 54 |
| 191 | Prevalence and determinants of antibiotic exposure in infants: A population-derived Australian birth cohort study. <i>Journal of Paediatrics and Child Health</i> , 2017 , 53, 942-949 | 1.3 | 22 |
| 190 | Emerging Infections and Pertinent Infections Related to Travel for Patients with Primary Immunodeficiencies. <i>Journal of Clinical Immunology</i> , 2017 , 37, 650-692 | 5.7 | 4 |
| 189 | Long-term clinical and immunological effects of probiotic and peanut oral immunotherapy after treatment cessation: 4-year follow-up of a randomised, double-blind, placebo-controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2017 , 1, 97-105 | 14.5 | 93 |
| 188 | Impact of Lactobacillus reuteri colonization on gut microbiota, inflammation, and crying time in infant colic. <i>Scientific Reports</i> , 2017 , 7, 15047 | 4.9 | 14 |
| 187 | Probiotics and oral immunotherapy for peanut allergy - AuthorsPreply. <i>The Lancet Child and Adolescent Health</i> , 2017 , 1, e1-e2 | 14.5 | 3 |
| 186 | Associations between outdoor fungal spores and childhood and adolescent asthma hospitalizations. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 1140-1147.e4 | 11.5 | 55 |
| 185 | Severe winter asthma exacerbations can be prevented by omalizumab, but there is no carryover effect. Journal of Allergy and Clinical Immunology, 2017, 139, 703-705.e4 | 11.5 | 4 |

| 184 | Perinatal microbial exposure may influence aortic intima-media thickness in early infancy. <i>International Journal of Epidemiology</i> , 2017 , 46, 209-218 | 7.8 | 12 |
|-----|--|-------------------|-----|
| 183 | Debunking the Myth of Wool Allergy: Reviewing the Evidence for Immune and Non-immune Cutaneous Reactions. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 906-915 | 2.2 | 10 |
| 182 | Hypoallergenic Variant of the Major Egg White Allergen Gal d 1 Produced by Disruption of Cysteine Bridges. <i>Nutrients</i> , 2017 , 9, | 6.7 | 15 |
| 181 | The Dose-Response Association between Nitrogen Dioxide Exposure and Serum Interleukin-6 Concentrations. <i>International Journal of Molecular Sciences</i> , 2017 , 18, | 6.3 | 22 |
| 180 | Fecal microbial transplantation in a pediatric case of recurrent Clostridium difficile infection and specific antibody deficiency. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 872-874 | 4.2 | 4 |
| 179 | Reply. Journal of Allergy and Clinical Immunology: in Practice, 2016 , 4, 1019-20 | 5.4 | |
| 178 | Statewide prevalence of school children at risk of anaphylaxis and rate of adrenaline autoinjector activation in Victorian government schools, Australia. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 529-35 | 11.5 | 21 |
| 177 | Formula and breast feeding in infant food allergy: A population-based study. <i>Journal of Paediatrics and Child Health</i> , 2016 , 52, 377-84 | 1.3 | 19 |
| 176 | Cord blood monocyte-derived inflammatory cytokines suppress IL-2 and induce nonclassic "T(H)2-type" immunity associated with development of food allergy. <i>Science Translational Medicine</i> , 2016 , 8, 321ra8 | 17.5 | 62 |
| 175 | International Consensus Document (ICON): Common Variable Immunodeficiency Disorders. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 38-59 | 5.4 | 407 |
| 174 | Molecular and immunological analysis of henß egg yolk allergens with a focus on YGP42 (Gal d 6). <i>Molecular Immunology</i> , 2016 , 71, 152-160 | 4.3 | 18 |
| 173 | Multiple food protein intolerance of infancy or severe spectrum of non-IgE-mediated cowß milk allergy?A case series. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 324-6 | 5.4 | 1 |
| 172 | Polymorphisms affecting vitamin D-binding protein modify the relationship between serum vitamin D (25[OH]D3) and food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 137, 500-506.e4 | 11.5 | 39 |
| 171 | Persistent Food Allergy and Food Allergy Coexistent with Eczema Is Associated with Reduced Growth in the First 4 Years of Life. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2016 , 4, 248-50 | 6. [e3 | 21 |
| 170 | Mould-sensitized adults have lower Th2 cytokines and a higher prevalence of asthma than those sensitized to other aeroallergens. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 1701-1711 | 9.3 | 3 |
| 169 | Timing of routine infant vaccinations and risk of food allergy and eczema at one year of age. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 541-9 | 9.3 | 20 |
| 168 | Nut allergy prevalence and differences between Asian-born children and Australian-born children of Asian descent: a state-wide survey of children at primary school entry in Victoria, Australia. <i>Clinical and Experimental Allergy</i> , 2016 , 46, 602-9 | 4.1 | 54 |
| 167 | Managing simple food allergy in community settings: A pilot study investigating a new model of care. <i>Journal of Paediatrics and Child Health</i> , 2016 , 52, 315-20 | 1.3 | 7 |

| 166 | Novel Treatments for Established Food Allergies. Current Pediatrics Reports, 2016, 4, 178-185 | 0.7 | 1 |
|-----|--|------|-----------------|
| 165 | Understanding the feasibility and implications of implementing early peanut introduction for prevention of peanut allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2016 , 138, 1131-1141.e2 | 11.5 | 77 |
| 164 | An update on oral immunotherapy for the treatment of food allergy. <i>Paediatrics and Child Health (United Kingdom)</i> , 2016 , 26, 304-309 | 0.6 | 9 |
| 163 | Early gut colonization by Bifidobacterium breve and B. catenulatum differentially modulates eczema risk in children at high risk of developing allergic disease. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 838-846 | 4.2 | 27 |
| 162 | The Impact of Timing of Introduction of Solids on Infant Body Mass Index. <i>Journal of Pediatrics</i> , 2016 , 179, 104-110.e1 | 3.6 | 28 |
| 161 | Prebiotic-supplemented partially hydrolysed cowß milk formula for the prevention of eczema in high-risk infants: a randomized controlled trial. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2016 , 71, 701-10 | 9.3 | 59 |
| 160 | Consensus of stakeholders on precautionary allergen labelling: A report from the Centre for Food and Allergy Research. <i>Journal of Paediatrics and Child Health</i> , 2016 , 52, 797-801 | 1.3 | 10 |
| 159 | Food-allergic infants have impaired regulatory T-cell responses following in vivo allergen exposure. <i>Pediatric Allergy and Immunology</i> , 2016 , 27, 35-43 | 4.2 | 23 |
| 158 | Natural history of peanut allergy and predictors of resolution in the first 4 years of life: A population-based assessment. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 1257-66.e1-2 | 11.5 | 130 |
| 157 | Cohort Profile: The Barwon Infant Study. International Journal of Epidemiology, 2015, 44, 1148-60 | 7.8 | 67 |
| 156 | The Prevalence of Tree Nut Allergy: A Systematic Review. <i>Current Allergy and Asthma Reports</i> , 2015 , 15, 54 | 5.6 | 122 |
| 155 | Blood DNA methylation biomarkers predict clinical reactivity in food-sensitized infants. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 1319-28.e1-12 | 11.5 | 68 |
| 154 | Time trends in Australian hospital anaphylaxis admissions in 1998-1999 to 2011-2012. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 367-75 | 11.5 | 130 |
| 153 | 1.8 Gut microbiota in infants. World Review of Nutrition and Dietetics, 2015, 113, 87-91 | 0.2 | 3 |
| 152 | The ontogeny of nalle and regulatory CD4(+) T-cell subsets during the first postnatal year: a cohort study. <i>Clinical and Translational Immunology</i> , 2015 , 4, e34 | 6.8 | 25 |
| 151 | Primary Immunodeficiency Diseases: an Update on the Classification from the International Union of Immunological Societies Expert Committee for Primary Immunodeficiency 2015. <i>Journal of Clinical Immunology</i> , 2015 , 35, 696-726 | 5.7 | 47 ⁸ |
| 150 | Medical intervention in parent-reported infant gastro-oesophageal reflux: A population-based study. <i>Journal of Paediatrics and Child Health</i> , 2015 , 51, 515-523 | 1.3 | 4 |
| 149 | The 2015 IUIS Phenotypic Classification for Primary Immunodeficiencies. <i>Journal of Clinical Immunology</i> , 2015 , 35, 727-38 | 5.7 | 160 |

| 148 | PneuMum: Impact from a randomised controlled trial of maternal 23-valent pneumococcal polysaccharide vaccination on middle ear disease amongst Indigenous infants, Northern Territory, Australia. <i>Vaccine</i> , 2015 , 33, 6579-87 | 4.1 | 18 |
|-----|--|------|-----|
| 147 | Fpies Epidemiology in Australia: Results from a 2-Year Prospective Population Study. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, AB168 | 11.5 | 3 |
| 146 | Natural History of Peanut Allergy and Predictors of Persistence in the First 4 Years of Life: A Population-Based Assessment. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, AB390 | 11.5 | 2 |
| 145 | Prevalence of challenge-proven IgE-mediated food allergy in infants in the Barwon Region, Victoria, Australia. <i>Clinical and Translational Allergy</i> , 2015 , 5, P89 | 5.2 | 78 |
| 144 | Maternal antenatal folate levels and offspring risk of IgE-mediated food sensitisation. <i>Clinical and Translational Allergy</i> , 2015 , 5, P90 | 5.2 | 78 |
| 143 | Do human rhinovirus infections and food allergy modify grass pollen-induced asthma hospital admissions in children?. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 136, 1118-20.e2 | 11.5 | 16 |
| 142 | Bedroom air quality and vacuuming frequency are associated with repeat child asthma hospital admissions. <i>Journal of Asthma</i> , 2015 , 52, 727-31 | 1.9 | 21 |
| 141 | Pharmacological management of acute food-allergic reactions. <i>Chemical Immunology and Allergy</i> , 2015 , 101, 96-105 | | 2 |
| 140 | Rosiglitazone elicits in vitro relaxation in airways and precision cut lung slices from a mouse model of chronic allergic airways disease. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2015 , 309, L1219-28 | 5.8 | 21 |
| 139 | VITALITY trial: protocol for a randomised controlled trial to establish the role of postnatal vitamin D supplementation in infant immune health. <i>BMJ Open</i> , 2015 , 5, e009377 | 3 | 27 |
| 138 | Which infants with eczema are at risk of food allergy? Results from a population-based cohort. <i>Clinical and Experimental Allergy</i> , 2015 , 45, 255-64 | 4.1 | 174 |
| 137 | Production and immunological analysis of IgE reactive recombinant egg white allergens expressed in Escherichia coli. <i>Molecular Immunology</i> , 2015 , 65, 104-12 | 4.3 | 14 |
| 136 | Administration of a probiotic with peanut oral immunotherapy: A randomized trial. <i>Journal of Allergy and Clinical Immunology</i> , 2015 , 135, 737-44.e8 | 11.5 | 290 |
| 135 | Cohort Profile: The HealthNuts Study: Population prevalence and environmental/genetic predictors of food allergy. <i>International Journal of Epidemiology</i> , 2015 , 44, 1161-71 | 7.8 | 60 |
| 134 | Is Low Vitamin D Status A Risk Factor For Food Allergy? Current Evidence And Future Directions. <i>Mini-Reviews in Medicinal Chemistry</i> , 2015 , 15, 944-52 | 3.2 | 7 |
| 133 | Impaired serotype-specific immune function following pneumococcal vaccination in infants with prior carriage. <i>Vaccine</i> , 2014 , 32, 2321-7 | 4.1 | 9 |
| 132 | Population response to change in infant feeding guidelines for allergy prevention. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 476-84 | 11.5 | 42 |
| 131 | Evaluation of the bioactivity of influenza vaccine strains in vitro suggests that the introduction of new strains in the 2010 Southern Hemisphere trivalent influenza vaccine is associated with adverse events. <i>Vaccine</i> , 2014 , 32, 3861-8 | 4.1 | 17 |

| 130 | Comparison of anti-pneumococcal antibodies in cord blood from Australian indigenous and Gambian neonates and the implications for otitis media. <i>Pediatric Infectious Disease Journal</i> , 2014 , 33, e116-20 | 3.4 | 2 |
|-----|---|------------------|-----|
| 129 | Increased risk of peanut allergy in infants of Asian-born parents compared to those of Australian-born parents. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2014 , 69, 1639-47 | 9.3 | 72 |
| 128 | Reduced neonatal regulatory T cell response to microbial stimuli associates with subsequent eczema in high-risk infants. <i>Pediatric Allergy and Immunology</i> , 2014 , 25, 674-84 | 4.2 | 15 |
| 127 | Environmental and genetic determinants of vitamin D insufficiency in 12-month-old infants. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2014 , 144 Pt B, 445-54 | 5.1 | 22 |
| 126 | Comparison of adrenaline auto-injector devices: ease of use and ability to recall use. <i>Pediatric Allergy and Immunology</i> , 2014 , 25, 462-7 | 4.2 | 17 |
| 125 | Treating infant colic with the probiotic Lactobacillus reuteri: double blind, placebo controlled randomised trial. <i>BMJ, The</i> , 2014 , 348, g2107 | 5.9 | 143 |
| 124 | Primary immunodeficiency diseases: an update on the classification from the international union of immunological societies expert committee for primary immunodeficiency. <i>Frontiers in Immunology</i> , 2014 , 5, 162 | 8.4 | 309 |
| 123 | Intranasally administered serelaxin abrogates airway remodelling and attenuates airway hyperresponsiveness in allergic airways disease. <i>Clinical and Experimental Allergy</i> , 2014 , 44, 1399-408 | 4.1 | 27 |
| 122 | Age As a Risk Factor For Fatal Food-Induced Anaphylaxis: An Analysis Of UK and Australian Fatal Food Anaphylaxis Data. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, AB19 | 11.5 | 2 |
| 121 | The natural history and clinical predictors of egg allergy in the first 2 years of life: a prospective, population-based cohort study. <i>Journal of Allergy and Clinical Immunology</i> , 2014 , 133, 485-91 | 11.5 | 108 |
| 120 | Mechanistic insights into the contribution of epithelial damage to airway remodeling. Novel therapeutic targets for asthma. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2014 , 50, 180-92 | 5.7 | 28 |
| 119 | Serotype-specific anti-pneumococcal IgG and immune competence: critical differences in interpretation criteria when different methods are used. <i>Journal of Clinical Immunology</i> , 2013 , 33, 335-4 | 1∮· ⁷ | 25 |
| 118 | The role of partially hydrolyzed whey formula for the prevention of allergic disease: evidence and gaps. <i>Expert Review of Clinical Immunology</i> , 2013 , 9, 31-41 | 5.1 | 19 |
| 117 | The prevalence and socio-demographic risk factors of clinical eczema in infancy: a population-based observational study. <i>Clinical and Experimental Allergy</i> , 2013 , 43, 642-51 | 4.1 | 53 |
| 116 | Flow cytometric assessment of cord blood as an alternative strategy for population-based screening of severe combined immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 1251-2 | 11.5 | 9 |
| 115 | Probiotics to prevent or treat excessive infant crying: systematic review and meta-analysis. <i>JAMA Pediatrics</i> , 2013 , 167, 1150-7 | 8.3 | 8o |
| 114 | Oral immunotherapy and tolerance induction in childhood. <i>Pediatric Allergy and Immunology</i> , 2013 , 24, 512-20 | 4.2 | 32 |
| 113 | Airway hyperresponsiveness is associated with airway remodeling but not inflammation in aging Cav1-/- mice. Respiratory Research, 2013, 14, 110 | 7.3 | 19 |

| 112 | Skin prick test responses and allergen-specific IgE levels as predictors of peanut, egg, and sesame allergy in infants. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 874-80 | 11.5 | 150 |
|-----|--|--------------|-----|
| 111 | Vitamin D insufficiency is associated with challenge-proven food allergy in infants. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 1109-16, 1116.e1-6 | 11.5 | 176 |
| 110 | Probiotic effects in allergic disease. <i>Journal of Paediatrics and Child Health</i> , 2013 , 49, 709-15 | 1.3 | 28 |
| 109 | Inhibition of Streptococcus pneumoniae adherence to human epithelial cells in vitro by the probiotic Lactobacillus rhamnosus GG. <i>BMC Research Notes</i> , 2013 , 6, 135 | 2.3 | 22 |
| 108 | A phenotypic approach for IUIS PID classification and diagnosis: guidelines for clinicians at the bedside. <i>Journal of Clinical Immunology</i> , 2013 , 33, 1078-87 | 5.7 | 79 |
| 107 | The effect of provision of an adrenaline autoinjector on quality of life in children with food allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 131, 238-40.e1 | 11.5 | 30 |
| 106 | Trefoil factor-2 reverses airway remodeling changes in allergic airways disease. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2013 , 48, 135-44 | 5.7 | 20 |
| 105 | Maternal Supplementation with LGG Reduces Vaccine-Specific Immune Responses in Infants at High-Risk of Developing Allergic Disease. <i>Frontiers in Immunology</i> , 2013 , 4, 381 | 8.4 | 15 |
| 104 | Combination therapy with relaxin and methylprednisolone augments the effects of either treatment alone in inhibiting subepithelial fibrosis in an experimental model of allergic airways disease. <i>Clinical Science</i> , 2013 , 124, 41-51 | 6.5 | 19 |
| 103 | The impact of family history of allergy on risk of food allergy: a population-based study of infants. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 5364-77 | 4.6 | 61 |
| 102 | Relationship between breast milk sCD14, TGF-II and total IgA in the first month and development of eczema during infancy. <i>Pediatric Allergy and Immunology</i> , 2013 , 24, 352-60 | 4.2 | 29 |
| 101 | Adult serum cytokine concentrations and the persistence of asthma. <i>International Archives of Allergy and Immunology</i> , 2013 , 161, 342-50 | 3.7 | 7 |
| 100 | Characterization of plasma cytokines in an infant population cohort of challenge-proven food allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 1233-40 | 9.3 | 20 |
| 99 | Peanut Allergen Threshold Study (PATS): validation of eliciting doses using a novel single-dose challenge protocol. <i>Allergy, Asthma and Clinical Immunology</i> , 2013 , 9, 35 | 3.2 | 20 |
| 98 | The potential link between gut microbiota and IgE-mediated food allergy in early life. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 10, 7235-56 | 4.6 | 35 |
| 97 | Differential effects of allergen challenge on large and small airway reactivity in mice. <i>PLoS ONE</i> , 2013 , 8, e74101 | 3.7 | 25 |
| 96 | Immunomodulatory effects of histone deacetylase inhibitors. Current Molecular Medicine, 2013, 13, 640 | -7 .5 | 38 |
| 95 | Modelling and predicting low count child asthma hospital readmissions using General Additive Models. <i>Open Journal of Epidemiology</i> , 2013 , 03, 125-134 | 0.2 | 8 |

(2012-2012)

| 94 | The regulation of fibrosis in airway remodeling in asthma. <i>Molecular and Cellular Endocrinology</i> , 2012 , 351, 167-75 | 4.4 | 82 |
|----|---|-------------------|-----|
| 93 | The role of seasonal grass pollen on childhood asthma emergency department presentations. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 799-805 | 4.1 | 93 |
| 92 | Reduced gut microbial diversity in early life is associated with later development of eczema but not atopy in high-risk infants. <i>Pediatric Allergy and Immunology</i> , 2012 , 23, 674-81 | 4.2 | 124 |
| 91 | Environmental and demographic risk factors for egg allergy in a population-based study of infants. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 1415-22 | 9.3 | 90 |
| 90 | Probiotics may prevent upper respiratory tract infections, but should we recommend them?. <i>Journal of Paediatrics and Child Health</i> , 2012 , 48, 942-3 | 1.3 | 3 |
| 89 | A phase I study of daily treatment with a ceramide-dominant triple lipid mixture commencing in neonates. <i>BMC Dermatology</i> , 2012 , 12, 3 | 2.1 | 17 |
| 88 | Frequent baked egg ingestion was not associated with change in rate of decline in egg skin prick test in children with challenge confirmed egg allergy. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 1782-9 | 90 ^{4.1} | 10 |
| 87 | Predetermined challenge eligibility and cessation criteria for oral food challenges in the HealthNuts population-based study of infants. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 1145-7 | 11.5 | 70 |
| 86 | Pneumococcal polysaccharide vaccine at 12 months of age produces functional immune responses. Journal of Allergy and Clinical Immunology, 2012 , 129, 794-800.e2 | 11.5 | 29 |
| 85 | Do Factors Known to Alter Infant Microbial Exposures Alter the Risk of Food Allergy and Eczema in a Population-based Infant Study?. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, AB231 | 11.5 | 7 |
| 84 | Increasing the accuracy of peanut allergy diagnosis by using Ara h 2. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 129, 1056-63 | 11.5 | 179 |
| 83 | ICON: food allergy. Journal of Allergy and Clinical Immunology, 2012, 129, 906-20 | 11.5 | 432 |
| 82 | Filaggrin loss-of-function mutations do not predict food allergy over and above the risk of food sensitization among infants. <i>Journal of Allergy and Clinical Immunology</i> , 2012 , 130, 1211-1213.e3 | 11.5 | 74 |
| 81 | Influence of natural and synthetic histone deacetylase inhibitors on chromatin. <i>Antioxidants and Redox Signaling</i> , 2012 , 17, 340-54 | 8.4 | 10 |
| 80 | Probiotics to improve outcomes of colic in the community: protocol for the Baby Biotics randomised controlled trial. <i>BMC Pediatrics</i> , 2012 , 12, 135 | 2.6 | 24 |
| 79 | Efficacy, safety and pharmacokinetics of a novel subcutaneous immunoglobulin, Evogam , in primary immunodeficiency. <i>Journal of Clinical Immunology</i> , 2012 , 32, 897-906 | 5.7 | 5 |
| 78 | Probiotic therapy as a novel approach for allergic disease. Frontiers in Pharmacology, 2012, 3, 171 | 5.6 | 71 |
| 77 | Effects of the histone deacetylase inhibitor, trichostatin A, in a chronic allergic airways disease model in mice. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2012 , 60, 295-306 | 4 | 23 |

| 76 | Prenatal administration of Lactobacillus rhamnosus has no effect on the diversity of the early infant gut microbiota. <i>Pediatric Allergy and Immunology</i> , 2012 , 23, 255-8 | 4.2 | 41 |
|----|--|-------------------|-----|
| 75 | Understanding the evidence for and against the role of breastfeeding in allergy prevention. <i>Clinical and Experimental Allergy</i> , 2012 , 42, 827-51 | 4.1 | 86 |
| 74 | Protecting against pneumococcal disease: critical interactions between probiotics and the airway microbiome. <i>PLoS Pathogens</i> , 2012 , 8, e1002652 | 7.6 | 19 |
| 73 | Molecular model of naphthalene-induced DNA damage in the murine lung. <i>Human and Experimental Toxicology</i> , 2012 , 31, 42-50 | 3.4 | 9 |
| 72 | No H1N1 detected in children admitted to hospital with asthma during the H1N1 pandemic. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012 , 186, 462; author reply 463 | 10.2 | 1 |
| 71 | Variability in skin prick test results performed by multiple operators depends on the device used. World Allergy Organization Journal, 2012 , 5, 200-4 | 5.2 | 25 |
| 70 | Perinatal maternal administration of Lactobacillus paracasei NCC 2461 prevents allergic inflammation in a mouse model of birch pollen allergy. <i>PLoS ONE</i> , 2012 , 7, e40271 | 3.7 | 30 |
| 69 | Season of Birth Modifies the Risk of Food Allergy in Infants with Eczema and Food Sensitization in HealthNuts: a Population-based Study. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, AB33-AB3 | 3 ^{11.5} | 2 |
| 68 | The Epidemiology of Food Sensitization-Associated Eczema in Infancy in HealthNuts, a Population-based Study. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, AB35-AB35 | 11.5 | 6 |
| 67 | Prevalence of challenge-proven IgE-mediated food allergy using population-based sampling and predetermined challenge criteria in infants. <i>Journal of Allergy and Clinical Immunology</i> , 2011 , 127, 668-7 | 6.e 7-2 | 678 |
| 66 | Restricted elimination diet for ADHD. Lancet, The, 2011, 377, 1567; author reply 1568 | 40 | 3 |
| 65 | Resveratrol has protective effects against airway remodeling and airway hyperreactivity in a murine model of allergic airways disease. <i>Pathobiology of Aging & Age Related Diseases</i> , 2011 , 1, | 1.3 | 31 |
| 64 | Lactobacillus GG treatment during pregnancy for the prevention of eczema: a randomized controlled trial. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 509-16 | 9.3 | 153 |
| 63 | Pneumococcal glycoconjugate vaccines produce antibody responses that strongly correlate with function. <i>Nature Reviews Drug Discovery</i> , 2011 , 10, 393 | 64.1 | 2 |
| 62 | The ProPrems trial: investigating the effects of probiotics on late onset sepsis in very preterm infants. <i>BMC Infectious Diseases</i> , 2011 , 11, 210 | 4 | 40 |
| 61 | Primary immunodeficiency diseases: an update on the classification from the international union of immunological societies expert committee for primary immunodeficiency. <i>Frontiers in Immunology</i> , 2011 , 2, 54 | 8.4 | 266 |
| 60 | Protective effects of valproic acid against airway hyperresponsiveness and airway remodeling in a mouse model of allergic airways disease. <i>Epigenetics</i> , 2011 , 6, 1463-70 | 5.7 | 19 |
| 59 | Trefoil factor 2 regulates airway remodeling in animal models of asthma. <i>Journal of Asthma</i> , 2011 , 48, 653-9 | 1.9 | 10 |

Probiotics and Skin **2011**, 111-127 58 4 Vaccine adjuvant properties of probiotic bacteria. Discovery Medicine, 2011, 12, 525-33 57 2.5 34 The HealthNuts population-based study of paediatric food allergy: validity, safety and acceptability. 56 4.1 86 Clinical and Experimental Allergy, **2010**, 40, 1516-22 The contribution of L-selectin to airway hyperresponsiveness in chronic allergic airways disease. 55 3.1 Journal of Asthma and Allergy, 2010, 3, 9-17 Infants aged 12 months can mount adequate serotype-specific IqG responses to pneumococcal 54 11.5 42 polysaccharide vaccine. Journal of Allergy and Clinical Immunology, 2010, 126, 395-7 Can early introduction of egg prevent egg allergy in infants? Alpopulation-based study. Journal of 53 11.5 292 Allergy and Clinical Immunology, 2010, 126, 807-13 Clinical features and outcome of patients with IRAK-4 and MyD88 deficiency. Medicine (United 1.8 52 297 States), 2010, 89, 403-425 Age and sex influences on airway hyperresponsiveness. Journal of Asthma, 2010, 47, 651-4 1.9 15 Probiotics and prebiotics: clinical effects in allergic disease. Current Opinion in Pediatrics, 2010, 22, 626-34.2 81 50 Epigenome targeting by probiotic metabolites. Gut Pathogens, 2010, 2, 24 49 5.4 51 Relaxin family peptide receptor-1 protects against airway fibrosis during homeostasis but not 48 4.8 20 against fibrosis associated with chronic allergic airways disease. Endocrinology, 2009, 150, 1495-502 Relaxin reverses airway remodeling and airway dysfunction in allergic airways disease. 4.8 36 47 Endocrinology, 2009, 150, 2692-9 Probiotics and prebiotics: immunological and clinical effects in allergic disease. Nestle Nutrition 46 23 Workshop Series Paediatric Programme, 2009, 64, 219-35; discussion 235-8, 251-7 Oral immunotherapy for food allergy. Current Allergy and Asthma Reports, 2009, 9, 43-9 45 5.6 4 Reduced membrane bound CD14 expression in the cord blood of infants with a family history of 44 4.1 4 allergic disease. Clinical and Experimental Allergy, 2009, 39, 982-90 Clinical predictors for biphasic reactions in children presenting with anaphylaxis. Clinical and 66 4.1 43 Experimental Allergy, **2009**, 39, 1390-6 Probiotics for the treatment of eczema: a systematic review. Clinical and Experimental Allergy, 2009, 42 4.1 96 39, 1117-27 Microbial exposure, interferon gamma gene demethylation in naMe T-cells, and the risk of allergic 66 41 9.3 disease. Allergy: European Journal of Allergy and Clinical Immunology, 2009, 64, 348-53

| 40 | Role of relaxin in regulation of fibrosis in the lung. <i>Annals of the New York Academy of Sciences</i> , 2009 , 1160, 342-7 | 6.5 | 8 |
|----|---|-------------|-----|
| 39 | Probiotics for the treatment or prevention of eczema. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 266-7; author reply 267 | 11.5 | 10 |
| 38 | Anaphylaxis fatalities and admissions in Australia. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 434-42 | 11.5 | 318 |
| 37 | Prenatal probiotic administration can influence Bifidobacterium microbiota development in infants at high risk of allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 499-501 | 11.5 | 79 |
| 36 | Characteristics of childhood peanut allergy in the Australian Capital Territory, 1995 to 2007. <i>Journal of Allergy and Clinical Immunology</i> , 2009 , 123, 689-93 | 11.5 | 87 |
| 35 | Effect of extracellular matrix composition on airway epithelial cell and fibroblast structure: implications for airway remodeling in asthma. <i>Annals of Allergy, Asthma and Immunology</i> , 2009 , 102, 238 | -346 | 36 |
| 34 | Epidemiology of anaphylaxis. Current Opinion in Allergy and Clinical Immunology, 2009, 9, 351-6 | 3.3 | 40 |
| 33 | Paediatric anaphylaxis: a 5 year retrospective review. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2008 , 63, 1071-6 | 9.3 | 174 |
| 32 | The importance of early complementary feeding in the development of oral tolerance: concerns and controversies. <i>Pediatric Allergy and Immunology</i> , 2008 , 19, 375-80 | 4.2 | 165 |
| 31 | Is caesarean delivery associated with sensitization to food allergens and IgE-mediated food allergy: a systematic review. <i>Pediatric Allergy and Immunology</i> , 2008 , 19, 682-7 | 4.2 | 76 |
| 30 | Effects of Lactobacillus GG treatment during pregnancy on the development of fetal antigen-specific immune responses. <i>Clinical and Experimental Allergy</i> , 2008 , 38, 1882-90 | 4.1 | 43 |
| 29 | Mechanisms of Probiotics 2008 , 377-440 | | 1 |
| 28 | Prevention and treatment of anaphylaxis. Paediatrics and Child Health (United Kingdom), 2008, 18, 309-3 | 16 6 | 8 |
| 27 | Soy consumption is not a risk factor for peanut sensitization. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 1455-9 | 11.5 | 20 |
| 26 | Immunogenicity for 16 serotypes of a unique schedule of pneumococcal vaccines in a high-risk population. <i>Vaccine</i> , 2008 , 26, 3885-91 | 4.1 | 13 |
| 25 | Attenuated methacholine airway response following repeat testing in a murine model of allergic airways disease. <i>Experimental Lung Research</i> , 2008 , 34, 277-86 | 2.3 | 2 |
| 24 | Recurrent peanut allergy may not be prevented by continued peanut ingestion. <i>International Archives of Allergy and Immunology</i> , 2008 , 147, 260-2 | 3.7 | 6 |
| 23 | Probiotics for treating eczema. <i>The Cochrane Library</i> , 2008 , CD006135 | 5.2 | 69 |

(2003-2008)

| 22 | Hypersensitivity reactions to human papillomavirus vaccine in Australian schoolgirls: retrospective cohort study. <i>BMJ, The</i> , 2008 , 337, a2642 | 5.9 | 35 |
|----|---|------|-----|
| 21 | Dietary approaches to the prevention of food allergy. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2008 , 11, 320-8 | 3.8 | 16 |
| 20 | 1.8 Gut Microbiota in Infants 2008 , 80-84 | | 1 |
| 19 | Is "nut-free" sunflower seed butter safe for children with peanut allergy? Comment. <i>Medical Journal of Australia</i> , 2008 , 188, 316 | 4 | |
| 18 | Allergy prevention - Current recommendations and new insights. <i>Australian Family Physician</i> , 2008 , 37, 204-8 | | |
| 17 | Breast-feeding and atopic disease: a cohort study from childhood to middle age. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 1051-7 | 11.5 | 94 |
| 16 | Doctorhow do I use my EpiPen?. Pediatric Allergy and Immunology, 2007, 18, 448-52 | 4.2 | 84 |
| 15 | Relaxin plays an important role in the regulation of airway structure and function. <i>Endocrinology</i> , 2007 , 148, 4259-66 | 4.8 | 26 |
| 14 | Selective predisposition to bacterial infections in IRAK-4-deficient children: IRAK-4-dependent TLRs are otherwise redundant in protective immunity. <i>Journal of Experimental Medicine</i> , 2007 , 204, 2407-22 | 16.6 | 329 |
| 13 | Airway remodelling in asthma: current understanding and implications for future therapies 2006 , 112, 474-88 | | 74 |
| 12 | The effects of relaxin and estrogen deficiency on collagen deposition and hypertrophy of nonreproductive organs. <i>Endocrinology</i> , 2006 , 147, 5575-83 | 4.8 | 43 |
| 11 | Endogenous relaxin regulates collagen deposition in an animal model of allergic airway disease. <i>Endocrinology</i> , 2006 , 147, 754-61 | 4.8 | 49 |
| 10 | Probiotic use in clinical practice: what are the risks?. <i>American Journal of Clinical Nutrition</i> , 2006 , 83, 1256-64; quiz 1446-7 | 7 | 494 |
| 9 | The clinical syndrome of specific antibody deficiency in children. <i>Clinical and Experimental Immunology</i> , 2006 , 146, 486-92 | 6.2 | 71 |
| 8 | Investigating the role of relaxin in the regulation of airway fibrosis in animal models of acute and chronic allergic airway disease. <i>Annals of the New York Academy of Sciences</i> , 2005 , 1041, 194-6 | 6.5 | 4 |
| 7 | The development of food allergy after liver transplantation. <i>Liver Transplantation</i> , 2005 , 11, 326-30 | 4.5 | 55 |
| 6 | The Australasian Society of Clinical Immunology and Allergy position statement: Summary of allergy prevention in children. <i>Medical Journal of Australia</i> , 2005 , 182, 464-7 | 4 | 108 |
| 5 | Relaxin deficiency in mice is associated with an age-related progression of pulmonary fibrosis. <i>FASEB Journal</i> , 2003 , 17, 121-3 | 0.9 | 154 |

| 4 | L-selectin and intercellular adhesion molecule 1 mediate lymphocyte migration to the inflamed airway/lung during an allergic inflammatory response in an animal model of asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 107, 734-8 | 11.5 | 56 |
|---|---|----------------------------------|----|
| 3 | L-Selectin is required for the development of airway hyperresponsiveness but not airway inflammation in a murine model of asthma. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 107, 1019- | ·2 ¹ 4 ^{1.5} | 45 |
| 2 | Ontogeny of IL4 production. <i>Pediatric Allergy and Immunology</i> , 1995 , 6, 11-9 | 4.2 | 18 |
| 1 | Increased maternal mental health burden in a representative longitudinal community cohort coinciding with COVID-19 lockdown. <i>Australian Journal of Psychology</i> ,1-8 | 2.3 | 1 |