

Ashok Patel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4234535/publications.pdf>

Version: 2024-02-01

86
papers

6,333
citations

61945

43
h-index

66879

78
g-index

99
all docs

99
docs citations

99
times ranked

4033
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis and characterisation of zein- α -curcumin colloidal particles. <i>Soft Matter</i> , 2010, 6, 6192.	1.2	418
2	Edible oil structuring: an overview and recent updates. <i>Food and Function</i> , 2016, 7, 20-29.	2.1	315
3	Sodium Caseinate Stabilized Zein Colloidal Particles. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 12497-12503.	2.4	290
4	Food-grade particles for emulsion stabilization. <i>Trends in Food Science and Technology</i> , 2016, 50, 159-174.	7.8	288
5	Zein as a source of functional colloidal nano- and microstructures. <i>Current Opinion in Colloid and Interface Science</i> , 2014, 19, 450-458.	3.4	220
6	Edible applications of shellac oleogels: spreads, chocolate paste and cakes. <i>Food and Function</i> , 2014, 5, 645-652.	2.1	204
7	Preparation and in vivo evaluation of SMEDDS (self-microemulsifying drug delivery system) containing fenofibrate. <i>AAPS Journal</i> , 2007, 9, E344-E352.	2.2	191
8	Functional colloids from proteins and polysaccharides for food applications. <i>Trends in Food Science and Technology</i> , 2017, 68, 56-69.	7.8	186
9	Quercetin loaded biopolymeric colloidal particles prepared by simultaneous precipitation of quercetin with hydrophobic protein in aqueous medium. <i>Food Chemistry</i> , 2012, 133, 423-429.	4.2	183
10	Chemical profiling of the major components in natural waxes to elucidate their role in liquid oil structuring. <i>Food Chemistry</i> , 2017, 214, 717-725.	4.2	173
11	Edible oleogels based on water soluble food polymers: preparation, characterization and potential application. <i>Food and Function</i> , 2014, 5, 2833-2841.	2.1	170
12	Biopolymer-Based Structuring of Liquid Oil into Soft Solids and Oleogels Using Water-Continuous Emulsions as Templates. <i>Langmuir</i> , 2015, 31, 2065-2073.	1.6	156
13	Emulsion-templated liquid oil structuring with soy protein and soy protein: β -carrageenan complexes. <i>Food Hydrocolloids</i> , 2017, 65, 107-120.	5.6	156
14	Rheological Profiling of Organogels Prepared at Critical Gelling Concentrations of Natural Waxes in a Triacylglycerol Solvent. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 4862-4869.	2.4	155
15	Evaluating the Oil- α -Gelling Properties of Natural Waxes in Rice Bran Oil: Rheological, Thermal, and Microstructural Study. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2015, 92, 801-811.	0.8	154
16	Comparative evaluation of structured oil systems: Shellac oleogel, HPMC oleogel, and HIPE gel. <i>European Journal of Lipid Science and Technology</i> , 2015, 117, 1772-1781.	1.0	153
17	High internal phase emulsions stabilized solely by whey protein isolate-low methoxyl pectin complexes: effect of pH and polymer concentration. <i>Food and Function</i> , 2017, 8, 584-594.	2.1	147
18	Preparation and rheological characterization of shellac oleogels and oleogel-based emulsions. <i>Journal of Colloid and Interface Science</i> , 2013, 411, 114-121.	5.0	143

#	ARTICLE	IF	CITATIONS
19	Colloidal delivery systems in foods: A general comparison with oral drug delivery. <i>LWT - Food Science and Technology</i> , 2011, 44, 1958-1964.	2.5	134
20	Applications of fat mimetics for the replacement of saturated and hydrogenated fat in food products. <i>Current Opinion in Food Science</i> , 2020, 33, 61-68.	4.1	120
21	A foam-templated approach for fabricating organogels using a water-soluble polymer. <i>RSC Advances</i> , 2013, 3, 22900-22903.	1.7	118
22	Polysaccharide-Based Oleogels Prepared with an Emulsion-Templated Approach. <i>ChemPhysChem</i> , 2014, 15, 3435-3439.	1.0	102
23	Colloidal complexation of a macromolecule with a small molecular weight natural polyphenol: implications in modulating polymer functionalities. <i>Soft Matter</i> , 2013, 9, 1428-1436.	1.2	87
24	Functional and Engineered Colloids from Edible Materials for Emerging Applications in Designing the Food of the Future. <i>Advanced Functional Materials</i> , 2020, 30, 1806809.	7.8	87
25	Advances in our understanding of the structure and functionality of edible fats and fat mimetics. <i>Soft Matter</i> , 2020, 16, 289-306.	1.2	87
26	Shellac as a natural material to structure a liquid oil-based thermo reversible soft matter system. <i>RSC Advances</i> , 2013, 3, 5324.	1.7	83
27	Preparation and Evaluation of Taste Masked Famotidine Formulation Using Drug ² -cyclodextrin/Polymer Ternary Complexation Approach. <i>AAPS PharmSciTech</i> , 2008, 9, 544-550.	1.5	81
28	Fumed silica-based organogels and aqueous-organic™ bigels. <i>RSC Advances</i> , 2015, 5, 9703-9708.	1.7	79
29	The feasibility of wax-based oleogel as a potential co-structuring with palm oil in low-saturated fat confectionery fillings. <i>European Journal of Lipid Science and Technology</i> , 2016, 118, 1903-1914.	1.0	77
30	Phytosterols-induced viscoelasticity of oleogels prepared by using monoglycerides. <i>Food Research International</i> , 2017, 100, 832-840.	2.9	73
31	High internal phase emulsion gels (HIPE-gels) prepared using food-grade components. <i>RSC Advances</i> , 2014, 4, 18136-18140.	1.7	71
32	A colloidal gel perspective for understanding oleogelation. <i>Current Opinion in Food Science</i> , 2017, 15, 1-7.	4.1	71
33	Oil structuring properties of monoglycerides and phytosterols mixtures. <i>European Journal of Lipid Science and Technology</i> , 2017, 119, 1500517.	1.0	71
34	Rheological characterization of gel-in-oil-in-gel type structured emulsions. <i>Food Hydrocolloids</i> , 2015, 46, 84-92.	5.6	65
35	pH and protein to polysaccharide ratio control the structural properties and viscoelastic network of HIPE-templated biopolymeric oleogels. <i>Food Structure</i> , 2019, 21, 100112.	2.3	60
36	Stabilisation and controlled release of silibinin from pH responsive shellac colloidal particles. <i>Soft Matter</i> , 2011, 7, 8549.	1.2	59

#	ARTICLE	IF	CITATIONS
37	Current update on the influence of minor lipid components, shear and presence of interfaces on fat crystallization. <i>Current Opinion in Food Science</i> , 2015, 3, 65-70.	4.1	56
38	Cold-set gelation of whey protein isolate and low-methoxyl pectin at low pH. <i>Food Hydrocolloids</i> , 2017, 65, 35-45.	5.6	56
39	Colloidal complexes from associated water soluble cellulose derivative (methylcellulose) and green tea polyphenol (Epigallocatechin gallate). <i>Journal of Colloid and Interface Science</i> , 2011, 364, 317-323.	5.0	53
40	Lipid crystallization kineticsâ€™ roles of external factors influencing functionality of end products. <i>Current Opinion in Food Science</i> , 2015, 4, 32-38.	4.1	53
41	Alternative Routes to Oil Structuring. <i>SpringerBriefs in Food, Health and Nutrition</i> , 2015, , .	0.5	51
42	Mixed surfactant systems of sucrose esters and lecithin as a synergistic approach for oil structuring. <i>Journal of Colloid and Interface Science</i> , 2017, 504, 387-396.	5.0	50
43	Colloidal approach to prepare colour blends from colourants with different solubility profiles. <i>Food Chemistry</i> , 2013, 141, 1466-1471.	4.2	45
44	Structuring Edible Oils with Hydrocolloids: Where Do we Stand?. <i>Food Biophysics</i> , 2018, 13, 113-115.	1.4	44
45	Allâ€™Natural Oilâ€™Filled Microcapsules from Waterâ€™Insoluble Proteins. <i>Advanced Functional Materials</i> , 2014, 24, 5962-5968.	7.8	38
46	Effect of Hydrophilic Polymer on Solubilization of Fenofibrate by Cyclodextrin Complexation. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2006, 56, 247-251.	1.6	37
47	Microcapsules: Novel Allâ€™Natural Microcapsules from Gelatin and Shellac for Biorelated Applications (<i>Adv. Funct. Mater.</i> 37/2013). <i>Advanced Functional Materials</i> , 2013, 23, 4642-4642.	7.8	37
48	Fabrication and characterization of emulsions with pH responsive switchable behavior. <i>Soft Matter</i> , 2013, 9, 6747.	1.2	36
49	Novel polymerâ€™polyphenol beads for encapsulation and microreactor applications. <i>Soft Matter</i> , 2011, 7, 4294.	1.2	32
50	Facile and Efficient Construction of Waterâ€™Soluble Biomaterials with Tunable Mesoscopic Structures Using Allâ€™Natural Edible Proteins. <i>Advanced Functional Materials</i> , 2019, 29, 1901830.	7.8	31
51	Stable and Temperatureâ€™Responsive Surfactantâ€™Free Foamulsions with High Oilâ€™Volume Fraction. <i>ChemPhysChem</i> , 2012, 13, 3777-3781.	1.0	30
52	Evaluation of SLS: APG Mixed Surfactant Systems as Carrier for Solid Dispersion. <i>AAPS PharmSciTech</i> , 2008, 9, 583-590.	1.5	26
53	Evaluation of Synthesized Cross Linked Polyvinyl Alcohol as Potential Disintegrant. <i>Journal of Pharmacy and Pharmaceutical Sciences</i> , 2010, 13, 114.	0.9	25
54	Whey protein isolateâ€™low methoxyl pectin nanocomplexes improve physicochemical and stability properties of quercetin in a model fat-free beverage. <i>Food and Function</i> , 2019, 10, 986-996.	2.1	25

#	ARTICLE	IF	CITATIONS
55	Improved bioaccessibility of polymethoxyflavones loaded into high internal phase emulsions stabilized by biopolymeric complexes: A dynamic digestion study via TNO's gastrointestinal model. <i>Current Research in Food Science</i> , 2020, 2, 11-19.	2.7	25
56	High internal phase emulsion (HIPE)-templated biopolymeric oleofilms containing an ultra-high concentration of edible liquid oil. <i>Food and Function</i> , 2018, 9, 1993-1997.	2.1	24
57	Evaluation of alkyl polyglucoside as an alternative surfactant in the preparation of peptide-loaded nanoparticles. <i>Journal of Microencapsulation</i> , 2008, 25, 531-540.	1.2	23
58	Methylcellulose-coated microcapsules of Palm stearine as structuring templates for creating hybrid oleogels. <i>Materials Chemistry and Physics</i> , 2017, 195, 268-274.	2.0	22
59	Straightforward preparation of organic colloidal particles by harnessing spontaneous non-covalent interactions of active molecules from natural origin. <i>Journal of Colloid and Interface Science</i> , 2012, 374, 150-156.	5.0	21
60	Novel Low-Molecular-Weight-Gelator-Based Microcapsules with Controllable Morphology and Temperature Responsiveness. <i>ChemPhysChem</i> , 2013, 14, 305-310.	1.0	16
61	Novel All-Natural Microcapsules from Gelatin and Shellac for Biorelated Applications. <i>Advanced Functional Materials</i> , 2013, 23, 4710-4718.	7.8	16
62	The Contribution of Modern Margarine and Fat Spreads to Dietary Fat Intake. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2016, 15, 633-645.	5.9	16
63	Temperature responsive colloidal particles from non-covalently interacting small molecular weight natural bioactive molecules. <i>Soft Matter</i> , 2012, 8, 3515.	1.2	15
64	Effect of low-methoxy pectin on interfacial and emulsion stabilizing properties of heated whey protein isolate (WPI) aggregates. <i>Food Structure</i> , 2020, 26, 100159.	2.3	13
65	Natural Waxes as Oil Structurants. <i>SpringerBriefs in Food, Health and Nutrition</i> , 2015, , 15-27.	0.5	12
66	Edible "Oleocolloids": The Final Frontier in Food Innovation?. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 3432-3433.	2.4	12
67	Surfactant-free oil-in-water-in-oil emulsions stabilized solely by natural components-biopolymers and vegetable fat crystals. <i>MRS Advances</i> , 2017, 2, 1095-1102.	0.5	12
68	Colloidal emulsion based delivery systems for steroid glycosides. <i>Journal of Functional Foods</i> , 2017, 28, 90-95.	1.6	12
69	Interaction of Valdecocixib with β -cyclodextrin: Experimental and Molecular Modeling Studies. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2006, 56, 261-273.	1.6	10
70	CLA-Rich Chocolate Bar and Chocolate Paste Production and Characterization. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2015, 92, 1633-1642.	0.8	10
71	Nanostructures: Facile and Efficient Construction of Water-Soluble Biomaterials with Tunable Mesoscopic Structures Using All-Natural Edible Proteins (<i>Adv. Funct. Mater.</i> 31/2019). <i>Advanced Functional Materials</i> , 2019, 29, 1970216.	7.8	10
72	Oleogelation for Food Structuring Based on Synergistic Interactions Among Food Components. , 2019, , 715-718.		9

#	ARTICLE	IF	CITATIONS
73	CLA-Rich Soy Oil Margarine Production and Characterization. JAOCS, Journal of the American Oil Chemists' Society, 2014, 91, 309-316.	0.8	7
74	Shellac-Based Oleogels. , 2018, , 173-192.		7
75	CHAPTER 1. Oil Structuring: Concepts, Overview and Future Perspectives. Food Chemistry, Function and Analysis, 2017, , 1-22.	0.1	6
76	CLA-Rich Soy Oil Shortening Production and Characterization. JAOCS, Journal of the American Oil Chemists' Society, 2015, 92, 1267-1275.	0.8	4
77	Edible Foams Stabilized by Food-Grade Polymers. , 2018, , 251-269.		4
78	CHAPTER 9. Oleogels from Emulsion (HIPE) Templates Stabilized by Protein-Polysaccharide Complexes. Food Chemistry, Function and Analysis, 2017, , 175-197.	0.1	4
79	Colloidal particles for the delivery of steroid glycosides. Food and Function, 2018, 9, 485-490.	2.1	3
80	Crystallization of polymethoxyflavones in high internal phase emulsions stabilized using biopolymeric complexes: Implications for microstructure and in vitro digestion properties. Food Bioscience, 2021, 40, 100876.	2.0	3
81	Are edible oleocolloids the final frontier in food innovation?. Inform, 2017, 28, 30-32.	0.1	3
82	Potential Food Applications of Oleogels. SpringerBriefs in Food, Health and Nutrition, 2015, , 51-62.	0.5	2
83	Polysaccharide-based functional colloids for food applications. , 2021, , 187-229.		2
84	Understanding the oil-gelling properties of natural waxes. Inform, 2016, , 17-20.	0.1	2
85	Oil Structuring in Dairy Fat Products. , 2020, , 307-325.		1
86	Biopolymer-based oleocolloids. , 2020, , 587-604.		0