

Mohamed Sultan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4235135/publications.pdf>

Version: 2024-02-01

48
papers

2,334
citations

186265

28
h-index

214800

47
g-index

50
all docs

50
docs citations

50
times ranked

1607
citing authors

#	ARTICLE	IF	CITATIONS
1	Buffering the impacts of extreme climate variability in the highly engineered Tigris Euphrates river system. <i>Scientific Reports</i> , 2022, 12, 4178.	3.3	13
2	Red Sea tectonics unveil one of the largest terrestrial ice streams: New constraints on Late Ordovician ice sheet dynamics. <i>Earth and Planetary Science Letters</i> , 2022, 587, 117531.	4.4	4
3	Integrated studies to identify site-specific parameters for environmentally benign mining operations: A case study from the Sukari Gold Mine, Egypt. <i>Science of the Total Environment</i> , 2021, 750, 141654.	8.0	10
4	Use of Geophysical and Radar Interferometric Techniques to Monitor Land Deformation Associated with the Jazan Salt Diapir, Jazan city, Saudi Arabia. <i>Surveys in Geophysics</i> , 2021, 42, 177-200.	4.6	8
5	Countrywide Monitoring of Ground Deformation Using InSAR Time Series: A Case Study from Qatar. <i>Remote Sensing</i> , 2021, 13, 702.	4.0	14
6	Land Subsidence Induced by Rapid Urbanization in Arid Environments: A Remote Sensing-Based Investigation. <i>Remote Sensing</i> , 2021, 13, 1109.	4.0	23
7	Paleozoic glaciation in NE Africa: field and remote sensing-based evidence from the South Eastern Desert of Egypt. <i>International Geology Review</i> , 2020, 62, 1187-1204.	2.1	11
8	What can the GRACE seasonal cycle tell us about lake-aquifer interactions?. <i>Earth-Science Reviews</i> , 2020, 211, 103392.	9.1	28
9	Mapping the Distribution of Shallow Groundwater Occurrences Using Remote Sensing-Based Statistical Modeling over Southwest Saudi Arabia. <i>Remote Sensing</i> , 2020, 12, 1361.	4.0	36
10	Tracing Holocene channels and landforms of the Nile Delta through integration of early elevation, geophysical, and sediment core data. <i>Holocene</i> , 2020, 30, 1129-1141.	1.7	13
11	Statistical Applications to Downscale GRACE-Derived Terrestrial Water Storage Data and to Fill Temporal Gaps. <i>Remote Sensing</i> , 2020, 12, 533.	4.0	72
12	Forecasting GRACE Data over the African Watersheds Using Artificial Neural Networks. <i>Remote Sensing</i> , 2019, 11, 1769.	4.0	52
13	Chlorine isotopes as tracers of solute origin and age of groundwaters from the Eastern Desert of Egypt. <i>Earth and Planetary Science Letters</i> , 2019, 510, 37-44.	4.4	30
14	Assessment of age, origin, and sustainability of fossil aquifers: A geochemical and remote sensing-based approach. <i>Journal of Hydrology</i> , 2019, 576, 325-341.	5.4	52
15	Response of deep aquifers to climate variability. <i>Science of the Total Environment</i> , 2019, 677, 530-544.	8.0	47
16	Complexity of Saharan paleoclimate reconstruction and implications for modern human migration. <i>Earth and Planetary Science Letters</i> , 2019, 508, 74-84.	4.4	31
17	Logistic Regression-based Geomorphological Mapping in the Arabian Platform: Implications for the Paleohydrology and the Paleoclimate of the Arabian Desert. <i>Advances in Science, Technology and Innovation</i> , 2019, , 77-79.	0.4	1
18	Assessing Land Deformation and Sea Encroachment in the Nile Delta: A Radar Interferometric and Inundation Modeling Approach. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 3208-3224.	3.4	58

#	ARTICLE	IF	CITATIONS
19	Use of Geophysical and Remote Sensing Data for Assessment of Aquifer Depletion and Related Land Deformation. <i>Surveys in Geophysics</i> , 2018, 39, 543-566.	4.6	47
20	Aquifer recharge, depletion, and connectivity: Inferences from GRACE, land surface models, and geochemical and geophysical data. <i>Bulletin of the Geological Society of America</i> , 2017, 129, 534-546.	3.3	77
21	Assessing and Improving Land Surface Model Outputs Over Africa Using GRACE, Field, and Remote Sensing Data. <i>Surveys in Geophysics</i> , 2016, 37, 529-556.	4.6	49
22	Groundwater processes in Saharan Africa: Implications for landscape evolution in arid environments. <i>Earth-Science Reviews</i> , 2016, 156, 108-136.	9.1	78
23	A GEOCHEMICAL, GEOPHYSICAL, AND REMOTE SENSING-BASED APPROACH FOR THE ASSESSMENT OF THE AGE, ORIGIN, AND SUSTAINABLE UTILIZATION OF FOSSIL AQUIFERS IN SAHARAN AFRICA AND ARABIA. , 2016, , .		1
24	Structural Controls on Groundwater Flow in Basement Terrains: Geophysical, Remote Sensing, and Field Investigations in Sinai. <i>Surveys in Geophysics</i> , 2015, 36, 717-742.	4.6	37
25	Impacts of Climate Change on the Red Sea Region and its Watersheds, Saudi Arabia. <i>Springer Earth System Sciences</i> , 2015, , 363-377.	0.2	1
26	Geophysical Constraints on the Hydrogeologic and Structural Settings of the Gulf of Suez Rift-Related Basins: Case Study from the El Qaa Plain, Sinai, Egypt. <i>Surveys in Geophysics</i> , 2014, 35, 415-430.	4.6	28
27	Paleoclimate record in the Nubian Sandstone Aquifer, Sinai Peninsula, Egypt. <i>Quaternary Research</i> , 2014, 81, 158-167.	1.7	48
28	The use of GRACE data to monitor natural and anthropogenic induced variations in water availability across Africa. <i>Earth-Science Reviews</i> , 2014, 136, 289-300.	9.1	145
29	Geologic and hydrologic settings for development of freshwater lenses in arid lands. <i>Hydrological Processes</i> , 2014, 28, 3185-3194.	2.6	13
30	An integrated approach for groundwater potential zoning in shallow fracture zone aquifers. <i>International Journal of Remote Sensing</i> , 2013, 34, 6539-6561.	2.9	20
31	Integrated solutions for hydrologic investigations in arid lands. , 2012, 8, 1588-1605.		5
32	Toward a better understanding of palaeoclimatic regimes that recharged the fossil aquifers in North Africa: Inferences from stable isotope and remote sensing data. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 329-330, 137-149.	2.3	46
33	A remote sensing contribution to hydrologic modelling in arid and inaccessible watersheds, Pishin Lora basin, Pakistan. <i>Hydrological Processes</i> , 2012, 26, 85-99.	2.6	21
34	Integration of GRACE (Gravity Recovery and Climate Experiment) data with traditional data sets for a better understanding of the time-dependent water partitioning in African watersheds. <i>Geology</i> , 2011, 39, 479-482.	4.4	63
35	Modern recharge to fossil aquifers: Geochemical, geophysical, and modeling constraints. <i>Journal of Hydrology</i> , 2011, 403, 14-24.	5.4	66
36	Land subsidence in the Nile Delta: inferences from radar interferometry. <i>Holocene</i> , 2009, 19, 949-954.	1.7	79

#	ARTICLE	IF	CITATIONS
37	A remote sensing solution for estimating runoff and recharge in arid environments. Journal of Hydrology, 2009, 373, 1-14.	5.4	133
38	RESDEM, a tool for integrating temporal remote sensing data for use in hydrogeologic investigations. Computers and Geosciences, 2009, 35, 2001-2010.	4.2	20
39	Hydrologic impacts of engineering projects on the Tigris-Euphrates system and its marshlands. Journal of Hydrology, 2008, 353, 59-75.	5.4	58
40	Geochemical, isotopic, and remote sensing constraints on the origin and evolution of the Rub Al Khali aquifer system, Arabian Peninsula. Journal of Hydrology, 2008, 356, 70-83.	5.4	54
41	Natural discharge: A key to sustainable utilization of fossil groundwater. Journal of Hydrology, 2007, 335, 25-36.	5.4	86
42	Cosmogenic, radiogenic, and stable isotopic constraints on groundwater residence time in the Nubian Aquifer, Western Desert of Egypt. Geochemistry, Geophysics, Geosystems, 2005, 6, n/a-n/a.	2.5	58
43	Construction of a hydrologic model for estimating Wadi runoff and groundwater recharge in the Eastern Desert, Egypt. Journal of Hydrology, 2002, 263, 36-55.	5.4	112
44	Ground-water sapping processes, Western Desert, Egypt. Bulletin of the Geological Society of America, 1997, 109, 43-62.	3.3	43
45	Precipitation Source Inferred from Stable Isotopic Composition of Pleistocene Groundwater and Carbonate Deposits in the Western Desert of Egypt. Quaternary Research, 1997, 48, 29-37.	1.7	142
46	Structural interpretation and tectonic evolution of a part of the Najd Shear Zone (Saudi Arabia) using Landsat thematic-mapper data. Tectonophysics, 1990, 178, 309-335.	2.2	17
47	Extension of the Najd Shear System from Saudi Arabia to the central eastern desert of Egypt based on integrated field and LANDSAT observations. Tectonics, 1988, 7, 1291-1306.	2.8	137
48	Lithologic mapping in arid regions with Landsat thematic mapper data: Meatiq dome, Egypt. Bulletin of the Geological Society of America, 1987, 99, 748.	3.3	140