

Jun Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4239400/publications.pdf>

Version: 2024-02-01

75
papers

9,614
citations

279701

23
h-index

71651

76
g-index

82
all docs

82
docs citations

82
times ranked

21368
citing authors

#	ARTICLE	IF	CITATIONS
1	Linking Long-Term Dietary Patterns with Gut Microbial Enterotypes. <i>Science</i> , 2011, 334, 105-108.	6.0	5,253
2	Viral and host factors related to the clinical outcome of COVID-19. <i>Nature</i> , 2020, 583, 437-440.	13.7	746
3	Persistence and clearance of viral RNA in 2019 novel coronavirus disease rehabilitation patients. <i>Chinese Medical Journal</i> , 2020, 133, 1039-1043.	0.9	686
4	Clinical progression of patients with COVID-19 in Shanghai, China. <i>Journal of Infection</i> , 2020, 80, e1-e6.	1.7	627
5	Evaluating the Association of Clinical Characteristics With Neutralizing Antibody Levels in Patients Who Have Recovered From Mild COVID-19 in Shanghai, China. <i>JAMA Internal Medicine</i> , 2020, 180, 1356.	2.6	211
6	Antiviral Activity and Safety of Darunavir/Cobicistat for the Treatment of COVID-19. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa241.	0.4	97
7	COVID-19 infection: the China and Italy perspectives. <i>Cell Death and Disease</i> , 2020, 11, 438.	2.7	76
8	Circulating (1 α) ³ - β -D-glucan Is Associated With Immune Activation During Human Immunodeficiency Virus Infection. <i>Clinical Infectious Diseases</i> , 2020, 70, 232-241.	2.9	66
9	Development of a Sensitive Immunochromatographic Method Using Lanthanide Fluorescent Microsphere for Rapid Serodiagnosis of COVID-19. <i>ACS Sensors</i> , 2020, 5, 2331-2337.	4.0	55
10	Circulating LPS and (1 α) ³ - β -D-Glucan: A Folie À Deux Contributing to HIV-Associated Immune Activation. <i>Frontiers in Immunology</i> , 2019, 10, 465.	2.2	50
11	Plasma Indoleamine 2,3-Dioxygenase Activity Is Associated With the Size of the Human Immunodeficiency Virus Reservoir in Patients Receiving Antiretroviral Therapy. <i>Clinical Infectious Diseases</i> , 2019, 68, 1274-1281.	2.9	44
12	Anti-Retroviral Therapy Decreases but Does Not Normalize Indoleamine 2,3-Dioxygenase Activity in HIV-Infected Patients. <i>PLoS ONE</i> , 2014, 9, e100446.	1.1	40
13	Interferon-Gamma Release Assays for the Diagnosis of Active Tuberculosis in HIV-Infected Patients: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2011, 6, e26827.	1.1	39
14	Changes in intestinal microbiota in HIV-1-infected subjects following cART initiation: influence of CD4+ T cell count. <i>Emerging Microbes and Infections</i> , 2018, 7, 1-4.	3.0	39
15	Prevalence of Anemia among Adults with Newly Diagnosed HIV/AIDS in China. <i>PLoS ONE</i> , 2013, 8, e73807.	1.1	35
16	Decline in neutralising antibody responses, but sustained T α cell immunity, in COVID-19 patients at 7 α months post α infection. <i>Clinical and Translational Immunology</i> , 2021, 10, e1319.	1.7	34
17	New challenges to fighting COVID-19: Virus variants, potential vaccines, and development of antivirals. <i>BioScience Trends</i> , 2021, 15, 126-128.	1.1	32
18	CYP2B6 Polymorphism and Nonnucleoside Reverse Transcriptase Inhibitor Plasma Concentrations in Chinese HIV-Infected Patients. <i>Therapeutic Drug Monitoring</i> , 2010, 32, 573-578.	1.0	31

#	ARTICLE	IF	CITATIONS
19	Clinical Characteristics and Prognosis of Penicilliosis Among Human Immunodeficiency Virus-Infected Patients in Eastern China. <i>American Journal of Tropical Medicine and Hygiene</i> , 2017, 96, 1350-1354.	0.6	31
20	Epigenetic Landscapes of Single-Cell Chromatin Accessibility and Transcriptomic Immune Profiles of T Cells in COVID-19 Patients. <i>Frontiers in Immunology</i> , 2021, 12, 625881.	2.2	30
21	An open-label, randomized trial of the combination of IFN- β plus TFF2 with standard care in the treatment of patients with moderate COVID-19. <i>EClinicalMedicine</i> , 2020, 27, 100547.	3.2	29
22	Tryptophan Metabolism Activates Aryl Hydrocarbon Receptor-Mediated Pathway To Promote HIV-1 Infection and Reactivation. <i>MBio</i> , 2019, 10, .	1.8	28
23	Use of (1 \rightarrow 3) β -D-glucan for diagnosis and management of invasive mycoses in HIV-infected patients. <i>Mycoses</i> , 2018, 61, 718-722.	1.8	26
24	Radiological characteristics of pulmonary cryptococcosis in HIV-infected patients. <i>PLoS ONE</i> , 2017, 12, e0173858.	1.1	25
25	Epidemiology and clinical course of COVID-19 in Shanghai, China. <i>Emerging Microbes and Infections</i> , 2020, 9, 1537-1545.	3.0	24
26	Caspase-1 Activity in CD4 T Cells Is Downregulated Following Antiretroviral Therapy for HIV-1 Infection. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 164-171.	0.5	20
27	A clinical pilot study on the safety and efficacy of aerosol inhalation treatment of IFN- β plus TFF2 in patients with moderate COVID-19. <i>EClinicalMedicine</i> , 2020, 25, 100478.	3.2	20
28	Yellow Fever in a Worker Returning to China from Angola, March 2016. <i>Emerging Infectious Diseases</i> , 2016, 22, 1317-1318.	2.0	19
29	Risk factors affecting the mortality of HIV-infected patients with pulmonary tuberculosis in the cART era: a retrospective cohort study in China. <i>Infectious Diseases of Poverty</i> , 2018, 7, 25.	1.5	19
30	Gut Microbiota Dysbiosis Is Not Independently Associated With Neurocognitive Impairment in People Living With HIV. <i>Frontiers in Microbiology</i> , 2018, 9, 3352.	1.5	19
31	The Course of Mild and Moderate COVID-19 Infections—The Unexpected Long-Lasting Challenge. <i>Open Forum Infectious Diseases</i> , 2020, 7, ofaa286.	0.4	19
32	Yellow fever in China is still an imported disease. <i>BioScience Trends</i> , 2016, 10, 158-162.	1.1	17
33	Harnessing Artificial Intelligence to Optimize Long-Term Maintenance Dosing for Antiretroviral-Naive Adults with HIV-1 Infection. <i>Advanced Therapeutics</i> , 2020, 3, 1900114.	1.6	17
34	T-SPOT.TB in the Diagnosis of Active Tuberculosis Among HIV-Infected Patients with Advanced Immunodeficiency. <i>AIDS Research and Human Retroviruses</i> , 2011, 27, 289-294.	0.5	15
35	The clinical and laboratory features of neurosyphilis in HIV-infected patients. <i>Medicine (United Tj ETQq1 1 0.784314 rgBT /Overlock 10</i>	0.4	14
36	Clinical usefulness of metagenomic next-generation sequencing for the diagnosis of central nervous system infection in people living with HIV. <i>International Journal of Infectious Diseases</i> , 2021, 107, 139-144.	1.5	14

#	ARTICLE	IF	CITATIONS
37	Prevalence and risk factors of metabolic associated fatty liver disease among people living with HIV in China. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 1670-1678.	1.4	13
38	Clinical characteristics and risk factors for poor prognosis among HIV patients with <i>Talaromyces marneffei</i> bloodstream infection. <i>BMC Infectious Diseases</i> , 2021, 21, 514.	1.3	13
39	Clinical characteristics of foreign-imported COVID-19 cases in Shanghai, China. <i>Emerging Microbes and Infections</i> , 2020, 9, 1230-1232.	3.0	12
40	Lipid profile and renal safety of tenofovir disoproxil fumarate-based anti-retroviral therapy in HIV-infected Chinese patients. <i>International Journal of Infectious Diseases</i> , 2019, 83, 64-71.	1.5	11
41	Trends and characteristics of all-cause mortality among HIV-infected inpatients during the HAART era (2006-2015) in Shanghai, China. <i>BioScience Trends</i> , 2017, 11, 62-68.	1.1	10
42	The early bird gets the worm: benefits and future directions with early antiretroviral therapy initiation in primary HIV infection. <i>Future Virology</i> , 2018, 13, 779-786.	0.9	10
43	Efficacy and safety of lower dose tenofovir disoproxil fumarate and efavirenz versus standard dose in HIV-infected, antiretroviral-naïve adults: a multicentre, randomized, noninferiority trial. <i>Emerging Microbes and Infections</i> , 2020, 9, 843-850.	3.0	10
44	Incidence and spectrum of infections among HIV/AIDS patients with lymphoma during chemotherapy. <i>Journal of Infection and Chemotherapy</i> , 2021, 27, 1459-1464.	0.8	10
45	Serum cryptococcal antigen titre as a diagnostic tool and a predictor of mortality in HIV-infected patients with cryptococcal meningitis. <i>HIV Medicine</i> , 2019, 20, 69-73.	1.0	9
46	Clinical Features of Cytomegalovirus Retinitis in HIV Infected Patients. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020, 10, 136.	1.8	9
47	Thymosin Alpha-1 Has no Beneficial Effect on Restoring CD4+ and CD8+ T Lymphocyte Counts in COVID-19 Patients. <i>Frontiers in Immunology</i> , 2021, 12, 568789.	2.2	9
48	The predictive role of lymphocyte subsets and laboratory measurements in COVID-19 disease: a retrospective study. <i>Therapeutic Advances in Respiratory Disease</i> , 2021, 15, 175346662110497.	1.0	8
49	Understanding the behavioral and social characteristics of VCT clients in a Shanghai hospital, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2010, 22, 909-914.	0.6	7
50	Relationship between T-SPOT.TB responses and numbers of circulating CD4+ T-cells in HIV infected patients with active tuberculosis. <i>BioScience Trends</i> , 2014, 8, 163-168.	1.1	7
51	Multiple Remissions of Extracavitary Primary Effusion Lymphoma Treated With a Single Cycle of Liposomal Doxorubicin in a Patient Infected With HIV. <i>Current Oncology</i> , 2018, 25, 592-596.	0.9	7
52	Editing out HIV: application of gene editing technology to achieve functional cure. <i>Retrovirology</i> , 2021, 18, 39.	0.9	7
53	Responses after one dose of a monovalent influenza A (H1N1) 2009 inactivated vaccine in Chinese population—a practical observation. <i>Vaccine</i> , 2011, 29, 6527-6531.	1.7	6
54	Mycobacterium tuberculosis co-infection is associated with increased surrogate marker of the HIV reservoir. <i>AIDS Research and Therapy</i> , 2020, 17, 63.	0.7	6

#	ARTICLE	IF	CITATIONS
55	Use of comedications and potential drug-drug interactions in people living with HIV in China. <i>Journal of Infection and Chemotherapy</i> , 2020, 26, 722-728.	0.8	6
56	Minimum effective plasma concentration of efavirenz in treatment-naïve Chinese HIV-infected patients. <i>International Journal of STD and AIDS</i> , 2010, 21, 810-813.	0.5	5
57	Routinely detected indicators in plasma have a predictive effect on the identification of HIV-infected patients with non-tuberculous mycobacterial and tuberculous infections. <i>Infectious Diseases of Poverty</i> , 2017, 6, 132.	1.5	5
58	Update: Drug treatment options for coronavirus disease 2019 (COVID-19). <i>BioScience Trends</i> , 2021, 15, 345-349.	1.1	5
59	Simultaneous determination of first-line anti-tuberculosis drugs and one metabolite of isoniazid by liquid chromatography/tandem mass spectrometry in patients with human immunodeficiency virus-tuberculosis coinfection. <i>Heliyon</i> , 2021, 7, e07532.	1.4	5
60	Increased Activity of Extrinsic and Intrinsic Apoptosis Pathways in Different Mononuclear Cell Types in HIV Type 1-Infected Patients Regardless of Whether They Are Depleted in Disease. <i>AIDS Research and Human Retroviruses</i> , 2013, 29, 709-717.	0.5	4
61	<p>Discovery of Potential Plasma Biomarkers for Tuberculosis in HIV-Infected Patients by Data-Independent Acquisition-Based Quantitative Proteomics</p>. <i>Infection and Drug Resistance</i> , 2020, Volume 13, 1185-1196.	1.1	4
62	Clinical features and treatment outcomes of human immunodeficiency virus-associated cryptococcal meningitis: a 2-year retrospective analysis. <i>Chinese Medical Journal</i> , 2020, 133, 2787-2795.	0.9	4
63	A retrospective cohort study of early mortality among patients with HIV/TB co-infection in Shanghai municipality. <i>HIV Medicine</i> , 2020, 21, 739-746.	1.0	4
64	Clinical outcomes of people living with human immunodeficiency virus (HIV) with diffuse large B-cell lymphoma (DLBCL) in Shanghai, China. <i>Chinese Medical Journal</i> , 2020, 133, 2796-2802.	0.9	4
65	Real-world outcomes of AIDS-related Burkitt lymphoma: a retrospective study of 78 cases over a 10-year period. <i>International Journal of Hematology</i> , 2021, 113, 903-909.	0.7	3
66	HIV/AIDS strategies should focus on outcomes and the psychological status of older patients diagnosed with HIV. <i>BioScience Trends</i> , 2022, 16, 91-98.	1.1	3
67	Pharmacokinetic features of dolutegravir with rifampicin and rifabutin among patients coinfecting with human immunodeficiency virus and tuberculosis/mycobacterium avium complex. <i>International Journal of Infectious Diseases</i> , 2022, 116, 147-150.	1.5	3
68	Long-term case-fatality rate of nontuberculous mycobacterial disease in people living with HIV. <i>Infectious Diseases of Poverty</i> , 2022, 11, 16.	1.5	3
69	Utility of urine lipoarabinomannan (LAM) in diagnosing mycobacteria infection among hospitalized HIV-positive patients. <i>International Journal of Infectious Diseases</i> , 2022, 118, 65-70.	1.5	3
70	Identification of human immunodeficiency virus-1 (HIV-1) transmission from a 29-year-old daughter to her mother in Shanghai, China. <i>Archives of Virology</i> , 2012, 158, 11-7.	0.9	2
71	Characteristics and Outcomes of <i>Acinetobacter baumannii</i> Infections in Patients with HIV: A Matched Case-Control Study. <i>Scientific Reports</i> , 2018, 8, 15617.	1.6	2
72	Urinary biomarkers of early renal injury in antiretroviral-naïve HIV-positive persons in Shanghai, China: comparison with the general population. <i>HIV Medicine</i> , 2021, 22, 750-758.	1.0	2

#	ARTICLE	IF	CITATIONS
73	Genetic relatedness of human immunodeficiency virus-1 (HIV-1) strains in a 12-year-old daughter and her father in a household setting. Archives of Virology, 2014, 159, 1385-1391.	0.9	1
74	Pharmacogenomics and pharmacokinetics of efavirenz 400Åor 600Åmg in 184 treatment-naive HIV-infected patients in China. Pharmacogenomics, 2020, 21, 945-956.	0.6	1
75	Can we use hydroxychloroquine to treat COVID-19 now?. International Journal of Antimicrobial Agents, 2021, 57, 106173.	1.1	1