

Ping Wang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4239764/ping-wang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

139
papers

6,520
citations

41
h-index

76
g-index

145
ext. papers

8,150
ext. citations

5.9
avg, IF

5.87
L-index

#	Paper	IF	Citations
139	Signal transduction cascades regulating fungal development and virulence. <i>Microbiology and Molecular Biology Reviews</i> , 2000 , 64, 746-85	13.2	709
138	The cyclophilins. <i>Genome Biology</i> , 2005 , 6, 226	18.3	448
137	Draft genome sequence of var. provides insights into the evolution of the tea genome and tea quality. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E4151-E4158	11.5	427
136	Sexual cycle of <i>Cryptococcus neoformans</i> var. <i>grubii</i> and virulence of congenic α and α isolates. <i>Infection and Immunity</i> , 2003 , 71, 4831-41	3.7	310
135	A PCR-based strategy to generate integrative targeting alleles with large regions of homology. <i>Microbiology (United Kingdom)</i> , 2002 , 148, 2607-2615	2.9	251
134	The bZIP transcription factor MoAP1 mediates the oxidative stress response and is critical for pathogenicity of the rice blast fungus <i>Magnaporthe oryzae</i> . <i>PLoS Pathogens</i> , 2011 , 7, e1001302	7.6	207
133	Tumor-associated macrophages-derived exosomes promote the migration of gastric cancer cells by transfer of functional Apolipoprotein E. <i>Cell Death and Disease</i> , 2018 , 9, 434	9.8	159
132	The G-protein beta subunit GPB1 is required for mating and haploid fruiting in <i>Cryptococcus neoformans</i> . <i>Molecular and Cellular Biology</i> , 2000 , 20, 352-62	4.8	157
131	Molecular architecture of fungal cell walls revealed by solid-state NMR. <i>Nature Communications</i> , 2018 , 9, 2747	17.4	129
130	Improvement of drought tolerance by overexpressing MdATG18a is mediated by modified antioxidant system and activated autophagy in transgenic apple. <i>Plant Biotechnology Journal</i> , 2018 , 16, 545-557	11.6	111
129	Mating-type-specific and nonspecific PAK kinases play shared and divergent roles in <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2002 , 1, 257-72		103
128	Two cyclophilin A homologs with shared and distinct functions important for growth and virulence of <i>Cryptococcus neoformans</i> . <i>EMBO Reports</i> , 2001 , 2, 511-8	6.5	100
127	Eight RGS and RGS-like proteins orchestrate growth, differentiation, and pathogenicity of <i>Magnaporthe oryzae</i> . <i>PLoS Pathogens</i> , 2011 , 7, e1002450	7.6	97
126	Global genome and transcriptome analyses of <i>Magnaporthe oryzae</i> epidemic isolate 98-06 uncover novel effectors and pathogenicity-related genes, revealing gene gain and loss dynamics in genome evolution. <i>PLoS Pathogens</i> , 2015 , 11, e1004801	7.6	96
125	PIWIL3/OIP5-AS1/miR-367-3p/CEBPA feedback loop regulates the biological behavior of glioma cells. <i>Theranostics</i> , 2018 , 8, 1084-1105	12.1	93
124	Minimum Quality Threshold in Pre-Clinical Sepsis Studies (MQTiPSS): An International Expert Consensus Initiative for Improvement of Animal Modeling in Sepsis. <i>Shock</i> , 2018 , 50, 377-380	3.4	82
123	MoSwi6, an APSES family transcription factor, interacts with MoMps1 and is required for hyphal and conidial morphogenesis, appressorial function and pathogenicity of <i>Magnaporthe oryzae</i> . <i>Molecular Plant Pathology</i> , 2012 , 13, 677-89	5.7	81

122	Importance of Resolving Fungal Nomenclature: the Case of Multiple Pathogenic Species in the Genus. <i>MSphere</i> , 2017 , 2,	5	74
121	MoVam7, a conserved SNARE involved in vacuole assembly, is required for growth, endocytosis, ROS accumulation, and pathogenesis of <i>Magnaporthe oryzae</i> . <i>PLoS ONE</i> , 2011 , 6, e16439	3.7	71
120	circ-SHKBP1 Regulates the Angiogenesis of U87 Glioma-Exposed Endothelial Cells through miR-544a/FOXP1 and miR-379/FOXP2 Pathways. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 10, 331-348	10.7	70
119	Two phosphodiesterase genes, PDEL and PDEH, regulate development and pathogenicity by modulating intracellular cyclic AMP levels in <i>Magnaporthe oryzae</i> . <i>PLoS ONE</i> , 2011 , 6, e17241	3.7	67
118	New advances in autophagy in plants: Regulation, selectivity and function. <i>Seminars in Cell and Developmental Biology</i> , 2018 , 80, 113-122	7.5	66
117	Potential use of lime combined with additives on (im)mobilization and phytoavailability of heavy metals from Pb/Zn smelter contaminated soils. <i>Ecotoxicology and Environmental Safety</i> , 2017 , 145, 313-323	7.2	66
116	R-SNARE homolog MoSec22 is required for conidiogenesis, cell wall integrity, and pathogenesis of <i>Magnaporthe oryzae</i> . <i>PLoS ONE</i> , 2010 , 5, e13193	3.7	65
115	System-wide characterization of bZIP transcription factor proteins involved in infection-related morphogenesis of <i>Magnaporthe oryzae</i> . <i>Environmental Microbiology</i> , 2015 , 17, 1377-96	5.2	62
114	Astragaloside IV protects blood-brain barrier integrity from LPS-induced disruption via activating Nrf2 antioxidant signaling pathway in mice. <i>Toxicology and Applied Pharmacology</i> , 2018 , 340, 58-66	4.6	60
113	Mutation of the regulator of G protein signaling Crg1 increases virulence in <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2004 , 3, 1028-35		60
112	MdATG18a overexpression improves tolerance to nitrogen deficiency and regulates anthocyanin accumulation through increased autophagy in transgenic apple. <i>Plant, Cell and Environment</i> , 2018 , 41, 469-480	8.4	60
111	Gib2, a novel Gbeta-like/RACK1 homolog, functions as a Gbeta subunit in cAMP signaling and is essential in <i>Cryptococcus neoformans</i> . <i>Journal of Biological Chemistry</i> , 2006 , 281, 32596-605	5.4	57
110	Driver fatigue detection through multiple entropy fusion analysis in an EEG-based system. <i>PLoS ONE</i> , 2017 , 12, e0188756	3.7	52
109	The syntaxin protein (MoSyn8) mediates intracellular trafficking to regulate conidiogenesis and pathogenicity of rice blast fungus. <i>New Phytologist</i> , 2016 , 209, 1655-67	9.8	50
108	A Lightweight End-Side User Experience Data Collection System for Quality Evaluation of Multimedia Communications. <i>IEEE Access</i> , 2018 , 6, 15408-15419	3.5	49
107	REVERBa couples the circadian clock to hepatic glucocorticoid action. <i>Journal of Clinical Investigation</i> , 2018 , 128, 4454-4471	15.9	48
106	Economic Analysis of Network Effects on Sponsored Content: A Hierarchical Game Theoretic Approach 2017 ,		47
105	MoDnm1 Dynamin Mediating Peroxisomal and Mitochondrial Fission in Complex with MoFis1 and MoMdv1 Is Important for Development of Functional Appressorium in <i>Magnaporthe oryzae</i> . <i>PLoS Pathogens</i> , 2016 , 12, e1005823	7.6	47

104	MoEnd3 regulates appressorium formation and virulence through mediating endocytosis in rice blast fungus <i>Magnaporthe oryzae</i> . <i>PLoS Pathogens</i> , 2017 , 13, e1006449	7.6	47
103	PVT1 regulates the malignant behaviors of human glioma cells by targeting miR-190a-5p and miR-488-3p. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018 , 1864, 1783-1794	6.9	46
102	SNHG15 affects the growth of glioma microvascular endothelial cells by negatively regulating miR-153. <i>Oncology Reports</i> , 2017 , 38, 3265-3277	3.5	46
101	CIRP increases ICAM-1 phenotype of neutrophils exhibiting elevated iNOS and NETs in sepsis. <i>Journal of Leukocyte Biology</i> , 2018 , 103, 693-707	6.5	44
100	Magnetic particle imaging of islet transplantation in the liver and under the kidney capsule in mouse models. <i>Quantitative Imaging in Medicine and Surgery</i> , 2018 , 8, 114-122	3.6	42
99	PIWIL1/piRNA-DQ593109 Regulates the Permeability of the Blood-Tumor Barrier via the MEG3/miR-330-5p/RUNX3 Axis. <i>Molecular Therapy - Nucleic Acids</i> , 2018 , 10, 412-425	10.7	41
98	Canonical heterotrimeric G proteins regulating mating and virulence of <i>Cryptococcus neoformans</i> . <i>Molecular Biology of the Cell</i> , 2007 , 18, 4201-9	3.5	40
97	Minimum quality threshold in pre-clinical sepsis studies (MQTiPSS): an international expert consensus initiative for improvement of animal modeling in sepsis. <i>Intensive Care Medicine Experimental</i> , 2018 , 6, 26	3.7	39
96	Pleiotropic function of the putative zinc-finger protein MoMsn2 in <i>Magnaporthe oryzae</i> . <i>Molecular Plant-Microbe Interactions</i> , 2014 , 27, 446-60	3.6	38
95	The actin-regulating kinase homologue MoArk1 plays a pleiotropic function in <i>Magnaporthe oryzae</i> . <i>Molecular Plant Pathology</i> , 2013 , 14, 470-82	5.7	38
94	In Vivo Ovarian Cancer Gene Therapy Using CRISPR-Cas9. <i>Human Gene Therapy</i> , 2018 , 29, 223-233	4.8	36
93	The RGS protein Crg2 regulates pheromone and cyclic AMP signaling in <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2008 , 7, 1540-8		35
92	Phosphodiesterase MoPdeH targets MoMck1 of the conserved mitogen-activated protein (MAP) kinase signalling pathway to regulate cell wall integrity in rice blast fungus <i>Magnaporthe oryzae</i> . <i>Molecular Plant Pathology</i> , 2016 , 17, 654-68	5.7	35
91	The Putative Protein Phosphatase MoYvh1 Functions Upstream of MoPdeH to Regulate the Development and Pathogenicity in <i>Magnaporthe oryzae</i> . <i>Molecular Plant-Microbe Interactions</i> , 2016 , 29, 496-507	3.6	34
90	Histone acetyltransferase MoHat1 acetylates autophagy-related proteins MoAtg3 and MoAtg9 to orchestrate functional appressorium formation and pathogenicity in. <i>Autophagy</i> , 2019 , 15, 1234-1257	10.2	34
89	Hand-foot skin reaction is a beneficial indicator of sorafenib therapy for patients with hepatocellular carcinoma: a systemic review and meta-analysis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2018 , 12, 1-8	4.2	33
88	A Sch9 protein kinase homologue controlling virulence independently of the cAMP pathway in <i>Cryptococcus neoformans</i> . <i>Current Genetics</i> , 2004 , 46, 247-55	2.9	33
87	MoCAP proteins regulated by MoArk1-mediated phosphorylation coordinate endocytosis and actin dynamics to govern development and virulence of <i>Magnaporthe oryzae</i> . <i>PLoS Genetics</i> , 2017 , 13, e1006814	6.14	32

86	Structure-activity relationships of flavonoids as natural inhibitors against <i>E. coli</i> β -glucuronidase. <i>Food and Chemical Toxicology</i> , 2017 , 109, 975-983	4.7	31
85	Part II: Minimum Quality Threshold in Preclinical Sepsis Studies (MQTiPSS) for Types of Infections and Organ Dysfunction Endpoints. <i>Shock</i> , 2019 , 51, 23-32	3.4	31
84	Tripartite motif-containing (TRIM) 21 negatively regulates intestinal mucosal inflammation through inhibiting T1/T17 cell differentiation in patients with inflammatory bowel diseases. <i>Journal of Allergy and Clinical Immunology</i> , 2018 , 142, 1218-1228.e12	11.5	31
83	A Practical and High-Affinity Fluorescent Probe for Uridine Diphosphate Glucuronosyltransferase 1A1: A Good Surrogate for Bilirubin. <i>Journal of Medicinal Chemistry</i> , 2017 , 60, 9664-9675	8.3	30
82	Shared and distinct functions of two Gti1/Pac2 family proteins in growth, morphogenesis and pathogenicity of <i>Magnaporthe oryzae</i> . <i>Environmental Microbiology</i> , 2014 , 16, 788-801	5.2	28
81	High ECT2 expression is an independent prognostic factor for poor overall survival and recurrence-free survival in non-small cell lung adenocarcinoma. <i>PLoS ONE</i> , 2017 , 12, e0187356	3.7	28
80	Serum anti-PLA2R antibody as a diagnostic biomarker of idiopathic membranous nephropathy: The optimal cut-off value for Chinese patients. <i>Clinica Chimica Acta</i> , 2018 , 476, 9-14	6.2	28
79	Temporal Profile and Severity Correlation of a Panel of Rat Spinal Cord Injury Protein Biomarkers. <i>Molecular Neurobiology</i> , 2018 , 55, 2174-2184	6.2	27
78	Preparation of a multifunctional fibroin-based biomaterial via laccase-assisted grafting of chitooligosaccharide. <i>International Journal of Biological Macromolecules</i> , 2018 , 113, 1062-1072	7.9	27
77	Pleiotropic function of intersectin homologue Cin1 in <i>Cryptococcus neoformans</i> . <i>Molecular Microbiology</i> , 2010 , 76, 662-76	4.1	26
76	Deficiency of tumor suppressor NDRG2 leads to attention deficit and hyperactive behavior. <i>Journal of Clinical Investigation</i> , 2017 , 127, 4270-4284	15.9	25
75	Two Distinct Approaches for CRISPR-Cas9-Mediated Gene Editing in <i>Cryptococcus neoformans</i> and Related Species. <i>MSphere</i> , 2018 , 3,	5	24
74	A Hierarchical Game with Strategy Evolution for Mobile Sponsored Content/Service Markets 2017 ,		24
73	The thioredoxin MoTrx2 protein mediates reactive oxygen species (ROS) balance and controls pathogenicity as a target of the transcription factor MoAP1 in <i>Magnaporthe oryzae</i> . <i>Molecular Plant Pathology</i> , 2017 , 18, 1199-1209	5.7	23
72	Comparative genome-wide analysis of extracellular small RNAs from the mucormycosis pathogen <i>Rhizopus delemar</i> . <i>Scientific Reports</i> , 2018 , 8, 5243	4.9	22
71	CRISPR-Cas9 induces point mutation in the mucormycosis fungus <i>Rhizopus delemar</i> . <i>Fungal Genetics and Biology</i> , 2019 , 124, 1-7	3.9	22
70	Chemical exchange-sensitive spin-lock (CESL) MRI of glucose and analogs in brain tumors. <i>Magnetic Resonance in Medicine</i> , 2018 , 80, 488-495	4.4	21
69	Analysis of Heterogeneous Wireless Networks Using Poisson Hard-Core Hole Process. <i>IEEE Transactions on Wireless Communications</i> , 2017 , 16, 7152-7167	9.6	21

68	MoTup1 is required for growth, conidiogenesis and pathogenicity of <i>Magnaporthe oryzae</i> . <i>Molecular Plant Pathology</i> , 2015 , 16, 799-810	5.7	20
67	Network Effect-Based Sequential Dynamic Pricing for Mobile Social Data Market 2017 ,		20
66	A novel monoclonal antibody efficiently blocks the infection of serotype 4 fowl adenovirus by targeting fiber-2. <i>Veterinary Research</i> , 2018 , 49, 29	3.8	20
65	Phosphorylation-guarded light-harvesting complex II contributes to broad-spectrum blast resistance in rice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 17572-17577	11.5	20
64	Shedding light on autophagy coordinating with cell wall integrity signaling to govern pathogenicity of. <i>Autophagy</i> , 2020 , 16, 900-916	10.2	19
63	Noncanonical Gβ2 is a scaffolding protein promoting cAMP signaling through functions of Ras1 and Cac1 proteins in <i>Cryptococcus neoformans</i> . <i>Journal of Biological Chemistry</i> , 2014 , 289, 12202-16	5.4	17
62	Receipt of thoracic radiation therapy and radiotherapy dose are correlated with outcomes in a retrospective study of three hundred and six patients with extensive stage small-cell lung cancer. <i>Radiotherapy and Oncology</i> , 2017 , 125, 331-337	5.3	16
61	Effect of Interpregnancy Interval on Adverse Perinatal Outcomes in Southern China: A Retrospective Cohort Study, 2000-2015. <i>Paediatric and Perinatal Epidemiology</i> , 2018 , 32, 131-140	2.7	16
60	Towards acetone-uncoupled biofuels production in solventogenic <i>Clostridium</i> through reducing power conservation. <i>Metabolic Engineering</i> , 2018 , 47, 102-112	9.7	16
59	MoYvh1 subverts rice defense through functions of ribosomal protein MoMrt4 in <i>Magnaporthe oryzae</i> . <i>PLoS Pathogens</i> , 2018 , 14, e1007016	7.6	16
58	A Game-Theoretic Analysis of Complementarity, Substitutability and Externalities in Cloud Services 2017 ,		16
57	Wsp1 is downstream of Cin1 and regulates vesicle transport and actin cytoskeleton as an effector of Cdc42 and Rac1 in <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2012 , 11, 471-81		16
56	MoPpe1 partners with MoSap1 to mediate TOR and cell wall integrity signalling in growth and pathogenicity of the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Environmental Microbiology</i> , 2018 , 20, 3964-3979	5.2	16
55	No evidence of disease activity in patients receiving daclizumab versus intramuscular interferon beta-1a for relapsing-remitting multiple sclerosis in the DECIDE study. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 1736-1747	5	15
54	Managing Physical Layer Security in Wireless Cellular Networks: A Cyber Insurance Approach. <i>IEEE Journal on Selected Areas in Communications</i> , 2018 , 36, 1648-1661	14.2	15
53	Characterization of germline mutations in familial lung cancer from the Chinese population. <i>Gene</i> , 2018 , 641, 94-104	3.8	15
52	Fog Radio Access Networks: Ginibre Point Process Modeling and Analysis. <i>IEEE Transactions on Wireless Communications</i> , 2018 , 17, 5564-5580	9.6	15
51	Comparative proteomic analyses reveal that the regulators of G-protein signaling proteins regulate amino acid metabolism of the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Proteomics</i> , 2014 , 14, 2508-22	4.8	15

50	The endocytic adaptor proteins of pathogenic fungi: charting new and familiar pathways. <i>Medical Mycology</i> , 2011 , 49, 449-57	3.9	15
49	Cold-inducible RNA-binding protein-derived peptide C23 attenuates inflammation and tissue injury in a murine model of intestinal ischemia-reperfusion. <i>Surgery</i> , 2018 , 164, 1191-1197	3.6	15
48	Magnaporthe oryzae Auxiliary Activity Protein MoAa91 Functions as Chitin-Binding Protein To Induce Appressorium Formation on Artificial Inductive Surfaces and Suppress Plant Immunity. <i>MBio</i> , 2020 , 11,	7.8	14
47	3-Methyladenine and dexmedetomidine reverse lipopolysaccharide-induced acute lung injury through the inhibition of inflammation and autophagy. <i>Experimental and Therapeutic Medicine</i> , 2018 , 15, 3516-3522	2.1	14
46	In vivo bioelectronic nose using transgenic mice for specific odor detection. <i>Biosensors and Bioelectronics</i> , 2018 , 102, 150-156	11.8	14
45	Targeting junctional adhesion molecule-C ameliorates sepsis-induced acute lung injury by decreasing CXCR4 aged neutrophils. <i>Journal of Leukocyte Biology</i> , 2018 , 104, 1159-1171	6.5	14
44	Wsp1, a GBD/CRIB domain-containing WASP homolog, is required for growth, morphogenesis, and virulence of <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2011 , 10, 521-9		14
43	The ArfGAP protein MoGlo3 regulates the development and pathogenicity of <i>Magnaporthe oryzae</i> . <i>Environmental Microbiology</i> , 2017 , 19, 3982-3996	5.2	13
42	CIRP Induces Neutrophil Reverse Transendothelial Migration in Sepsis. <i>Shock</i> , 2019 , 51, 548-556	3.4	13
41	The seven transmembrane domain protein MoRgs7 functions in surface perception and undergoes coronin MoCrn1-dependent endocytosis in complex with Gβ subunit MoMagA to promote cAMP signaling and appressorium formation in <i>Magnaporthe oryzae</i> . <i>PLoS Pathogens</i> , 2019 , 15, e1007382	7.6	13
40	Heat-Shock Proteins MoSsb1, MoSsz1, and MoZuo1 Attenuate MoMkk1-Mediated Cell-Wall Integrity Signaling and Are Important for Growth and Pathogenicity of <i>Magnaporthe oryzae</i> . <i>Molecular Plant-Microbe Interactions</i> , 2018 , 31, 1211-1221	3.6	13
39	A Ric8/synebryn homolog promotes Gpa1 and Gpa2 activation to respectively regulate cyclic AMP and pheromone signaling in <i>Cryptococcus neoformans</i> . <i>Eukaryotic Cell</i> , 2014 , 13, 1290-9		13
38	Lack of association between triggering receptor expressed on myeloid cells 2 polymorphism rs75932628 and late-onset Alzheimer's disease in a Chinese Han population. <i>Psychiatric Genetics</i> , 2018 , 28, 16-18	2.9	13
37	Structural Polymorphism of Chitin and Chitosan in Fungal Cell Walls From Solid-State NMR and Principal Component Analysis. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 727053	5.6	13
36	DC-SIGN promotes Japanese encephalitis virus transmission from dendritic cells to T cells via virological synapses. <i>Virologica Sinica</i> , 2017 , 32, 495-502	6.4	11
35	Biomimetic Sensors for the Senses: Towards Better Understanding of Taste and Odor Sensation. <i>Sensors</i> , 2017 , 17,	3.8	11
34	Deficiency of receptor-interacting protein kinase 3 (RIPK3) attenuates inflammation and organ injury in neonatal sepsis. <i>Journal of Pediatric Surgery</i> , 2018 , 53, 1699-1705	2.6	11
33	Allucin ameliorates cognitive impairment in APP/PS1 mice via Suppressing oxidative stress by Blocking JNK Signaling Pathways. <i>Tissue and Cell</i> , 2018 , 50, 89-95	2.7	10

32	Optimum water and nitrogen supply regulates root distribution and produces high grain yields in spring wheat (<i>Triticum aestivum</i> L.) under permanent raised bed tillage in arid northwest China. <i>Soil and Tillage Research</i> , 2018 , 181, 117-126	6.5	10
31	Disruption of actin motor function due to MoMyo5 mutation impairs host penetration and pathogenicity in <i>Magnaporthe oryzae</i> . <i>Molecular Plant Pathology</i> , 2018 , 19, 689-699	5.7	10
30	MoMip11, a MoRgs7-interacting protein, functions as a scaffolding protein to regulate cAMP signaling and pathogenicity in the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Environmental Microbiology</i> , 2018 , 20, 3168-3185	5.2	10
29	Crystal structure of Gib2, a signal-transducing protein scaffold associated with ribosomes in <i>Cryptococcus neoformans</i> . <i>Scientific Reports</i> , 2015 , 5, 8688	4.9	10
28	Biomolecular complex viewed by dynamic nuclear polarization solid-state NMR spectroscopy. <i>Biochemical Society Transactions</i> , 2020 , 48, 1089-1099	5.1	10
27	Graphene Oxide and Polyelectrolyte Composed One-Way Expressway for Guiding Electron Transfer of Integrated Artificial Photosynthesis. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 3060-3069	8.3	9
26	MoVrp1, a putative verprolin protein, is required for asexual development and infection in the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Scientific Reports</i> , 2017 , 7, 41148	4.9	8
25	Solvothermal synthesis of hydroxyapatite nanorods with assistance of green polymer. <i>Materials Science and Engineering C</i> , 2017 , 79, 9-14	8.3	8
24	Peptides derived from transcription factor EB bind to calcineurin at a similar region as the NFAT-type motif. <i>Biochimie</i> , 2017 , 142, 158-167	4.6	8
23	Transcriptomic Analysis of Extracellular RNA Governed by the Endocytic Adaptor Protein Cin1 of. <i>Frontiers in Cellular and Infection Microbiology</i> , 2020 , 10, 256	5.9	7
22	MicroRNA-like milR236, regulated by transcription factor MoMsn2, targets histone acetyltransferase MoHat1 to play a role in appressorium formation and virulence of the rice blast fungus <i>Magnaporthe oryzae</i> . <i>Fungal Genetics and Biology</i> , 2020 , 137, 103349	3.9	7
21	Combined Analysis of Stress- and ECM-Related Genes in Their Effect on Weight Regain. <i>Obesity</i> , 2018 , 26, 492-498	8	7
20	Comparative proteomic analysis of Gib2 validating its adaptor function in <i>Cryptococcus neoformans</i> . <i>PLoS ONE</i> , 2017 , 12, e0180243	3.7	7
19	Preparation of Fungal and Plant Materials for Structural Elucidation Using Dynamic Nuclear Polarization Solid-State NMR. <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	6
18	Bt cotton producing Cry1Ac and Cry2Ab does not harm two parasitoids, <i>Cotesia marginiventris</i> and <i>Copidosoma floridanum</i> . <i>Scientific Reports</i> , 2018 , 8, 307	4.9	6
17	Investigation on Species Authenticity for Herbal Products of and from Markets Using ITS2 Barcoding. <i>Molecules</i> , 2018 , 23,	4.8	6
16	Japanese encephalitis virus counteracts BST2 restriction via its envelope protein E. <i>Virology</i> , 2017 , 510, 67-75	3.6	6
15	Aerosol Optical Properties over China from RAMS-CMAQ Model Compared with CALIOP Observations. <i>Atmosphere</i> , 2017 , 8, 201	2.7	6

14	System-Wide Characterization of MoArf GTPase Family Proteins and Adaptor Protein MoGga1 Involved in the Development and Pathogenicity of Magnaporthe oryzae. <i>MBio</i> , 2019 , 10,	7.8	5
13	Magnaporthe oryzae Abp1, a MoArk1 Kinase-Interacting Actin Binding Protein, Links Actin Cytoskeleton Regulation to Growth, Endocytosis, and Pathogenesis. <i>Molecular Plant-Microbe Interactions</i> , 2019 , 32, 437-451	3.6	5
12	Fitness of Bt-resistant cabbage loopers on Bt cotton plants. <i>Plant Biotechnology Journal</i> , 2017 , 15, 1322-1330	1.8	4
11	evaluation of the effect of C-4 substitution on methylation of 7,8-dihydroxycoumarin: metabolic profile and catalytic kinetics. <i>Royal Society Open Science</i> , 2018 , 5, 171271	3.3	4
10	Optimization of the Kinematic Model for Biomimetic Robotic Fish with Rigid Headshaking Mitigation. <i>Robotics</i> , 2017 , 6, 30	2.8	4
9	Balancing of the mitotic exit network and cell wall integrity signaling governs the development and pathogenicity in Magnaporthe oryzae. <i>PLoS Pathogens</i> , 2021 , 17, e1009080	7.6	4
8	Optimization of mechanochemical-assisted extraction and decoloration by resins of polysaccharides from petals of <i>Crocus sativus</i> L. <i>Journal of Food Processing and Preservation</i> , 2018 , 42, e13369	2.1	3
7	MoErv29 promotes apoplastic effector secretion contributing to virulence of the rice blast fungus Magnaporthe oryzae. <i>New Phytologist</i> , 2021 , 233, 1289	9.8	3
6	The rice blast fungus MoRgs1 functioning in cAMP signaling and pathogenicity is regulated by casein kinase MoCk2 phosphorylation and modulated by membrane protein MoEmc2. <i>PLoS Pathogens</i> , 2021 , 17, e1009657	7.6	3
5	MoImd4 mediates crosstalk between MoPdeH-cAMP signalling and purine metabolism to govern growth and pathogenicity in Magnaporthe oryzae. <i>Molecular Plant Pathology</i> , 2019 , 20, 500-518	5.7	3
4	Genetic Transformation in Species. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	3
3	Virtual reality method to analyze visual recognition in mice. <i>PLoS ONE</i> , 2018 , 13, e0196563	3.7	2
2	Indicators for contaminant transport in a three-layer wetland with wind. <i>Ecological Indicators</i> , 2019 , 105, 448-463	5.8	2
1	Energy Generation Scheduling in Microgrids Involving Temporal-Correlated Renewable Energy 2018 , 69-81		