

Dong Keun Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4240267/publications.pdf>

Version: 2024-02-01

142
papers

5,980
citations

66234

42
h-index

85405

71
g-index

142
all docs

142
docs citations

142
times ranked

8006
citing authors

#	ARTICLE	IF	CITATIONS
1	Surface-Modifying Effect of Zwitterionic Polyurethane Oligomers Complexed with Metal Ions on Blood Compatibility. <i>Tissue Engineering and Regenerative Medicine</i> , 2022, 19, 35-47.	1.6	10
2	Bioactive PCL microspheres with enhanced biocompatibility and collagen production for functional hyaluronic acid dermal fillers. <i>Biomaterials Science</i> , 2022, 10, 947-959.	2.6	9
3	Fat Graft with Allograft Adipose Matrix and Magnesium Hydroxide-Incorporated PLGA Microspheres for Effective Soft Tissue Reconstruction. <i>Tissue Engineering and Regenerative Medicine</i> , 2022, 19, 553-563.	1.6	10
4	Highly effective induction of cell-derived extracellular matrix by macromolecular crowding for osteogenic differentiation of mesenchymal stem cells. <i>Journal of Industrial and Engineering Chemistry</i> , 2022, 107, 391-400.	2.9	8
5	Combination of Metal-Phenolic Network-Based Immunoactive Nanoparticles and Bipolar Irreversible Electroporation for Effective Cancer Immunotherapy. <i>Small</i> , 2022, 18, e2200316.	5.2	20
6	Human Mesenchymal Stem Cell-Derived Extracellular Vesicles Promote Neural Differentiation of Neural Progenitor Cells. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7047.	1.8	11
7	The antagonistic effect of magnesium hydroxide particles on vascular endothelial activation induced by acidic PLGA degradation products. <i>Biomaterials Science</i> , 2021, 9, 892-907.	2.6	24
8	Biocompatible and functional inorganic magnesium ceramic particles for biomedical applications. <i>Biomaterials Science</i> , 2021, 9, 1903-1923.	2.6	29
9	Integrated Bioactive Scaffold with Polydeoxyribonucleotide and Stem-Cell-Derived Extracellular Vesicles for Kidney Regeneration. <i>ACS Nano</i> , 2021, 15, 7575-7585.	7.3	52
10	A Robustly Supported Extracellular Matrix Improves the Intravascular Delivery Efficacy of Endothelial Progenitor Cells. <i>Advanced Functional Materials</i> , 2021, 31, 2100324.	7.8	2
11	PLGA Microspheres Containing Hydrophobically Modified Magnesium Hydroxide Particles for Acid Neutralization-Mediated Anti-Inflammation. <i>Tissue Engineering and Regenerative Medicine</i> , 2021, 18, 613-622.	1.6	12
12	Comparative Analysis of MSC-Derived Exosomes Depending on Cell Culture Media for Regenerative Bioactivity. <i>Tissue Engineering and Regenerative Medicine</i> , 2021, 18, 355-367.	1.6	21
13	Multifunctional Biodegradable Vascular PLLA Scaffold with Improved X-ray Opacity, Anti-Inflammation, and Re-Endothelization. <i>Polymers</i> , 2021, 13, 1979.	2.0	12
14	Promotion of Bone Regeneration Using Bioinspired PLGA/MH/ECM Scaffold Combined with Bioactive PDRN. <i>Materials</i> , 2021, 14, 4149.	1.3	20
15	Prevention of chemotherapy-induced premature ovarian insufficiency in mice by scaffold-based local delivery of human embryonic stem cell-derived mesenchymal progenitor cells. <i>Stem Cell Research and Therapy</i> , 2021, 12, 431.	2.4	24
16	Comparison of Surface Functionalization of PLGA Composite to Immobilize Extracellular Vesicles. <i>Polymers</i> , 2021, 13, 3643.	2.0	5
17	Poly(L-Lactic Acid) Composite with Surface-Modified Magnesium Hydroxide Nanoparticles by Biodegradable Oligomer for Augmented Mechanical and Biological Properties. <i>Materials</i> , 2021, 14, 5869.	1.3	10
18	Advanced PLGA hybrid scaffold with a bioactive PDRN/BMP2 nanocomplex for angiogenesis and bone regeneration using human fetal MSCs. <i>Science Advances</i> , 2021, 7, eabj1083.	4.7	47

#	ARTICLE	IF	CITATIONS
19	Enhancing Neurogenesis of Neural Stem Cells Using Homogeneous Nanohole Pattern-Modified Conductive Platform. <i>International Journal of Molecular Sciences</i> , 2020, 21, 191.	1.8	15
20	An osteoconductive PLGA scaffold with bioactive β -TCP and anti-inflammatory $Mg(OH)_2$ to improve <i>in vivo</i> bone regeneration. <i>Biomaterials Science</i> , 2020, 8, 937-948.	2.6	53
21	Magnesium hydroxide-incorporated PLGA composite attenuates inflammation and promotes BMP2-induced bone formation in spinal fusion. <i>Journal of Tissue Engineering</i> , 2020, 11, 204173142096759.	2.3	42
22	Scaffold-supported extracellular matrices preserved by magnesium hydroxide nanoparticles for renal tissue regeneration. <i>Biomaterials Science</i> , 2020, 8, 5427-5440.	2.6	11
23	Cationic Nanoparticle-Mediated Activation of Natural Killer Cells for Effective Cancer Immunotherapy. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 56731-56740.	4.0	43
24	Late endothelial progenitor cell-capture stents with CD146 antibody and nanostructure reduce in-stent restenosis and thrombosis. <i>Acta Biomaterialia</i> , 2020, 111, 91-101.	4.1	33
25	Biomaterial-based strategies to prime dendritic cell-mediated anti-cancer immune responses. <i>International Materials Reviews</i> , 2020, 65, 445-462.	9.4	16
26	Advanced hybrid nanomaterials for biomedical applications. <i>Progress in Materials Science</i> , 2020, 114, 100686.	16.0	140
27	Multifunctional nanoparticles for genetic engineering and bioimaging of natural killer (NK) cell therapeutics. <i>Biomaterials</i> , 2019, 221, 119418.	5.7	51
28	PCL microspheres containing magnesium hydroxide for dermal filler with enhanced physicochemical and biological performances. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 80, 854-861.	2.9	12
29	A Bioinspired Scaffold with Anti-Inflammatory Magnesium Hydroxide and Decellularized Extracellular Matrix for Renal Tissue Regeneration. <i>ACS Central Science</i> , 2019, 5, 458-467.	5.3	73
30	Effect of various shaped magnesium hydroxide particles on mechanical and biological properties of poly(lactic-co-glycolic acid) composites. <i>Journal of Industrial and Engineering Chemistry</i> , 2018, 59, 266-276.	2.9	25
31	New opportunities for nanoparticles in cancer immunotherapy. <i>Biomaterials Research</i> , 2018, 22, 24.	3.2	137
32	Modified Magnesium Hydroxide Nanoparticles Inhibit the Inflammatory Response to Biodegradable Poly(lactide-co-glycolide) Implants. <i>ACS Nano</i> , 2018, 12, 6917-6925.	7.3	71
33	The effect of solvents and hydrophilic additive on stable coating and controllable sirolimus release system for drug-eluting stent. <i>Materials Science and Engineering C</i> , 2017, 78, 39-46.	3.8	11
34	Biopolymer-based functional composites for medical applications. <i>Progress in Polymer Science</i> , 2017, 68, 77-105.	11.8	292
35	Silicone rubber with mussel-inspired adhesive coatings for enhancing antifouling property and blood compatibility. <i>Macromolecular Research</i> , 2017, 25, 841-848.	1.0	13
36	Stiffness of Hydrogels Regulates Cellular Reprogramming Efficiency Through Mesenchymal-to-Epithelial Transition and Stemness Markers. <i>Macromolecular Bioscience</i> , 2016, 16, 199-206.	2.1	53

#	ARTICLE	IF	CITATIONS
37	A Promising Approach for Improving the Coating Stability and &In Vivo& Performance of Biodegradable Polymer-Coated Sirolimus-Eluting Stent. <i>Journal of Biomedical Nanotechnology</i> , 2016, 12, 2015-2028.	0.5	16
38	Optimized sirolimus-eluting stent by coating asymmetrically with biodegradable and cytocompatible polymers. <i>Asian Journal of Pharmaceutical Sciences</i> , 2016, 11, 160-161.	4.3	1
39	Fabrication and characteristics of dual functionalized vascular stent by spatio-temporal coating. <i>Acta Biomaterialia</i> , 2016, 38, 143-152.	4.1	26
40	Biomimetic Porous PLGA Scaffolds Incorporating Decellularized Extracellular Matrix for Kidney Tissue Regeneration. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 21145-21154.	4.0	74
41	Nitric Oxide Releasing Coronary Stent: A New Approach Using Layer-by-Layer Coating and Liposomal Encapsulation. <i>Small</i> , 2016, 12, 6012-6023.	5.2	45
42	Effects of poly(L-lactide- μ -caprolactone) and magnesium hydroxide additives on physico-mechanical properties and degradation of poly(L-lactic acid). <i>Biomaterials Research</i> , 2016, 20, 7.	3.2	23
43	Growth factors-loaded stents modified with hyaluronic acid and heparin for induction of rapid and tight re-endothelialization. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 141, 602-610.	2.5	38
44	Synergistic effect of anti-platelet and anti-inflammation of drug-coated Co-Cr substrates for prevention of initial in-stent restenosis. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016, 140, 353-360.	2.5	15
45	Advanced Stents for Cardiovascular Applications. <i>Biosystems and Biorobotics</i> , 2016, , 407-426.	0.2	3
46	Facile Surface Modification of Nitinol with Dopamine-Conjugated Hyaluronic Acid for Improving Blood Compatibility. <i>Journal of Biomaterials and Tissue Engineering</i> , 2016, 6, 780-787.	0.0	3
47	Effect of stromal cell derived factor-1 \pm release from heparin-coated Co-Cr stent substrate on the recruitment of endothelial progenitor cells. <i>Macromolecular Research</i> , 2015, 23, 1159-1167.	1.0	11
48	Comparison of phytoncide with sirolimus as a novel drug candidate for drug-eluting stent. <i>Biomaterials</i> , 2015, 44, 1-10.	5.7	22
49	Improved biocompatibility of polyethylenimine (PEI) as a gene carrier by conjugating urocanic acid: In vitro and in vivo. <i>Macromolecular Research</i> , 2015, 23, 387-395.	1.0	21
50	Allylimidazolium salt based antibacterial polymer coatings produced by thiol-ene photocuring. <i>Reactive and Functional Polymers</i> , 2015, 87, 53-60.	2.0	15
51	Murine ovarian follicle culture in PEG-hydrogel: Effects of mechanical properties and the hormones FSH and LH on development. <i>Macromolecular Research</i> , 2015, 23, 377-386.	1.0	9
52	Effects of interfacial layer wettability and thickness on the coating morphology and sirolimus release for drug-eluting stent. <i>Journal of Colloid and Interface Science</i> , 2015, 460, 189-199.	5.0	26
53	Polymers for cell/tissue anti-adhesion. <i>Progress in Polymer Science</i> , 2015, 44, 28-61.	11.8	121
54	Effect of magnesium hydroxide nanoparticles with rod and plate shape on mechanical and biological properties of poly(L-lactide) composites. <i>Macromolecular Research</i> , 2014, 22, 1032-1041.	1.0	10

#	ARTICLE	IF	CITATIONS
55	Shape-Memory Effect by Specific Biodegradable Polymer Blending for Biomedical Applications. <i>Macromolecular Bioscience</i> , 2014, 14, 667-678.	2.1	53
56	Fabrication and characteristics of anti-inflammatory magnesium hydroxide incorporated PLGA scaffolds formed with various porogen materials. <i>Macromolecular Research</i> , 2014, 22, 210-218.	1.0	17
57	A Poly(lactide) Stereocomplex Structure with Modified Magnesium Oxide and Its Effects in Enhancing the Mechanical Properties and Suppressing Inflammation. <i>Small</i> , 2014, 10, 3783-3794.	5.2	50
58	Evaluation of the effect of expansion and shear stress on a self-assembled endothelium mimicking nanomatrix coating for drug eluting stents in vitro and in vivo. <i>Biofabrication</i> , 2014, 6, 035019.	3.7	13
59	Effect of Solvent on Drug Release and a Spray-Coated Matrix of a Sirolimus-Eluting Stent Coated with Poly(lactic-co-glycolic acid). <i>Langmuir</i> , 2014, 30, 10098-10106.	1.6	26
60	Crack prevention of biodegradable polymer coating on metal facilitated by a nano-coupled interlayer. <i>Journal of Bioactive and Compatible Polymers</i> , 2014, 29, 515-526.	0.8	10
61	Reinforcement of Interfacial Adhesion of a Coated Polymer Layer on a Cobalt-Chromium Surface for Drug-Eluting Stents. <i>Langmuir</i> , 2014, 30, 8020-8028.	1.6	20
62	Multi-lineage differentiation of human mesenchymal stromal cells on the biophysical microenvironment of cell-derived matrix. <i>Cell and Tissue Research</i> , 2014, 357, 781-792.	1.5	21
63	Establishment and characterization of human engineered cells stably expressing large extracellular matrix proteins. <i>Archives of Pharmacal Research</i> , 2014, 37, 149-156.	2.7	1
64	Mussel-Mimetic Protein-Based Adhesive Hydrogel. <i>Biomacromolecules</i> , 2014, 15, 1579-1585.	2.6	265
65	The role of tauroursodeoxycholic acid on adipogenesis of human adipose-derived stem cells by modulation of ER stress. <i>Biomaterials</i> , 2014, 35, 2851-2858.	5.7	37
66	Injectable in situ-forming hydrogel for cartilage tissue engineering. <i>Journal of Materials Chemistry B</i> , 2013, 1, 3314.	2.9	38
67	Biodegradable poly(l-lactide) composites by oligolactide-grafted magnesium hydroxide for mechanical reinforcement and reduced inflammation. <i>Journal of Materials Chemistry B</i> , 2013, 1, 2764.	2.9	54
68	Dual Growth Factor Delivery Using Biocompatible Core-Shell Microcapsules for Angiogenesis. <i>Small</i> , 2013, 9, 3468-3476.	5.2	52
69	Heparin-Conjugated Pluronic Nanogels as Multi-Drug Nanocarriers for Combination Chemotherapy. <i>Molecular Pharmaceutics</i> , 2013, 10, 685-693.	2.3	39
70	Induction of Re-Differentiation of Passaged Rat Chondrocytes Using a Naturally Obtained Extracellular Matrix Microenvironment. <i>Tissue Engineering - Part A</i> , 2013, 19, 978-988.	1.6	36
71	Characterization of naturally derived macromolecular matrix and its osteogenic activity with preosteoblasts. <i>Macromolecular Research</i> , 2012, 20, 868-874.	1.0	5
72	Improvement of mechanical properties and blood compatibility of PLLA nanocomposites by incorporation of polyhedral oligomeric silsesquioxane. <i>Macromolecular Research</i> , 2012, 20, 996-1001.	1.0	6

#	ARTICLE	IF	CITATIONS
73	Injectable in situ-forming hydrogels for a suppression of drug burst from drug-loaded microcapsules. <i>Soft Matter</i> , 2012, 8, 7638.	1.2	18
74	Visible light-induced photocurable (forming a film) low molecular weight chitosan derivatives for biomedical applications: Synthesis, characterization and in vitro biocompatibility. <i>Journal of Industrial and Engineering Chemistry</i> , 2012, 18, 1258-1262.	2.9	14
75	Controlled release of bone morphogenetic protein (BMP)-2 from nanocomplex incorporated on hydroxyapatite-formed titanium surface. <i>Journal of Controlled Release</i> , 2012, 160, 676-684.	4.8	95
76	Chondrocyte 3D-culture in RGD-modified crosslinked hydrogel with temperature-controllable modulus. <i>Macromolecular Research</i> , 2012, 20, 106-111.	1.0	18
77	Synthesis and Biological Activity of New 4-(Pyridin-4-yl)-(3-methoxy-5-methylphenyl)-1H-pyrazoles Derivatives as ROS Receptor Tyrosine Kinase Inhibitors. <i>Bulletin of the Korean Chemical Society</i> , 2012, 33, 3629-3634.	1.0	3
78	Thermal gelling polyalanine-ploxamine-polyalanine aqueous solution for chondrocytes 3D culture: Initial concentration effect. <i>Soft Matter</i> , 2011, 7, 456-462.	1.2	42
79	Improvement of Interfacial Adhesion of Biodegradable Polymers Coated on Metal Surface by Nanocoupling. <i>Langmuir</i> , 2011, 27, 14232-14239.	1.6	33
80	Polymeric Scaffolds for Regenerative Medicine. <i>Polymer Reviews</i> , 2011, 51, 23-52.	5.3	93
81	Preparation of Polymeric Micelles Consisting of Poly(propylene glycol) and Poly(caprolactone). <i>Journal of Nanoscience and Nanotechnology</i> , 2011, 11, 10990-10995.	0.9	2
82	Thermoreversible Radial Growth of Micellar Assembly for Hydrogel Formation Using Zwitterionic Oligopeptide Copolymer. <i>Macromolecules</i> , 2011, 44, 2269-2275.	2.2	14
83	Surface grafting of blood compatible zwitterionic poly(ethylene glycol) on diamond-like carbon-coated stent. <i>Journal of Materials Science: Materials in Medicine</i> , 2011, 22, 507-514.	1.7	14
84	Characteristics of PLLA films blended with PEG block copolymers as additives for biodegradable polymer stents. <i>Biomedical Engineering Letters</i> , 2011, 1, 42-48.	2.1	15
85	Fabrication and controlled release of electrosprayed ReoPro-loaded metal surface for vascular stent. <i>Macromolecular Research</i> , 2011, 19, 501-506.	1.0	6
86	Decellularized PLGA-based scaffolds and their osteogenic potential with bone marrow stromal cells. <i>Macromolecular Research</i> , 2011, 19, 1090-1096.	1.0	8
87	Synthesis and characterization of novel thermo-responsive F68 block copolymers with cell-adhesive RGD peptide. <i>Journal of Colloid and Interface Science</i> , 2011, 360, 78-85.	5.0	36
88	Peptide-grafted lactide-based poly(ethylene glycol) porous scaffolds for specific cell adhesion. <i>Macromolecular Research</i> , 2010, 18, 526-532.	1.0	17
89	Beneficial effect of sulfonated PEO-grafted polyurethanes on calcification and lipid adsorption of vascular implants. <i>Macromolecular Research</i> , 2010, 18, 1133-1136.	1.0	3
90	Effect of temporally controlled release of dexamethasone on in vivo chondrogenic differentiation of mesenchymal stromal cells. <i>Journal of Controlled Release</i> , 2010, 143, 23-30.	4.8	27

#	ARTICLE	IF	CITATIONS
91	Preparation of TGF- β 1-conjugated biodegradable pluronic F127 hydrogel and its application with adipose-derived stem cells. <i>Journal of Controlled Release</i> , 2010, 147, 84-91.	4.8	91
92	Fabrication of core-shell microcapsules using PLGA and alginate for dual growth factor delivery system. <i>Journal of Controlled Release</i> , 2010, 147, 193-201.	4.8	109
93	Underlying mechanism for suppression of vascular smooth muscle cells by green tea polyphenol EGCG released from biodegradable polymers for stent application. <i>Journal of Biomedical Materials Research - Part A</i> , 2010, 95A, 424-433.	2.1	16
94	In situ thermal gelling polypeptide for chondrocytes 3D culture. <i>Biomaterials</i> , 2010, 31, 9266-9272.	5.7	92
95	Effect of Surface-activated PLLA Scaffold on Apatite Formation in Simulated Body Fluid. <i>Journal of Bioactive and Compatible Polymers</i> , 2010, 25, 27-39.	0.8	14
96	Fabrication of covered porous PLGA microspheres using hydrogen peroxide for controlled drug delivery and regenerative medicine. <i>Journal of Controlled Release</i> , 2009, 133, 37-43.	4.8	168
97	Functional PLGA Scaffolds for Chondrogenesis of Bone-Marrow-Derived Mesenchymal Stem Cells. <i>Macromolecular Bioscience</i> , 2009, 9, 221-229.	2.1	32
98	Controlled preparation of poly(ethylene glycol) and poly(L-lactide) block copolymers in the presence of a monomer activator. <i>Journal of Polymer Science Part A</i> , 2009, 47, 5917-5922.	2.5	8
99	Enhanced dermal wound neovascularization by targeted delivery of endothelial progenitor cells using an RGD-g-PLLA scaffold. <i>Biomaterials</i> , 2009, 30, 3742-3748.	5.7	86
100	Design, synthesis and biological evaluation of new potent and highly selective ROS1-tyrosine kinase inhibitor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 4720-4723.	1.0	30
101	Design, synthesis, screening, and molecular modeling study of a new series of ROS1 receptor tyrosine kinase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 5622-5626.	1.0	33
102	Biocompatible PEG Grafting on DLC-coated Nitinol Alloy for Vascular Stents. <i>Journal of Bioactive and Compatible Polymers</i> , 2009, 24, 316-328.	0.8	36
103	Biomedical Polymer Nanofibers for Emerging Technology. , 2009, , 21-42.		3
104	Time-Dependent Alginate/Polyvinyl Alcohol Hydrogels as Injectable Cell Carriers. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2009, 20, 863-876.	1.9	57
105	Apatite-coated poly(lactic-co-glycolic acid) microspheres as an injectable scaffold for bone tissue engineering. <i>Journal of Biomedical Materials Research - Part A</i> , 2008, 85A, 747-756.	2.1	89
106	Beneficial effect of hydrophilized porous polymer scaffolds in tissue-engineered cartilage formation. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2008, 85B, 252-260.	1.6	41
107	Controlled dual release of basic fibroblast growth factor and indomethacin from heparin-conjugated polymeric micelle. <i>International Journal of Pharmaceutics</i> , 2008, 346, 57-63.	2.6	88
108	Effect of RGD-immobilized Dual-Pore Poly(L-Lactic Acid) Scaffolds on Chondrocyte Proliferation and Extracellular Matrix Production. <i>Artificial Organs</i> , 2008, 32, 981-989.	1.0	25

#	ARTICLE	IF	CITATIONS
109	Temperature-Sensitive Poly(caprolactone-co-trimethylene carbonate)- <i>b</i> -Poly(ethylene Terephthalate) Block Copolymers. <i>Macromolecules</i> , 2008, 41, 6486-6492.	2.2	63
110	Preparation of Biodegradable Polymer Scaffolds with Dual Pore System for Tissue Regeneration. <i>Macromolecular Symposia</i> , 2007, 249-250, 145-150.	0.4	22
111	Heparin Immobilized Small Intestinal Submucosa for Cardiovascular Applications. <i>Macromolecular Symposia</i> , 2007, 249-250, 120-123.	0.4	1
112	Surface modification of biodegradable electrospun nanofiber scaffolds and their interaction with fibroblasts. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2007, 18, 369-382.	1.9	178
113	Therapeutic ultrasound effects on interleukin-1 β stimulated cartilage construct in vitro. <i>Ultrasound in Medicine and Biology</i> , 2007, 33, 286-295.	0.7	19
114	Quantitative Analysis of Temporal and Spatial Variations of Chondrocyte Behavior in Engineered Cartilage during Long-Term Culture. <i>Annals of Biomedical Engineering</i> , 2007, 35, 419-428.	1.3	13
115	The efficacy of acrylic acid grafting and arginine-glycine-aspartic acid peptide immobilization on fibrovascular ingrowth into porous polyethylene implants in rabbits. <i>Graefe's Archive for Clinical and Experimental Ophthalmology</i> , 2007, 245, 855-862.	1.0	2
116	In Vivo Biocompatibility of Sulfonated PEO-grafted Polyurethanes for Polymer Heart Valve and Vascular Graft. <i>Artificial Organs</i> , 2006, 30, 955-959.	1.0	44
117	Preparation of New Bioactive Hybrid Bone Cements Containing Bis-GMA Derivatives as a Prepolymer. <i>Macromolecular Materials and Engineering</i> , 2006, 291, 684-689.	1.7	2
118	Poly (4-vinylimidazole) as nonviral gene carrier: in vitro and in vivo transfection. <i>Acta Biomaterialia</i> , 2005, 1, 165-172.	4.1	27
119	Physical Properties and Biodegradation of Lactide-based Poly(ethylene glycol) Polymer Networks for Tissue Engineering. <i>Polymer Bulletin</i> , 2003, 50, 107-114.	1.7	11
120	New Aromatic Tert-Amines for Application as Photoinitiator Components in Photocurable Dental Materials. <i>Macromolecular Chemistry and Physics</i> , 2003, 204, 1628-1635.	1.1	24
121	In vitro degradation and cytotoxicity of alkyl 2-cyanoacrylate polymers for application to tissue adhesives. <i>Journal of Applied Polymer Science</i> , 2003, 89, 3272-3278.	1.3	44
122	Enhanced blood compatibility of polymers grafted by sulfonated PEO via a negative zeta potential concept. <i>Biomaterials</i> , 2003, 24, 2213-2223.	5.7	92
123	Micellization and Gelation of Aqueous Solutions of Star-Shaped PLLA- <i>b</i> -PEO Block Copolymers. <i>Macromolecules</i> , 2003, 36, 4115-4124.	2.2	100
124	Synthesis and Characterization of Star-Shaped PLLA- <i>b</i> -PEO Block Copolymers with Temperature-Sensitive Sol-Gel Transition Behavior. <i>Macromolecules</i> , 2001, 34, 8821-8824.	2.2	79
125	Synthesis of Norbornene-Derived Polymers Having Pendant Phenoxyl Radicals for Photochromism. <i>Macromolecules</i> , 2001, 34, 4291-4293.	2.2	17
126	Platelet and bacterial repellence on sulfonated poly(ethylene glycol)-acrylate copolymer surfaces. <i>Colloids and Surfaces B: Biointerfaces</i> , 2000, 18, 355-370.	2.5	48

#	ARTICLE	IF	CITATIONS
127	Synthesis, characterization and protein adsorption behaviors of PLGA/PEG di-block co-polymer blend films. <i>Colloids and Surfaces B: Biointerfaces</i> , 2000, 18, 371-379.	2.5	79
128	Bacterial adhesion on PEG modified polyurethane surfaces. <i>Biomaterials</i> , 1998, 19, 851-859.	5.7	412
129	Surface characteristics and biocompatibility of lactide-based poly(ethylene glycol) scaffolds for tissue engineering. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1998, 9, 667-680.	1.9	71
130	Sulfonated poly(ethylene oxide)-grafted polyurethane copolymer for biomedical applications. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1998, 9, 163-174.	1.9	44
131	Novel anti-calcification treatment of biological tissues by grafting of sulphonated poly(ethylene) Tj ETQq1 1 0.784314 rgBT /Overlock	5.7	42
132	Development of a local antibiotic delivery system using fibrin glue. <i>Journal of Controlled Release</i> , 1996, 39, 65-70.	4.8	15
133	Surface characteristics and properties of lumbrokinase-immobilized polyurethane. <i>Journal of Biomedical Materials Research Part B</i> , 1995, 29, 403-409.	3.0	26
134	Heparin-like anticoagulant activity of sulphonated poly(ethylene oxide) and sulphonated poly(ethylene oxide)-grafted polyurethane. <i>Biomaterials</i> , 1995, 16, 467-471.	5.7	83
135	Antithrombogenicity of hydrophilic polyurethane-hydrophobic polystyrene IPNs. II. In vitro and ex vivo studies. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1995, 6, 281-295.	1.9	15
136	Antithrombogenicity of hydrophilic polyurethane-hydrophobic polystyrene IPNs. I. Synthesis and characterization. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1995, 6, 195-210.	1.9	14
137	Antithrombogenicity of lumbrokinase-immobilized polyurethane. <i>Journal of Biomedical Materials Research Part B</i> , 1994, 28, 1069-1077.	3.0	27
138	Surface structure and inert surface characteristics of perfluorodecanoic acid-grafted polyurethane. <i>Journal of Applied Polymer Science</i> , 1993, 47, 761-769.	1.3	7
139	In vivo biostability and calcification-resistance of surface-modified PU-PEO-SO ₃ . <i>Journal of Biomedical Materials Research Part B</i> , 1993, 27, 1063-1073.	3.0	37
140	Negative cilia concept for thromboresistance: Synergistic effect of PEO and sulfonate groups grafted onto polyurethanes. <i>Journal of Biomedical Materials Research Part B</i> , 1991, 25, 561-575.	3.0	79
141	Surface modification of polyurethane for enhanced blood compatibility. <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1990, 33, 319-326.	0.6	8
142	Preparation and surface characterization of PEO-grafted and heparin-immobilized polyurethanes. <i>Journal of Biomedical Materials Research Part B</i> , 1989, 23, 87-104.	3.0	120