
Hua Wei

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4240457/publications.pdf Version: 2024-02-01



Ητιν Μει

#	Article	IF	CITATIONS
1	Effect of heparâ€protecting <i>Wuzhi</i> capsule on pharmacokinetics and doseâ€effect character of tacrolimus in healthy volunteers. Biopharmaceutics and Drug Disposition, 2022, 43, 119-129.	1.1	3
2	Population pharmacokinetics of tacrolimus in Chinese adult liver transplant patients. Biopharmaceutics and Drug Disposition, 2022, , .	1.1	3
3	Milk and Egg Are Risk Factors for Adverse Effects of Capecitabine-Based Chemotherapy in Chinese Colorectal Cancer Patients. Integrative Cancer Therapies, 2022, 21, 153473542211054.	0.8	2
4	Changes in clinical trials of endocrine disorder and metabolism and nutrition disorder drugs in mainland China over 2010–2019. Pharmacology Research and Perspectives, 2021, 9, e00729.	1.1	6
5	Risk prediction models based on hematological/body parameters for chemotherapy-induced adverse effects in Chinese colorectal cancer patients. Supportive Care in Cancer, 2021, 29, 7931-7947.	1.0	10
6	Genomic methylation variations predict the susceptibility of six chemotherapy related adverse effects and cancer development for Chinese colorectal cancer patients. Toxicology and Applied Pharmacology, 2021, 427, 115657.	1.3	10
7	Wuzhi capsule regulates chloroacetaldehyde pharmacokinetics behaviour and alleviates highâ€dose cyclophosphamideâ€induced nephrotoxicity and neurotoxicity in rats. Basic and Clinical Pharmacology and Toxicology, 2019, 125, 142-151.	1.2	13
8	Proteomic Analysis of Charcoal-Stripped Fetal Bovine Serum Reveals Changes in the Insulin-like Growth Factor Signaling Pathway. Journal of Proteome Research, 2018, 17, 2963-2977.	1.8	26
9	LC–MS/MS method for simultaneous determination of famitinib and its major metabolites in human plasma. Bioanalysis, 2018, 10, 791-801.	0.6	5
10	The <i>BIM</i> deletion polymorphism is a prognostic biomarker of EGFR-TKIs response in NSCLC: A systematic review and meta-analysis. Oncotarget, 2015, 6, 25696-25700.	0.8	24
11	Validation of an LC–MS/MS Method for Quantitative Analysis of the 5 Bioactive Components of Wuzhi Capsule in Human Plasma Samples. Therapeutic Drug Monitoring, 2014, 36, 781-788.	1.0	20
12	Effects of Traditional Chinese Medicine <i>Wuzhi</i> Capsule on Pharmacokinetics of Tacrolimus in Rats. Drug Metabolism and Disposition, 2013, 41, 1398-1403.	1.7	54
13	Qualitative analysis and quality control of Traditional Chinese Medicine preparation Tanreqing injection by LC-TOF/MS and HPLC-DAD-ELSD. Analytical Methods, 2013, 5, 6431.	1.3	19
14	Simultaneous determination of five lignan constituents of Wuzhi capsule in rat plasma by LC–MS/MS: Application to pharmacokinetic study. Journal of Pharmaceutical and Biomedical Analysis, 2010, 52, 741-746.	1.4	31
15	A simple and sensitive HPLC method for the simultaneous determination of eight bioactive components and fingerprint analysis of Schisandra sphenanthera. Analytica Chimica Acta, 2010, 662, 97-104.	2.6	104
16	Quantitative determination of Phakellistatin 13, a new cyclic heptapeptide, in rat plasma by liquid chromatography/tandem mass spectrometry: application to a pharmacokinetic study. Analytical and Bioanalytical Chemistry, 2009, 395, 1461-1469.	1.9	4