

Teizo Yoshimura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4240715/publications.pdf>

Version: 2024-02-01

155
papers

8,760
citations

34076

52
h-index

48277

88
g-index

166
all docs

166
docs citations

166
times ranked

9060
citing authors

#	ARTICLE	IF	CITATIONS
1	Human monocyte chemoattractant protein-1 (MCP-1). Trends in Immunology, 1990, 11, 97-101.	7.5	571
2	Human monocyte chemoattractant protein-1 (MCP-1) Full-length cDNA cloning, expression in mitogen-stimulated blood mononuclear leukocytes, and sequence similarity to mouse competence gene JE. FEBS Letters, 1989, 244, 487-493.	1.3	561
3	Transcriptional Regulation of The Human Monocyte Chemoattractant Protein-1 Gene. Journal of Biological Chemistry, 1997, 272, 31092-31099.	1.6	281
4	Detection of monocyte chemoattractant protein-1 in human atherosclerotic lesions by an anti-monocyte chemoattractant protein-1 monoclonal antibody. Human Pathology, 1993, 24, 534-539.	1.1	263
5	Bacterial c-di-GMP Is an Immunostimulatory Molecule. Journal of Immunology, 2007, 178, 2171-2181.	0.4	216
6	Neutrophil Attractant/Activation Protein-1 (NAP-1 [Interleukin-8]). American Journal of Respiratory Cell and Molecular Biology, 1990, 2, 479-486.	1.4	203
7	The chemokine MCP-1 (CCL2) in the host interaction with cancer: a foe or ally?. Cellular and Molecular Immunology, 2018, 15, 335-345.	4.8	174
8	THE ROLE OF MONOCYTE CHEMOATTRACTANT PROTEIN-1 (MCP-1) IN THE PATHOGENESIS OF COLLAGEN-INDUCED ARTHRITIS IN RATS. , 1997, 182, 106-114.		163
9	Important Role of Local Angiotensin II Activity Mediated via Type 1 Receptor in the Pathogenesis of Cardiovascular Inflammatory Changes Induced by Chronic Blockade of Nitric Oxide Synthesis in Rats. Circulation, 2000, 101, 305-310.	1.6	162
10	Chemokine-like receptor 1 (CMKLR1) and chemokine (C-C motif) receptor-like 2 (CCRL2); Two multifunctional receptors with unusual properties. Experimental Cell Research, 2011, 317, 674-684.	1.2	138
11	MCP-1 mRNA Expression in Basal Keratinocytes of Psoriatic Lesions. Journal of Investigative Dermatology, 1993, 101, 127-131.	0.3	136
12	Expression of CCR6 and CD83 by cytokine-activated human neutrophils. Blood, 2000, 96, 3958-3963.	0.6	134
13	Chemokines in homeostasis and diseases. Cellular and Molecular Immunology, 2018, 15, 324-334.	4.8	126
14	Molecular cloning of rat monocyte chemoattractant protein-1 (MCP-1) and its expression in rat spleen cells and tumor cell lines. Biochemical and Biophysical Research Communications, 1991, 174, 504-509.	1.0	123
15	Monocyte Chemoattractant Protein-1 (MCP-1) in Inflammatory Joint Diseases and Its Involvement in the Cytokine Network of Rheumatoid Synovium. Clinical Immunology and Immunopathology, 1993, 69, 83-91.	2.1	119
16	Neutrophil Recruitment by Intradermally Injected Neutrophil Attractant/Activation Protein-1. Journal of Investigative Dermatology, 1991, 96, 690-694.	0.3	117
17	Vascular Endothelial Growth Factor Receptor 2 (VEGFR-2) Plays a Key Role in Vasculogenic Mimicry Formation, Neovascularization and Tumor Initiation by Glioma Stem-like Cells. PLoS ONE, 2013, 8, e57188.	1.1	117
18	Discoidin domain receptor 1 isoform (DDR1a) promotes migration of leukocytes in three-dimensional collagen lattices. FASEB Journal, 2001, 15, 1-23.	0.2	114

#	ARTICLE	IF	CITATIONS
19	Cutting Edge: A Critical Role for the G Protein-Coupled Receptor mFPR2 in Airway Inflammation and Immune Responses. <i>Journal of Immunology</i> , 2010, 184, 3331-3335.	0.4	112
20	Inhibition of NO Synthesis Induces Inflammatory Changes and Monocyte Chemoattractant Protein-1 Expression in Rat Hearts and Vessels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1998, 18, 1456-1464.	1.1	111
21	Formylpeptide receptors are critical for rapid neutrophil mobilization in host defense against <i>Listeria monocytogenes</i> . <i>Scientific Reports</i> , 2012, 2, 786.	1.6	109
22	The MKK6/p38 Stress Kinase Cascade Is Critical for Tumor Necrosis Factor- α -Induced Expression of Monocyte-Chemoattractant Protein-1 in Endothelial Cells. <i>Blood</i> , 1999, 93, 857-865.	0.6	109
23	Monocyte chemoattractant protein-1 in idiopathic pulmonary fibrosis and other interstitial lung diseases. <i>Human Pathology</i> , 1994, 25, 455-463.	1.1	104
24	Regulation of inflammation by members of the formyl-peptide receptor family. <i>Journal of Autoimmunity</i> , 2017, 85, 64-77.	3.0	103
25	The Chemokine Repertoire of Human Dermal Microvascular Endothelial Cells and Its Regulation by Inflammatory Cytokines. <i>Journal of Investigative Dermatology</i> , 1997, 108, 445-451.	0.3	102
26	Neutrophil attractant/activation protein-1 (NAP-1) causes human basophil histamine release. <i>Immunology Letters</i> , 1989, 22, 151-154.	1.1	96
27	Activation of Discoidin Domain Receptor 1 Isoform b with Collagen Up-Regulates Chemokine Production in Human Macrophages: Role of p38 Mitogen-Activated Protein Kinase and NF- κ B. <i>Journal of Immunology</i> , 2004, 172, 2332-2340.	0.4	96
28	Chemerin reveals its chimeric nature. <i>Journal of Experimental Medicine</i> , 2008, 205, 2187-2190.	4.2	96
29	The production of monocyte chemoattractant protein-1 (MCP-1)/CCL2 in tumor microenvironments. <i>Cytokine</i> , 2017, 98, 71-78.	1.4	94
30	Role of Monocyte Chemoattractant Protein-1 in Cardiovascular Remodeling Induced by Chronic Blockade of Nitric Oxide Synthesis. <i>Circulation</i> , 2000, 102, 2243-2248.	1.6	93
31	Chemokine production by human vascular smooth muscle cells: modulation by IL-13. <i>British Journal of Pharmacology</i> , 1997, 122, 749-757.	2.7	90
32	Secretion of Neutrophil Attractant/Activation Protein by Lipopolysaccharide-stimulated Lung Macrophages Determined by Both Enzyme-linked Immunosorbent Assay and N-Terminal Sequence Analysis. <i>The American Review of Respiratory Disease</i> , 1990, 141, 683-688.	2.9	89
33	Expression and localization of messenger RNA and protein for monocyte chemoattractant protein-1 in human malignant glioma. <i>Journal of Neurosurgery</i> , 1994, 80, 1056-1062.	0.9	89
34	Formylpeptide receptor-2 contributes to colonic epithelial homeostasis, inflammation, and tumorigenesis. <i>Journal of Clinical Investigation</i> , 2013, 123, 1694-1704.	3.9	89
35	TNF optimally activates regulatory T cells by inducing TNF receptor superfamily members TNFR2, 4 α 1BB and OX40. <i>European Journal of Immunology</i> , 2011, 41, 2010-2020.	1.6	88
36	Monocyte Chemoattractant Protein-1/CCL2 Produced by Stromal Cells Promotes Lung Metastasis of 4T1 Murine Breast Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e58791.	1.1	86

#	ARTICLE	IF	CITATIONS
37	Expression of CCR6 and CD83 by cytokine-activated human neutrophils. <i>Blood</i> , 2000, 96, 3958-3963.	0.6	82
38	Cell Surface Receptor FPR2 Promotes Antitumor Host Defense by Limiting M2 Polarization of Macrophages. <i>Cancer Research</i> , 2013, 73, 550-560.	0.4	76
39	Monocyte Chemoattractant Protein-1 (MCP-1), Not MCP-3, Is the Primary Chemokine Required for Monocyte Recruitment in Mouse Peritonitis Induced with Thioglycollate or Zymosan A. <i>Journal of Immunology</i> , 2009, 183, 3463-3471.	0.4	75
40	Production and Characterization of Recombinant Human Neutrophil Chemotactic Factor. <i>Journal of Biochemistry</i> , 1989, 106, 436-441.	0.9	73
41	The cytokines NAP-1 (IL-8), MCP-1, IL-1 beta, and GRO in rabbit inflammatory skin lesions produced by the chemical irritant sulfur mustard. <i>Inflammation</i> , 1996, 20, 293-318.	1.7	71
42	TNF-related apoptosis-inducing ligand is involved in neutropenia of systemic lupus erythematosus. <i>Blood</i> , 2004, 104, 184-191.	0.6	69
43	Up-regulated expression and activation of the orphan chemokine receptor, CCRL2, in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2004, 50, 1806-1814.	6.7	68
44	The MKK6/p38 Stress Kinase Cascade Is Critical for Tumor Necrosis Factor- α -Induced Expression of Monocyte-Chemoattractant Protein-1 in Endothelial Cells. <i>Blood</i> , 1999, 93, 857-865.	0.6	68
45	Regulation of tumour necrosis factor-related apoptosis-inducing ligand (TRAIL) and TRAIL receptor expression in human neutrophils. <i>Immunology</i> , 2004, 111, 186-194.	2.0	67
46	Kinetics of macrophage subpopulations and expression of monocyte chemoattractant protein-1 (MCP-1) in bleomycin-induced lung injury of rats studied by a novel monoclonal antibody against rat MCP-1. <i>Journal of Leukocyte Biology</i> , 1994, 56, 741-750.	1.5	65
47	Molecular Analysis of the Inhibition of Monocyte Chemoattractant Protein-1 Gene Expression by Estrogens and Xenoestrogens in MCF-7 Cells ¹ . <i>Endocrinology</i> , 2000, 141, 50-59.	1.4	61
48	Discoidin domain receptor 1 mediates collagen-induced nitric oxide production in J774A.1 murine macrophages. <i>Free Radical Biology and Medicine</i> , 2007, 42, 343-352.	1.3	59
49	IFN- γ -Mediated Survival Enables Human Neutrophils to Produce MCP-1/CCL2 in Response to Activation by TLR Ligands. <i>Journal of Immunology</i> , 2007, 179, 1942-1949.	0.4	57
50	Formylpeptide Receptors Mediate Rapid Neutrophil Mobilization to Accelerate Wound Healing. <i>PLoS ONE</i> , 2014, 9, e90613.	1.1	57
51	New development in studies of formyl-peptide receptors: critical roles in host defense. <i>Journal of Leukocyte Biology</i> , 2016, 99, 425-435.	1.5	56
52	The Antimicrobial Peptide CRAMP Is Essential for Colon Homeostasis by Maintaining Microbiota Balance. <i>Journal of Immunology</i> , 2018, 200, 2174-2185.	0.4	56
53	Chemotactic Activity and Receptor Binding of Neutrophil Attractant/Activation Protein-1 (NAP-1) and Structurally Related Host Defense Cytokines: Interaction of NAP-2 With the NAP-1 Receptor. <i>Journal of Leukocyte Biology</i> , 1991, 49, 258-265.	1.5	53
54	IL-1 activation of endothelium supports VLA-4 (CD49d/CD29)-mediated monocyte transendothelial migration to C5a, MIP-1 α , RANTES, and PAF but inhibits migration to MCP-1: a regulatory role for endothelium-derived MCP-1. <i>Journal of Leukocyte Biology</i> , 1995, 58, 71-79.	1.5	53

#	ARTICLE	IF	CITATIONS
55	MCP-1 is selectively expressed in the late phase by cytokine-stimulated human neutrophils: TNF- α plays a role in maximal MCP-1 mRNA expression. <i>Journal of Leukocyte Biology</i> , 1999, 65, 671-679.	1.5	53
56	Recombinant Guinea Pig Tumor Necrosis Factor Alpha Stimulates the Expression of Interleukin-12 and the Inhibition of Mycobacterium tuberculosis Growth in Macrophages. <i>Infection and Immunity</i> , 2005, 73, 1367-1376.	1.0	53
57	Characterization of cis-Acting Elements of the Gene for Macrophage-stimulating Protein from the Human. <i>Journal of Biological Chemistry</i> , 1996, 271, 20265-20272.	1.6	50
58	Biological Aspects of Monocyte Chemoattractant Protein-1 (MCP-1). <i>Advances in Experimental Medicine and Biology</i> , 1991, 305, 57-64.	0.8	50
59	The active contribution of Toll-like receptors to allergic airway inflammation. <i>International Immunopharmacology</i> , 2011, 11, 1391-1398.	1.7	48
60	Activation of Discoidin Domain Receptor 1 Facilitates the Maturation of Human Monocyte-Derived Dendritic Cells Through the TNF Receptor Associated Factor 6/TGF- β -Activated Protein Kinase 1 Binding Protein 1- β Mitogen-Activated Protein Kinase Signaling Cascade. <i>Journal of Immunology</i> , 2003, 171, 3520-3532.	0.4	47
61	Decreased miR-200b-3p in cancer cells leads to angiogenesis in HCC by enhancing endothelial ERG expression. <i>Scientific Reports</i> , 2020, 10, 10418.	1.6	46
62	Production of monocyte chemoattractant protein-1 by bovine glomerular endothelial cells. <i>Kidney International</i> , 1995, 48, 1866-1874.	2.6	45
63	Expression of monocyte chemoattractant protein-1 in meningioma. <i>Journal of Neurosurgery</i> , 1995, 82, 874-878.	0.9	45
64	Differential expression of macrophage inflammatory protein-2 and monocyte chemoattractant protein-1 in experimental glomerulonephritis. <i>Kidney International</i> , 1996, 49, 715-721.	2.6	44
65	INTERLEUKIN 8 AND MONOCYTE CHEMOATTRACTANT PROTEIN 1 PRODUCTION BY CULTURED HUMAN AIRWAY SMOOTH MUSCLE CELLS. <i>Cytokine</i> , 1998, 10, 346-352.	1.4	44
66	Cloning and Functional Characterization of the 5'-Flanking Region of the Human Monocyte Chemoattractant Protein-1 Receptor (CCR2) Gene. <i>Journal of Biological Chemistry</i> , 1999, 274, 4646-4654.	1.6	44
67	Evaluating the role of tumor necrosis factor-alpha in experimental pulmonary tuberculosis in the guinea pig. <i>Tuberculosis</i> , 2005, 85, 245-258.	0.8	44
68	Signal Relay by CC Chemokine Receptor 2 (CCR2) and Formylpeptide Receptor 2 (Fpr2) in the Recruitment of Monocyte-derived Dendritic Cells in Allergic Airway Inflammation. <i>Journal of Biological Chemistry</i> , 2013, 288, 16262-16273.	1.6	42
69	Synthesis and biological characterization of monocyte-derived neutrophil chemotactic factor. <i>FEBS Letters</i> , 1988, 236, 467-470.	1.3	41
70	Production and Characterization of Human Glioma Cell-Derived Monocyte Chemotactic Factor. <i>Journal of the National Cancer Institute</i> , 1989, 81, 347-351.	3.0	41
71	Interleukin (IL)-8 (CXCL8) induces cytokine expression and superoxide formation by guinea pig neutrophils infected with Mycobacterium tuberculosis. <i>Tuberculosis</i> , 2004, 84, 283-292.	0.8	41
72	Mycobacterium bovis BCG Vaccination Augments Interleukin-8 mRNA Expression and Protein Production in Guinea Pig Alveolar Macrophages Infected with Mycobacterium tuberculosis. <i>Infection and Immunity</i> , 2002, 70, 5471-5478.	1.0	40

#	ARTICLE	IF	CITATIONS
73	Interaction of discoidin domain receptor 1 isoform b (DDR1b) with collagen activates p38 mitogen-activated protein kinase and promotes differentiation of macrophages. <i>FASEB Journal</i> , 2003, 17, 1286-1288.	0.2	39
74	Discoidin Domain Receptor 1: A New Class of Receptor Regulating Leukocyte-Collagen Interaction. <i>Immunologic Research</i> , 2005, 31, 219-230.	1.3	39
75	FAM3D is essential for colon homeostasis and host defense against inflammation associated carcinogenesis. <i>Nature Communications</i> , 2020, 11, 5912.	5.8	38
76	Production of monocyte chemoattractant protein-1 by malignant fibrous histiocytoma: Relation to the origin of histiocyte-like cells. <i>Experimental and Molecular Pathology</i> , 1991, 54, 61-71.	0.9	35
77	Activation of Discoidin Domain Receptor 1 on CD14-Positive Bronchoalveolar Lavage Fluid Cells Induces Chemokine Production in Idiopathic Pulmonary Fibrosis. <i>Journal of Immunology</i> , 2005, 174, 6490-6498.	0.4	35
78	The Role of Chemoattractant Receptors in Shaping the Tumor Microenvironment. <i>BioMed Research International</i> , 2014, 2014, 1-33.	0.9	35
79	Crosstalk between Tumor Cells and Macrophages in Stroma Renders Tumor Cells as the Primary Source of MCP-1/CCL2 in Lewis Lung Carcinoma. <i>Frontiers in Immunology</i> , 2015, 6, 332.	2.2	34
80	Nonspecific and immune-specific up-regulation of cytokines in rabbit dermal tuberculous (BCG) lesions. <i>Journal of Leukocyte Biology</i> , 1998, 63, 440-450.	1.5	32
81	The G-protein coupled chemoattractant receptor FPR2 promotes malignant phenotype of human colon cancer cells. <i>American Journal of Cancer Research</i> , 2016, 6, 2599-2610.	1.4	31
82	Effect of Mycobacterium bovis BCG Vaccination on Interleukin-1 β and RANTES mRNA Expression in Guinea Pig Cells Exposed to Attenuated and Virulent Mycobacteria. <i>Infection and Immunity</i> , 2002, 70, 1245-1253.	1.0	30
83	Recombinant guinea pig CCL5 (RANTES) differentially modulates cytokine production in alveolar and peritoneal macrophages. <i>Journal of Leukocyte Biology</i> , 2004, 76, 1229-1239.	1.5	30
84	The Formylpeptide Receptor 2 (Fpr2) and Its Endogenous Ligand Cathelin-related Antimicrobial Peptide (CRAMP) Promote Dendritic Cell Maturation. <i>Journal of Biological Chemistry</i> , 2014, 289, 17553-17563.	1.6	30
85	Integrative DNA, RNA, and Protein Evidence Connects TREML4 to Coronary Artery Calcification. <i>American Journal of Human Genetics</i> , 2014, 95, 66-76.	2.6	30
86	Induction of Monocyte Chemoattractant Proteins in Macrophages via the Production of Granulocyte/Macrophage Colony-Stimulating Factor by Breast Cancer Cells. <i>Frontiers in Immunology</i> , 2016, 7, 2.	2.2	30
87	Intradermal Injection of Monocyte Chemoattractant Protein-1 Induces Emigration and Differentiation of Blood Monocytes in Rat Skin. <i>International Archives of Allergy and Immunology</i> , 1998, 115, 15-23.	0.9	29
88	Positive Regulation of the Human Macrophage Stimulating Protein Gene Transcription. <i>Journal of Biological Chemistry</i> , 1998, 273, 19339-19347.	1.6	28
89	Anti-Inflammatory Actions of Interleukin-13. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1999, 20, 1007-1012.	1.4	28
90	Differential Expression of Gamma Interferon mRNA Induced by Attenuated and Virulent Mycobacterium tuberculosis in Guinea Pig Cells after Mycobacterium bovis BCG Vaccination. <i>Infection and Immunity</i> , 2003, 71, 354-364.	1.0	27

#	ARTICLE	IF	CITATIONS
91	Induction of Monocyte Chemoattractant Protein 1 by <i>Helicobacter pylori</i> Involves NF- κ B. <i>Infection and Immunity</i> , 2001, 69, 1280-1286.	1.0	26
92	Secretion of Monocyte Chemoattractant Protein-1 (MCP-1) by Human Mononuclear Phagocytes. <i>Advances in Experimental Medicine and Biology</i> , 1993, 351, 55-64.	0.8	26
93	Antibodies to macrophage stimulating protein (MSP): specificity, epitope interactions, and immunoassay of MSP in human serum. <i>Journal of Leukocyte Biology</i> , 1993, 54, 289-295.	1.5	25
94	The Critical Role of the Antimicrobial Peptide LL-37/ CRAMP in Protection of Colon Microbiota Balance, Mucosal Homeostasis, Anti-Inflammatory Responses, and Resistance to Carcinogenesis. <i>Critical Reviews in Immunology</i> , 2019, 39, 83-92.	1.0	25
95	Spred2 Regulates High Fat Diet-Induced Adipose Tissue Inflammation, and Metabolic Abnormalities in Mice. <i>Frontiers in Immunology</i> , 2019, 10, 17.	2.2	25
96	IL-8 is an essential mediator of the increased delayed-phase vascular permeability in LPS-induced rabbit pleurisy. <i>Journal of Leukocyte Biology</i> , 1998, 63, 584-590.	1.5	24
97	Phenotypic and Functional Changes of Cytokine-Activated Neutrophils. , 2003, 83, 24-44.		24
98	Involvement of Galectin-9 in Guinea Pig Allergic Airway Inflammation. <i>International Archives of Allergy and Immunology</i> , 2007, 143, 95-105.	0.9	24
99	Differential effects of protein kinase C inhibitors on chemokine production in human synovial fibroblasts. <i>British Journal of Pharmacology</i> , 1996, 117, 1245-1253.	2.7	23
100	The Contribution of Chemoattractant GPCRs, Formylpeptide Receptors, to Inflammation and Cancer. <i>Frontiers in Endocrinology</i> , 2020, 11, 17.	1.5	23
101	Effect of <i>Mycobacterium bovis</i> BCG Vaccination on <i>Mycobacterium</i> -Specific Cellular Proliferation and Tumor Necrosis Factor Alpha Production from Distinct Guinea Pig Leukocyte Populations. <i>Infection and Immunity</i> , 2003, 71, 7035-7042.	1.0	21
102	Discovery of IL-8/CXCL8 (The Story from Frederick). <i>Frontiers in Immunology</i> , 2015, 6, 278.	2.2	21
103	Chemokine production and adhesion molecule expression by neural cells exposed to IL-1, TNF α and interferon. <i>Life Sciences</i> , 1998, 63, 1939-1952.	2.0	20
104	Role of Exonic Variation in Chemokine Receptor Genes on AIDS: CCRL2 F167Y Association with <i>Pneumocystis Pneumonia</i> . <i>PLoS Genetics</i> , 2011, 7, e1002328.	1.5	19
105	A Novel Role of Spred2 in the Colonic Epithelial Cell Homeostasis and Inflammation. <i>Scientific Reports</i> , 2016, 6, 37531.	1.6	19
106	Spred2-deficiency Protects Mice from Polymicrobial Septic Peritonitis by Enhancing Inflammation and Bacterial Clearance. <i>Scientific Reports</i> , 2017, 7, 12833.	1.6	19
107	Spred2 Deficiency Exacerbates D-Galactosamine/Lipopolysaccharide -induced Acute Liver Injury in Mice via Increased Production of TNF α . <i>Scientific Reports</i> , 2018, 8, 188.	1.6	19
108	The activities of cytokines are pleiotropic and interdependent. <i>Immunology Letters</i> , 1987, 16, 179-183.	1.1	18

#	ARTICLE	IF	CITATIONS
109	Non-Myeloid Cells are Major Contributors to Innate Immune Responses via Production of Monocyte Chemoattractant Protein-1/CCL2. <i>Frontiers in Immunology</i> , 2014, 4, 482.	2.2	18
110	Human Monocyte Chemoattractant Protein-1 (MCP-1). <i>Advances in Experimental Medicine and Biology</i> , 1991, 305, 47-56.	0.8	18
111	Cloning and characterization of guinea pig CXCR1. <i>Molecular Immunology</i> , 2007, 44, 878-888.	1.0	17
112	A Critical Role of Formyl Peptide Receptors in Host Defense against <i>Escherichia coli</i> . <i>Journal of Immunology</i> , 2020, 204, 2464-2473.	0.4	17
113	Ovarian stromal cells as a source of cancer-associated fibroblasts in human epithelial ovarian cancer: A histopathological study. <i>PLoS ONE</i> , 2018, 13, e0205494.	1.1	16
114	molecular Cloning of the Guinea Pig GRO Gene and Its Rapid Expression in the Tissues of Lipopolysaccharide-Injected Guinea Pigs. <i>International Archives of Allergy and Immunology</i> , 1999, 119, 101-111.	0.9	15
115	Cloning of guinea pig IL-4: Reduced IL-4 mRNA after vaccination or <i>Mycobacterium tuberculosis</i> infection. <i>Tuberculosis</i> , 2011, 91, 47-56.	0.8	15
116	Albumin stimulates monocyte chemotactic protein-1 expression in rat embryonic mixed brain cells. <i>Journal of Neuroscience Research</i> , 2005, 80, 707-714.	1.3	14
117	Spred2-deficiency enhances the proliferation of lung epithelial cells and alleviates pulmonary fibrosis induced by bleomycin. <i>Scientific Reports</i> , 2020, 10, 16490.	1.6	14
118	The potentials of short fragments of human anti-microbial peptide LL-37 as a novel therapeutic modality for diseases. <i>Frontiers in Bioscience</i> , 2021, 26, 1362.	0.8	14
119	Molecular cloning and expression of the IL-10 gene from guinea pigs. <i>Gene</i> , 2012, 498, 120-127.	1.0	10
120	Cancer Cell-Derived Granulocyte-Macrophage Colony-Stimulating Factor Is Dispensable for the Progression of 4T1 Murine Breast Cancer. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6342.	1.8	10
121	Distinct contributions of cathelin-related antimicrobial peptide (CRAMP) derived from epithelial cells and macrophages to colon mucosal homeostasis. <i>Journal of Pathology</i> , 2021, 253, 339-350.	2.1	10
122	A C5-Derived Macrophage Chemotactic Factor from DNP- <i>Ascaris</i> Extract-Induced Skin Lesion in Guinea Pigs. <i>International Archives of Allergy and Immunology</i> , 1983, 70, 361-367.	0.9	9
123	Colonic epithelial cathelicidin (LL-37) expression intensity is associated with progression of colorectal cancer and presence of CD8 ⁺ T cell infiltrate. <i>Journal of Pathology: Clinical Research</i> , 2021, 7, 495-506.	1.3	8
124	Low prevalence of human mammary tumor virus (HMTV) in breast cancer patients from Myanmar. <i>Infectious Agents and Cancer</i> , 2017, 12, 20.	1.2	7
125	Deficiency in <i>Fpr2</i> results in reduced numbers of Lin [~] cKit ⁺ Sca1 ⁺ myeloid progenitor cells. <i>Journal of Biological Chemistry</i> , 2018, 293, 13452-13463.	1.6	7
126	Negative impact of recipient SPRED2 deficiency on transplanted lung in a mouse model. <i>Transplant Immunology</i> , 2019, 57, 101242.	0.6	6

#	ARTICLE	IF	CITATIONS
127	Requirement of CRAMP for mouse macrophages to eliminate phagocytosed <i>E. coli</i> through an autophagy pathway. <i>Journal of Cell Science</i> , 2021, 134, .	1.2	6
128	Isolation of Mouse Tumor-Infiltrating Leukocytes by Percoll Gradient Centrifugation. <i>Bio-protocol</i> , 2013, 3, .	0.2	6
129	Chemotactic subpopulation of macrophage cell line cells (M1 cells) discerned by three macrophage chemotactic factors from delayed hypersensitivity reaction sites. <i>Cellular Immunology</i> , 1984, 86, 1-13.	1.4	5
130	Effects of induction therapy on wound healing at bronchial anastomosis sites in rats. <i>General Thoracic and Cardiovascular Surgery</i> , 2003, 51, 217-224.	0.4	5
131	SOCS3 overexpression in T cells ameliorates chronic airway obstruction in a murine heterotopic tracheal transplantation model. <i>Surgery Today</i> , 2019, 49, 443-450.	0.7	5
132	The G-Protein Coupled Formyl Peptide Receptors and Their Role in the Progression of Digestive Tract Cancer. <i>Technology in Cancer Research and Treatment</i> , 2020, 19, 153303382097328.	0.8	5
133	Spred2 controls the severity of Concanavalin A-induced liver damage by limiting interferon-gamma production by CD4+ and CD8+ T cells. <i>Journal of Advanced Research</i> , 2022, 35, 71-86.	4.4	5
134	PolyI:C suppresses TGF- β 1-induced Akt phosphorylation and reduces the motility of A549 lung carcinoma cells. <i>Molecular Biology Reports</i> , 2021, 48, 6313-6321.	1.0	5
135	Elastin and collagen IV double staining: A refined method to detect blood vessel invasion in breast cancer. <i>Pathology International</i> , 2020, 70, 612-623.	0.6	4
136	Chemokine Receptors and Neutrophil Trafficking. , 2007, , 71-86.		4
137	Inhibitors of monocyte chemoattractant protein-1/CC ligand 2 and its receptor CCR2. <i>Expert Opinion on Therapeutic Patents</i> , 2001, 11, 1147-1151.	2.4	3
138	LIGHT and ELECTRON MICROSCOPIC STUDY OF MUCOEPIDERMOID TUMOR OF CLEAR CELL TYPE. <i>Pathology International</i> , 1986, 36, 1419-1427.	0.6	3
139	Chemotaxis of macrophage in inflammation. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 1985, 8, 73-87.	0.7	2
140	THE ROLE OF MONOCYTE CHEMOATTRACTANT PROTEIN-1 (MCP-1) IN THE PATHOGENESIS OF COLLAGEN-INDUCED ARTHRITIS IN RATS. <i>Journal of Pathology</i> , 1997, 182, 106-114.	2.1	2
141	Crosstalk between Cancer Cells and Fibroblasts for the Production of Monocyte Chemoattractant Protein-1 in the Murine 4T1 Breast Cancer. <i>Current Issues in Molecular Biology</i> , 2021, 43, 1726-1740.	1.0	2
142	Expression of Spred2 in the urothelial tumorigenesis of the urinary bladder. <i>PLoS ONE</i> , 2021, 16, e0254289.	1.1	2
143	MEDIATION OF MACROPHAGE REACTIONS IN IMMUNE TISSUE INJURY. <i>Pathology International</i> , 1985, 35, 269-280.	0.6	1
144	Chemoattractant efficacy: Oxidation of stimulus by responding cells. <i>Biochemical and Biophysical Research Communications</i> , 1986, 138, 66-71.	1.0	1

#	ARTICLE	IF	CITATIONS
145	Leukocyte chemotactic receptor Fpr1 protects against aging-related posterior subcapsular cataract formation. FASEB Journal, 2021, 35, e21315.	0.2	1
146	Hyper-IgE, Pelger-Huët Anomaly and Chromosome 22s+ in an Infant with Skin Abscesses. Pediatrics International, 1984, 26, 581-589.	0.2	0
147	PTU-056...Loss of cathelicidin (LL-37) is associated with colorectal cancer progression. , 2018, , .		0
148	Abstract 385: Monocyte chemoattractant protein-1 (MCP-1)/CCL2 produced by non-tumor cells in tumor stroma promotes lung metastasis of 4T1 murine breast cancer cells. , 2011, , .		0
149	Abstract 1562: The G protein-coupled receptor mFPR2 promotes antitumor host defense. , 2011, , .		0
150	Mouse Macrophage Differentiation by Induction with Macrophage Colony-Stimulating Factor. Bio-protocol, 2013, 3, .	0.2	0
151	Human monocyte chemoattractant protein-1(MCP-1): Human homologue of mouse JE.. Ensho, 1990, 10, 95-101.	0.0	0
152	Monocyte Chemoattractant Protein-1 (MCP-1) Derived from Brain Tumors: Its Significance and Clinical Application. , 1996, , 305-313.		0
153	Abstract 3585: Metastasis of 4T1 murine breast cancer cells to the lung is dependent on the chemokine CCL2/MCP-1 produced by stromal cells in the primary tumor. , 2014, , .		0
154	Abstract 4873: IKK β bridges central tolerance to innate immunity and inflammation. , 2014, , .		0
155	Chemotactic factors associated with macrophage reaction in immune tissue injuries of their functional specificity. Ensho, 1983, 3, 3-9.	0.0	0