

# Teizo Yoshimura

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4240715/teizo-yoshimura-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

150  
papers

7,263  
citations

49  
h-index

81  
g-index

166  
ext. papers

7,886  
ext. citations

5.2  
avg, IF

5.81  
L-index

#	Paper	IF	Citations
150	Spred2 controls the severity of Concanavalin A-induced liver damage by limiting interferon-gamma production by CD4 and CD8 T cells.. <i>Journal of Advanced Research</i> , <b>2022</b> , 35, 71-86	13	1
149	Expression of Spred2 in the urothelial tumorigenesis of the urinary bladder. <i>PLoS ONE</i> , <b>2021</b> , 16, e0254289	3.9	1
148	The potentials of short fragments of human anti-microbial peptide LL-37 as a novel therapeutic modality for diseases. <i>Frontiers in Bioscience</i> , <b>2021</b> , 26, 1362-1372		1
147	Crosstalk between Cancer Cells and Fibroblasts for the Production of Monocyte Chemoattractant Protein-1 in the Murine 4T1 Breast Cancer. <i>Current Issues in Molecular Biology</i> , <b>2021</b> , 43, 1726-1740	2.9	0
146	Colonic epithelial cathelicidin (LL-37) expression intensity is associated with progression of colorectal cancer and presence of CD8 T cell infiltrate. <i>Journal of Pathology: Clinical Research</i> , <b>2021</b> , 7, 495-506	5.3	2
145	Distinct contributions of cathelin-related antimicrobial peptide (CRAMP) derived from epithelial cells and macrophages to colon mucosal homeostasis. <i>Journal of Pathology</i> , <b>2021</b> , 253, 339-350	9.4	1
144	Leukocyte chemotactic receptor Fpr1 protects against aging-related posterior subcapsular cataract formation. <i>FASEB Journal</i> , <b>2021</b> , 35, e21315	0.9	1
143	Poly(I:C) suppresses TGF- $\beta$ -induced Akt phosphorylation and reduces the motility of A549 lung carcinoma cells. <i>Molecular Biology Reports</i> , <b>2021</b> , 48, 6313-6321	2.8	1
142	Elastin and collagen IV double staining: A refined method to detect blood vessel invasion in breast cancer. <i>Pathology International</i> , <b>2020</b> , 70, 612-623	1.8	0
141	Decreased miR-200b-3p in cancer cells leads to angiogenesis in HCC by enhancing endothelial ERG expression. <i>Scientific Reports</i> , <b>2020</b> , 10, 10418	4.9	20
140	The Contribution of Chemoattractant GPCRs, Formylpeptide Receptors, to Inflammation and Cancer. <i>Frontiers in Endocrinology</i> , <b>2020</b> , 11, 17	5.7	12
139	Spred2-deficiency enhances the proliferation of lung epithelial cells and alleviates pulmonary fibrosis induced by bleomycin. <i>Scientific Reports</i> , <b>2020</b> , 10, 16490	4.9	8
138	FAM3D is essential for colon homeostasis and host defense against inflammation associated carcinogenesis. <i>Nature Communications</i> , <b>2020</b> , 11, 5912	17.4	6
137	The G-Protein Coupled Formyl Peptide Receptors and Their Role in the Progression of Digestive Tract Cancer. <i>Technology in Cancer Research and Treatment</i> , <b>2020</b> , 19, 1533033820973280	2.7	2
136	A Critical Role of Formyl Peptide Receptors in Host Defense against. <i>Journal of Immunology</i> , <b>2020</b> , 204, 2464-2473	5.3	7
135	Negative impact of recipient SPRED2 deficiency on transplanted lung in a mouse model. <i>Transplant Immunology</i> , <b>2019</b> , 57, 101242	1.7	4
134	Spred2 Regulates High Fat Diet-Induced Adipose Tissue Inflammation, and Metabolic Abnormalities in Mice. <i>Frontiers in Immunology</i> , <b>2019</b> , 10, 17	8.4	14

133	The Critical Role of the Antimicrobial Peptide LL-37/ CRAMP in Protection of Colon Microbiota Balance, Mucosal Homeostasis, Anti-Inflammatory Responses, and Resistance to Carcinogenesis. <i>Critical Reviews in Immunology</i> , <b>2019</b> , 39, 83-92	1.8	10
132	SOCS3 overexpression in T cells ameliorates chronic airway obstruction in a murine heterotopic tracheal transplantation model. <i>Surgery Today</i> , <b>2019</b> , 49, 443-450	3	2
131	Cancer Cell-Derived Granulocyte-Macrophage Colony-Stimulating Factor Is Dispensable for the Progression of 4T1 Murine Breast Cancer. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	6
130	The Antimicrobial Peptide CRAMP Is Essential for Colon Homeostasis by Maintaining Microbiota Balance. <i>Journal of Immunology</i> , <b>2018</b> , 200, 2174-2185	5.3	34
129	Chemokines in homeostasis and diseases. <i>Cellular and Molecular Immunology</i> , <b>2018</b> , 15, 324-334	15.4	73
128	The chemokine MCP-1 (CCL2) in the host interaction with cancer: a foe or ally?. <i>Cellular and Molecular Immunology</i> , <b>2018</b> , 15, 335-345	15.4	102
127	Spred2 Deficiency Exacerbates D-Galactosamine/Lipopolysaccharide -induced Acute Liver Injury in Mice via Increased Production of TNF. <i>Scientific Reports</i> , <b>2018</b> , 8, 188	4.9	14
126	Deficiency in Fpr2 results in reduced numbers of Lin <sup>+</sup> Kit <sup>+</sup> Sca1 <sup>+</sup> myeloid progenitor cells. <i>Journal of Biological Chemistry</i> , <b>2018</b> , 293, 13452-13463	5.4	5
125	Ovarian stromal cells as a source of cancer-associated fibroblasts in human epithelial ovarian cancer: A histopathological study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0205494	3.7	10
124	The production of monocyte chemoattractant protein-1 (MCP-1)/CCL2 in tumor microenvironments. <i>Cytokine</i> , <b>2017</b> , 98, 71-78	4	72
123	Low prevalence of human mammary tumor virus (HMTV) in breast cancer patients from Myanmar. <i>Infectious Agents and Cancer</i> , <b>2017</b> , 12, 20	3.5	6
122	Spred2-deficiency Protects Mice from Polymicrobial Septic Peritonitis by Enhancing Inflammation and Bacterial Clearance. <i>Scientific Reports</i> , <b>2017</b> , 7, 12833	4.9	9
121	Regulation of inflammation by members of the formyl-peptide receptor family. <i>Journal of Autoimmunity</i> , <b>2017</b> , 85, 64-77	15.5	68
120	A Novel Role of Spred2 in the Colonic Epithelial Cell Homeostasis and Inflammation. <i>Scientific Reports</i> , <b>2016</b> , 6, 37531	4.9	13
119	The G-protein coupled chemoattractant receptor FPR2 promotes malignant phenotype of human colon cancer cells. <i>American Journal of Cancer Research</i> , <b>2016</b> , 6, 2599-2610	4.4	28
118	Induction of Monocyte Chemoattractant Proteins in Macrophages via the Production of Granulocyte/Macrophage Colony-Stimulating Factor by Breast Cancer Cells. <i>Frontiers in Immunology</i> , <b>2016</b> , 7, 2	8.4	21
117	New development in studies of formyl-peptide receptors: critical roles in host defense. <i>Journal of Leukocyte Biology</i> , <b>2016</b> , 99, 425-35	6.5	46
116	Discovery of IL-8/CXCL8 (The Story from Frederick). <i>Frontiers in Immunology</i> , <b>2015</b> , 6, 278	8.4	15

115	Crosstalk between Tumor Cells and Macrophages in Stroma Renders Tumor Cells as the Primary Source of MCP-1/CCL2 in Lewis Lung Carcinoma. <i>Frontiers in Immunology</i> , <b>2015</b> , 6, 332	8.4	25
114	The formylpeptide receptor 2 (Fpr2) and its endogenous ligand cathelin-related antimicrobial peptide (CRAMP) promote dendritic cell maturation. <i>Journal of Biological Chemistry</i> , <b>2014</b> , 289, 17553-63	5.4	26
113	Integrative DNA, RNA, and protein evidence connects TREML4 to coronary artery calcification. <i>American Journal of Human Genetics</i> , <b>2014</b> , 95, 66-76	11	23
112	Formylpeptide receptors mediate rapid neutrophil mobilization to accelerate wound healing. <i>PLoS ONE</i> , <b>2014</b> , 9, e90613	3.7	39
111	Non-Myeloid Cells are Major Contributors to Innate Immune Responses via Production of Monocyte Chemoattractant Protein-1/CCL2. <i>Frontiers in Immunology</i> , <b>2014</b> , 4, 482	8.4	8
110	The role of chemoattractant receptors in shaping the tumor microenvironment. <i>BioMed Research International</i> , <b>2014</b> , 2014, 751392	3	26
109	Cell surface receptor FPR2 promotes antitumor host defense by limiting M2 polarization of macrophages. <i>Cancer Research</i> , <b>2013</b> , 73, 550-60	10.1	56
108	Signal relay by CC chemokine receptor 2 (CCR2) and formylpeptide receptor 2 (Fpr2) in the recruitment of monocyte-derived dendritic cells in allergic airway inflammation. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 16262-16273	5.4	33
107	Formylpeptide receptor-2 contributes to colonic epithelial homeostasis, inflammation, and tumorigenesis. <i>Journal of Clinical Investigation</i> , <b>2013</b> , 123, 1694-704	15.9	73
106	Vascular endothelial growth factor receptor 2 (VEGFR-2) plays a key role in vasculogenic mimicry formation, neovascularization and tumor initiation by Glioma stem-like cells. <i>PLoS ONE</i> , <b>2013</b> , 8, e57188	3.7	88
105	Monocyte chemoattractant protein-1/CCL2 produced by stromal cells promotes lung metastasis of 4T1 murine breast cancer cells. <i>PLoS ONE</i> , <b>2013</b> , 8, e58791	3.7	66
104	Isolation of Mouse Tumor-Infiltrating Leukocytes by Percoll Gradient Centrifugation. <i>Bio-protocol</i> , <b>2013</b> , 3,	0.9	5
103	Molecular cloning and expression of the IL-10 gene from guinea pigs. <i>Gene</i> , <b>2012</b> , 498, 120-7	3.8	10
102	Formylpeptide receptors are critical for rapid neutrophil mobilization in host defense against <i>Listeria monocytogenes</i> . <i>Scientific Reports</i> , <b>2012</b> , 2, 786	4.9	80
101	The active contribution of Toll-like receptors to allergic airway inflammation. <i>International Immunopharmacology</i> , <b>2011</b> , 11, 1391-8	5.8	45
100	Cloning of guinea pig IL-4: reduced IL-4 mRNA after vaccination or Mycobacterium tuberculosis infection. <i>Tuberculosis</i> , <b>2011</b> , 91, 47-56	2.6	14
99	Chemokine-like receptor 1 (CMKLR1) and chemokine (C-C motif) receptor-like 2 (CCRL2); two multifunctional receptors with unusual properties. <i>Experimental Cell Research</i> , <b>2011</b> , 317, 674-84	4.2	112
98	TNF optimally activates regulatory T cells by inducing TNF receptor superfamily members TNFR2, 4-1BB and OX40. <i>European Journal of Immunology</i> , <b>2011</b> , 41, 2010-20	6.1	75

97	Role of exonic variation in chemokine receptor genes on AIDS: CCRL2 F167Y association with pneumocystis pneumonia. <i>PLoS Genetics</i> , <b>2011</b> , 7, e1002328	6	16
96	A critical role for the g protein-coupled receptor mFPR2 in airway inflammation and immune responses. <i>Journal of Immunology</i> , <b>2010</b> , 184, 3331-5	5.3	101
95	Retraction: activation of discoidin domain receptor 1 facilitates the maturation of human monocyte-derived dendritic cells through the TNF receptor associated factor 6/TGF-beta-activated protein kinase 1 binding protein 1beta/p38alpha mitogen-activated protein kinase signaling cascade. <i>The Journal of Immunology</i> , <b>2003</b> , 171, 3520-3532. <i>Journal of Immunology</i> , <b>2010</b> , 185, 1984	5.3	
94	Monocyte chemoattractant protein-1 (MCP-1), not MCP-3, is the primary chemokine required for monocyte recruitment in mouse peritonitis induced with thioglycollate or zymosan A. <i>Journal of Immunology</i> , <b>2009</b> , 183, 3463-71	5.3	65
93	Chemerin reveals its chimeric nature. <i>Journal of Experimental Medicine</i> , <b>2008</b> , 205, 2187-90	16.6	77
92	Involvement of galectin-9 in guinea pig allergic airway inflammation. <i>International Archives of Allergy and Immunology</i> , <b>2007</b> , 143 Suppl 1, 95-105	3.7	21
91	Discoidin domain receptor 1 mediates collagen-induced nitric oxide production in J774A.1 murine macrophages. <i>Free Radical Biology and Medicine</i> , <b>2007</b> , 42, 343-52	7.8	51
90	Bacterial c-di-GMP is an immunostimulatory molecule. <i>Journal of Immunology</i> , <b>2007</b> , 178, 2171-81	5.3	177
89	IFN-gamma-mediated survival enables human neutrophils to produce MCP-1/CCL2 in response to activation by TLR ligands. <i>Journal of Immunology</i> , <b>2007</b> , 179, 1942-9	5.3	50
88	Cloning and characterization of guinea pig CXCR1. <i>Molecular Immunology</i> , <b>2007</b> , 44, 878-88	4.3	16
87	Chemokine Receptors and Neutrophil Trafficking <b>2007</b> , 71-86		4
86	Discoidin domain receptor 1: a new class of receptor regulating leukocyte-collagen interaction. <i>Immunologic Research</i> , <b>2005</b> , 31, 219-30	4.3	36
85	Evaluating the role of tumor necrosis factor-alpha in experimental pulmonary tuberculosis in the guinea pig. <i>Tuberculosis</i> , <b>2005</b> , 85, 245-58	2.6	43
84	Albumin stimulates monocyte chemotactic protein-1 expression in rat embryonic mixed brain cells. <i>Journal of Neuroscience Research</i> , <b>2005</b> , 80, 707-14	4.4	12
83	Recombinant guinea pig tumor necrosis factor alpha stimulates the expression of interleukin-12 and the inhibition of Mycobacterium tuberculosis growth in macrophages. <i>Infection and Immunity</i> , <b>2005</b> , 73, 1367-76	3.7	52
82	Activation of discoidin domain receptor 1 on CD14-positive bronchoalveolar lavage fluid cells induces chemokine production in idiopathic pulmonary fibrosis. <i>Journal of Immunology</i> , <b>2005</b> , 174, 6490-8	5.3	31
81	Activation of discoidin domain receptor 1 isoform b with collagen up-regulates chemokine production in human macrophages: role of p38 mitogen-activated protein kinase and NF-kappa B. <i>Journal of Immunology</i> , <b>2004</b> , 172, 2332-40	5.3	84
80	Recombinant guinea pig CCL5 (RANTES) differentially modulates cytokine production in alveolar and peritoneal macrophages. <i>Journal of Leukocyte Biology</i> , <b>2004</b> , 76, 1229-39	6.5	28

79	Regulation of tumour necrosis factor-related apoptosis-inducing ligand (TRAIL) and TRAIL receptor expression in human neutrophils. <i>Immunology</i> , <b>2004</b> , 111, 186-94	7.8	56
78	Interleukin (IL)-8 (CXCL8) induces cytokine expression and superoxide formation by guinea pig neutrophils infected with <i>Mycobacterium tuberculosis</i> . <i>Tuberculosis</i> , <b>2004</b> , 84, 283-92	2.6	36
77	Up-regulated expression and activation of the orphan chemokine receptor, CCRL2, in rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 1806-14		58
76	TNF-related apoptosis-inducing ligand is involved in neutropenia of systemic lupus erythematosus. <i>Blood</i> , <b>2004</b> , 104, 184-91	2.2	60
75	Interaction of discoidin domain receptor 1 isoform b (DDR1b) with collagen activates p38 mitogen-activated protein kinase and promotes differentiation of macrophages. <i>FASEB Journal</i> , <b>2003</b> , 17, 1286-8	0.9	37
74	Differential expression of gamma interferon mRNA induced by attenuated and virulent <i>Mycobacterium tuberculosis</i> in guinea pig cells after <i>Mycobacterium bovis</i> BCG vaccination. <i>Infection and Immunity</i> , <b>2003</b> , 71, 354-64	3.7	27
73	Phenotypic and functional changes of cytokine-activated neutrophils. <i>Chemical Immunology and Allergy</i> , <b>2003</b> , 83, 24-44		20
72	Effects of induction therapy on wound healing at bronchial anastomosis sites in rats. <i>General Thoracic and Cardiovascular Surgery</i> , <b>2003</b> , 51, 217-24		3
71	Effect of <i>Mycobacterium bovis</i> BCG vaccination on <i>Mycobacterium</i> -specific cellular proliferation and tumor necrosis factor alpha production from distinct guinea pig leukocyte populations. <i>Infection and Immunity</i> , <b>2003</b> , 71, 7035-42	3.7	21
70	Activation of discoidin domain receptor 1 facilitates the maturation of human monocyte-derived dendritic cells through the TNF receptor associated factor 6/TGF-beta-activated protein kinase 1 binding protein 1 beta/p38 alpha mitogen-activated protein kinase signaling cascade. <i>Journal of Immunology</i> , <b>2003</b> , 171, 2522-29	5.3	46
69	Effect of <i>Mycobacterium bovis</i> BCG vaccination on interleukin-1 beta and RANTES mRNA expression in guinea pig cells exposed to attenuated and virulent mycobacteria. <i>Infection and Immunity</i> , <b>2002</b> , 70, 1245-53	3.7	28
68	<i>Mycobacterium bovis</i> BCG vaccination augments interleukin-8 mRNA expression and protein production in guinea pig alveolar macrophages infected with <i>Mycobacterium tuberculosis</i> . <i>Infection and Immunity</i> , <b>2002</b> , 70, 5471-8	3.7	39
67	Inhibitors of monocyte chemoattractant protein-1/CC ligand 2 and its receptor CCR2. <i>Expert Opinion on Therapeutic Patents</i> , <b>2001</b> , 11, 1147-1151	6.8	3
66	Induction of monocyte chemoattractant protein 1 by <i>Helicobacter pylori</i> involves NF-kappaB. <i>Infection and Immunity</i> , <b>2001</b> , 69, 1280-6	3.7	25
65	Discoidin domain receptor 1 isoform-a (DDR1alpha) promotes migration of leukocytes in three-dimensional collagen lattices. <i>FASEB Journal</i> , <b>2001</b> , 15, 2724-6	0.9	96
64	Expression of CCR6 and CD83 by cytokine-activated human neutrophils. <i>Blood</i> , <b>2000</b> , 96, 3958-3963	2.2	124
63	Molecular analysis of the inhibition of monocyte chemoattractant protein-1 gene expression by estrogens and xenoestrogens in MCF-7 cells. <i>Endocrinology</i> , <b>2000</b> , 141, 50-9	4.8	59
62	Important role of local angiotensin II activity mediated via type 1 receptor in the pathogenesis of cardiovascular inflammatory changes induced by chronic blockade of nitric oxide synthesis in rats. <i>Circulation</i> , <b>2000</b> , 101, 305-10	16.7	149

61	Role of monocyte chemoattractant protein-1 in cardiovascular remodeling induced by chronic blockade of nitric oxide synthesis. <i>Circulation</i> , <b>2000</b> , 102, 2243-8	16.7	88
60	Expression of CCR6 and CD83 by cytokine-activated human neutrophils. <i>Blood</i> , <b>2000</b> , 96, 3958-3963	2.2	13
59	Anti-inflammatory actions of interleukin-13: suppression of tumor necrosis factor-alpha and antigen-induced leukocyte accumulation in the guinea pig lung. <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>1999</b> , 20, 1007-12	5.7	26
58	Molecular cloning of the guinea pig GRO gene and its rapid expression in the tissues of lipopolysaccharide-injected guinea pigs. <i>International Archives of Allergy and Immunology</i> , <b>1999</b> , 119, 101-11	3.7	14
57	Cloning and functional characterization of the 5Rflanking region of the human monocyte chemoattractant protein-1 receptor (CCR2) gene. Essential role of 5Runtranslated region in tissue-specific expression. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 4646-54	5.4	39
56	MCP-1 is selectively expressed in the late phase by cytokine-stimulated human neutrophils: TNF-alpha plays a role in maximal MCP-1 mRNA expression. <i>Journal of Leukocyte Biology</i> , <b>1999</b> , 65, 671-9 <sup>6.5</sup>	6.5	42
55	The MKK6/p38 Stress Kinase Cascade Is Critical for Tumor Necrosis Factor-?Induced Expression of Monocyte-Chemoattractant Protein-1 in Endothelial Cells. <i>Blood</i> , <b>1999</b> , 93, 857-865	2.2	109
54	The MKK6/p38 Stress Kinase Cascade Is Critical for Tumor Necrosis Factor-?Induced Expression of Monocyte-Chemoattractant Protein-1 in Endothelial Cells. <i>Blood</i> , <b>1999</b> , 93, 857-865	2.2	37
53	Chemokines and Central Nervous System Malignancies <b>1999</b> , 227-241		4
52	Chemokine production and adhesion molecule expression by neural cells exposed to IL-1, TNF alpha and interferon gamma. <i>Life Sciences</i> , <b>1998</b> , 63, 1939-52	6.8	18
51	Inhibition of NO synthesis induces inflammatory changes and monocyte chemoattractant protein-1 expression in rat hearts and vessels. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>1998</b> , 18, 1456-64 <sup>9.4</sup>	9.4	101
50	Interleukin 8 and monocyte chemoattractant protein 1 production by cultured human airway smooth muscle cells. <i>Cytokine</i> , <b>1998</b> , 10, 346-52	4	41
49	Positive regulation of the human macrophage stimulating protein gene transcription. Identification of a new hepatocyte nuclear factor-4 (HNF-4) binding element and evidence that indicates direct association between NF-Y and HNF-4. <i>Journal of Biological Chemistry</i> , <b>1998</b> , 273, 19339-47	5.4	25
48	Intradermal injection of monocyte chemoattractant protein-1 induces emigration and differentiation of blood monocytes in rat skin. <i>International Archives of Allergy and Immunology</i> , <b>1998</b> , 115, 15-23	3.7	27
47	Nonspecific and immune-specific up-regulation of cytokines in rabbit dermal tuberculous (BCG) lesions. <i>Journal of Leukocyte Biology</i> , <b>1998</b> , 63, 440-50	6.5	28
46	IL-8 is an essential mediator of the increased delayed-phase vascular permeability in LPS-induced rabbit pleurisy. <i>Journal of Leukocyte Biology</i> , <b>1998</b> , 63, 584-90	6.5	21
45	Transcriptional regulation of the human monocyte chemoattractant protein-1 gene. Cooperation of two NF-kappaB sites and NF-kappaB/Rel subunit specificity. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 31092-9	5.4	243
44	The chemokine repertoire of human dermal microvascular endothelial cells and its regulation by inflammatory cytokines. <i>Journal of Investigative Dermatology</i> , <b>1997</b> , 108, 445-51	4.3	87

43	Chemokine production by human vascular smooth muscle cells: modulation by IL-13. <i>British Journal of Pharmacology</i> , <b>1997</b> , 122, 749-57	8.6	77
42	The role of monocyte chemoattractant protein-1 (MCP-1) in the pathogenesis of collagen-induced arthritis in rats. <i>Journal of Pathology</i> , <b>1997</b> , 182, 106-14	9.4	147
41	THE ROLE OF MONOCYTE CHEMOATTRACTANT PROTEIN-1 (MCP-1) IN THE PATHOGENESIS OF COLLAGEN-INDUCED ARTHRITIS IN RATS <b>1997</b> , 182, 106		2
40	Differential effects of protein kinase C inhibitors on chemokine production in human synovial fibroblasts. <i>British Journal of Pharmacology</i> , <b>1996</b> , 117, 1245-53	8.6	18
39	The cytokines NAP-1 (IL-8), MCP-1, IL-1 beta, and GRO in rabbit inflammatory skin lesions produced by the chemical irritant sulfur mustard. <i>Inflammation</i> , <b>1996</b> , 20, 293-318	5.1	64
38	Differential expression of macrophage inflammatory protein-2 and monocyte chemoattractant protein-1 in experimental glomerulonephritis. <i>Kidney International</i> , <b>1996</b> , 49, 715-21	9.9	35
37	Characterization of cis-acting elements of the gene for macrophage-stimulating protein from the human. The involvement of positive and negative regulatory elements. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 20265-72	5.4	48
36	Monocyte Chemoattractant Protein-1 (MCP-1) Derived from Brain Tumors: Its Significance and Clinical Application <b>1996</b> , 305-313		
35	Production of monocyte chemoattractant protein-1 by bovine glomerular endothelial cells. <i>Kidney International</i> , <b>1995</b> , 48, 1866-74	9.9	35
34	Expression of monocyte chemoattractant protein-1 in meningioma. <i>Journal of Neurosurgery</i> , <b>1995</b> , 82, 874-8	3.2	36
33	IL-1 activation of endothelium supports VLA-4 (CD49d/CD29)-mediated monocyte transendothelial migration to C5a, MIP-1 alpha, RANTES, and PAF but inhibits migration to MCP-1: a regulatory role for endothelium-derived MCP-1. <i>Journal of Leukocyte Biology</i> , <b>1995</b> , 58, 71-9	6.5	49
32	Expression and localization of messenger RNA and protein for monocyte chemoattractant protein-1 in human malignant glioma. <i>Journal of Neurosurgery</i> , <b>1994</b> , 80, 1056-62	3.2	76
31	Monocyte chemoattractant protein-1 in idiopathic pulmonary fibrosis and other interstitial lung diseases. <i>Human Pathology</i> , <b>1994</b> , 25, 455-63	3.7	86
30	Kinetics of macrophage subpopulations and expression of monocyte chemoattractant protein-1 (MCP-1) in bleomycin-induced lung injury of rats studied by a novel monoclonal antibody against rat MCP-1. <i>Journal of Leukocyte Biology</i> , <b>1994</b> , 56, 741-50	6.5	56
29	Monocyte chemoattractant protein-1 (MCP-1) in inflammatory joint diseases and its involvement in the cytokine network of rheumatoid synovium. <i>Clinical Immunology and Immunopathology</i> , <b>1993</b> , 69, 83-91		105
28	Detection of monocyte chemoattractant protein-1 in human atherosclerotic lesions by an anti-monocyte chemoattractant protein-1 monoclonal antibody. <i>Human Pathology</i> , <b>1993</b> , 24, 534-9	3.7	252
27	Antibodies to macrophage stimulating protein (MSP): specificity, epitope interactions, and immunoassay of MSP in human serum. <i>Journal of Leukocyte Biology</i> , <b>1993</b> , 54, 289-95	6.5	24
26	MCP-1 mRNA expression in basal keratinocytes of psoriatic lesions. <i>Journal of Investigative Dermatology</i> , <b>1993</b> , 101, 127-31	4.3	117



25	Secretion of monocyte chemoattractant protein-1 (MCP-1) by human mononuclear phagocytes. <i>Advances in Experimental Medicine and Biology</i> , <b>1993</b> , 351, 55-64	3.6	22
24	Chemotactic activity and receptor binding of neutrophil attractant/activation protein-1 (NAP-1) and structurally related host defense cytokines: interaction of NAP-2 with the NAP-1 receptor. <i>Journal of Leukocyte Biology</i> , <b>1991</b> , 49, 258-65	6.5	48
23	Production of monocyte chemoattractant protein-1 by malignant fibrous histiocytoma: relation to the origin of histiocyte-like cells. <i>Experimental and Molecular Pathology</i> , <b>1991</b> , 54, 61-71	4.4	32
22	Neutrophil recruitment by intradermally injected neutrophil attractant/activation protein-1. <i>Journal of Investigative Dermatology</i> , <b>1991</b> , 96, 690-4	4.3	98
21	Molecular cloning of rat monocyte chemoattractant protein-1 (MCP-1) and its expression in rat spleen cells and tumor cell lines. <i>Biochemical and Biophysical Research Communications</i> , <b>1991</b> , 174, 504-9 <sup>3-4</sup>	3.4	115
20	Human monocyte chemoattractant protein-1 (MCP-1). <i>Advances in Experimental Medicine and Biology</i> , <b>1991</b> , 305, 47-56	3.6	14
19	Biological aspects of monocyte chemoattractant protein-1 (MCP-1). <i>Advances in Experimental Medicine and Biology</i> , <b>1991</b> , 305, 57-64	3.6	47
18	Neutrophil attractant/activation protein-1 (NAP-1 [interleukin-8]). <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>1990</b> , 2, 479-86	5.7	180
17	Human monocyte chemoattractant protein-1 (MCP-1). <i>Trends in Immunology</i> , <b>1990</b> , 11, 97-101		523
16	Secretion of neutrophil attractant/activation protein by lipopolysaccharide-stimulated lung macrophages determined by both enzyme-linked immunosorbent assay and N-terminal sequence analysis. <i>The American Review of Respiratory Disease</i> , <b>1990</b> , 141, 683-8		77
15	Human monocyte chemoattractant protein-1(MCP-1): Human homologue of mouse JE.. <i>Ensho</i> , <b>1990</b> , 10, 95-101		
14	Production and characterization of human glioma cell-derived monocyte chemotactic factor. <i>Journal of the National Cancer Institute</i> , <b>1989</b> , 81, 347-51	9.7	37
13	Neutrophil attractant/activation protein-1 (NAP-1) causes human basophil histamine release. <i>Immunology Letters</i> , <b>1989</b> , 22, 151-4	4.1	88
12	Human monocyte chemoattractant protein-1 (MCP-1). Full-length cDNA cloning, expression in mitogen-stimulated blood mononuclear leukocytes, and sequence similarity to mouse competence gene JE. <i>FEBS Letters</i> , <b>1989</b> , 244, 487-93	3.8	478
11	Production and characterization of recombinant human neutrophil chemotactic factor. <i>Journal of Biochemistry</i> , <b>1989</b> , 106, 436-41	3.1	61
10	Synthesis and biological characterization of monocyte-derived neutrophil chemotactic factor. <i>FEBS Letters</i> , <b>1988</b> , 236, 467-70	3.8	35
9	The activities of cytokines are pleiotropic and interdependent. <i>Immunology Letters</i> , <b>1987</b> , 16, 179-83	4.1	16
8	Light and electron microscopic study of mucoepidermoid tumor of clear cell type. <i>Pathology International</i> , <b>1986</b> , 36, 1419-27	1.8	2

- 7 Chemoattractant efficacy: oxidation of stimulus by responding cells. *Biochemical and Biophysical Research Communications*, **1986**, 138, 66-71 3.4 1
- 6 Mediation of macrophage reactions in immune tissue injury. *Pathology International*, **1985**, 35, 269-80 1.8
- 5 Chemotaxis of macrophage in inflammation. *Comparative Immunology, Microbiology and Infectious Diseases*, **1985**, 8, 73-87 2.6 1
- 4 Chemotactic subpopulation of macrophage cell line cells (M1 cells) discerned by three macrophage chemotactic factors from delayed hypersensitivity reaction sites. *Cellular Immunology*, **1984**, 86, 1-13 4.4 5
- 3 Hyper-IgE, Pelger-Huë Anomaly and Chromosome 22s+ in an Infant with Skin Abscesses. *Pediatrics International*, **1984**, 26, 581-589 1.2
- 2 A C5-derived macrophage chemotactic factor from DNP-Ascaris extract-induced skin lesion in guinea pigs. *International Archives of Allergy and Immunology*, **1983**, 70, 361-7 3.7 7
- 1 Chemotactic factors associated with macrophage reaction in immune tissue injuries of their functional specificity. *Ensho*, **1983**, 3, 3-9