Lucy Yardley

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4241004/publications.pdf Version: 2024-02-01

		10373	6465
323	30,190	72	157
papers	citations	h-index	g-index
353	353	353	35130
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Multidisciplinary research priorities for the COVID-19 pandemic: a call for action for mental health science. Lancet Psychiatry,the, 2020, 7, 547-560.	3.7	4,086
2	Using the Internet to Promote Health Behavior Change: A Systematic Review and Meta-analysis of the Impact of Theoretical Basis, Use of Behavior Change Techniques, and Mode of Delivery on Efficacy. Journal of Medical Internet Research, 2010, 12, e4.	2.1	2,049
3	Development and initial validation of the Falls Efficacy Scale-International (FES-I). Age and Ageing, 2005, 34, 614-619.	0.7	1,431
4	Dilemmas in qualitative health research. Psychology and Health, 2000, 15, 215-228.	1.2	1,192
5	The Person-Based Approach to Intervention Development: Application to Digital Health-Related Behavior Change Interventions. Journal of Medical Internet Research, 2015, 17, e30.	2.1	897
6	Understanding and Promoting Effective Engagement With Digital Behavior Change Interventions. American Journal of Preventive Medicine, 2016, 51, 833-842.	1.6	799
7	Resisting medicines: a synthesis of qualitative studies of medicine taking. Social Science and Medicine, 2005, 61, 133-155.	1.8	737
8	Opportunities and Challenges for Smartphone Applications in Supporting Health Behavior change: Qualitative Study. Journal of Medical Internet Research, 2013, 15, e86.	2.1	716
9	Guidance on how to develop complex interventions to improve health and healthcare. BMJ Open, 2019, 9, e029954.	0.8	690
10	Developing and Evaluating Digital Interventions to Promote Behavior Change in Health and Health Care: Recommendations Resulting From an International Workshop. Journal of Medical Internet Research, 2017, 19, e232.	2.1	648
11	The Short FES-I: a shortened version of the falls efficacy scale-international to assess fear of falling. Age and Ageing, 2007, 37, 45-50.	0.7	555
12	Factors associated with uptake of vaccination against pandemic influenza: A systematic review. Vaccine, 2011, 29, 6472-6484.	1.7	507
13	A Prospective Study of the Relationship Between Feared Consequences of Falling and Avoidance of Activity in Community-Living Older People. Gerontologist, The, 2002, 42, 17-23.	2.3	429
14	Symptoms, anxiety and handicap in dizzy patients: Development of the Vertigo symptom scale. Journal of Psychosomatic Research, 1992, 36, 731-741.	1.2	348
15	Effects of internet-based training on antibiotic prescribing rates for acute respiratory-tract infections: a multinational, cluster, randomised, factorial, controlled trial. Lancet, The, 2013, 382, 1175-1182.	6.3	329
16	Interventions to Reduce Fear of Falling in Community-Living Older People: A Systematic Review. Journal of the American Geriatrics Society, 2007, 55, 603-615.	1.3	317
17	Taxonomy of approaches to developing interventions to improve health: a systematic methods overview. Pilot and Feasibility Studies, 2019, 5, 41.	0.5	266
18	Older people's views of advice about falls prevention: a qualitative study. Health Education Research, 2005, 21, 508-517	1.0	259

#	Article	IF	CITATIONS
19	Visual influences on balance. Journal of Anxiety Disorders, 2001, 15, 81-94.	1.5	242
20	A Systematic Review of Beliefs Involved in the Use of Complementary and Alternative Medicine. Journal of Health Psychology, 2007, 12, 851-867.	1.3	241
21	What Design Features Are Used in Effective e-Health Interventions? A Review Using Techniques from Critical Interpretive Synthesis. Telemedicine Journal and E-Health, 2012, 18, 137-144.	1.6	241
22	Older People's Views of Falls-Prevention Interventions in Six European Countries. Gerontologist, The, 2006, 46, 650-660.	2.3	239
23	The person-based approach to enhancing the acceptability and feasibility of interventions. Pilot and Feasibility Studies, 2015, 1, 37.	0.5	217
24	Continued high rates of antibiotic prescribing to adults with respiratory tract infection: survey of 568 UK general practices. BMJ Open, 2014, 4, e006245.	0.8	207
25	Research Methods for Clinical and Health Psychology. , 2004, , .		207
26	Predictors of adherence to home-based physical therapies: a systematic review. Disability and Rehabilitation, 2017, 39, 519-534.	0.9	204
27	The antibiotic course has had its day. BMJ: British Medical Journal, 2017, 358, j3418.	2.4	192
28	Cross-cultural validation of the Falls Efficacy Scale International (FES-I) in older people: Results from Germany, the Netherlands and the UK were satisfactory. Disability and Rehabilitation, 2007, 29, 155-162.	0.9	188
29	Antibiotic prescribing for acute respiratory tract infections in primary care: a systematic review and meta-ethnography. Journal of Antimicrobial Chemotherapy, 2011, 66, 2215-2223.	1.3	181
30	Randomised controlled trial of Alexander technique lessons, exercise, and massage (ATEAM) for chronic and recurrent back pain. BMJ: British Medical Journal, 2008, 337, a884-a884.	2.4	174
31	Guidance for reporting intervention development studies in health research (GUIDED): an evidence-based consensus study. BMJ Open, 2020, 10, e033516.	0.8	171
32	Effect of articulatory and mental tasks on postural control. NeuroReport, 1999, 10, 215-219.	0.6	170
33	Effectiveness of Primary Care–Based Vestibular Rehabilitation for Chronic Dizziness. Annals of Internal Medicine, 2004, 141, 598.	2.0	163
34	Psychological factors influencing recovery from balance disorders. Journal of Anxiety Disorders, 2001, 15, 107-119.	1.5	161
35	Does articulation contribute to modifications of postural control during dual-task paradigms?. Cognitive Brain Research, 2003, 16, 434-440.	3.3	156
36	A pilot randomised controlled trial of an Internet-based cognitive behavioural therapy self-management programme (MS Invigor8) for multiple sclerosis fatigue. Behaviour Research and Therapy, 2012, 50, 415-421.	1.6	155

#	Article	IF	CITATIONS
37	Using digital interventions for self-management of chronic physical health conditions: A meta-ethnography review of published studies. Patient Education and Counseling, 2017, 100, 616-635.	1.0	147
38	Psychosocial consequences of developmental prosopagnosia: A problem of recognition. Journal of Psychosomatic Research, 2008, 65, 445-451.	1.2	146
39	Harnessing behavioural science in public health campaigns to maintain â€~social distancing' in response to the COVID-19 pandemic: key principles. Journal of Epidemiology and Community Health, 2020, 74, 617-619.	2.0	141
40	An internet-based intervention with brief nurse support to manage obesity in primary care (POWeR+): a pragmatic, parallel-group, randomised controlled trial. Lancet Diabetes and Endocrinology,the, 2016, 4, 821-828.	5.5	137
41	Attitudes and Beliefs That Predict Older People's Intention to Undertake Strength and Balance Training. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2007, 62, P119-P125.	2.4	134
42	Patient-assessed outcomes after excision of acoustic neuroma: postoperative symptoms and quality of life. Journal of Neurosurgery, 2001, 94, 211-216.	0.9	133
43	Treatment non-adherence in pediatric long-term medical conditions: systematic review and synthesis of qualitative studies of caregivers' views. BMC Pediatrics, 2014, 14, 63.	0.7	117
44	Validity and Sensitivity to Change of the Falls Efficacy Scales International to Assess Fear of Falling in Older Adults with and without Cognitive Impairment. Gerontology, 2011, 57, 462-472.	1.4	115
45	Digital interventions to promote self-management in adults with hypertension systematic review and meta-analysis. Journal of Hypertension, 2016, 34, 600-612.	0.3	112
46	Using the Person-Based Approach to optimise a digital intervention for the management of hypertension. PLoS ONE, 2018, 13, e0196868.	1.1	110
47	The importance of coping appraisal in behavioural responses to pandemic flu. British Journal of Health Psychology, 2012, 17, 44-59.	1.9	108
48	Intervention planning for a digital intervention for self-management of hypertension: a theory-, evidence- and person-based approach. Implementation Science, 2017, 12, 25.	2.5	107
49	Home and Online Management and Evaluation of Blood Pressure (HOME BP) using a digital intervention in poorly controlled hypertension: randomised controlled trial. BMJ, The, 2021, 372, m4858.	3.0	106
50	Internet-based intervention for smoking cessation (StopAdvisor) in people with low and high socioeconomic status: a randomised controlled trial. Lancet Respiratory Medicine,the, 2014, 2, 997-1006.	5.2	104
51	Are People With Chronic Diseases Interested in Using Telehealth? A Cross-Sectional Postal Survey. Journal of Medical Internet Research, 2014, 16, e123.	2.1	103
52	An internet-delivered handwashing intervention to modify influenza-like illness and respiratory infection transmission (PRIMIT): a primary care randomised trial. Lancet, The, 2015, 386, 1631-1639.	6.3	101
53	Barriers and facilitators of effective self-management in asthma: systematic review and thematic synthesis of patient and healthcare professional views. Npj Primary Care Respiratory Medicine, 2017, 27, 57.	1.1	100
54	Exploring cancer survivors' views of health behaviour change: " <i>Where do you start, where do you stop with everything?</i> ― Psycho-Oncology, 2018, 27, 1816-1824.	1.0	100

#	Article	IF	CITATIONS
55	Optimizing engagement with <scp>I</scp> nternetâ€based health behaviour change interventions: Comparison of selfâ€assessment with and without tailored feedback using a mixed methods approach. British Journal of Health Psychology, 2014, 19, 839-855.	1.9	98
56	Digital Health Interventions for Adults With Type 2 Diabetes: Qualitative Study of Patient Perspectives on Diabetes Self-Management Education and Support. Journal of Medical Internet Research, 2018, 20, e40.	2.1	98
57	Physiotherapy breathing retraining for asthma: a randomised controlled trial. Lancet Respiratory Medicine,the, 2018, 6, 19-28.	5.2	97
58	How likely are older people to take up different falls prevention activities?. Preventive Medicine, 2008, 47, 554-558.	1.6	96
59	Relationship between balance system function and agoraphobic avoidance. Behaviour Research and Therapy, 1995, 33, 435-439.	1.6	95
60	Demonstrating the validity of qualitative research. Journal of Positive Psychology, 2017, 12, 295-296.	2.6	95
61	The Effect of Timing and Frequency of Push Notifications on Usage of a Smartphone-Based Stress Management Intervention: An Exploratory Trial. PLoS ONE, 2017, 12, e0169162.	1.1	95
62	Clinical and cost effectiveness of booklet based vestibular rehabilitation for chronic dizziness in primary care: single blind, parallel group, pragmatic, randomised controlled trial. BMJ, The, 2012, 344, e2237-e2237.	3.0	94
63	Views of People With High and Low Levels of Health Literacy About a Digital Intervention to Promote Physical Activity for Diabetes: A Qualitative Study in Five Countries. Journal of Medical Internet Research, 2015, 17, e230.	2.1	93
64	OVERVIEW OF PSYCHOLOGIC EFFECTS OF CHRONIC DIZZINESS AND BALANCE DISORDERS. Otolaryngologic Clinics of North America, 2000, 33, 603-616.	0.5	92
65	Evaluation of Booklet-Based Self-Management of Symptoms in Ménière Disease: A Randomized Controlled Trial. Psychosomatic Medicine, 2006, 68, 762-769.	1.3	88
66	Public perceptions of non-pharmaceutical interventions for reducing transmission of respiratory infection: systematic review and synthesis of qualitative studies. BMC Public Health, 2014, 14, 589.	1.2	87
67	Daily testing for contacts of individuals with SARS-CoV-2 infection and attendance and SARS-CoV-2 transmission in English secondary schools and colleges: an open-label, cluster-randomised trial. Lancet, The, 2021, 398, 1217-1229.	6.3	87
68	Understanding reactions to an internet-delivered health-care intervention: accommodating user preferences for information provision. BMC Medical Informatics and Decision Making, 2010, 10, 52.	1.5	86
69	Current Issues and Future Directions for Research Into Digital Behavior Change Interventions. American Journal of Preventive Medicine, 2016, 51, 814-815.	1.6	85
70	Effectiveness and safety of electronically delivered prescribing feedback and decision support on antibiotic use for respiratory illness in primary care: REDUCE cluster randomised trial. BMJ: British Medical Journal, 2019, 364, l236.	2.4	85
71	Does Brief Telephone Support Improve Engagement With a Web-Based Weight Management Intervention? Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e95.	2.1	85
72	Evaluation of a web-based intervention to reduce antibiotic prescribing for LRTI in six European countries: quantitative process analysis of the GRACE/INTRO randomised controlled trial. Implementation Science, 2013, 8, 134.	2.5	84

#	Article	IF	CITATIONS
73	Managing childhood eczema: qualitative study exploring carers' experiences of barriers and facilitators to treatment adherence. Journal of Advanced Nursing, 2013, 69, 2493-2501.	1.5	81
74	Electronic Health Records for Intervention Research: A Cluster Randomized Trial to Reduce Antibiotic Prescribing in Primary Care (eCRT Study). Annals of Family Medicine, 2014, 12, 344-351.	0.9	79
75	Clinicians' Views and Experiences of Interventions to Enhance the Quality of Antibiotic Prescribing for Acute Respiratory Tract Infections. Journal of General Internal Medicine, 2015, 30, 408-416.	1.3	78
76	Change in self-esteem, self-efficacy and the mood dimensions of depression as potential mediators of the physical activity and depression relationship: Exploring the temporal relation of change. Mental Health and Physical Activity, 2009, 2, 44-52.	0.9	77
77	The influence on carer wellbeing of motivations to care for older people and the relationship with the care recipient. Ageing and Society, 2003, 23, 487-506.	1.2	75
78	Validation of the Falls Efficacy Scale-International in fall-prone older persons. Age and Ageing, 2010, 39, 259-259.	0.7	75
79	A web-based intervention (RESTORE) to support self-management of cancer-related fatigue following primary cancer treatment: a multi-centre proof of concept randomised controlled trial. Supportive Care in Cancer, 2016, 24, 2445-2453.	1.0	75
80	Web-based self-management support for people with type 2 diabetes (HeLP-Diabetes): randomised controlled trial in English primary care. BMJ Open, 2017, 7, e016009.	0.8	75
81	Understanding Usage of a Hybrid Website and Smartphone App for Weight Management: A Mixed-Methods Study. Journal of Medical Internet Research, 2014, 16, e201.	2.1	75
82	Management of irritable bowel syndrome in primary care: feasibility randomised controlled trial of mebeverine, methylcellulose, placebo and a patient self-management cognitive behavioural therapy website. (MIBS trial). BMC Gastroenterology, 2010, 10, 136.	0.8	74
83	Effectiveness of an integrated telehealth service for patients with depression: a pragmatic randomised controlled trial of a complex intervention. Lancet Psychiatry,the, 2016, 3, 515-525.	3.7	73
84	Tailored online cognitive behavioural therapy with or without therapist support calls to target psychological distress in adults receiving haemodialysis: A feasibility randomised controlled trial. Journal of Psychosomatic Research, 2017, 102, 61-70.	1.2	73
85	Improving distress in dialysis (iDiD): a feasibility two-arm parallel randomised controlled trial of an online cognitive behavioural therapy intervention with and without therapist-led telephone support for psychological distress in patients undergoing haemodialysis. BMJ Open, 2016, 6, e011286.	0.8	72
86	Peer-Based Social Media Features in Behavior Change Interventions: Systematic Review. Journal of Medical Internet Research, 2018, 20, e20.	2.1	72
87	A randomized controlled trial of cognitive behavioral therapy (CBT) for adjusting to multiple sclerosis (the saMS trial): Does CBT work and for whom does it work?. Journal of Consulting and Clinical Psychology, 2013, 81, 251-262.	1.6	70
88	Motion sickness and perception: A reappraisal of the sensory conflict approach. British Journal of Psychology, 1992, 83, 449-471.	1.2	68
89	What infection control measures will people carry out to reduce transmission of pandemic influenza? A focus group study. BMC Public Health, 2009, 9, 258.	1.2	68
90	Understanding acceptability of and engagement with Webâ€based interventions aiming to improve quality of life in cancer survivors: A synthesis of current research. Psycho-Oncology, 2018, 27, 22-33.	1.0	68

#	Article	IF	CITATIONS
91	Relationship between postural control and motion sickness in healthy subjects. Brain Research Bulletin, 1998, 47, 471-474.	1.4	67
92	Influence of beliefs about the consequences of dizziness on handicap in people with dizziness, and the effect of therapy on beliefs. Journal of Psychosomatic Research, 2001, 50, 1-6.	1.2	67
93	Posture and mental task performance when viewing a moving visual field. Cognitive Brain Research, 2003, 17, 140-153.	3.3	67
94	Contribution of symptoms and beliefs to handicap in people with vertigo: A longitudinal study. British Journal of Clinical Psychology, 1994, 33, 101-113.	1.7	66
95	Treat or Treatment: A Qualitative Study Analyzing Patients' Use of Complementary and Alternative Medicine. American Journal of Public Health, 2008, 98, 1700-1705.	1.5	66
96	TElehealth in CHronic disease: mixed-methods study to develop the TECH conceptual model for intervention design and evaluation. BMJ Open, 2015, 5, e006448-e006448.	0.8	66
97	Randomised controlled feasibility trial of a web-based weight management intervention with nurse support for obese patients in primary care. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 67.	2.0	65
98	Discrepancies between qualitative and quantitative evaluation of randomised controlled trial results: achieving clarity through mixed methods triangulation. Implementation Science, 2015, 11, 66.	2.5	65
99	General practitioners' views on the acceptability and applicability of a web-based intervention to reduce antibiotic prescribing for acute cough in multiple European countries: a qualitative study prior to a randomised trial. BMC Family Practice, 2012, 13, 101.	2.9	64
100	Stress and symptoms of meniere's disease: a time-series analysis. Journal of Psychosomatic Research, 1997, 43, 595-603.	1.2	63
101	Experiences of adjusting to early stage Multiple Sclerosis. Journal of Health Psychology, 2011, 16, 478-488.	1.3	63
102	Somatic and psychological factors contributing to handicap in people with vertigo. International Journal of Audiology, 1992, 26, 283-290.	0.7	62
103	Effects of Anxiety Arousal and Mental Stress on the Vestibulo-ocular Reflex. Acta Oto-Laryngologica, 1995, 115, 597-602.	0.3	62
104	Designing and Undertaking a Health Economics Study of Digital Health Interventions. American Journal of Preventive Medicine, 2016, 51, 852-860.	1.6	60
105	Experiences of carers managing childhood eczema and their views on its treatment: a qualitative study. British Journal of General Practice, 2012, 62, e261-e267.	0.7	59
106	Management of irritable bowel syndrome in primary care: the results of an exploratory randomised controlled trial of mebeverine, methylcellulose, placebo and a self-management website. BMC Gastroenterology, 2013, 13, 68.	0.8	59
107	Telehealth, Wearable Sensors, and the Internet: Will They Improve Stroke Outcomes Through Increased Intensity of Therapy, Motivation, and Adherence to Rehabilitation Programs?. Journal of Neurologic Physical Therapy, 2017, 41, S32-S38.	0.7	57
108	Understanding responses to government health recommendations: Public perceptions of government advice for managing the H1N1 (swine flu) influenza pandemic. Patient Education and Counseling, 2011, 85, 413-418.	1.0	56

#	Article	IF	CITATIONS
109	The decisions regarding ADHD management (DRAMa) study: uncertainties and complexities in assessment, diagnosis and treatment, from the clinician's point of view. European Child and Adolescent Psychiatry, 2012, 21, 87-99.	2.8	56
110	Developing Digital Interventions: A Methodological Guide. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-7.	0.5	56
111	Developing a computer delivered, theory based intervention for guideline implementation in general practice. BMC Family Practice, 2010, 11, 90.	2.9	54
112	Measuring outcome from vestibular rehabilitation, part II: Refinement and validation of a new self-report measure. International Journal of Audiology, 2009, 48, 24-37.	0.9	53
113	Understanding patterns of adherence to COVID-19 mitigation measures: a qualitative interview study. Journal of Public Health, 2021, 43, 508-516.	1.0	52
114	Attentional demands of continuously monitoring orientation using vestibular information. Neuropsychologia, 2002, 40, 373-383.	0.7	51
115	Why Consumers Maintain Complementary and Alternative Medicine Use: A Qualitative Study. Journal of Alternative and Complementary Medicine, 2010, 16, 175-182.	2.1	51
116	Telephone-delivered cognitive behavioural therapy: a systematic review and meta-analysis. Journal of Telemedicine and Telecare, 2011, 17, 177-184.	1.4	51
117	A Framework for Analyzing and Measuring Usage and Engagement Data (AMUsED) in Digital Interventions: Viewpoint. Journal of Medical Internet Research, 2019, 21, e10966.	2.1	51
118	Development of StopAdvisor. Translational Behavioral Medicine, 2012, 2, 263-275.	1.2	50
119	Telehealth for patients at high risk of cardiovascular disease: pragmatic randomised controlled trial. BMJ, The, 2016, 353, i2647.	3.0	50
120	A systematic review of psychological, physical health factors, and quality of life in adult asthma. Npj Primary Care Respiratory Medicine, 2019, 29, 37.	1.1	50
121	Physical activity and depression: A multiple mediation analysis. Mental Health and Physical Activity, 2012, 5, 125-134.	0.9	49
122	Reconciling Discursive and Materialist Perspectives on Health and Illness. Theory and Psychology, 1996, 6, 485-508.	0.7	48
123	Reducing risks from coronavirus transmission in the home—the role of viral load. BMJ, The, 2020, 369, m1728.	3.0	48
124	Psychological Covariates of Longitudinal Changes in Back-related Disability in Patients Undergoing Acupuncture. Clinical Journal of Pain, 2015, 31, 254-264.	0.8	46
125	Internet based vestibular rehabilitation with and without physiotherapy support for adults aged 50 and older with a chronic vestibular syndrome in general practice: three armed randomised controlled trial. BMJ: British Medical Journal, 2019, 367, 15922.	2.4	46
126	Cognitions associated with anxiety in Ménière's disease. Journal of Psychosomatic Research, 2009, 66, 111-118.	1.2	44

#	Article	IF	CITATIONS
127	Interactive digital interventions to promote self-management in adults with asthma: systematic review and meta-analysis. BMC Pulmonary Medicine, 2016, 16, 83.	0.8	44
128	Supporting Self-Care for Families of Children With Eczema With a Web-Based Intervention Plus Health Care Professional Support: Pilot Randomized Controlled Trial. Journal of Medical Internet Research, 2014, 16, e70.	2.1	44
129	Measuring outcome from Vestibular Rehabilitation, Part I: Qualitative development of a new self-report measure. International Journal of Audiology, 2008, 47, 169-177.	0.9	43
130	Exploring patients' views of primary care consultations with contrasting interventions for acute cough: a six-country European qualitative study. Npj Primary Care Respiratory Medicine, 2014, 24, 14026.	1.1	43
131	Evaluation of a Web-Based Intervention to Promote Hand Hygiene: Exploratory Randomized Controlled Trial. Journal of Medical Internet Research, 2011, 13, e107.	2.1	43
132	Development of an intervention to reduce transmission of respiratory infections and pandemic flu: Measuring and predicting hand-washing intentions. Psychology, Health and Medicine, 2012, 17, 59-81.	1.3	42
133	Living with asthma and chronic obstructive airways disease: Using technology to support self-management – An overview. Chronic Respiratory Disease, 2017, 14, 407-419.	1.0	42
134	GPs' views in five European countries of interventions to promote prudent antibiotic use. British Journal of General Practice, 2011, 61, e252-e261.	0.7	42
135	Understanding successful development of complex health and healthcare interventions and its drivers from the perspective of developers and wider stakeholders: an international qualitative interview study. BMJ Open, 2019, 9, e028756.	0.8	41
136	Comparing usage of a web and app stress management intervention: An observational study. Internet Interventions, 2018, 12, 74-82.	1.4	40
137	Combining qualitative research with PPI: reflections on using the person-based approach for developing behavioural interventions. Research Involvement and Engagement, 2019, 5, 34.	1.1	40
138	Effect of Self-monitoring of Blood Pressure on Diagnosis of Hypertension During Higher-Risk Pregnancy. JAMA - Journal of the American Medical Association, 2022, 327, 1656.	3.8	40
139	Why do people use different forms of complementary medicine? Multivariate associations between treatment and illness beliefs and complementary medicine use. Psychology and Health, 2006, 21, 683-698.	1.2	39
140	Internet-Based Vestibular Rehabilitation for Older Adults With Chronic Dizziness: A Randomized Controlled Trial in Primary Care. Annals of Family Medicine, 2017, 15, 209-216.	0.9	38
141	Antibiotic Prescribing for Acute Respiratory Tract Infections 12 Months After Communication and CRP Training: A Randomized Trial. Annals of Family Medicine, 2019, 17, 125-132.	0.9	38
142	Panic Disorder with Agoraphobia Associated with Dizziness: Characteristic Symptoms and Psychosocial Sequelae. Journal of Nervous and Mental Disease, 2001, 189, 321-327.	0.5	38
143	Understanding psychological distress in Ménière's disease: A systematic review. Psychology, Health and Medicine, 2008, 13, 257-273.	1.3	37
144	Internet provision of tailored advice on falls prevention activities for older people: a randomized controlled evaluation. Health Promotion International, 2007, 22, 122-128.	0.9	36

#	Article	lF	CITATIONS
145	A digital self-management intervention for adults with type 2 diabetes: Combining theory, data and participatory design to develop HeLP-Diabetes. Internet Interventions, 2019, 17, 100241.	1.4	36
146	Randomised controlled trial and economic analysis of an internet-based weight management programme: POWeR+ (Positive Online Weight Reduction). Health Technology Assessment, 2017, 21, 1-62.	1.3	36
147	Barriers and facilitators to screening and treating malnutrition in older adults living in the community: a mixed-methods synthesis. BMC Family Practice, 2019, 20, 100.	2.9	35
148	Cost-Effectiveness of Facilitated Access to a Self-Management Website, Compared to Usual Care, for Patients With Type 2 Diabetes (HeLP-Diabetes): Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e201.	2.1	35
149	Evaluation of a Web-based Intervention Providing Tailored Advice for Self-management of Minor Respiratory Symptoms: Exploratory Randomized Controlled Trial. Journal of Medical Internet Research, 2010, 12, e66.	2.1	34
150	Effect of Self-monitoring of Blood Pressure on Blood Pressure Control in Pregnant Individuals With Chronic or Gestational Hypertension. JAMA - Journal of the American Medical Association, 2022, 327, 1666.	3.8	34
151	Primary care randomised controlled trial of a tailored interactive website for the self-management of respiratory infections (Internet Doctor). BMJ Open, 2016, 6, e009769.	0.8	33
152	Effects on Engagement and Health Literacy Outcomes of Web-Based Materials Promoting Physical Activity in People With Diabetes: An International Randomized Trial. Journal of Medical Internet Research, 2017, 19, e21.	2.1	33
153	Current issues and new directions in <i>Psychology and Health</i> : What is the future of digital interventions for health behaviour change?. Psychology and Health, 2009, 24, 615-618.	1.2	32
154	A pilot study of StopAdvisor: A theory-based interactive internet-based smoking cessation intervention aimed across the social spectrum. Addictive Behaviors, 2012, 37, 1365-1370.	1.7	32
155	A Visualization Tool to Analyse Usage of Web-Based Interventions: The Example of Positive Online Weight Reduction (POWeR). JMIR Human Factors, 2015, 2, e8.	1.0	31
156	Blood pressure monitoring in high-risk pregnancy to improve the detection and monitoring of hypertension (the BUMP 1 and 2 trials): protocol for two linked randomised controlled trials. BMJ Open, 2020, 10, e034593.	0.8	30
157	Developing a Dynamic Model of Treatment Perceptions. Journal of Health Psychology, 2001, 6, 269-282.	1.3	29
158	Patterns of presentations of dizziness in primary care—a cross-sectional cluster analysis study. Journal of Psychosomatic Research, 2006, 60, 395-401.	1.2	29
159	Physical and Psychological Triggers for Attacks in Ménière's Disease: The Patient Perspective. Psychotherapy and Psychosomatics, 2012, 81, 396-398.	4.0	29
160	Accounting for personal and professional choices for pandemic influenza vaccination amongst English healthcare workers. Vaccine, 2015, 33, 2267-2272.	1.7	29
161	The conceptualization of a Just-In-Time Adaptive Intervention (JITAI) for the reduction of sedentary behavior in older adults. MHealth, 2017, 3, 37-37.	0.9	29
162	Developing a digital intervention for cancer survivors: an evidence-, theory- and person-based approach. Npj Digital Medicine, 2019, 2, 85.	5.7	29

#	Article	IF	CITATIONS
163	Treatment appraisals and beliefs predict adherence to complementary therapies: A prospective study using a dynamic extended selfâ€regulation model. British Journal of Health Psychology, 2008, 13, 701-718.	1.9	28
164	Patients' views of receiving lessons in the Alexander Technique and an exercise prescription for managing back pain in the ATEAM trial. Family Practice, 2010, 27, 198-204.	0.8	28
165	Using an internet intervention to support self-management of low back pain in primary care: findings from a randomised controlled feasibility trial (SupportBack). BMJ Open, 2018, 8, e016768.	0.8	28
166	Attending to design when developing complex health interventions: AÂqualitative interview study with intervention developers and associated stakeholders. PLoS ONE, 2019, 14, e0223615.	1.1	28
167	Re-opening live events and large venues after Covid-19 †lockdown': Behavioural risks and their mitigations. Safety Science, 2021, 139, 105243.	2.6	28
168	Measuring barriers to adherence: validation of the problematic experiences of therapy scale. Disability and Rehabilitation, 2014, 36, 1924-1929.	0.9	27
169	Point-of-Care Cluster Randomized Trial in Stroke Secondary Prevention Using Electronic Health Records. Stroke, 2014, 45, 2066-2071.	1.0	27
170	Using mixed methods in health research: Benefits and challenges. British Journal of Health Psychology, 2015, 20, 1-4.	1.9	27
171	Protocol for the saMS trial (supportive adjustment for multiple sclerosis): a randomized controlled trial comparing cognitive behavioral therapy to supportive listening for adjustment to multiple sclerosis. BMC Neurology, 2009, 9, 45.	0.8	26
172	Cluster randomised trial in the General Practice Research Database: 1. Electronic decision support to reduce antibiotic prescribing in primary care (eCRT study). Trials, 2011, 12, 115.	0.7	26
173	'You don't know which bits to believe': qualitative study exploring carers' experiences of seeking information on the internet about childhood eczema. BMJ Open, 2015, 5, e006339-e006339.	0.8	26
174	Using mixed methods to develop and evaluate an online weight management intervention. British Journal of Health Psychology, 2015, 20, 45-55.	1.9	26
175	Understanding how primary care practitioners perceive an online intervention for the management of hypertension. BMC Medical Informatics and Decision Making, 2017, 17, 5.	1.5	26
176	Usability and acceptability of a website that provides tailored advice on falls prevention activities for older people. Health Informatics Journal, 2009, 15, 27-39.	1.1	24
177	Effectiveness of general practitioner online training and an information booklet for parents on antibiotic prescribing for children with respiratory tract infection in primary care: a cluster randomized controlled trial. Journal of Antimicrobial Chemotherapy, 2018, 73, 1416-1422.	1.3	24
178	'I'm Not a Doctor'. Journal of Health Psychology, 1998, 3, 313-327.	1.3	23
179	Fear of imbalance and falling. Reviews in Clinical Gerontology, 1998, 8, 23-29.	0.5	23
180	Cognitive behavioural therapy and psychoâ€education for chronic fatigue syndrome in young people: Reflections from the families' perspective. British Journal of Health Psychology, 2010, 15, 167-183.	1.9	23

#	Article	IF	CITATIONS
181	RESTORE: an exploratory trial of an online intervention to enhance self-efficacy to manage problems associated with cancer-related fatigue following primary cancer treatment: study protocol for a randomized controlled trial. Trials, 2013, 14, 184.	0.7	23
182	Process evaluation of a point-of-care cluster randomised trial using a computer-delivered intervention to reduce antibiotic prescribing in primary care. BMC Health Services Research, 2014, 14, 594.	0.9	23
183	Internet-based vestibular rehabilitation for adults aged 50 years and over: a protocol for a randomised controlled trial. BMJ Open, 2014, 4, e005871-e005871.	0.8	23
184	Developing interventions to improve health: a systematic mapping review of international practice between 2015 and 2016. Pilot and Feasibility Studies, 2019, 5, 127.	0.5	23
185	Visual Destabilisation of Posture in Normal Subjects. Acta Oto-Laryngologica, 1992, 112, 14-21.	0.3	22
186	The development and initial validation of a new measure of lay definitions of health: The wellness beliefs scale. Psychology and Health, 2010, 25, 271-287.	1.2	22
187	Public preferences for vaccination and antiviral medicines under different pandemic flu outbreak scenarios. BMC Public Health, 2015, 15, 190.	1.2	22
188	Reducing early career general practitioners' antibiotic prescribing for respiratory tract infections: a pragmatic prospective non-randomised controlled trial. Family Practice, 2018, 35, 53-60.	0.8	22
189	Participating in and delivering the ATEAM trial (Alexander technique lessons, exercise, and massage) interventions for chronic back pain: A qualitative study of professional perspectives. Complementary Therapies in Medicine, 2010, 18, 119-127.	1.3	21
190	Change and processes of change within interventions to promote adjustment to multiple sclerosis: Learning from patient experiences. Psychology and Health, 2013, 28, 973-992.	1.2	21
191	Details of development of the resource for adults with asthma in the RAISIN (randomized trial of an) Tj ETQq1 1 2015, 15, 57.	0.784314 1.5	rgBT /Overlo 21
192	Home and Online Management and Evaluation of Blood Pressure (HOME BP) digital intervention for self-management of uncontrolled, essential hypertension: a protocol for the randomised controlled HOME BP trial. BMJ Open, 2016, 6, e012684.	0.8	21
193	Comparison of alternative falls data collection methods in the Prevention of Falls Injury Trial (PreFIT). Journal of Clinical Epidemiology, 2019, 106, 32-40.	2.4	21
194	Direct and mediated effects of treatment context on low back pain outcome: a prospective cohort study. BMJ Open, 2021, 11, e044831.	0.8	21
195	Spatial Updating During Rotation: The Role of Vestibular Information and Mental Activity. Journal of Vestibular Research: Equilibrium and Orientation, 1998, 8, 435-442.	0.8	20
196	The Contribution of Symptoms of Posttraumatic Stress Disorder, Health Anxiety and Intolerance of Uncertainty to Distress in Ménière's Disease. Journal of Nervous and Mental Disease, 2009, 197, 324-329.	0.5	20
197	How Patients Choose Acupuncturists: A Mixed-Methods Project. Journal of Alternative and Complementary Medicine, 2011, 17, 19-25.	2.1	20
198	Improving Empathy in Healthcare Consultations—a Secondary Analysis of Interventions. Journal of General Internal Medicine, 2020, 35, 3007-3014.	1.3	20

#	Article	IF	CITATIONS
199	Adapting Behavioral Interventions for a Changing Public Health Context: A Worked Example of Implementing a Digital Intervention During a Global Pandemic Using Rapid Optimisation Methods. Frontiers in Public Health, 2021, 9, 668197.	1.3	20
200	Current issues and new directions inPsychology and Health: Increasing the quantityandquality of health psychology research. Psychology and Health, 2009, 24, 1-4.	1.2	19
201	Health care professionals' views towards self-management and self-management education for people with type 2 diabetes. BMJ Open, 2019, 9, e029961.	0.8	19
202	Electronically delivered interventions to reduce antibiotic prescribing for respiratory infections in primary care: cluster RCT using electronic health records and cohort study. Health Technology Assessment, 2019, 23, 1-70.	1.3	19
203	A qualitative case study of LifeGuide: Users' experiences of software for developing Internet-based behaviour change interventions. Health Informatics Journal, 2013, 19, 61-75.	1.1	18
204	Patients' perceptions of the potential of breathing training for asthma: a qualitative study. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2013, 22, 449-453.	2.5	18
205	Feasibility trial of a digital self-management intervention â€~My Breathing Matters' to improve asthma-related quality of life for UK primary care patients with asthma. BMJ Open, 2019, 9, e032465.	0.8	18
206	Exploring Patients' Experiences of Internet-Based Self-Management Support for Low Back Pain in Primary Care. Pain Medicine, 2020, 21, 1806-1817.	0.9	18
207	Infection Control Behavior at Home During the COVID-19 Pandemic: Observational Study of a Web-Based Behavioral Intervention (Germ Defence). Journal of Medical Internet Research, 2021, 23, e22197.	2.1	18
208	What influences clinicians' decisions about ADHD medication? Initial data from the Influences on Prescribing for ADHD Questionnaire (IPAQ). European Child and Adolescent Psychiatry, 2013, 22, 533-542.	2.8	17
209	Providing online weight management in Primary Care: a mixed methods process evaluation of healthcare practitioners' experiences of using and supporting patients using POWeR+. Implementation Science, 2017, 12, 69.	2.5	17
210	Strategies to promote prudent antibiotic use: exploring the views of professionals who develop and implement guidelines and interventions. Family Practice, 2013, 30, 88-95.	0.8	16
211	Using an internet intervention to support self-management of low back pain in primary care: protocol for a randomised controlled feasibility trial (SupportBack). BMJ Open, 2015, 5, e009524.	0.8	16
212	Understanding patient experiences of self-managing chronic dizziness: a qualitative study of booklet-based vestibular rehabilitation, with or without remote support. BMJ Open, 2015, 5, e007680-e007680.	0.8	16
213	"A forward movement into lifeâ€: A qualitative study of how, why and when physical activity may benefit depression. Mental Health and Physical Activity, 2017, 12, 100-109.	0.9	16
214	Intervention planning for the REDUCE maintenance intervention: a digital intervention to reduce reulceration risk among patients with a history of diabetic foot ulcers. BMJ Open, 2018, 8, e019865.	0.8	16
215	Preventing within household transmission of Covid-19: is the provision of accommodation to support self-isolation feasible and acceptable?. BMC Public Health, 2021, 21, 1641.	1.2	16
216	Qualitative process study to explore the perceived burdens and benefits of a digital intervention for self-managing high blood pressure in Primary Care in the UK. BMJ Open, 2018, 8, e020843.	0.8	16

#	Article	IF	CITATIONS
217	Fear of falling: links between imbalance and anxiety. Reviews in Clinical Gerontology, 2003, 13, 195-201.	0.5	15
218	Predicting adherence to exercise-based therapy in rehabilitation Rehabilitation Psychology, 2007, 52, 56-64.	0.7	15
219	Assessing subjective change in chronic illness: An examination of response shift in health-related and goal-oriented subjective status. Psychology and Health, 2007, 22, 813-828.	1.2	15
220	Understanding adherence to physiotherapy: Findings from an experimental simulation and an observational clinical study. Psychology and Health, 2010, 25, 231-247.	1.2	15
221	Optimizing a digital intervention for managing blood pressure in stroke patients using a diverse sample: Integrating the personâ€based approach and patient and public involvement. Health Expectations, 2021, 24, 327-340.	1.1	15
222	Developing an Unguided Internet-Delivered Intervention for Emotional Distress in Primary Care Patients: Applying Common Factor and Person-Based Approaches. JMIR Mental Health, 2016, 3, e53.	1.7	15
223	Attitudes of Medical and Nonmedical Students Toward Orthodox and Complementary Therapies: Is Scientific Evidence Taken into Account?. Journal of Alternative and Complementary Medicine, 1999, 5, 293-295.	2.1	14
224	Timeâ€series Analysis of the Relationship between Dizziness and Stress. Scandinavian Journal of Psychology, 2000, 41, 49-54.	0.8	14
225	The therapeutic relationship in telephone-delivered support for people undertaking rehabilitation: a mixed-methods interaction analysis. Disability and Rehabilitation, 2015, 37, 1060-1065.	0.9	14
226	Changing the Antibiotic Prescribing of general practice registrars: the ChAP study protocol for a prospective controlled study of a multimodal educational intervention. BMC Family Practice, 2016, 17, 67.	2.9	14
227	Predicting adherence to acupuncture appointments for low back pain: a prospective observational study. BMC Complementary and Alternative Medicine, 2017, 17, 5.	3.7	14
228	Engagement With Daily Testing Instead of Self-Isolating in Contacts of Confirmed Cases of SARS-CoV-2: A Qualitative Analysis. Frontiers in Public Health, 2021, 9, 714041.	1.3	14
229	Patients' appraisals of public and private healthcare: A qualitative study of physiotherapy and osteopathy. Journal of Health Psychology, 2013, 18, 1307-1318.	1.3	13
230	Increasing the intent to receive a pandemic influenza vaccination: Testing the impact of theory-based messages. Preventive Medicine, 2016, 89, 104-111.	1.6	13
231	Study protocol for â€~The Project About Loneliness and Social networks (PALS)': a pragmatic, randomised trial comparing a facilitated social network intervention (Genie) with a wait-list control for lonely and socially isolated people. BMJ Open, 2019, 9, e028718.	0.8	13
232	Experiences of the coronavirus disease-19 (COVID-19) pandemic from the perspectives of young people: Rapid qualitative study. Public Health in Practice, 2021, 2, 100162.	0.7	13
233	A randomised controlled study of the effectiveness of breathing retraining exercises taught by a physiotherapist either by instructional DVD or in face-to-face sessions in the management of asthma in adults. Health Technology Assessment, 2017, 21, 1-162.	1.3	13
234	A web-based self-management programme for people with type 2 diabetes: the HeLP-Diabetes research programme including RCT. Programme Grants for Applied Research, 2018, 6, 1-242.	0.4	13

#	Article	IF	CITATIONS
235	Exploration of attitudes regarding uptake of COVID-19 vaccines among vaccine hesitant adults in the UK: a qualitative analysis. BMC Infectious Diseases, 2022, 22, 407.	1.3	13
236	Web-Site-Based Tailored Advice to Promote Strength and Balance Training: An Experimental Evaluation. Journal of Aging and Physical Activity, 2009, 17, 210-222.	0.5	12
237	The BREATHE study: Breathing REtraining for Asthma — Trial of Home Exercises. A protocol summary of a randomised controlled trial. Primary Care Respiratory Journal: Journal of the General Practice Airways Group, 2013, 22, PS1-PS7.	2.5	12
238	HeLP-Diabetes: randomised controlled trial protocol. BMC Health Services Research, 2015, 15, 578.	0.9	12
239	Communicating to increase public uptake of pandemic flu vaccination in the UK: Which messages work?. Vaccine, 2016, 34, 3268-3274.	1.7	12
240	Focus on early-career GPs: qualitative evaluation of a multi-faceted educational intervention to improve antibiotic prescribing. Family Practice, 2018, 35, 99-104.	0.8	12
241	Prognosis and Survival of Older Patients With Dizziness in Primary Care: A 10-Year Prospective Cohort Study. Annals of Family Medicine, 2020, 18, 100-109.	0.9	12
242	Supporting self-care for eczema: protocol for two randomised controlled trials of ECO (Eczema Care) Tj ETQq0 0	0 rgBT /O	verlock 10 Tf
243	Engagement and adherence trade-offs for SARS-CoV-2 contact tracing. Philosophical Transactions of the Royal Society B: Biological Sciences, 2021, 376, 20200270.	1.8	12
244	Emotional distress and well-being among people with motor neurone disease (MND) and their family caregivers: a qualitative interview study. BMJ Open, 2021, 11, e044724.	0.8	12
245	Implementation of nurse-delivered vestibular rehabilitation in primary care: a qualitative study of nurses? views on involvement in an innovative service. Journal of Clinical Nursing, 2007, 16, 1072-1081.	1.4	11
246	Cluster randomized trial in the general practice research database: 2. Secondary prevention after first stroke (eCRT study): study protocol for a randomized controlled trial. Trials, 2012, 13, 181.	0.7	11
247	Electronically delivered, multicomponent intervention to reduce unnecessary antibiotic prescribing for respiratory infections in primary care: a cluster randomised trial using electronic health records—REDUCE Trial study original protocol. BMJ Open, 2016, 6, e010892.	0.8	11
248	Intervention planning and modification of the BUMP intervention: a digital intervention for the early detection of raised blood pressure in pregnancy. Pilot and Feasibility Studies, 2019, 5, 153.	0.5	11
249	Renewed: Protocol for a randomised controlled trial of a digital intervention to support quality of life in cancer survivors. BMJ Open, 2019, 9, e024862.	0.8	10
250	Planning and optimising a digital intervention to protect older adults' cognitive health. Pilot and Feasibility Studies, 2021, 7, 158.	0.5	10
251	Randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support for inactive adults with chronic health conditions: the e-coachER trial. British Journal of Sports Medicine, 2021, 55, 444-450.	3.1	10

²⁵²Exploring weight loss services in primary care and staff views on using a web-based programme.0.910Journal of Innovation in Health Informatics, 2013, 20, 283-288.0.910

#	Article	IF	CITATIONS
253	Parents' attitudes and views regarding antibiotics in the management of respiratory tract infections in children: a qualitative study of the influence of an information booklet. BJGP Open, 2018, 2, bjgpopen18X101553.	0.9	10
254	Adding web-based behavioural support to exercise referral schemes for inactive adults with chronic health conditions: the e-coachER RCT. Health Technology Assessment, 2020, 24, 1-106.	1.3	10
255	Feasibility and acceptability of daily testing at school as an alternative to self-isolation following close contact with a confirmed case of COVID-19: a qualitative analysis. BMC Public Health, 2022, 22, 742.	1.2	10
256	An evaluation of the cost-effectiveness of booklet-based self-management of dizziness in primary care, with and without expert telephone support. BMC Ear, Nose and Throat Disorders, 2009, 9, 13.	2.6	9
257	Guided and unguided internet-based vestibular rehabilitation versus usual care for dizzy adults of 50â€years and older: a protocol for a three-armed randomised trial. BMJ Open, 2017, 7, e015479.	0.8	9
258	Examining the effectiveness of general practitioner and nurse promotion of electronic cigarettes versus standard care for smoking reduction and abstinence in hardcore smokers with smoking-related chronic disease: protocol for a randomised controlled trial. Trials, 2019, 20, 659.	0.7	9
259	Why do hospital prescribers continue antibiotics when it is safe to stop? Results of a choice experiment survey. BMC Medicine, 2020, 18, 196.	2.3	9
260	Digital Interventions to Promote Self-Management in Adults With Hypertension: Protocol for Systematic Review and Meta-Analysis. JMIR Research Protocols, 2015, 4, e133.	0.5	9
261	The Development of Balance Retraining: An Online Intervention for Dizziness in Adults Aged 50 Years and Older. American Journal of Audiology, 2015, 24, 276-279.	0.5	8
262	Older adults' experiences of internet-based vestibular rehabilitation for dizziness: A longitudinal study. Psychology and Health, 2017, 32, 1327-1347.	1.2	8
263	Exploring patient views of empathic optimistic communication for osteoarthritis in primary care: a qualitative interview study using vignettes. BJGP Open, 2021, 5, BJGPO.2021.0014.	0.9	8
264	Orientation perception, motion sickness and vertigo: Beyond the sensory conflict approach. International Journal of Audiology, 1991, 25, 405-413.	0.7	7
265	Antibiotic Review Kit for Hospitals (ARK-Hospital): study protocol for a stepped-wedge cluster-randomised controlled trial. Trials, 2019, 20, 421.	0.7	7
266	Supporting informed choice in acupuncture: effects of a new person-, evidence- and theory-based website for patients with back pain. Acupuncture in Medicine, 2019, 37, 98-106.	0.4	7
267	Effectiveness of digital interventions to improve household and community infection prevention and control behaviours and to reduce incidence of respiratory and/or gastro-intestinal infections: a rapid systematic review. BMC Public Health, 2021, 21, 1180.	1.2	7
268	Alexander technique and Supervised Physiotherapy Exercises in back paiN (ASPEN): a four-group randomised feasibility trial. Efficacy and Mechanism Evaluation, 2014, 1, 1-82.	0.9	7
269	Supporting families managing childhood eczema: developing and optimising eczema care online using qualitative research. British Journal of General Practice, 2022, 72, e378-e389.	0.7	7
270	Current issues and new directions in Psychology and Health : Contributions to translational research. Psychology and Health, 2008, 23, 1-4.	1.2	6

#	Article	IF	CITATIONS
271	Losing weight online with POWeR: a randomised controlled trial of a web-based behavioural intervention in a community setting. Lancet, The, 2013, 382, S62.	6.3	6
272	Non-specific mechanisms in orthodox and CAM management of low back pain (MOCAM): theoretical framework and protocol for a prospective cohort study. BMJ Open, 2016, 6, e012209.	0.8	6
273	Multicentred randomised controlled trial of an augmented exercise referral scheme using web-based behavioural support in individuals with metabolic, musculoskeletal and mental health conditions: protocol for the e-coachER trial. BMJ Open, 2018, 8, e022382.	0.8	6
274	Protocol for a cluster randomised controlled trial of the DAFNE <i>plus</i> (Dose Adjustment For) Tj ETQq0 0 0 r self-management in adults with type 1 diabetes. BMJ Open, 2021, 11, e040438.	gBT /Over 0.8	lock 10 Tf 50 6
275	Implementing a digital intervention for managing uncontrolled hypertension in Primary Care: a mixed methods process evaluation. Implementation Science, 2021, 16, 57.	2.5	6
276	Informing Patients About Placebo Effects: Using Evidence, Theory, and Qualitative Methods to Develop a New Website. JMIR Research Protocols, 2016, 5, e106.	0.5	6
277	Eczema Care Online: development and qualitative optimisation of an online behavioural intervention to support self-management in young people with eczema. BMJ Open, 2022, 12, e056867.	0.8	6
278	Properties of bootstrap tests for <i>N</i> â€ofâ€1 studies. British Journal of Mathematical and Statistical Psychology, 2016, 69, 276-290.	1.0	5
279	Primary Care implementation of Germ Defence, a digital behaviour change intervention to improve household infection control during the COVID-19 pandemic: A structured summary of a study protocol for a randomised controlled trial. Trials, 2021, 22, 263.	0.7	5
280	A Qualitative Exploration of Perceptions of a Digital Intervention to Promote Physical Activity in Older Adults. Journal of Aging and Physical Activity, 2021, 29, 442-454.	0.5	5
281	Mixed methods process evaluation of my breathing matters, a digital intervention to support self-management of asthma. Npj Primary Care Respiratory Medicine, 2021, 31, 35.	1.1	5
282	Infection control in the home: a qualitative study exploring perceptions and experiences of adhering to protective behaviours in the home during the COVID-19 pandemic. BMJ Open, 2021, 11, e056161.	0.8	5
283	Using nasal sprays to prevent respiratory tract infections: a qualitative study of online consumer reviews and primary care patient interviews. BMJ Open, 2022, 12, e059661.	0.8	5
284	COMBINED COGNITIVE-BEHAVIOURAL AND PHYSIOTHERAPY TREATMENT OF DIZZINESS: A CASE REPORT. Behavioural and Cognitive Psychotherapy, 1998, 26, 365-369.	0.9	4
285	Supporting the Running and Analysis of Trials of Web-Based Behavioural Interventions: The LifeGuide. , 2009, , .		4
286	Supporting self-management of low back pain with an internet intervention in primary care: a protocol for a randomised controlled trial of clinical and cost-effectiveness (SupportBack 2). BMJ Open, 2020, 10, e040543.	0.8	4
287	Patient engagement with antibiotic messaging in secondary care: a qualitative feasibility study of the â€review and revise' experience. Pilot and Feasibility Studies, 2020, 6, 43.	0.5	4
288	An evidence-based approach to the use of telehealth in long-term health conditions: development of an intervention and evaluation through pragmatic randomised controlled trials in patients with depression or raised cardiovascular risk. Programme Grants for Applied Research, 2017, 5, 1-468.	0.4	4

#	Article	IF	CITATIONS
289	Experiences of psychological interventions in neurodegenerative diseases: a systematic review and thematic synthesis. Health Psychology Review, 2023, 17, 416-438.	4.4	4
290	MEASURING EXPECTED OUTCOMES OF FALLS. Journal of the American Geriatrics Society, 2006, 54, 1300-1301.	1.3	3
291	Stephen Lord, Catherine Sherrington, Hylton Menz and Jacqueline Close, Falls in Older People: Risk Factors and Strategies for Prevention, second edition, Cambridge University Press, Cambridge, 2007, 408 pp., pbk £40.00, ISBN 13:Â978Â0Â521Â68099Â8 Ageing and Society, 2008, 28, 299-300.	1.2	3
292	Using psychological theory and qualitative methods to develop a new evidence-based website about acupuncture for back pain. European Journal of Integrative Medicine, 2016, 8, 384-393.	0.8	3
293	Patients' experiences of breathing retraining for asthma: a qualitative process analysis of participants in the intervention arms of the BREATHE trial. Npj Primary Care Respiratory Medicine, 2017, 27, 56.	1.1	3
294	Evaluation of a breathing retraining intervention to improve quality of life in asthma: quantitative process analysis of the BREATHE randomized controlled trial. Clinical Rehabilitation, 2019, 33, 1139-1149.	1.0	3
295	What is "normal―antibiotic prescribing?. BMJ: British Medical Journal, 2019, 364, l1144.	2.4	3
296	Maximizing User Engagement with Behavior Change Interventions. , 2020, , 361-371.		3
297	Protocol for the feasibility and acceptability of a brief routine weight management intervention for postnatal women embedded within the national child immunisation programme: randomised controlled cluster feasibility trial with nested qualitative study (PIMMS-WL). BMJ Open, 2020, 10, e033027.	0.8	3
298	Factors important for the measurement of social comparison in chronic illness: a mixed-methods study. Chronic Illness, 2006, 2, 219-230.	0.6	3
299	Informing Adults With Back Pain About Placebo Effects: Randomized Controlled Evaluation of a New Website With Potential to Improve Informed Consent in Clinical Research. Journal of Medical Internet Research, 2019, 21, e9955.	2.1	3
300	Feasibility and Preliminary Effectiveness of the Homework Intervention Strategy (eHIS) Program to Enhance Male Condom Use: Research Protocol. JMIR Research Protocols, 2018, 7, e1.	0.5	3
301	Cluster randomised controlled trial to assess a tailored intervention to reduce antibiotic prescribing in rural China: study protocol. BMJ Open, 2022, 12, e048267.	0.8	3
302	Qualitative study on perceptions of use of Fractional Exhaled Nitric Oxide (FeNO) in asthma reviews. Npj Primary Care Respiratory Medicine, 2022, 32, 13.	1.1	3
303	Implementing a Health Care Professional–Supported Digital Intervention for Survivors of Cancer in Primary Care: Qualitative Process Evaluation of the Renewed Intervention. JMIR Cancer, 2022, 8, e36364.	0.9	3
304	A qualitative process analysis of daily contact testing as an alternative to self-isolation following close contact with a confirmed carrier of SARS-CoV-2. BMC Public Health, 2022, 22, .	1.2	3
305	A randomised controlled trial of a theory-based interactive internet-based smoking cessation intervention (â€~StopAdvisor'): Study protocol. Journal of Smoking Cessation, 2013, 8, 63-70.	0.3	2
306	The role of nurse support within an Internet-delivered weight management intervention: A qualitative study. Psychology, Health and Medicine, 2015, 20, 963-971.	1.3	2

#	Article	IF	CITATIONS
307	Evaluating the feasibility of a web-based weight loss programme for naval service personnel with excess body weight. Pilot and Feasibility Studies, 2017, 3, 6.	0.5	2
308	One year later: Highlighting the challenges and opportunities in disseminating a breathing-retraining digital behaviour change intervention. Digital Health, 2020, 6, 205520762093644.	0.9	2
309	The Active Brains Digital Intervention to Reduce Cognitive Decline in Older Adults: Protocol for a Feasibility Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e18929.	0.5	2
310	A Smartphone App for Supporting the Self-management of Daytime Urinary Incontinence in Adolescents: Development and Formative Evaluation Study of URApp. JMIR Pediatrics and Parenting, 2021, 4, e26212.	0.8	2
311	Optimising an intervention to support home-living older adults at risk of malnutrition: a qualitative study. BMC Family Practice, 2021, 22, 219.	2.9	2
312	The Rapid Adaptation and Optimisation of a Digital Behaviour-Change Intervention to Reduce the Spread of COVID-19 in Schools. International Journal of Environmental Research and Public Health, 2022, 19, 6731.	1.2	2
313	Weight Management Experiences of Overweight and Obese Royal Navy Personnel. Military Behavioral Health, 2014, 2, 105-109.	0.4	1
314	Practice nurse-supported weight self-management delivered within the national child immunisation programme for postnatal women: a feasibility cluster RCT. Health Technology Assessment, 2021, 25, 1-130.	1.3	1
315	Patient perceptions of vulnerability to recurrent respiratory tract infections and prevention strategies: a qualitative study. BMJ Open, 2022, 12, e055565.	0.8	1
316	The significance of the active pick-up of information in ecological theories of motion perception. Behavioral and Brain Sciences, 1994, 17, 340-340.	0.4	0
317	The role of caloric testing in balance system assessment: past, present and future. International Journal of Audiology, 1995, 29, 83-86.	0.7	Ο
318	Vertigo and dizziness. , 2001, , 921-923.		0
319	Looking deeper into POWeR+. Lancet Diabetes and Endocrinology,the, 2016, 4, 887-888.	5.5	Ο
320	To Adapt or Not to Adapt: The Association between Implementation Fidelity and the Effectiveness of Diabetes Self-Management Education. International Journal of Environmental Research and Public Health, 2021, 18, 4095.	1.2	0
321	A Web-Based Intervention (Germ Defence) to Increase Handwashing During a Pandemic: Process Evaluations of a Randomized Controlled Trial and Public Dissemination. Journal of Medical Internet Research, 2021, 23, e26104.	2.1	Ο
322	Treating Controls in Unblinded Trials. Annals of Internal Medicine, 2005, 142, 309.	2.0	0
323	A Digital Intervention for Respiratory Tract Infections (Internet Dr): Process Evaluation to Understand How to Support Self-care for Minor Ailments. JMIR Formative Research, 2022, 6, e24239.	0.7	О