John T Isaacs

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4241283/john-t-isaacs-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158 13,515 60 114 g-index

169 14,768 7 6.36 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
158	Supraphysiologic Testosterone Induces Ferroptosis and Activates Immune Pathways through Nucleophagy in Prostate Cancer. <i>Cancer Research</i> , 2021 , 81, 5948-5962	10.1	3
157	Resistance to androgen receptor signaling inhibition does not necessitate development of neuroendocrine prostate cancer. <i>JCI Insight</i> , 2021 , 6,	9.9	5
156	Overcoming stromal barriers to immuno-oncological responses via fibroblast activation protein-targeted therapy. <i>Immunotherapy</i> , 2021 , 13, 155-175	3.8	6
155	From Plant to Patient: Thapsigargin, a Tool for Understanding Natural Product Chemistry, Total Syntheses, Biosynthesis, Taxonomy, ATPases, Cell Death, and Drug Development. <i>Progress in the Chemistry of Organic Natural Products</i> , 2021 , 115, 59-114	1.9	Ο
154	Bipolar androgen therapy sensitizes castration-resistant prostate cancer to subsequent androgen receptor ablative therapy. <i>European Journal of Cancer</i> , 2021 , 144, 302-309	7.5	3
153	Combined TP53 and RB1 Loss Promotes Prostate Cancer Resistance to a Spectrum of Therapeutics and Confers Vulnerability to Replication Stress. <i>Cell Reports</i> , 2020 , 31, 107669	10.6	55
152	Role of androgen receptor splice variant-7 (AR-V7) in prostate cancer resistance to 2nd-generation androgen receptor signaling inhibitors. <i>Oncogene</i> , 2020 , 39, 6935-6949	9.2	19
151	Microparticle Encapsulation of a Prostate-targeted Biologic for the Treatment of Liver Metastases in a Preclinical Model of Castration-resistant Prostate Cancer. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 2353-2362	6.1	1
150	Albumin-linked prostate-specific antigen-activated thapsigargin- and niclosamide-based molecular grenades targeting the microenvironment in metastatic castration-resistant prostate cancer. <i>Asian Journal of Urology</i> , 2019 , 6, 99-108	2.7	10
149	Establishing a cryopreservation protocol for patient-derived xenografts of prostate cancer. <i>Prostate</i> , 2019 , 79, 1326-1337	4.2	10
148	Asporin Restricts Mesenchymal Stromal Cell Differentiation, Alters the Tumor Microenvironment, and Drives Metastatic Progression. <i>Cancer Research</i> , 2019 , 79, 3636-3650	10.1	27
147	In Reply. Stem Cells Translational Medicine, 2019, 8, 739-740	6.9	1
146	A Phase I Study to Assess the Safety and Cancer-Homing Ability of Allogeneic Bone Marrow-Derived Mesenchymal Stem Cells in Men with Localized Prostate Cancer. <i>Stem Cells</i> <i>Translational Medicine</i> , 2019 , 8, 441-449	6.9	33
145	Pharmacologic Exhaustion of Suppressor Cells with Tasquinimod Enhances Bacterial Clearance during Tuberculosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 199, 386-389	10.2	7
144	Tumor-infiltrating mesenchymal stem cells: Drivers of the immunosuppressive tumor microenvironment in prostate cancer?. <i>Prostate</i> , 2019 , 79, 320-330	4.2	36
143	2-fluoro-5-maleimidobenzoic acid-linked albumin drug (MAD) delivery for selective systemic targeting of metastatic prostate cancer. <i>Prostate</i> , 2018 , 78, 655-663	4.2	4
142	The what, when, and why of human prostate cancer xenografts. <i>Prostate</i> , 2018 , 78, 646-654	4.2	9

(2014-2018)

141	Concise Review: Mesenchymal Stem Cell-Based Drug Delivery: The Good, the Bad, the Ugly, and the Promise. <i>Stem Cells Translational Medicine</i> , 2018 , 7, 651-663	6.9	119
140	Movember GAP1 PDX project: An international collection of serially transplantable prostate cancer patient-derived xenograft (PDX) models. <i>Prostate</i> , 2018 , 78, 1262-1282	4.2	44
139	Resolving the Coffey Paradox: what does the androgen receptor do in normal vs. malignant prostate epithelial cells?. <i>American Journal of Clinical and Experimental Urology</i> , 2018 , 6, 55-61	1.6	3
138	Mesenchymal stem cells and the embryonic reawakening theory of BPH. <i>Nature Reviews Urology</i> , 2018 , 15, 703-715	5.5	19
137	Cellular Origin of Androgen Receptor Pathway-Independent Prostate Cancer and Implications for Therapy. <i>Cancer Cell</i> , 2017 , 32, 399-401	24.3	13
136	Low p16 Expression in Early Passage Human Prostate Basal Epithelial Cells Enables Immortalization by Telomerase Expression Alone. <i>Prostate</i> , 2017 , 77, 374-384	4.2	6
135	Mesenchymal stem cell infiltration during neoplastic transformation of the human prostate. Oncotarget, 2017 , 8, 46710-46727	3.3	20
134	A prodrug-doped cellular Trojan Horse for the potential treatment of prostate cancer. <i>Biomaterials</i> , 2016 , 91, 140-150	15.6	55
133	Androgen Deprivation Followed by Acute Androgen Stimulation Selectively Sensitizes AR-Positive Prostate Cancer Cells to Ionizing Radiation. <i>Clinical Cancer Research</i> , 2016 , 22, 3310-3319	12.9	25
132	Assessing angiogenic responses induced by primary human prostate stromal cells in a three-dimensional fibrin matrix assay. <i>Oncotarget</i> , 2016 , 7, 71298-71308	3.3	11
131	Rapid selection of mesenchymal stem and progenitor cells in primary prostate stromal cultures. <i>Prostate</i> , 2016 , 76, 552-64	4.2	17
130	Analytic Validation of RNA In Situ Hybridization (RISH) for AR and AR-V7 Expression in Human Prostate Cancer. <i>Clinical Cancer Research</i> , 2016 , 22, 4651-63	12.9	29
129	Lessons learned about prostatic transformation from the age-related methylation of 5F eductase type 2 gene. <i>American Journal of Pathology</i> , 2015 , 185, 614-6	5.8	2
128	Effect of bipolar androgen therapy for asymptomatic men with castration-resistant prostate cancer: results from a pilot clinical study. <i>Science Translational Medicine</i> , 2015 , 7, 269ra2	17.5	149
127	Enhancement of the T-cell armamentarium as a cell-based therapy for prostate cancer. <i>Cancer Research</i> , 2014 , 74, 3390-5	10.1	2
126	4-Hy-droxy-5-meth-oxy-N,1-dimethyl-2-oxo-N-[4-(tri-fluoro-meth-yl)phen-yl]-1,2-di-hydro-quinoline-3-c Acta Crystallographica Section E: Structure Reports Online, 2014 , 70, o297-8	arboxa	mide.
125	AR-V7 and resistance to enzalutamide and abiraterone in prostate cancer. <i>New England Journal of Medicine</i> , 2014 , 371, 1028-38	59.2	1753
124	Conversion of androgen receptor signaling from a growth suppressor in normal prostate epithelial cells to an oncogene in prostate cancer cells involves a gain of function in c-Myc regulation. International Journal of Biological Sciences, 2014, 10, 627-42	11.2	61

123	Androgen withdrawal fails to induce detectable tissue hypoxia in the rat prostate. <i>Prostate</i> , 2014 , 74, 805-10	4.2	2
122	Androgen receptor (AR) suppresses normal human prostate epithelial cell proliferation via AR/Ecatenin/TCF-4 complex inhibition of c-MYC transcription. <i>Prostate</i> , 2014 , 74, 1118-31	4.2	44
121	Pharmacokinetics and toxicology of a fibroblast activation protein (FAP)-activated prodrug in murine xenograft models of human cancer. <i>Prostate</i> , 2014 , 74, 1308-19	4.2	18
120	Anti-cancer potency of tasquinimod is enhanced via albumin-binding facilitating increased uptake in the tumor microenvironment. <i>Oncotarget</i> , 2014 , 5, 8093-106	3.3	8
119	Cancer. Prostate cancer takes nerve. <i>Science</i> , 2013 , 341, 134-5	33.3	12
118	Tasquinimod Is an Allosteric Modulator of HDAC4 survival signaling within the compromised cancer microenvironment. <i>Cancer Research</i> , 2013 , 73, 1386-99	10.1	72
117	Mesenchymal stem cells as a vector for the inflammatory prostate microenvironment. Endocrine-Related Cancer, 2013 , 20, R269-90	5.7	48
116	Of mice and menwarning: intact versus castrated adult male mice as xenograft hosts are equivalent to hypogonadal versus abiraterone treated aging human males, respectively. <i>Prostate</i> , 2013 , 73, 1316-25	4.2	43
115	Quantification of Mesenchymal Stem Cells (MSCs) at sites of human prostate cancer. <i>Oncotarget</i> , 2013 , 4, 106-17	3.3	62
114	Targeting carcinoma-associated fibroblasts within the tumor stroma with a fibroblast activation protein-activated prodrug. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 1320-34	9.7	130
113	Tasquinimod prevents the angiogenic rebound induced by fractionated radiation resulting in an enhanced therapeutic response of prostate cancer xenografts. <i>Prostate</i> , 2012 , 72, 638-48	4.2	29
112	Human prostate cancer initiating cells isolated directly from localized cancer do not form prostaspheres in primary culture. <i>Prostate</i> , 2012 , 72, 1478-89	4.2	16
111	Adaptive auto-regulation of androgen receptor provides a paradigm shifting rationale for bipolar androgen therapy (BAT) for castrate resistant human prostate cancer. <i>Prostate</i> , 2012 , 72, 1491-505	4.2	69
110	Engineering a prostate-specific membrane antigen-activated tumor endothelial cell prodrug for cancer therapy. <i>Science Translational Medicine</i> , 2012 , 4, 140ra86	17.5	159
109	Rationale behind targeting fibroblast activation protein-expressing carcinoma-associated fibroblasts as a novel chemotherapeutic strategy. <i>Molecular Cancer Therapeutics</i> , 2012 , 11, 257-66	6.1	165
108	Enzymatically active prostate-specific antigen promotes growth of human prostate cancers. <i>Prostate</i> , 2011 , 71, 1595-607	4.2	35
107	ANDROGEN RECEPTOR CONVERTS FROM A GROWTH SUPPRESSOR IN THE NORMAL PROSTATE TO AN ONCOGENE IN PROSTATE CANCER 2011 , 53-65		
106	Tasquinimod (ABR-215050), a quinoline-3-carboxamide anti-angiogenic agent, modulates the expression of thrombospondin-1 in human prostate tumors. <i>Molecular Cancer</i> , 2010 , 9, 107	42.1	69

(2007-2010)

1	105	The long and winding road for the development of tasquinimod as an oral second-generation quinoline-3-carboxamide antiangiogenic drug for the treatment of prostate cancer. <i>Expert Opinion on Investigational Drugs</i> , 2010 , 19, 1235-43	5.9	33	
1	104	Cell-autonomous intracellular androgen receptor signaling drives the growth of human prostate cancer initiating cells. <i>Prostate</i> , 2010 , 70, 90-9	4.2	37	
1	103	Bipolar androgen therapy: the rationale for rapid cycling of supraphysiologic androgen/ablation in men with castration resistant prostate cancer. <i>Prostate</i> , 2010 , 70, 1600-7	4.2	67	
1	102	Loss of androgen receptor-dependent growth suppression by prostate cancer cells can occur independently from acquiring oncogenic addiction to androgen receptor signaling. <i>PLoS ONE</i> , 2010 , 5, e11475	3.7	31	
1	101	Amino acid containing thapsigargin analogues deplete androgen receptor protein via synthesis inhibition and induce the death of prostate cancer cells. <i>Molecular Cancer Therapeutics</i> , 2009 , 8, 1340-9	6.1	31	
1	100	DNA licensing as a novel androgen receptor mediated therapeutic target for prostate cancer. <i>Endocrine-Related Cancer</i> , 2009 , 16, 325-32	5.7	35	
ç	99	Dual-label centromere and telomere FISH identifies human, rat, and mouse cell contribution to Multispecies recombinant urogenital sinus xenografts. <i>Prostate</i> , 2009 , 69, 1557-64	4.2	13	
ر	98	Tissue culture media supplemented with 10% fetal calf serum contains a castrate level of testosterone. <i>Prostate</i> , 2009 , 69, 1724-9	4.2	71	
Ş	97	Prostate-specific antigen is a "chymotrypsin-like" serine protease with unique P1 substrate specificity. <i>Biochemistry</i> , 2009 , 48, 3490-6	3.2	39	
٥	96	A Trojan horse in drug development: targeting of thapsigargins towards prostate cancer cells. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2009 , 9, 276-94	2.2	74	
Ş	95	The role of CD133 in normal human prostate stem cells and malignant cancer-initiating cells. <i>Cancer Research</i> , 2008 , 68, 9703-11	10.1	193	
٥	94	Prostate stem cells and benign prostatic hyperplasia. <i>Prostate</i> , 2008 , 68, 1025-34	4.2	72	
9	93	Rational design of novel antiandrogens for neutralizing androgen receptor function in hormone refractory prostate cancer. <i>Prostate</i> , 2008 , 68, 1570-81	4.2	9	
Š	92	Modulating paclitaxel bioavailability for targeting prostate cancer. <i>Bioorganic and Medicinal Chemistry</i> , 2007 , 15, 4973-84	3.4	38	
ç	91	Does PSA play a role as a promoting agent during the initiation and/or progression of prostate cancer?. <i>Prostate</i> , 2007 , 67, 312-29	4.2	78	
ç	90	Effects of steroidal and non-steroidal antiandrogens on wild-type and mutant androgen receptors. <i>Prostate</i> , 2007 , 67, 799-807	4.2	27	
8	89	The quinoline-3-carboxamide anti-angiogenic agent, tasquinimod, enhances the anti-prostate cancer efficacy of androgen ablation and taxotere without effecting serum PSA directly in human xenografts. <i>Prostate</i> , 2007 , 67, 790-7	4.2	52	
8	88	Stabilizing androgen receptor in mitosis inhibits prostate cancer proliferation. <i>Cell Cycle</i> , 2007 , 6, 647-5	14.7	56	

87	A prostate-specific antigen-activated channel-forming toxin as therapy for prostatic disease. Journal of the National Cancer Institute, 2007 , 99, 376-85	9.7	75
86	Low-calcium serum-free defined medium selects for growth of normal prostatic epithelial stem cells. <i>Cancer Research</i> , 2006 , 66, 8598-607	10.1	118
85	Pharmacologic basis for the enhanced efficacy of dutasteride against prostatic cancers. <i>Clinical Cancer Research</i> , 2006 , 12, 4072-9	12.9	87
84	Androgen receptor as a licensing factor for DNA replication in androgen-sensitive prostate cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 15085-	9 6 1.5	95
83	Pharmacokinetics, biodistribution, and antitumor efficacy of a human glandular kallikrein 2 (hK2)-activated thapsigargin prodrug. <i>Prostate</i> , 2006 , 66, 358-68	4.2	43
82	PC3, but not DU145, human prostate cancer cells retain the coregulators required for tumor suppressor ability of androgen receptor. <i>Prostate</i> , 2006 , 66, 1329-38	4.2	76
81	Identification of ABR-215050 as lead second generation quinoline-3-carboxamide anti-angiogenic agent for the treatment of prostate cancer. <i>Prostate</i> , 2006 , 66, 1768-78	4.2	70
80	Natural products as starting materials for development of second-generation SERCA inhibitors targeted towards prostate cancer cells. <i>Bioorganic and Medicinal Chemistry</i> , 2006 , 14, 2810-5	3.4	65
79	Role of notch-1 and E-cadherin in the differential response to calcium in culturing normal versus malignant prostate cells. <i>Cancer Research</i> , 2005 , 65, 9269-79	10.1	60
78	Androgens and prostate cancer: are the descriptors valid?. Cancer Biology and Therapy, 2005, 4, 4-5	4.6	39
77	Prostate cancer: potential targets of anti-proliferative and apoptotic signaling pathways. <i>International Journal of Biochemistry and Cell Biology</i> , 2005 , 37, 707-14	5.6	32
76	New strategies for the medical treatment of prostate cancer. <i>BJU International</i> , 2005 , 96 Suppl 2, 35-40	5.6	38
75	The SERCA pump as a therapeutic target: making a "smart bomb" for prostate cancer. <i>Cancer Biology and Therapy</i> , 2005 , 4, 14-22	4.6	178
74	Enhanced redundancy in Akt and mitogen-activated protein kinase-induced survival of malignant versus normal prostate epithelial cells. <i>Cancer Research</i> , 2004 , 64, 6190-9	10.1	108
73	Hedgehog signalling in prostate regeneration, neoplasia and metastasis. <i>Nature</i> , 2004 , 431, 707-12	50.4	895
72	Molecular characterization of the commonly used human androgen receptor expression vector, pSG5-AR. <i>Prostate</i> , 2004 , 58, 319-24	4.2	20
71	Molecular characterization of an improved vector for evaluation of the tumor suppressor versus oncogene abilities of the androgen receptor. <i>Prostate</i> , 2004 , 61, 299-304	4.2	22
70	In vitro culturing and characteristics of transit amplifying epithelial cells from human prostate tissue. <i>Journal of Cellular Biochemistry</i> , 2004 , 91, 196-205	4.7	93

(1999-2003)

69	Dissociation between androgen responsiveness for malignant growth vs. expression of prostate specific differentiation markers PSA, hK2, and PSMA in human prostate cancer models. <i>Prostate</i> , 2003 , 54, 249-57	4.2	111
68	Is the AchillesQheel for prostate cancer therapy a gain of function in androgen receptor signaling?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2003 , 88, 2972-82	5.6	179
67	Prostate-specific antigen-activated thapsigargin prodrug as targeted therapy for prostate cancer. Journal of the National Cancer Institute, 2003 , 95, 990-1000	9.7	234
66	CEP-7055: a novel, orally active pan inhibitor of vascular endothelial growth factor receptor tyrosine kinases with potent antiangiogenic activity and antitumor efficacy in preclinical models. <i>Cancer Research</i> , 2003 , 63, 5978-91	10.1	77
65	A history of prostate cancer treatment. <i>Nature Reviews Cancer</i> , 2002 , 2, 389-96	31.3	414
64	Modified synthesis and antiangiogenic activity of linomide. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2001 , 11, 451-2	2.9	14
63	Concentration of enzymatically active prostate-specific antigen (PSA) in the extracellular fluid of primary human prostate cancers and human prostate cancer xenograft models. <i>Prostate</i> , 2001 , 48, 1-6	4.2	92
62	Mixed lineage kinase (MLK) family members are not involved in androgen regulation of prostatic proliferation or apoptosis. <i>Prostate</i> , 2001 , 48, 67-70	4.2	1
61	Reduction of human prostate tumor vascularity by the alpha1-adrenoceptor antagonist terazosin. <i>Prostate</i> , 2001 , 48, 71-8	4.2	26
60	Defining a common region of deletion at 13q21 in human cancers. <i>Genes Chromosomes and Cancer</i> , 2001 , 31, 333-44	5	29
59	Design, synthesis, and pharmacological evaluation of thapsigargin analogues for targeting apoptosis to prostatic cancer cells. <i>Journal of Medicinal Chemistry</i> , 2001 , 44, 4696-703	8.3	110
58	Thapsigargin induces a calmodulin/calcineurin-dependent apoptotic cascade responsible for the death of prostatic cancer cells. <i>Prostate</i> , 2000 , 43, 303-17	4.2	89
57	Rational basis for Trk inhibition therapy for prostate cancer. <i>Prostate</i> , 2000 , 45, 140-8	4.2	96
56	Thapsigargin analogues for targeting programmed death of androgen-independent prostate cancer cells. <i>Bioorganic and Medicinal Chemistry</i> , 1999 , 7, 1273-80	3.4	59
55	Metastasis suppressor gene(s) for rat prostate cancer on the long arm of human chromosome 7. <i>Genes Chromosomes and Cancer</i> , 1999 , 24, 1-8	5	19
54	Suppression of the tumorigenicity of prostatic cancer cells by gene(s) located on human chromosome 19p13.1-13.2. <i>Prostate</i> , 1999 , 38, 46-54	4.2	31
53	Rapid in situ hybridization technique for detecting malignant mouse cell contamination in human xenograft tissue from nude mice and in vitro cultures from such xenografts. <i>Prostate</i> , 1999 , 39, 67-70	4.2	4
52	Inhibition of caspase activity does not prevent the signaling phase of apoptosis in prostate cancer cells. <i>Prostate</i> , 1999 , 39, 269-79	4.2	19

51	The biology of hormone refractory prostate cancer. Why does it develop?. <i>Urologic Clinics of North America</i> , 1999 , 26, 263-73	2.9	196
50	Identification of the rat homologue of KAI1 and its expression in Dunning rat prostate cancers. <i>Prostate</i> , 1998 , 37, 253-60	4.2	9
49	Anti-Angiogenic Treatment with Linomide as Adjuvant to Surgical Castration in Experimental Prostate Cancer. <i>Journal of Urology</i> , 1997 , 158, 902-907	2.5	25
48	Location of KAI1 on the short arm of human chromosome 11 and frequency of allelic loss in advanced human prostate cancer. <i>Prostate</i> , 1997 , 32, 205-13	4.2	48
47	Mechanism and role of growth arrest in programmed (apoptotic) death of prostatic cancer cells induced by thapsigargin. <i>Prostate</i> , 1997 , 33, 201-7	4.2	46
46	Anti-angiogenic treatment with linomide as adjuvant to surgical castration in experimental prostate cancer. <i>Journal of Urology</i> , 1997 , 158, 902-7	2.5	6
45	Metastasis suppressor genes for prostate cancer. <i>Prostate</i> , 1996 , 29, 31-35	4.2	19
44	Role of programmed (apoptotic) cell death during the progression and therapy for prostate cancer. <i>Prostate</i> , 1996 , 28, 251-65	4.2	294
43	Development of a high-efficiency method for gene marking of Dunning prostate cancer cell lines with the enzyme beta-galactosidase. <i>Prostate</i> , 1996 , 29, 60-4	4.2	4
42	The antiangiogenic agent linomide inhibits tumor necrosis factor-alpha secretion via inhibition of its synthesis. <i>Prostate</i> , 1996 , 29, 183-90	4.2	11
41	Expression of homeobox gene-GBX2 in human prostatic cancer cells. <i>Prostate</i> , 1996 , 29, 395-8	4.2	15
40	Role of programmed (apoptotic) cell death during the progression and therapy for prostate cancer 1996 , 28, 251		9
39	Inhibition of tumor angiogenesis and the therapeutic ability of linomide against rat prostatic cancers. <i>Prostate</i> , 1995 , 26, 235-46	4.2	31
38	Localization of metastasis suppressor gene(s) for rat prostatic cancer to the long arm of human chromosome 10. <i>Genes Chromosomes and Cancer</i> , 1995 , 14, 112-9	5	48
37	Molecular and cellular changes associated with the acquisition of metastatic ability by prostatic cancer cells. <i>Prostate</i> , 1994 , 25, 249-65	4.2	70
36	Proliferation-dependent vs. independent programmed cell death of prostatic cancer cells involves distinct gene regulation. <i>Prostate</i> , 1994 , 25, 301-9	4.2	27
35	Role of androgens in prostatic cancer. Vitamins and Hormones, 1994, 49, 433-502	2.5	102
34	Conversion of lytic to persistent alphavirus infection by the bcl-2 cellular oncogene. <i>Nature</i> , 1993 , 361, 739-42	50.4	459

33	Effect of pentosan, a novel cancer chemotherapeutic agent, on prostate cancer cell growth and motility. <i>Prostate</i> , 1992 , 20, 233-41	4.2	21
32	Response of rat and human prostatic cancers to the novel 5 alpha-reductase inhibitor, SK&F 105657. <i>Prostate</i> , 1992 , 21, 15-34	4.2	64
31	Hormonal balance and the risk of prostatic cancer. <i>Journal of Cellular Biochemistry</i> , 1992 , 16H, 107-8	4.7	6
30	Stimulation of human prostatic carcinoma tumor growth in athymic mice and control of migration in culture by extracellular matrix. <i>International Journal of Cancer</i> , 1992 , 51, 318-24	7.5	87
29	H-ras expression, genetic instability, and acquisition of metastatic ability by rat prostatic cancer cells following v-H-ras oncogene transfection. <i>Prostate</i> , 1991 , 18, 163-72	4.2	28
28	Estramustine binding protein (EMBP) in rat R3327 Dunning tumors: partial characterization and effect of hormonal withdrawal, hormonal replacement, and cytotoxic treatment on its expression. <i>Prostate</i> , 1991 , 18, 181-200	4.2	11
27	Role of calcium in the programmed death of rat prostatic glandular cells. <i>Prostate</i> , 1990 , 17, 175-87	4.2	99
26	Dunning rat prostate tumors and cultured cell lines fail to express human prostate carcinoma-associated antigens. <i>Prostate</i> , 1990 , 17, 317-25	4.2	16
25	Differential effects of growth factor antagonists on neoplastic and normal prostatic cells. <i>Prostate</i> , 1990 , 17, 327-36	4.2	15
24	Importance of the natural history of benign prostatic hyperplasia in the evaluation of pharmacologic intervention. <i>Prostate</i> , 1990 , 3, 1-7	4.2	90
23	Effect of transforming growth factor-beta 1 on proliferation and death of rat prostatic cells. <i>Endocrinology</i> , 1990 , 127, 2963-8	4.8	191
22	Expression of transforming growth factor-beta in the rat ventral prostate during castration-induced programmed cell death. <i>Molecular Endocrinology</i> , 1989 , 3, 1515-22		367
21	Prostatic growth effects of rat urogenital sinus and human prostatic tissue in the rat. <i>Prostate</i> , 1989 , 14, 301-8	4.2	О
20	Intermediate filament expression and the progression of prostatic cancer as studied in the Dunning R-3327 rat prostatic carcinoma system. <i>Prostate</i> , 1989 , 14, 323-39	4.2	24
19	Relationship between DNA fragmentation and apoptosis in the programmed cell death in the rat prostate following castration. <i>Prostate</i> , 1989 , 15, 233-50	4.2	222
18	Etiology and disease process of benign prostatic hyperplasia. <i>Prostate</i> , 1989 , 2, 33-50	4.2	378
17	Activation of programmed cell death in the rat ventral prostate after castration. <i>Endocrinology</i> , 1988 , 122, 552-62	4.8	581
16	Identification of a cellular receptor for transforming growth factor-beta in rat ventral prostate and its negative regulation by androgens. <i>Endocrinology</i> , 1988 , 123, 2124-31	4.8	154

15	Expression of a transfected v-Harvey-ras oncogene in a Dunning rat prostate adenocarcinoma and the development of high metastatic ability. <i>Journal of Urology</i> , 1988 , 140, 1580-6	2.5	46
14	Tumor necrosis factor enhances the in vitro and in vivo efficacy of chemotherapeutic drugs targeted at DNA topoisomerase II in the treatment of murine bladder cancer. <i>Journal of Urology</i> , 1987 , 138, 427-9	2.5	43
13	Isolation of a 41 kilodalton cytosol protein from the Dunning rat prostatic adenocarcinoma: characterization as depolymerized actin isomers. <i>Prostate</i> , 1987 , 10, 303-12	4.2	1
12	Biological significance of measurable androgen levels in the rat ventral prostate following castration. <i>Prostate</i> , 1987 , 10, 313-24	4.2	53
11	Quantal relationship between prostatic dihydrotestosterone and prostatic cell content: critical threshold concept. <i>Prostate</i> , 1987 , 11, 41-50	4.2	74
10	Establishment and characterization of seven Dunning rat prostatic cancer cell lines and their use in developing methods for predicting metastatic abilities of prostatic cancers. <i>Prostate</i> , 1986 , 9, 261-81	4.2	350
9	A chicken chorioallantoic membrane assay for the evaluation of the androgen responsiveness of prostatic tissue. <i>Journal of Urology</i> , 1986 , 135, 1312-8	2.5	2
8	Comparative aspects of prostatic growth and androgen metabolism with aging in the dog versus the rat. <i>Endocrinology</i> , 1984 , 114, 511-20	4.8	55
7	The timing of androgen ablation therapy and/or chemotherapy in the treatment of prostatic cancer. <i>Prostate</i> , 1984 , 5, 1-17	4.2	164
6	Antagonistic effect of androgen on prostatic cell death. <i>Prostate</i> , 1984 , 5, 545-57	4.2	286
5	The use of multiple variables to predict response to endocrine therapy in carcinoma of the prostate: a preliminary report. <i>Journal of Urology</i> , 1984 , 131, 694-700	2.5	44
4	Prostatic structure and function in relation to the etiology of prostatic cancer. <i>Prostate</i> , 1983 , 4, 351-66	4.2	65
3	Changes in the metabolism of dihydrotestosterone in the hyperplastic human prostate. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1983 , 56, 139-46	5.6	85
2	Testosterone and the prostate268-291		1
1	Supraphysiological testosterone induces ferroptosis and activates NF-kappaB mediated immune pathways in prostate cancer through nucleophagy		1