

Marcus Schmitt-Egenolf

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4243346/publications.pdf>

Version: 2024-02-01

64
papers

2,253
citations

257357

24
h-index

223716

46
g-index

65
all docs

65
docs citations

65
times ranked

2359
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Prevalence and incidence of generalized pustular psoriasis in Sweden: a population-based register study*. <i>British Journal of Dermatology</i> , 2022, 186, 970-976. | 1.4 | 27 |
| 2 | Severity of psoriasis – Time to disentangle severity from symptom control. <i>British Journal of Dermatology</i> , 2022, , . | 1.4 | 0 |
| 3 | Diverse research designs are needed for population health: Lessons from Maslow. <i>Lifestyle Medicine</i> , 2022, 3, . | 0.3 | 0 |
| 4 | Perception of information to Swedish melanoma patients in routine clinical practice – a cross-sectional survey. <i>BMC Cancer</i> , 2022, 22, 159. | 1.1 | 1 |
| 5 | Economic Burden of Generalized Pustular Psoriasis in Sweden: A Population-Based Register Study. <i>Psoriasis: Targets and Therapy</i> , 2022, Volume 12, 89-98. | 1.2 | 8 |
| 6 | Complete skin clearance and beyond. <i>British Journal of Dermatology</i> , 2021, 184, 3-4. | 1.4 | 3 |
| 7 | EuroGuiDerm Guideline on the systemic treatment of Psoriasis vulgaris – Part 2: specific clinical and comorbid situations. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 281-317. | 1.3 | 84 |
| 8 | Prevalence and incidence of palmoplantar pustulosis in Sweden: a population-based register study*. <i>British Journal of Dermatology</i> , 2021, 185, 945-951. | 1.4 | 8 |
| 9 | Drug Persistence of Biologic Treatments in Psoriasis: A Swedish National Population Study. <i>Dermatology and Therapy</i> , 2021, 11, 2107-2121. | 1.4 | 22 |
| 10 | Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE). <i>Clinical Epidemiology</i> , 2021, Volume 13, 1141-1153. | 1.5 | 13 |
| 11 | Complete skin clearance and Psoriasis Area and Severity Index response rates in clinical practice: predictors, health-related quality of life improvements and implications for treatment goals. <i>British Journal of Dermatology</i> , 2020, 182, 965-973. | 1.4 | 26 |
| 12 | Health-related quality of life in patients with melanoma – characterization of a Swedish cohort. <i>British Journal of Dermatology</i> , 2020, 182, 506-508. | 1.4 | 2 |
| 13 | Paediatric infections in the first 3 years of life after maternal anti-TNF treatment during pregnancy. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 843-854. | 1.9 | 25 |
| 14 | Association of Skin Psoriasis and Somatic Comorbidity With the Development of Psychiatric Illness in a Nationwide Swedish Study. <i>JAMA Dermatology</i> , 2020, 156, 795. | 2.0 | 15 |
| 15 | Anti-TNF treatment during pregnancy and birth outcomes: A population-based study from Denmark, Finland, and Sweden. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 316-327. | 0.9 | 43 |
| 16 | EuroGuiDerm Guideline on the systemic treatment of Psoriasis vulgaris – Part 1: treatment and monitoring recommendations. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, 2461-2498. | 1.3 | 149 |
| 17 | What can we learn from “dropouts” in clinical trials?. <i>British Journal of Dermatology</i> , 2018, 178, 318-319. | 1.4 | 0 |
| 18 | ä½ç”ç”ÿç%©ç—æ³•æ²»ç—é“¶â±ç—...çš,,æÇç»-PASIâ€DLQI âš EQâ€5D ç»“æžœ:âŸ”âºŽçšŽâ...â½/2â®¶é“¶â±ç—...ç™»èºçš,,â±ç | | |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Sustained Psoriasis Area and Severity Index, Dermatology Life Quality Index and EuroQolâ€5D response of biological treatment in psoriasis: 10 years of realâ€world data in the Swedish National Psoriasis Register. <i>British Journal of Dermatology</i> , 2018, 178, 245-252. | 1.4 | 17 |
| 20 | Patient Registries for Safety. <i>Methods in Pharmacology and Toxicology</i> , 2018, , 149-164. | 0.1 | 1 |
| 21 | Real-world outcomes in 2646 psoriasis patients: one in five has PASI â‰¥10 and/or DLQI â‰¥10 under ongoing systemic therapy. <i>Journal of Dermatological Treatment</i> , 2017, 28, 500-504. | 1.1 | 7 |
| 22 | Regional Differences in the Prescription of Biologics for Psoriasis in Sweden: A Register-Based Study of 4168 Patients. <i>BioDrugs</i> , 2017, 31, 75-82. | 2.2 | 14 |
| 23 | Severity of Psoriasis Differs Between Men and Women: A Study of the Clinical Outcome Measure Psoriasis Area and Severity Index (PASI) in 5438 Swedish Register Patients. <i>American Journal of Clinical Dermatology</i> , 2017, 18, 583-590. | 3.3 | 99 |
| 24 | How is disease severity associated with quality of life in psoriasis patients? Evidence from a longitudinal population-based study in Sweden. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 151. | 1.0 | 16 |
| 25 | Periodontal Ehlers-Danlos Syndrome Is Caused by Mutations in C1R and C1S , which Encode Subcomponents C1r and C1s of Complement. <i>American Journal of Human Genetics</i> , 2016, 99, 1005-1014. | 2.6 | 100 |
| 26 | Healthcare Provider Type and Switch to Biologics in Psoriasis: Evidence from Real-World Practice. <i>BioDrugs</i> , 2016, 30, 145-151. | 2.2 | 12 |
| 27 | Physical activity and lifestyle improvement in the management of psoriasis. <i>British Journal of Dermatology</i> , 2016, 175, 452-453. | 1.4 | 7 |
| 28 | Evaluating equality in psoriasis healthcare: a cohort study of the impact of age on prescription of biologics. <i>British Journal of Dermatology</i> , 2016, 174, 579-587. | 1.4 | 25 |
| 29 | The Relationship Between Disease Severity and Quality of Life In Patients With Moderate to Severe Psoriasis. <i>Value in Health</i> , 2015, 18, A675. | 0.1 | 1 |
| 30 | Hair shaft structures in EDAR induced ectodermal dysplasia. <i>BMC Medical Genetics</i> , 2015, 16, 79. | 2.1 | 5 |
| 31 | Register-Based Evaluation of Relative Effectiveness of New Therapies: Biologics Versus Conventional Agents in Treatment of Psoriasis in Sweden. <i>BioDrugs</i> , 2015, 29, 389-398. | 2.2 | 10 |
| 32 | Resource Use in Patients with Psoriasis After the Introduction of Biologics in Sweden. <i>Acta Dermato-Venereologica</i> , 2015, 95, 156-161. | 0.6 | 12 |
| 33 | Real-World Outcome Analysis of Continuously and Intermittently Treated Patients with Moderate to Severe Psoriasis after Switching to a Biologic Agent. <i>Dermatology</i> , 2015, 230, 347-353. | 0.9 | 8 |
| 34 | Decision for biological treatment in real life is more strongly associated with the Psoriasis Area and Severity Index (<scp>PASI</scp>) than with the Dermatology Life Quality Index (<scp>DLQI</scp>). <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015, 29, 452-456. | 1.3 | 38 |
| 35 | Health-Care Delay in Malignant Melanoma: Various Pathways to Diagnosis and Treatment. <i>Dermatology Research and Practice</i> , 2014, 2014, 1-6. | 0.3 | 11 |
| 36 | EDAR-induced hypohidrotic ectodermal dysplasia: a clinical study on signs and symptoms in individuals with a heterozygous c.1072Câ€%>â€%T mutation. <i>BMC Medical Genetics</i> , 2014, 15, 57. | 2.1 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Systemic psoriasis therapy shows high between-country variation: a sign of unwarranted variation? Cross-sectional analysis of baseline data from the PSONET registries. <i>British Journal of Dermatology</i> , 2013, 169, 710-714. | 1.4 | 19 |
| 38 | Coping styles in decision-making among men and women diagnosed with malignant melanoma. <i>Journal of Health Psychology</i> , 2013, 18, 1445-1455. | 1.3 | 9 |
| 39 | The Higher Proportion of Men with Psoriasis Treated with Biologics May Be Explained by More Severe Disease in Men. <i>PLoS ONE</i> , 2013, 8, e63619. | 1.1 | 82 |
| 40 | Switch to Biological Agent in Psoriasis Significantly Improved Clinical and Patient-Reported Outcomes in Real-World Practice. <i>Dermatology</i> , 2012, 225, 326-332. | 0.9 | 45 |
| 41 | Challenges for Synthesising Data in a Network of Registries for Systemic Psoriasis Therapies. <i>Dermatology</i> , 2012, 224, 236-243. | 0.9 | 43 |
| 42 | Analysis of three outcome measures in moderate to severe psoriasis: a registry-based study of 2450 patients. <i>British Journal of Dermatology</i> , 2012, 166, 797-802. | 1.4 | 54 |
| 43 | Malignant melanoma: gender patterns in care seeking for suspect marks. <i>Journal of Clinical Nursing</i> , 2011, 20, 2676-2684. | 1.4 | 25 |
| 44 | Patients' decision making in seeking care for suspected malignant melanoma. <i>Journal of Nursing and Healthcare of Chronic Illness</i> , 2010, 2, 164-173. | 0.5 | 15 |
| 45 | National Registries of Systemic Treatment for Psoriasis and the European "Psonet" Initiative. <i>Dermatology</i> , 2009, 218, 347-356. | 0.9 | 50 |
| 46 | Switching Biologics: Switching TNF Antagonists in Psoriasis Treatment. <i>Dermatology</i> , 2008, 216, 281-282. | 0.9 | 2 |
| 47 | PsoReg " The Swedish Registry for Systemic Psoriasis Treatment. <i>Dermatology</i> , 2007, 214, 112-117. | 0.9 | 47 |
| 48 | EDAR mutation in autosomal dominant hypohidrotic ectodermal dysplasia in two Swedish families. <i>BMC Medical Genetics</i> , 2006, 7, 80. | 2.1 | 29 |
| 49 | Psoriasis Therapy in Real Life: The Need for Registries. <i>Dermatology</i> , 2006, 213, 327-330. | 0.9 | 56 |
| 50 | Association scan of the novel psoriasis susceptibility region on chromosome 19: evidence for both susceptible and protective loci. <i>Experimental Dermatology</i> , 2003, 12, 490-496. | 1.4 | 26 |
| 51 | Interleukin-10 promoter polymorphism IL10.G and familial early onset psoriasis. <i>British Journal of Dermatology</i> , 2003, 149, 381-385. | 1.4 | 25 |
| 52 | Association and Linkage of Human Leukocyte Antigens with Psoriasis " Revisited. <i>Transfusion Medicine and Hemotherapy</i> , 2002, 29, 326-330. | 0.7 | 4 |
| 53 | Comparative association analysis reveals that corneodesmosin is more closely associated with psoriasis than HLA-Cw*0602-B*5701 in German families. <i>Tissue Antigens</i> , 2001, 57, 440-446. | 1.0 | 28 |
| 54 | PERB11 (MIC): a polymorphic MHC gene is expressed in skin and single nucleotide polymorphisms are associated with psoriasis. <i>Clinical and Experimental Immunology</i> , 2000, 119, 553-558. | 1.1 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Genomewide Scan in German Families Reveals Evidence for a Novel Psoriasis-Susceptibility Locus on Chromosome 19p13. <i>American Journal of Human Genetics</i> , 2000, 67, 1020-1024. | 2.6 | 129 |
| 56 | Promoter Polymorphism at -238 of the Tumor Necrosis Factor Alpha Gene is Not Associated with Early Onset Psoriasis when Tested by the Transmission Disequilibrium Test. <i>Journal of Investigative Dermatology</i> , 1999, 112, 514-515. | 0.3 | 16 |
| 57 | Survival, maturation, and function of CD11c- and CD11c+ peripheral blood dendritic cells are differentially regulated by cytokines. <i>Journal of Immunology</i> , 1999, 163, 3250-9. | 0.4 | 175 |
| 58 | Association between interleukin-1 receptor antagonist (IL-1ra) gene polymorphism and early and late-onset psoriasis. <i>British Journal of Dermatology</i> , 1997, 136, 147-148. | 1.4 | 65 |
| 59 | Familial Juvenile Onset Psoriasis Is Associated with the Human Leukocyte Antigen (HLA) Class I side of the Extended Haplotype Cw6-B57-DRB1*0701-DQA1*0201-DQB1*0303: A Population- And Family-Based Study. <i>Journal of Investigative Dermatology</i> , 1996, 106, 711-714. | 0.3 | 95 |
| 60 | Peripheral blood dendritic cells express Fc epsilon RI as a complex composed of Fc epsilon RI alpha- and Fc epsilon RI gamma-chains and can use this receptor for IgE-mediated allergen presentation. <i>Journal of Immunology</i> , 1996, 157, 607-16. | 0.4 | 232 |
| 61 | Analysis of TAP2 and HLA-DP gene polymorphism in Psoriasis. <i>Human Immunology</i> , 1994, 40, 299-302. | 1.2 | 18 |
| 62 | Polymorphism in an HLA linked proteasome gene influences phenotypic expression of disease in HLA-B27 positive individuals. <i>Journal of Rheumatology</i> , 1994, 21, 665-9. | 1.0 | 40 |
| 63 | Oligonucleotide Typing Reveals Association of Type I Psoriasis with the HLA-DRB1*0701/2, -DQA* 0201, -DQB1*0303 Extended Haplotype. <i>Journal of Investigative Dermatology</i> , 1993, 100, 749-752. | 0.3 | 71 |
| 64 | Type I and Type II psoriasis Show a Similar Usage of T-Cell Receptor Variable Regions. <i>Journal of Investigative Dermatology</i> , 1991, 97, 1053-1056. | 0.3 | 12 |