

Gabriel Wai-Kwok Yip

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4243777/gabriel-wai-kwok-yip-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93 papers	5,180 citations	38 h-index	71 g-index
98 ext. papers	5,702 ext. citations	5 avg, IF	4.77 L-index

#	Paper	IF	Citations
93	Relation of Tricuspid Regurgitation to Liver Stiffness Measured by Transient Elastography in Patients With Left-Sided Cardiac Valve Disease. <i>American Journal of Cardiology</i> , 2016 , 117, 640-646	3	11
92	Importance of chronotropic response and left ventricular long-axis function for exercise performance in patients with heart failure and preserved ejection fraction. <i>International Journal of Cardiology</i> , 2016 , 202, 339-43	3.2	7
91	Association between waist circumference and childhood-masked hypertension: A community-based study. <i>Journal of Paediatrics and Child Health</i> , 2016 , 52, 385-90	1.3	18
90	Predictors of mid-term functional tricuspid regurgitation after device closure of atrial septal defect in adults: Impact of pre-operative tricuspid valve remodeling. <i>International Journal of Cardiology</i> , 2015 , 187, 447-52	3.2	8
89	Left ventricular long-axis performance during exercise is an important prognosticator in patients with heart failure and preserved ejection fraction. <i>International Journal of Cardiology</i> , 2015 , 178, 131-5	3.2	34
88	Calibration of the normal cutoff values of systolic dyssynchrony of the left ventricular synchronicity in normal subjects using real-time 3-dimensional echocardiography and the effects of age and heart rate. <i>Cell Biochemistry and Biophysics</i> , 2014 , 69, 115-21	3.2	3
87	Changes of ventricular and peripheral performance in patients with heart failure and normal ejection fraction: insights from ergometry stress echocardiography. <i>European Journal of Heart Failure</i> , 2014 , 16, 888-97	12.3	14
86	Quantification of left ventricular performance in different heart failure phenotypes by comprehensive ergometry stress echocardiography. <i>International Journal of Cardiology</i> , 2013 , 169, 311-5	3.2	5
85	Intracardiac thrombi and skin necrosis in a young female patient. <i>Archives of Medical Science</i> , 2013 , 9, 957-9	2.9	0
84	Quality of life after percutaneous coronary intervention in the elderly with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2012 , 155, 90-6	3.2	33
83	Left atrial remodeling and reduced atrial pump function after chronic right ventricular apical pacing in patients with preserved ejection fraction. <i>International Journal of Cardiology</i> , 2012 , 157, 364-9	3.2	14
82	New pulmonary vein Doppler echocardiographic index predicts significant interatrial shunting in secundum atrial septal defect. <i>International Journal of Cardiology</i> , 2012 , 160, 59-65	3.2	10
81	Left atrial appendage closure with AMPLATZER cardiac plug for stroke prevention in atrial fibrillation: initial Asia-Pacific experience. <i>Catheterization and Cardiovascular Interventions</i> , 2012 , 79, 794-800	2.7	111
80	Atrial dysfunction and interatrial dyssynchrony predict atrial high rate episodes: insight into the distinct effects of right atrial appendage pacing. <i>Journal of Cardiovascular Electrophysiology</i> , 2012 , 23, 384-90	2.7	6
79	Validation of A&D TM-2430 upper-arm blood pressure monitor for ambulatory blood pressure monitoring in children and adolescents, according to the British Hypertension Society protocol. <i>Blood Pressure Monitoring</i> , 2012 , 17, 76-9	1.3	21
78	Albumin levels predict survival in patients with heart failure and preserved ejection fraction. <i>European Journal of Heart Failure</i> , 2012 , 14, 39-44	12.3	118
77	LV mechanical dyssynchrony in heart failure with preserved ejection fraction complicating acute coronary syndrome. <i>JACC: Cardiovascular Imaging</i> , 2011 , 4, 348-57	8.4	16

76	A novel multi-layer approach of measuring myocardial strain and torsion by 2D speckle tracking imaging in normal subjects and patients with heart diseases. <i>International Journal of Cardiology</i> , 2011 , 147, 32-7	3.2	29
75	Enhanced detection of patent foramen ovale by systematic transthoracic saline contrast echocardiography. <i>International Journal of Cardiology</i> , 2011 , 152, 24-7	3.2	19
74	Prevalence and determinants of incomplete right atrial reverse remodeling after device closure of atrial septal defects. <i>American Journal of Cardiology</i> , 2011 , 108, 114-9	3	15
73	Effects of rosuvastatin on subclinical atherosclerosis and arterial stiffness in rheumatoid arthritis: a randomized controlled pilot trial. <i>Scandinavian Journal of Rheumatology</i> , 2011 , 40, 411-21	1.9	30
72	Diverse patterns of longitudinal and radial dyssynchrony in patients with advanced systolic heart failure. <i>Heart</i> , 2011 , 97, 574-8	5.1	6
71	Resting global and regional left ventricular contractility in patients with heart failure and normal ejection fraction: insights from speckle-tracking echocardiography. <i>Heart</i> , 2011 , 97, 287-94	5.1	78
70	Evaluation of a novel cardiac output index on healthy elderly, cardiovascular and heart failure patients during dynamic exercise. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2011 , 2011, 1515-8	0.9	
69	Coronary artery disease and cardiovascular outcomes in patients with non-alcoholic fatty liver disease. <i>Gut</i> , 2011 , 60, 1721-7	19.2	205
68	Tumour necrosis factor alpha blockade is associated with sustained regression of carotid intima-media thickness for patients with active psoriatic arthritis: a 2-year pilot study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 705-6	2.4	46
67	Cardiac resynchronisation therapy for heart failure with narrow or normal QRS. <i>Heart</i> , 2011 , 97, 1029-31	5.1	4
66	High prevalence of subclinical left ventricular dysfunction in patients with psoriatic arthritis. <i>Journal of Rheumatology</i> , 2011 , 38, 1363-70	4.1	38
65	Role of real time three-dimensional transesophageal echocardiography in guidance of interventional procedures in cardiology. <i>Heart</i> , 2010 , 96, 1485-93	5.1	29
64	Heart failure with normal ejection fraction. <i>Heart</i> , 2010 , 96, 791-791	5.1	
63	The authors reply. <i>Heart</i> , 2010 , 96, 73-73	5.1	
62	Importance of dynamic dyssynchrony in the occurrence of hypertensive heart failure with normal ejection fraction. <i>European Heart Journal</i> , 2010 , 31, 2642-9	9.5	35
61	Impact of reduction in early- and late-systolic functional mitral regurgitation on reverse remodelling after cardiac resynchronization therapy. <i>European Heart Journal</i> , 2010 , 31, 2359-68	9.5	25
60	Different determinants of improvement of early and late systolic mitral regurgitation contributed after cardiac resynchronization therapy. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 1160-7	5.8	5
59	Prevalence and determinants of left ventricular systolic dyssynchrony in patients with normal ejection fraction received right ventricular apical pacing: a real-time three-dimensional echocardiographic study. <i>European Journal of Echocardiography</i> , 2010 , 11, 109-18		24

58	Rho-kinase inhibition: a novel therapeutic target for the treatment of cardiovascular diseases. <i>Drug Discovery Today</i> , 2010 , 15, 622-9	8.8	106
57	Difference in long-term clinical outcome after cardiac resynchronisation therapy between ischaemic and non-ischaemic aetiologies of heart failure. <i>Heart</i> , 2009 , 95, 113-8	5.1	15
56	Biventricular pacing in patients with bradycardia and normal ejection fraction. <i>New England Journal of Medicine</i> , 2009 , 361, 2123-34	59.2	314
55	Disease chronicity and activity predict subclinical left ventricular systolic dysfunction in patients with systemic lupus erythematosus. <i>Heart</i> , 2009 , 95, 980-7	5.1	25
54	Tissue Doppler velocity is superior to strain imaging in predicting long-term cardiovascular events after cardiac resynchronisation therapy. <i>Heart</i> , 2009 , 95, 1085-90	5.1	19
53	Effect of left ventricular lead concordance to the delayed contraction segment on echocardiographic and clinical outcomes after cardiac resynchronization therapy. <i>Journal of Cardiovascular Electrophysiology</i> , 2009 , 20, 530-5	2.7	24
52	Reversible left ventricular dyssynchrony and heart failure induced by right ventricular pacing. <i>International Journal of Cardiology</i> , 2009 , 134, 117-9	3.2	8
51	Hypertension and heart failure: a dysfunction of systole, diastole or both?. <i>Journal of Human Hypertension</i> , 2009 , 23, 295-306	2.6	36
50	A novel method for assessing arterial stiffness by a hydrostatic approach. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2009 , 2009, 1789-91	0.9	1
49	Left ventricular systolic and diastolic dyssynchrony in coronary artery disease with preserved ejection fraction. <i>Clinical Science</i> , 2009 , 116, 521-9	6.5	29
48	Approaching regional left atrial function by tissue Doppler velocity and strain imaging. <i>Europace</i> , 2008 , 10 Suppl 3, iii62-9	3.9	38
47	Comparison of angiotensin-converting enzyme inhibitor alone and in combination with irbesartan for the treatment of heart failure. <i>International Journal of Cardiology</i> , 2008 , 125, 16-21	3.2	39
46	Difference in prevalence and pattern of mechanical dyssynchrony in left bundle branch block occurring in right ventricular apical pacing versus systolic heart failure. <i>American Heart Journal</i> , 2008 , 156, 989-95	4.9	14
45	Left ventricular systolic dyssynchrony is a predictor of cardiac remodeling after myocardial infarction. <i>American Heart Journal</i> , 2008 , 156, 1124-32	4.9	21
44	Relation of left ventricular systolic dyssynchrony in patients with heart failure to left ventricular ejection fraction and to QRS duration. <i>American Journal of Cardiology</i> , 2008 , 102, 602-5	3	14
43	Increased arterial stiffness correlated with disease activity in systemic lupus erythematosus. <i>Lupus</i> , 2008 , 17, 1096-102	2.6	56
42	Improvement of left atrial function is associated with lower incidence of atrial fibrillation and mortality after cardiac resynchronization therapy. <i>Heart Rhythm</i> , 2008 , 5, 780-6	6.7	33
41	Assessment of Diastolic Heart Failure 2008 , 89-101		

40	Improvement of left ventricular myocardial short-axis, but not long-axis function or torsion after cardiac resynchronisation therapy: an assessment by two-dimensional speckle tracking. <i>Heart</i> , 2008 , 94, 1464-71	5.1	55
39	Sibutramine-induced acute myocardial infarction in a young lady. <i>Clinical Toxicology</i> , 2008 , 46, 877-9	2.9	15
38	The Hong Kong diastolic heart failure study: a randomised controlled trial of diuretics, irbesartan and ramipril on quality of life, exercise capacity, left ventricular global and regional function in heart failure with a normal ejection fraction. <i>Heart</i> , 2008 , 94, 573-80	5.1	139
37	B-type natriuretic peptide: a treatment, not a diagnostic marker. <i>Heart</i> , 2008 , 94, 542-4	5.1	3
36	Subclinical carotid atherosclerosis in patients with psoriatic arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1322-31		109
35	Diastolic and systolic asynchrony in patients with diastolic heart failure: a common but ignored condition. <i>Journal of the American College of Cardiology</i> , 2007 , 49, 97-105	15.1	148
34	Aldosterone receptor antagonism induces reverse remodeling when added to angiotensin receptor blockade in chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 591-6	15.1	102
33	Improvement of atrial function and atrial reverse remodeling after cardiac resynchronization therapy for heart failure. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 778-85	15.1	70
32	Impact of atrial fibrillation in heart failure with normal ejection fraction: a clinical and echocardiographic study. <i>Journal of Cardiac Failure</i> , 2007 , 13, 649-55	3.3	59
31	The Pacing to Avoid Cardiac Enlargement (PACE) trial: clinical background, rationale, design, and implementation. <i>Journal of Cardiovascular Electrophysiology</i> , 2007 , 18, 735-9	2.7	14
30	Effect of left ventricular endocardial activation pattern on echocardiographic and clinical response to cardiac resynchronization therapy. <i>Heart</i> , 2007 , 93, 432-7	5.1	40
29	A woman with recurrent cardiac ischemia without coronary artery disease. <i>Cmaj</i> , 2007 , 176, 171-3	3.5	1
28	Atrial strain rate echocardiography can predict success or failure of cardioversion for atrial fibrillation: a combined transthoracic tissue Doppler and transoesophageal imaging study. <i>International Journal of Cardiology</i> , 2007 , 114, 202-9	3.2	83
27	Suboptimal medical therapy in patients with systolic heart failure is associated with less improvement by cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2007 , 115, 214-9	3.2	19
26	Prognostic value of renal function in patients with cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2007 , 122, 10-6	3.2	52
25	Are left ventricular diastolic function and diastolic asynchrony important determinants of response to cardiac resynchronization therapy?. <i>American Journal of Cardiology</i> , 2006 , 98, 1083-7	3	21
24	Tissue Doppler velocity is superior to displacement and strain mapping in predicting left ventricular reverse remodelling response after cardiac resynchronisation therapy. <i>Heart</i> , 2006 , 92, 1452-6	5.1	73
23	Cardiovascular complications of severe acute respiratory syndrome. <i>Postgraduate Medical Journal</i> , 2006 , 82, 140-4	2	228

22	Effect of age and heart rate on atrial mechanical function assessed by Doppler tissue imaging in healthy individuals. <i>Journal of the American Society of Echocardiography</i> , 2006 , 19, 422-8	5.8	28
21	Benefits of cardiac resynchronization therapy for heart failure patients with narrow QRS complexes and coexisting systolic asynchrony by echocardiography. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 2251-7	15.1	211
20	Effect of cardiac resynchronization therapy in patients with moderate left ventricular systolic dysfunction and wide QRS complex: a prospective study. <i>Journal of Cardiovascular Electrophysiology</i> , 2006 , 17, 1288-92	2.7	28
19	Tissue Doppler echocardiographic evidence of atrial mechanical dysfunction in coronary artery disease. <i>International Journal of Cardiology</i> , 2005 , 105, 178-85	3.2	52
18	Left ventricular systolic asynchrony after acute myocardial infarction in patients with narrow QRS complexes. <i>American Heart Journal</i> , 2005 , 149, 497-503	4.9	64
17	Independent and incremental prognostic value of early mitral annulus velocity in patients with impaired left ventricular systolic function. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 272-7	15.1	179
16	A novel tool to assess systolic asynchrony and identify responders of cardiac resynchronization therapy by tissue synchronization imaging. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 677-84	15.1	322
15	Strain rate imaging differentiates transmural from non-transmural myocardial infarction: a validation study using delayed-enhancement magnetic resonance imaging. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 864-71	15.1	106
14	Assessment of the effect of cardiac resynchronization therapy on intraventricular mechanical synchronicity by regional volumetric changes. <i>American Journal of Cardiology</i> , 2005 , 95, 126-9	3	59
13	Effects of cardiac resynchronization therapy on incidence of atrial fibrillation in patients with poor left ventricular systolic function. <i>American Journal of Cardiology</i> , 2005 , 96, 728-31	3	51
12	Do metoprolol and carvedilol have equivalent effects on diurnal heart rate in patients with chronic heart failure?. <i>European Journal of Heart Failure</i> , 2005 , 7, 874-7	12.3	3
11	Effect of N-acetylcysteine for prevention of contrast nephropathy in patients with moderate to severe renal insufficiency: a randomized trial. <i>American Journal of Kidney Diseases</i> , 2004 , 43, 801-8	7.4	74
10	Comparison of efficacy of reverse remodeling and clinical improvement for relatively narrow and wide QRS complexes after cardiac resynchronization therapy for heart failure. <i>Journal of Cardiovascular Electrophysiology</i> , 2004 , 15, 1058-65	2.7	69
9	Strain echocardiography tracks dobutamine-induced decrease in regional myocardial perfusion in nonocclusive coronary stenosis. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1664-71	15.1	31
8	Feasibility of continuous venous infusion of SonoVue for qualitative assessment of reversible coronary perfusion defects in stress myocardial contrast echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2003 , 19, 473-81	2.5	3
7	Effect of beta blockade (carvedilol or metoprolol) on activation of the renin-angiotensin-aldosterone system and natriuretic peptides in chronic heart failure. <i>American Journal of Cardiology</i> , 2003 , 92, 406-10	3	97
6	Peak early diastolic mitral annulus velocity by tissue Doppler imaging adds independent and incremental prognostic value. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 820-6	15.1	346
5	Clinical applications of strain rate imaging. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 1334-42	5.8	109

4	Left ventricular long-axis changes in early diastole and systole: impact of systolic function on diastole. <i>Clinical Science</i> , 2002 , 102, 515-522	6.5	79
3	Left ventricular long-axis changes in early diastole and systole: impact of systolic function on diastole. <i>Clinical Science</i> , 2002 , 102, 515	6.5	39
2	Left ventricular long-axis changes in early diastole and systole: impact of systolic function on diastole. <i>Clinical Science</i> , 2002 , 102, 515-22	6.5	22
1	Beta-blockade in heart failure: a comparison of carvedilol with metoprolol. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1522-8	15.1	140